

TABLE OF CONTENTS

TITLE.....	i
AUTHENTICATION.....	ii
DECLARATION.....	iii
PREFACE	iv
ACKNOWLEDGMENT.....	v
TABLE OF CONTENTS	vi
LIST OF FIGURES.....	ix
LIST OF TABLES	x
ABSTRACT	xii
CHAPTER 1 INTRODUCTION	
A. Background	1
B. Purpose and Objective.....	2
C. Scope and Limitation of Study.....	2
CHAPTER 2 LITERATURE REVIEW	
A. General	4
B. Flexible Pavement Construction	5
1. Hot Rolled Sheet Wearing Course (HRS-WC) mixture	5
2. Component of Hot Rolled Sheet Wearing Course (HRS-WC) mixture.....	6
a. Asphalt	6
b. Aggregates	7
c. Filler.....	12
3. Additive	12
C. Modified Asphalt.....	12
1. Toray Fly Ash as Additive in Asphalt	12
2. The Influence of Fly Ash in Asphalt	15
D. Mixture Testing Method	15
1. Marshall Design Method	15

2. Indirect Tensile Strength test	21
---	----

CHAPTER 3 RESEARCH METHODOLOGY

A. General	23
B. Research Sequence	23
C. Research Material	25
D. Laboratory Design	26
1. Modified Asphalt Design	26
2. Mixture Gradation Design	28
3. Marshall Design Method	30
4. Optimum Asphalt Content	31
5. Hot Rolled Sheet Wearing Course (HRS-WC)	
Mixture Characteristics	31
a. Marshall Test	31
b. Indirect Tensile Strength Test	32

CHAPTER 4 RESEARCH RESULTS AND DISCUSSION

A. Research Results	33
1. Material Examination	33
a. Asphalt	33
b. Aggregates	33
2. Modified Asphalt	34
3. Determining The Optimum Asphalt Content (OAC)	37
4. Hot Rolled Sheet Wearing Course (HRS-WC) Mixture	
Characteristics at Optimum Asphalt Content (OAC)	40
a. Marshall Properties at Optimum Asphalt Content (OAC)	40
b. Indirect Tensile Strength Result at Optimum Asphalt	
Content (OAC)	41
B. Discussion	42
1. Modified Asphalt	42
2. Optimum Asphalt Content	47
3. The Hot Rolled Sheet Characteristics at	

Optimum Asphalt Content (OAC).....	48
a. Marshall Properties to Obtain The HRS-WC Mixture	
Characteristics	48
b. Indirect Tensile Strength Test to Obtain The HRS-WC Mixture	
Characteristics	54
C. Research Result Summary.....	56
 CHAPTER 5 CONCLUSION AND RECOMMENDATION	
A. Conclusion.....	57
B. Recommendation.....	58
 REFERENCES	59
 APPENDICES	