

DAFTAR PUSTAKA

- Abdo, AA., 2006. An evidence-based update on hepatic encephalopathy. *Saudi J Gastroenterol*;12:8-15.
- Abubakar, Azzaki, Hasan, I., Abdullah, M., Shatri, H., 2015. Perubahan status fungsi hati, status nutrisi, kadar 3- β -hidroksi butiran darah, dan keseimbangan nitrogen pada pasien sirosis hati yang menjalankan puasa ramadhan. Jakarta : PPDS IPD Universitas Indonesia.
- Albillos, A., Lario, M., Álvarez-Mon, M., 2014. Cirrhosis-associated immune dysfunction: distinctive features and clinical relevance. *J. Hepatol.* 61, 1385–1396.
- Alice, M. Tang, Kimberly D., Megan D., Mei C., Zeina M., Alison T., Christine W., 2013. Use of cutoffs for mid-upper arm circumference (muac) as an indicator or predictor of nutritional and healthrelated outcomes in adolescents and adults: a systematic review. Washington, DC : Food and Nutrition Technical Assistance III Project (FANTA).
- Bémeur C., dan Butterworth R.F., 2014. Nutrition in the management of cirrhosis and its neurological complications. *J Clin Exp Hepatol*, 4: 141-150
- Biyik, M., Ucar, R., Solak, Y., Gungor, G., Polat, I., Gaipov A., Cakir OO., Ataseven H., Demir A., Turk S., Polat H., 2013. Blood neutrophil-to-lymphocyte ratio independently predicts survival in patients with liver cirrhosis. *Eur J Gastroenterol Hepatol* 25, 435-441
- Booi A.N., Menendez J., Norton H.J., Anderson W.E., and Ellis A.C., 2015. Validation of a screening tool to identify undernutrition in ambulatory patients with liver cirrhosis. *Nutr Clin Pract*, 30: 683-689
- Brimijoin S, Koenigsberger C. 1999. Choline esterase in neural development: new findings and toxicological implications. *Environ Health Perspect*, 107(Suppl 1) : 59–64.
- Budihusodo, Unggul. 2014. *Karsinoma Hati*. Dalam : A.W., Sudoyo, B., Setiyohadi, I., Alwi, M., Simadibrata, S., Setiati (editor). *Buku Ajar Ilmu Penyakit Dalam Edisi 6*. Interna Publishing, Jakarta, 3040-3046.
- Colovic, MB., Krstic DZ, Lazarevic-Pasti TD, Bondzic, A.M. and Vasic, V.M., 2013. Acetylcholinesterase inhibitors: pharmacology and toxicology. *Curr Neuropharmacol*, 11:315–35.
- Dahlan, Sopiudin M. 2013. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Jakarta: Salemba Medika.

- Dirchwolf, M., Ruf, A.E., 2015. Role of systemic inflammation in cirrhosis: From pathogenesis to prognosis. *World J Hepatol* 7, 1974–1981.
- Don, C.R., Scott, L.F., 2006. Hepatic Fibrosis And Cirrhosis. <http://www.eu.elsevierhealth.com/media/us/samplechapters/9781416032588/9781416032588.pdf>
- Dooley, J.S., Lok, Anna S. F., Burroughs, Andrew K., Heathcote, E.J., 2011. *Sherlock's Disease of the Liver and Billiary System* 12thed. United Kingdom: Blackwell Publishing Ltd.
- Dufour, DR. *Liver disease*. Dalam : Carl AB, Edward RA, David EB., 2006. *Clinical chemistry and molecular diagnostics fourth ed*. Missouri: Elsevier saunders; p. 1777-1827.
- Durand, F. dan D. Valla., 2005. Assesment of the prognosis of cirrhosis : Child Pugh vs MELD. *J. Hepatol* 42 : Suppl (1) : 100-7
- El Zwahry E., Ahmed DFI., El Masry M., dan Gad N.A., 2013. Serum cholinesterase activity helps to distinguish between liver cirrhosis, hepatocellular carcinoma and chronic hepatitis C virus in Egyptian patient. *Researcher* 5(7): 33-37.
- Fernandes, S. A., Bassani, L., Nunes, F. F., Eugênia, M., Aydos, D., Alves, A. V., dan Marroni, C. A., 2012. Nutritional assessment in patients with cirrhosis. *Arquivos de Gastroenterologia*, (1), 19–27.
- Fernandes S.A., de Mattos A.A., Tovo C.V., and Marroni C.A., 2016. Nutritional evaluation in cirrhosis: emphasis on the phase angle. *World J Hepatol*, 8: 1205-1211
- Gibson RS. 2005. *Principles of nutritional assessment*. New York : Oxford University Press.
- Göktürk H.S., and Selçuk H., 2015. Importance of malnutrition in patients with cirrhosis. *Turk J Gastroenterol*; 26 : 291-296
- Hall, P., Johnny C., 2012. What is the real fungtion of the liver ‘function” test. *Ulster Med J*. 81:30-36.
- Hartono, Andry. 2006. *Terapi gizi dan diet rumah sakit*. Jakarta: EGC Medical Publisher.
- Henkel, A.S., Buchman AL., 2006. Nutritional support in patients with chronic liver disease. *Nature Clin Pract Gastroenterol Hepatol*; 3:202-9.

- Indrarti, F. 2007. Korelasi antara status nutrisi dengan fungsi fagositosis netrofil pada penderita sirosis Hati. Sekolah Pasca Sarjana Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta.
- James, W.P., Mascie-Taylor, GC., Norgan, NG., Bistran, BR., Shetty, PS., Ferro-Luzzi, A., 1994. The value of arm circumference measurements in assessing chronic energy deficiency in Third World adults. *Eur J Clin Nutr*, 48(12):883–894
- Jensen, G.L.; Hsiao, P.Y.; and Wheeler, D., 2012. Adult nutrition assessment tutorial. *Journal of Parenteral and Enteral Nutrition*, 36(3): 267–274.
- Johnson, TM., Overgard EB., Cohen AE., & DiBalse JK., 2013. Nutritional Assessment and Management in Advanced Liver Disease. *Nutr Clin Pract* 28: 15-29.
- Kaplan, L. J. 2017. *Systemic Inflammatory Response Syndrome*, dari: <http://www.medscape.com> diakses pada 27 September 2018.
- Khongsdier, Romendro. 2002. Body mass index and morbidity in adult males of the War Khasi in Northeast India. *European journal of clinical nutrition*, 56. 484-9. 10.1038/sj.ejcn.1601281.
- Kumar, T.A, Keerthana, B Lakshmi., 2016. Serum cholinesterase as biomarker in liver disorders. *International Journal of Applied Researc*, 2(7): 563-565.
- Lee, R.D., dan Nieman, D.C., 2003. *Nutritional assessment*. New York : McGraw-Hill.
- Li, Y., Chen, Y., Zhao, Y., 2014. The diagnostic value of the FIB-4 index for staging hepatitis B-related fibrosis: a meta-analysis. *PLoS ONE* 9, e105728.
- Longo, D., Fauci, A., Langford, C. dan Harrison, T., 2013. *Harrison's gastroenterology and hepatology*. New York : McGraw-Hill Medical.
- Lovena, Angela, Saptino M., Efrida., 2017. Karakteristik pasien sirosis hepatis di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas* ; 6(1).
- McCormick, P. Aiden. 2011. *Hepatic Cirrhosis*. Dalam: Dooley, J.S., Lok, Anna S. F., Burroughs, Andrew K., dan Heathcote, E. Jenny (editor). *Sherlock's Disease of the Liver and Billiary System 12thed*. United Kingdom: Blackwell Publishing Ltd. pp. 103-117
- Meng, F., Yin, X., Ma, X., Guo, XD., Jin, B., Li, H., 2013. Assessment of the value of serum cholinesterase as a liver function test for cirrhotic patients. *Biomedical Reports*, 1: 265-268
- Miao, Y., He, N., Zhu, J-J., 2010. History and new developments of assays for cholinesterase activity and inhibition. *Chem Rev* ;110:5216–34. 15.

- Moctezuma-Velázquez, C., García-Juárez I., Soto-Solís R., Hernández-Cortés J., Torre A., 2013. Nutritional assessment and treatment of patients with liver cirrhosis. *Nutrition*. 29: 1279–1285.
- Nurdjanah, S. 2014. *Sirosis hati*. Dalam : Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., dan Setiadi S. (editor). *Buku Ajar Ilmu Penyakit Dalam edisi 6*. Jakarta: Interna publishing. pp 668 – 673
- Patasik YZ, Waleleng BJ, Wantania F. Profil pasien sirosis hati yang dirawat inap di RSUP Prof. Dr. D. Kandou Manado periode Agustus 2012 sampai Agustus 2014. *Eclinc*. 2015;3(1):342-7.
- Perhimpunan Peneliti Hati Indonesia. 2013. Artikel Umum : Sirosis Hati. Tersedia di : <http://pphi-online.org/alpha/?p=570>. Diakses pada 4 Juli 2018.
- Pinzani, M., Rosselli M., Zuckermann M. 2011. Liver cirrhosis. Italy : Dipartimento di Medicina Interna, Viale G.B. Morgagni.
- Plauth M, Cabre'E, Riggio O, Camilo MA, Pirlich M, Kondrup J. 2006. ESPEN guidelines on enteral nutrition: liver diseases. *Clin Nutr* :25:285–94.
- Powell-Tuck, J., Hennessy, EM., 2003. A comparison of mid upper arm circumference, body mass index and weight loss as indices of under nutrition in acutely hospitalized patients. *Clinical Nutrition* 22(3): 307–312.
- Sato, KK, Hayashi T, Maeda I, Koh H, Harita N, Uehara S, Onishi Y, Oue K, Nakamura Y, Endo G, Kambe H, Fukuda K. 2013. Serum butyrylcholinesterase and the risk of future type 2 diabetes: The Kansai Healthcare Study. *Clin Endocrinol (Oxf)*.
- Schuppan, D., Afdhal, N. 2008. Liver cirrhosis. *The Lancet*, 371(9615):838-851.
- Shimizu, I., Matsumoto T, Suzuki N, Sagara C, Koizumi Y, Asaki T, Katakura Y, Fukita Y., 2012. *Chronic liver disease develop more slowly in females than males*. Dalam : Shimizu, I., (editor). *Preventive female sex factors against the development of chronic liver disease*. Japan: Bentham eBooks pp 3-18.
- Starr, S. Paul., Daniel, Raines. 2011. *Cirrhosis: Diagnosis, Management, and Prevention*. American Family Physician. 84 (12), pp. 1353-1359.
- Sudoyo, A., Setiyohadi, B., Alwi, I., Simadibrata, M. and Setiati, S., 2014. *Buku Ajar Ilmu Penyakit Dalam*. 6th ed. Jakarta: Interna publishing.
- Sultana, T., Nazmul, K., Tahmeed, A., Iqbal, H., 2015. Assessment of Under Nutrition of Bangladeshi Adults Using Anthropometry: Can Body Mass Index Be Replaced by Mid-Upper-Arm-Circumference?. Bangladesh : ICDDR.
- Supariasa, I.D.N., Bakri, B., Fajar, I., 2002. Ester, M. (editor) *Penilaian Status Gizi*, Penerbit Buku Kedokteran EGC, Jakarta: 36-59

Swaspitaradya, Feri Nirantara. 2018. Perbedaan perubahan kadar kolinesterase serum pada penderita sirosis hati yang diterapkan dengan simvastatin 10 mg dibandingkan dengan simvastatin 20 mg. Yogyakarta.

Tambunan, A., Mulyadi, Y., Kahtan, M.I., Karakteristik pasien sirosis hati di RSUP Dr. Soedarso Pontianak periode Januari 2008 - Desember 2010. Jurnal Mahasiswa PPDS FK Universitas Tanjungpura. 2013;2(1):1-19.

Tang, A., Mei C., Kimberly D., Christine W., Paluku B., Kaushik B., Raja C., Karen C., Steven H., Phuong N., Patsche, C.B., Deitchler, M., Maalouf-Manasseh, Z. 2017. Determining a global mid-upper arm circumference cutoff to assess underweight in adults (men and nonpregnant women). New York: Food and Nutrition Technical Assistance.

Taylor, P., Camp, S., Radic', S., 2009. Acetylcholinesterase. University of California, USA : Elsevier.

Tsao, GG. 2012. Cirrhosis and its sequel. Dalam: Goldman L, editor (penyunting). Goldman's Cecil Medicine. Edisi ke-24. Philadelphia: Elsevier. hlm.999-1007.

Velzeboer, MI., Selwyn BJ, Sargent F 2nd, Pollitt E, Delgado H. 1983. Evaluation of arm circumference as a public health index of protein energy malnutrition in early childhood. J Trop Pediatr. 29(3):135–144.

Wang, R., and Tang, XC. 2005. Neuroprotective Effects of Huperzine Neurosignals 14 (1-2) : 71-82.

Waryanan, 2010. Gizi Reproduksi. Pustaka Rihana, Yogyakarta.

WHO. 2016. *“What is malnutrition?”*, Tersedia di : <http://www.who.int/features/qa/malnutrition/en/>. Diakses pada 14 Juli 2018.

Zhao, Y., Wang, X., Wang, T., Hu, X., Hui, X., Yan, M., Qiang, G., Taoyang, C., Jinjun, Li, Ming, Y., Dafang, W., Jianren, G., Jia, F., Xianghuo, H., 2011. Acetylcholinesterase, a key prognostic predictor for hepatocellular carcinoma, suppresses cell growth and induces chemosensitization. Hepatology 53:493-503.