UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agarwal A., Srivastara, K., Purb, S.K. & Chauhana, P.M.S. 2005. Synthesis of 4-pyrido-6-aryl-2-substituted amino pyrimidines as a new class of antimalarial agents. *Bioorg. Med. Chem*., 13: 6226–6232.

Alshawsh, M.A., Mothana, R.A., Al-shamahy, H.A., Alsllami, S.F. & Lindequist, U. 2007. Assessment of antimalarial activity against *Plasmodium falciparum* and phytochemical screening of some Yemeni medicinal plants. *eCAM*:1-4. doi:10.1093/ecam/nem148 ,http://creativecommons.org/licenses/by-nc/2.0/uk/, diakses tanggal 30 April 2008.

Anderson, M.M., O`Neill M.J., Phillipson J.D & Warhust, D.C. 1991. *In vitro* cytotoxycity of a series of quassinoid from *Brucea javanica* fruits gaints KB cells. *Planta Med*., 57: 62-65.

Ang, H.H., Chan, K.L. & Mak, J.W. 1995. Quantitative assessment of antimalarial activities from Malaysian *Plasmodium falciparum* isolates by modified *in vitro* microtechnique. *Antimicrob. Agents Chemother.*, 39:626-628.

Angerhofer, C. K., Guinaudeau, H. & Wongpanicch V. 1999. Antiplasmodial and activity of natural bisbenzyl isoquinoline alkaloids. *J. Nat. Prod.,* 62 (1): 59-66.

Babalola, C.P, Adegoke, A.O, Ogunjinmi, M.A. & Osimosu, M.O. 2003. Determination of physicochemical properties of halofantrine. *Afr. J. Med. Med. Sci.*, 32(4): 357-359.

Basco, L.K., Le Bras, J., Gillotin, C., Ringwald, P., Rabenjarson, E., Gimenez, F., Bouchaud, O., Farinotti,R. & Coulaud, J.P. 1991. Type RI resistance to halofantrine in West Africa. *Trop. Med. Parasitol*., 42(4): 413-414.

Basco, L.K. 2007. *Field Application of In Vitro Assays for the Sensitivity of Human Malaria Parasites to Antimalarial Drugs*.WHO, Geneva.

Barnes, K.I., Chanda, P. & Barnaba, G.A. 2009. Impact of the large-scale deployment of artemether/lumefantrine on the malaria disease burden in Africa: case studies of South Africa, Zambia and Ethiopia. *Malaria Journal*, 8(Suppl 1):S8, doi:10.1186/1475-2875-8-S1-S8, http://www.malariajournal.com/content/8/S1/S8, diakses tanggal 29 Maret 2010.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Biswas, S. 2002. Enhancement of antimalarial activity of chloramphenicol against Indian *Plasmodium falciparum* isolates *in vitro* by chloroquine. *Indian J. Malariol.,* 39: 26-33.

Cowman, A.F., Karze, S., Galatis, D. & Culvenor, J.G. 1991. A P glycoprotein homologue of *Plasmodium falciparum* isolated on the digestive vacuole. *J. Cell Biol.,* 113: 1033–1045.

Clarkson, C., Maharaj, V.J., Crouch, N.R., Grace, O.M., Pillay, P., Matsabisa, M.G., Bhagwandhin, N., Smith, P.J. & Folb, P.I. 2004. *In vitro* antiplasmodial activity of medicinal plants native to or naturalized in South Africa. *J. Ethnopharmacol*., 92: 177–191.

Creek, D.J., Chalmers, D.K., Charman, W.N. & Duke, B.J. 2008. Quantum chemical study of the intermediate complex required for iron-mediated reactivity and antimalarial activity of dispiro-1,2,4-trioxolanes. *J.M.G.M.*, 27: 394–400.

Delarue-Cochin, S., Paunescu, E., Maes, L., Mouray, E., Sergheraert, C., Grellier, P. & Melnyk, P. 2008. Synthesis and antimalarial activity of new analogues of amodiaquine. Eur. J. Med. Chem., 43: 252-260.

Deloron, P., Le-Bras, J., Ramanamirija, J.A. & Coulanges, P. 1985. *Plasmodium falciparum* in Madagascar: *in vivo* and *in vitro* sensitivity to seven drugs. *Ann. Trop. Med. Parasitol.,* 79:357–365.

Desjardin, R.E., Canfield, C.J. & Haynes, J.D. 1979. Quantitative assessment of antimalarial activity *in vitro* by a semi-automated microdulation technique. *Antimicrob. Agents Chemother.*, 16: 710-718.

Djimde, A. & Lefevre, G. 2009. Understanding the pharmacokinetics of Coartem®. *Malaria Journal*, **8**(Suppl 1):S4, doi:10.1186/1475-2875-8-S1-S4, http://www.malariajournal.com/ content/8/S1/S4, diakses tanggal 29 Maret 2010.

Dieckman, A. & Jung, A. 1986. Stage-specific sensitivity of *Plasmodium falciparum* to antifolates. *Z. Parasitenkd.,* 72(5): 591-594.

Dondorp, A.M. Nosten, F., Yi, P., Das, D., Phyo, A.P., Tarning, J., Lwin., K.M., Ariey, F., Hanpithakpong, W., Lee, S.J., Ringwald., P., Silamut, K., Imwong, M., Chotivanich, K., Lim, P., Herdman, T., An, S.S., Yeung, S., Singhasivanon, P., Day, N.P.J., Lindegardh, N., Socheat, D. & White, N.J. 2009. Artemisinin resistance in *Plasmodium falciparum* malaria. *N. Engl. J. Med*., 361(5):455-467.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Doyle, A. & Griffiths, J.B. 2000. *Cell and Tissue Culture for Medical Research*. John Wiley & Sons Ltd., England.

Edmund, M.W. 2006. *Introduction to Clinical Pharmacology*. 5th ed., Mosby Elsevier, Missouri.

Egan, T.J. 2004. Haemozoin formation as a target for the rational design of new antimalarials. *Drug Design Rev. – Online,* 1: 93-110.

EMEA (The European Agency for the Evaluation of Medicinal Products Evaluation of Medicines for Veterinary Use), 2000, *Guidelines for the Conduct of Pharmacokinetic Studies in target Animal Species*. EMEA, London.

Falade, C. & Manyando, C. 2009. Safety profile of Coartem®: the evidence base. *Malaria Journal*, 8(Suppl 1):S6, doi:10.1186/1475-2875-8-S1-S6, http://www.malariajournal. com/ content/8/S1/S6, diakses tanggal 29 Maret 2010.

Farnert, A., Lindberg, J., Gil, P., Swedberg, G., Berqvist, Y., Thapar, M.M., Lindegardh, N., Berezcky, S., & Bjorkman, A. 2004. Evidence of *Plasmodium falciparum* malaria resistant to atovaquone and proguanil hydrochloride: case report. *B.M.J*., 326: 628-629.

Foote, S.J., Thompson, J.K., Cowman, A.F. & Kemp, D.J. 1989. Amplification of the multidrug resistance gene in some chloroquine resistant isolates of *P. falciparum. Cell,* 57: 921–930.

Freshney, R.I. 2000. *Culture of Animal Cells, A Manual Basic Technique*. 4th ed. Wiley-Liss, New York.

Fujioka, H. & Aikawa, M. 2002. Structure and life cycle, *dalam* P. Perlman & M. Troye-Blomberg (eds.): *Malaria immunology*., Vol. 80: 1-26, Karger, Basel.

Geary, T.G., Divo, A.A. & Jensen, J. B. 1989. Stage specific actions of antimalarial drugs on *Plasmodium falciparum* in culture. *Am. J. Trop. Med. Hyg*., 40(3): 240-244.

Griesbeck, A.G., El-Idreesy, T.T., Höinck, L., Lexa, J. & Brunb, R. 2005. Novel spiroanellated 1,2,4-trioxanes with high in vitro antimalarial activities. *Bioorg. Med. Chem. Lett.*, 15: 595–597.

Guarino, R.A. 2000. *New Drug Approval Process*, 3rd ed., Marcel Dekker, New York.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Hadanu, R. 2004. Sintesis senyawa antimalaria (1)-N-Alkil-1,10 fenantrolinium dan 3-(2-hidroksietil)-2-metil-1,10-fenantrolin-4-ol. *Tesis.* Program Pascasarjana Universitas Gadjah Mada, Yogyakarta.

Hadanu, R. 2007. Analisis hubbungan kuantitatif struktur aktivitas (HKSA) dan sintesis senyawa baru antimalaria turunan 1,10-fenantrolin. *Disertasi*. Program Pascasarjana Universitas Gadjah Mada, Yogyakarta.

Hansch, C. 1971. Quantitative Structure-Activity Relationship, in Ariens, *Drug Design*, I. Academic Press, New York.

Hansch, C. & Dunn, W.J. 1972. Linear relationship between lipophilic character and biological activity of drugs. *J. Pharm. Sci*., 61(1): 1-5.

Harmita. 2004. Petunjuk pelaksanaan validasi metode dan cara perhitungannya. *Majalah Ilmu Kefarmasian*, I(3): 117 – 135.

Hassan, A.M., Bjorkman, A. & Ashton. 1990. *In vitro* activity of artemisinine, its derivatives, and pyronaridine against different strains of *Plasmodium falciparum*. *Trans. R. Soc. Trop. Med. Hyg*., 84: 635-637.

Hay, R., Macy, M., Hamburger, A., Weinblatt, A. & Chen, T.R. 1983. *A Type Culture Collectin Catalogue of Strains II*. 4th Ed. ATCC, Maryland.

Hidaka, K., Kimura, T., Ruben, A.J. , Uemura, T., Kamiya, M., Kiso, A., Okamoto, T., Tsuchiya, Y., Hayashi, Y., Freire, E. & Kiso, Y. 2008. Antimalarial activity enhancement in hydroxymethylcarbonyl (HMC) isostere-based dipeptidomimetics targeting malarial aspartic protease plasmepsin. *Bioorg. Med. Chem*., 16: 10049–10060.

Houël, E., Bertani, S., Bourdy, G., Deharo, E., Jullian, V., Valentin, A., Chevalley, S. & Stiena, D. 2009. Quassinoid constituents of *Quassia amara* L. leaf herbal tea. Impact on its antimalarial activity and cytotoxicity. *J. Ethnopharmacol*., 126: 114–118.

Hughes, D. & Mehmet, H. (eds.), 2003. *Cell Proliferation & Apoptosis*. BIOS Scientific Publisher Limited, Oxford.

Humberstone, A.J., Porter, C.J. & Charman, W.N. 1996. A physicochemical basis for the effect of food on the absolute oral bioavailability of halofantrine. *J. Pharm. Sci.*, 85(5): 525-529.

Jung, D.T. 1984. *Stripe*. College of Pharmacy University of Illionis, Chicago.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Karbwang, J., Milton, K.A., Na Bangchang, K., Ward, S.A., Edwards, G. & Bunnag, D. 1991. Pharmacokinetics of halofantrine in Thai patients with acute uncomplicated falciparum malaria. *Br. J. Clin. Pharmacol.*, 31(4): 484-487.

Karbwang, J. & Na Bangchang, K., 1994, Clinical pharmacokinetics of halofantrine. *Clin. Pharmacokinet.*, 27(2): 104-119.

Karcz, S.R., Galatis,D. & Cowman, A.F. 1993. Nucleotide binding propertiesof a P-glycoprotein homologue from *Plasmodium falciparum. Mol. Biochem. Parasitol*., 58: 269–276.

Keputusan Menteri Kesehatan Republik Indonesia. 2007. Pedoman Penatalaksanaan Kasus Malaria. Menteri Kesehatan Republik Indonesia, Jakarta.

Kokwaro, G. 2009. Ongoing challenges in the management of malaria. *Malaria Journal*, 8(Suppl 1):S2, doi:10.1186/1475-2875-8-S1-S2, http://www.malariajournal.com /content/8/S1/S2, diakses tanggal 29 Maret 2010.

Krogstad, D.J., Gluzman, I.Y., Kyle, D.E., Oduola, A.M.J., Martin, S.K., Milhous,W.K. & Schlesinger, P.H. 1987. Efflux of chloroquine from *Plasmodium falciparum* : mechanism of chloroquine resistance. *Science*, 238: 1283–1285.

Labaied, M., Dagan, A., Dellinger, Marc, Geze, M., Egee, S., Thomas, S.L., Wang, C., Gatt, S. & Grellier, P. 2004. Antiplasmodium activity of ceramide analogs. *Malaria Journal*, 3: 49, doi:10.1186/1475-2875-3-49, http://www. malariajournal. com/conten/3/1/49, diakses tanggal 20 Mei 2006.

Laihad, F.J. 1999. *Gebrak Malaria: Indonesia's Roll Back Malaria Initiative*. http://www.mekong-malaria.org/ mcis/mmf4/mmf4.htm, diakses tanggal 27 April 2002.

Le-Bras, J. & Deloron, P. 1983. *In vitro* study of drug sensitivity of *Plasmodium falciparum:* evaluation of a new semi-micro test. *Am. J. Trop. Med. Hyg*. 32:447–451.

Le-Bras, J., Deloron, P., Hartmann, J.F., Coulanges, P., Dourado, H.V. & Larouze, B. 1984. Application of an *in vitro* semi-microtest to the study of drug sensitivity of 66 *Plasmodium falciparum* isolates from 15 countries. *Trans. R. Soc. Trop. Med. Hyg.*,78: 485-488.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Le-Bras, J. & Savel, J. 1987. La détermination de la chimiosensibilité de *Plasmodium falciparum:* méthodologie et interprétation [Determination of the drug sensitivity of *Plasmodium falciparum:* methodology and interpretation]. *Annales de Pédiatrie,* 34:349–356.

Li, Y. & Wu, Y.L. 1998. How Chinese scientist discovered qinghaosu (artemisinin) and developed its derivatives? What are the future perspectives?. *Med. Trop*., 58(suppl. 3): 9-12.

Ljungström, I., Perlmann, H., Schlichtherle, M., Scherf, A., & Wahlgren, M. 2004. *Methods in Malaria Research*, 4th ed., MR4/ATCC Manassas, Virginia.

Lullman, H., Mohr, K., Ziegler, A. & Bieger, D. 2000. *Color Atlas of Pharmacology*, 2nd ed. Thieme, New York.

Makanga, M. & Krudsood, S. 2009. The clinical efficacy of artemether/lumefantrine (Coartem®). *Malaria Journal*, 8(Suppl 1):S5, doi:10.1186/1475-2875-8-S1-S5, http://www.malariajournal.com/content/8/S1/S5, diakses tanggal 29 Maret 2010.

Martin, A. 1993. *Physical Pharmacy*. 4th ed., Lea & Febiger, Philadelphia.

Martin, A., Swarbrick, J. & Cammarata, A. 1983. *Physical Pharmacy*. 3rd ed., Lea & Febiger, Philadelphia.

Menteri Kesehatan dan Kesejahteraan Sosial. 2001. *Malaria Situation – Strategic Plan in Roll Back Malaria (Gebrak Malaria) 2001-2005*. Menteri Kesehatan dan Kesejahteraan Sosial, Jakarta.

Mishra, K., Dash, A.P., Swain, B.K. & Dey, N. 2009a. Anti-malarial activities of *Andrographis paniculata* and *Hedyotis corymbosa* extracts and their combination with curcumin. *Malaria Journal,* 8:26, doi:10.1186/1475-2875-8-2, http://www.malariajournal.com/content/8/1/26, diakses tanggal 16 Oktober 2009.

Mishra, A., Srivastava, K., Tripathi, R., Puri, S.K. & Batra, S. 2009b. Search for new pharmacophores for antimalarial activity. Part III: Synthesis and bioevaluation of new 6-thioureido-4-anilinoquinazolines. *Eur. J. Med. Chem*., 44: 4404–4412.

Mulja, H. & Suherman. 1995. *Analisis Instrumental.* Airlangga University Press, Surabaya.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Mustofa. 2000. *In vitro* and *in vivo* activity of the divers of natural and synthetic antimalarial: Effect of potentialisator and the possibility of mechanism of actions. *Disertasi,* University of Montpellier I, France.

Mustofa, 2003, Molekul antimalaria alami: Potensi dan tantangan pengembangannya sebagai obat baru malaria. *Majalah Obat Tradisional*, 8(26): 8-18.

Mustofa. 2005. Pengembangan senyawa baru turunan fenantrolin-1,10 sebagai antimalaria. *Laporan Penelitian RUT X Bidang Kesehatan.* Kementerian Riset dan Teknologi RI Lembaga Ilmu Pengetahuan Indonesia, Jakarta.

Mustofa. 2006. *In vitro* antiplasmodial activity and stage-specificity of 1,10-phenanthroline derivatives on *Plasmodium falciparum* cycles. *Berkala Ilmu Kedokteran*, 38(4), 175-182.

Mustofa, Sholikhah, E.N. & Wahyuono, S. 2007. In vitro and in vivo antiplasmodial activity and cytotoxicity of extracts of. *Phyllanthus niruri* L. herbs traditionally used to treat malaria. *Southeast Asian J. Trop. Med. Public Health*, 38(4): 609-615.

Mustofa, Sholikhah, E.N. 2007. *In vitro* and *in vivo* antiplasmodial activity of fraction isolated from methanolic extract of Pasak Bumi (*Eurycoma longifolia* Jack) traditionally used to treat malaria in South Kalimantan. *Majalah Obat Tradisional*, 11(40): 25-30

Mustofa,Yapi, A.D., Valentin, A. & Tahir, I. 2003. *In vitro* antiplasmodial activity of 1,10-phenantroline derivatives and its Quantitative Structure-Activity Relationship. *Berkala Ilmu Kedokteran*, 35 (2): 67-74.

Narla, R.K., Chen, C.L., Dong, Y. & Uckun, F.M. 2001a. *In vivo* antitumor activity of bis (4,7-dimethyl-1,10-phenanthroline) sulfatooxovanadium (IV) {METVAN [$VO(SO_4)$ $(Me_2\text{-}Phen)_2$]}. *Clin. Cancer Res.*, 7: 2124-2133.

Narla, R.K., Dong Y., Klis D. & Uckun, F.M. 2001b. Bis (4,7-dimethyl-1,10-phenanthroline) sulfatooxovanadium (IV) as a novel antileucemic agent with matrix metalloproteinase inhibitor activity. *Clin. Cancer Res.*, 7: 1094-1101.

Neal, M.J. 1997., *Medical Pharmacology at a Glance*. 3rd ed., Blackwell Science, London.

Nguyen-Dinh, P. & Trager, W. 1978. Chloroquine resistance produced *in vitro* in an African strain of human malaria. *Science*, 200 (4348): 1397-1398.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Nguyen-Dinh, P. & Trager W. 1980. *Plasmodium falciparum in vitro*: determination of chloroquine sensitivity of three new strains by a modified 48-hour test. *Am. J. Tro. Med. Hyg.,* 29:339–342.

Nguyen-Dinh, P. Hobbs, J.H. & Campbell, C.C. 1981. Assessment of chloroquine sensitivity of *Plasmodium falciparum* in Choluteca, Honduras. *Bull. World Health Organ.,* 59(4): 641–646.

Nguyen-Dinh, P., Spencer, H.C., Chemangey-Masaba, S. & Churchill, F.C. 1982. Susceptibility of *Plasmodium falciparum* to pyrimethamine and sulfadoxine-pyrimethamine in Kisumu, Kenya. *Lancet,* 1(8276): 823-825.

Nguyen-Dinh, P., Magloire, R., Chin, W. 1983 A simple field kit for the determination of drug susceptibility in *Plasmodium falciparum*. *Am. J. Trop. Med. Hyg*., 32(3):452–455.

Nguyen-Dinh, P., Greenberg, A.E., Kabote, N., Davachi, F., Groussard, B. & Embonga, B. 1987. *Plasmodium falciparum* in Kinshasa, Zaire: *in vitro* drug susceptibility studies. *Am. J. Trop. Med. Hyg.,* 37: 217–219.

Nguyen-Dinh, P., Payne, D., Teklehaimanot, A., Ipenza, A.Z., Day, M.M. & Duverseau, Y.T. 1985a. Development of an *in vitro* microtest for determining the susceptibility of *Plasmodium falciparum* to sulfadoxine-pyrimethamine: laboratory investigations and field studies in Portau Prince, Haiti. *Bull. World Health Organ*., 63(3):585–592.

Nguyen-Dinh, P., Schwartz, I.K., Sexton, J.D., Bomboto, E., Botomwito, B., Kalisa, R., Ngimbi, N.P.& Wery M. 1985b. *In vivo* and *in vitro* susceptibility to chloroquine of *Plasmodium falciparum* in Kinshasa and Mbuji-Mayi, Zaire. *Bull World Health Organ,* 63: 325–330.

Nguyen-Dinh, P., Magloire, R. & Chin, W. 1983. A simple field kit for the determination of drug susceptibility in *Plasmodium falciparum. Am. J. Trop. Med. Hyg*., , 32:452–455.

Nguyen-Pouplin, J., Tran, H., Tran, H., Phan, T.A., Dolecek, C. Farrar, J., Tran, T.H., Caron, P., Bodo, B. & Grellier, P. 2007. Antimalarial and cytotoxic activities of ethnopharmacologically selected medicinal plants from South Vietnam. *J. Ethnopharmacol*., 109: 417–427.

Nogrady, T. 1985. *Medicinal Chemistry A Biochemical Approach*. Oxford Uiversity Press, New York.

Nwaka, S. & Hudson, A. 2006. Innovative lead discovery strategies for tropical diseases. *Nat. Rev. Drug Discov*., 5: 941-955.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Olepu, S, Suryadevara, P.K., Rivas, K., Yokoyama, K., Verlinde, C.L.M.J., Chakrabarti, D., Voorhis, W.C.V. & Gelb, M.H. 2008. 2-Oxo-tetrahydro-1,8-naphthyridines as selective inhibitors of malarial protein farnesyltransferase and as anti-malarials. *Bioorg. Med. Chem. Lett*., 18: 494-497.

Olliaro, P. 2001. Mode of action and mechanism of resistance for antimalarial drugs. *Pharmacol. Ther*., 89: 207-219.

Ouattara, M., Wein, S., Calas, M., Hoang, Y.V., Viala, H. & Escaleb, R. 2007. Synthesis and antimalarial activity of new 1,12-bis-(N,N0-acetamidinyl)dodecane derivatives. *Bioorg. Med. Chem. Lett*., 17: 593-596.

Paul, J. 1975. *Cell and Tissue Culture*. Churchill Livingstone, London.

Pearson, R. D. & Hewlett, E.L. 1998. Drugs effective against parasitic protozoal infections, *dalam* T.M. Brody, J. Larner & K.P. Minneman: *Human Pharmacology, Molecular to Clinical*, 773-785. Mosby-Year Book Inc., Missouri.

Pradines, B., Rogier, C., Fusai, T., Tall, A., Trape, J. F. & Doury, J.C. 1996. Sensibilite *in vitro* de 85 isolats de *Plasmodium falciparum* dans la region de fatick, Senegal. *Med. Trop*., 56:141-145.

Pribadi, W. 2002. Parasit Malaria, *dalam* S. Gandahusada, H.D. Ilahude & W. Pribadi (Eds.): *Parasitologi Kedokteran*, edisi III, 171-192, Balai Penerbit FKUI, Jakarta.

Purcell, W.P., Bass, G.E. & Clayton, J.M. 1973. *Strategy of Drug Design: A Guide to Biological Activity*. John Wiley and Sons, New York.

Ramdja, M. 1997. Mekanisme resistensi *Plasmodium falciparum* terhadap klorokuin. *Medika*, 23(11): 873-5.

Ramsay, A.R., Msaki, E.P., Kennedy, N., Ngowi, F.I. & Gillespie, S.H. 1996. Evaluation of the safety and efficacy of micronized halofantrine in the treatment of semi-immune patients with acute *Plasmodium falciparum* malaria. *Ann. Trop. Med. Parasitol.*, 90(5): 461-466.

Rang, H.P., Dale, M.M., Ritter, J.M. & Moore, P.K. 2003. *Pharmacology*, 5th ed.,Churchill Livingstone, London.

Reid, E. 1978. *Assay of Drugs and Other Trace Compounds in Biological Fluids*. North Holland Publishing Company, New York.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Rekker, R.F. 1977. *The Hydrophobic Fragmental Constant.* Elsevier Scientific Publishing Co., Amsterdam.

Richards, W.H.G. & Maples, B.K.1979. Studies on *Plasmodium falciparum* in continuous cultivation. I. The effect of chloroquine and pyrimethamine on parasite growth and viability. *Ann. Trop. Med. Parasitol.*, 73: 99-108.

Rieckman, K., Suebsaeng, L. & Rooney, W. 1987. Response of *Plasmodium falciparum* infections to pyrimethamine-sulfadoxine in Thailand. *Am. J. Trop. Med. Hyg.*, 37: 211-216.

Ridley, R.G. 2002. Medical need, scientific opportunity and the drive for antimalarial drugs. *Nature,* 415: 686-693.

Ritschel, W.A. 1976. *Handbook of Basic Pharmacokinetic*, 1st ed. Drug Intelligence Publications Inc., Hamilton.

Ritschel, W.A. 1992. *Handbook of Basic Pharmacokinetic, Including Clinical Applications*, 4th ed. Drug Intelligence Publications Inc., Hamilton.

Rosenthal, P.J. 2003. Antimalarial drug discovery: old and new approaches. *J. Exp. Biol.*, 206: 3735-3744.

Roth, H.J., Blaschake, G. 1998. *Analisis Farmasi*, diterjemahkan oleh Sardjono Kisman dan Slamet Ibrahim. Gadjah Mada University Press, Yogyakarta.

Sardjoko. 1993. *Rancangan Obat.* Gadjah Mada University Press, Yogyakarta.

Scheibel, L.W. & Adler, A. 1981. Antimalarial activity of selected aromatic chelator: II. Substituted quinolines and quinolone-N-oxides. *Mol. Pharmacol.*, 20: 218-223.

Scheibel, L.W. & Adler, A. 1982. Antimalarial activity of selected aromatic chelator: III. Substituted 8-hydroxyquinolines (oxines substituted in position 5 and 7 and oxines annealated in position 5,6 by an aromatic ring). *Mol. Pharmacol.*, 22: 140-144.

Shargel, L., Wu-Pong, S. & Yu, A.B.C. 2005. *Applied Biopharmaceutics & Pharmacokinetics*. 5th ed., McGraw-Hill, New York.

Sholikhah, E.N., Wijayanti, M.A., Nurani, L.H. & Mustofa. 2008. Stage specificity of Pasak Bumi root (*Eurycoma longifolia* Jack) isolate on *Plasmodium falciparum* cycles. *Med. J. Malaysia*, 63(Suppl A July): 98-99.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Siegel, G.G. & Zeegers-Huyskens. 1989. Infrared study of the interaction between proton donors and l,l0-phenanthroline derivatives. *Spectrochimica Acta*, 4SA(12): 1297-1304.

Singh, C., Gupta, N. & Puri, S.K. 2005. Photooxygenation of 3-aryl-2-cyclohexenols: synthesis of a new series of antimalarial 1,2,4-trioxanes. *Tetrahedron Lett*.,46: 205–207.

Singh, C. Pandey, S., Kushwah, A. K. & Puri, S.K. 2008. New functionalized 1,2,4-trioxepanes: Synthesis and antimalarial activity against multi-drug resistant *P. yoelii* in mice. *Bioorg. Med. Chem. Lett.*, 18: 5190–5193.

Siswandono & Soekardjo, B. 1998. *Prinsip-prinsip Rancangan Obat*. Airlangga University Press, Surabaya.

Siswandono & Soekardjo, B. 2000. *Kimia Medisinal*. Airlangga University Press, Surabaya.

Sitohy,M., Dalgalarrondo, M., Nowoczin, M., Besse, B., Billaudel, S., Haertle, T. & Chobert, J. 2008. The effect of bovine whey proteins on the ability of poliovirus and coxsackie virus to infect Vero cell cultures. *Intern. Dairy J.*, 18: 658–668.

Solomon, V.R., Puri, S.K., Srivastava, K. & Kattia, S. B. 2005. Design and synthesis of new antimalarial agents from 4-aminoquinoline. *Bioorg. Med. Chem*. 13: 2157–2165

Somogyi, A., 1998, Clinical pharmakokinetics and dosing schedules., *dalam* T.M. Brody, J. Larner, & K.P. Minneman: *Human Pharmacology, Molecular to Clinical*, 47-64, Mosby-Year Book Inc, Missouri.

Sowunmi, A., Falade, C.O., Oduola, A.M., Ogundahunsi, O.A., Fehintola, F.A., Gbotosho, G.O., Larcier, P., & Salako, L.A. 1998. Cardiac effects of halofantrine in children suffering from acute uncomplicated *falciparum* malaria. *Trans. R. Soc. Trop. Med. Hyg.*, 92(4): 446-448.

Spencer, H.C., Masaba, S.C., Chulay, J.D. & Nguyen-Dinh, P. 1983. Field evaluation in Kenya of a 48-hour *in vitro* test for *Plasmodium falciparum* sensitivity to chloroquine. *Am. J. Trop. Med. Hyg.*, 32:916-921.

Spilker, B. 1997. Drug development and approval process, *dalam* T.M. Speight & N.H.G. Holford, (Eds.): *Avery's Drug Treatment*, 4th ed., 423-449, Adis International, Aucland.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Srinivas, S.D. & Puri, S.K. 2002. Time course of *in vitro* maturation of intra-erythrocytic malaria parasite: a comparison between *Plasmodium falciparum* and *Plasmodium knowlesi. Mem. Inst. Oswaldo Cruz*, 97(6): 901-903.

Stein, G.E. 1998. Regulated drug development and usage, *dalam* T.M. Brody, J. Larner, & K.P. Minneman: *Human Pharmacology, Molecular to Clinical*, 903-908, Mosby-Year Book Inc, Missouri.

Supargiyono, Jumina & Mustofa. 2006.Antimalaria baru turunan 1-Fenil-1,10-fenantrolin: Sintesis, kajian aktivitas antiplasmodium, toksisitas, farmakokinetika, mekanisme aksi dan formulasinya. *Laporan Penelitian Hibah Pascasarjana Angkatan II*, Departemen Pendidikan Nasional, Jakarta.

Swarbrick, J. & Boyland, J.C. 2002a. *Encyclopedia of Pharmaceutical Technology*. 2nd ed., Vol. 1. Marcel Dekker, New York.

Swarbrick, J. & Boyland, J.C. 2002b. *Encyclopedia of Pharmaceutical Technology*. 2nd ed., Vol. 2. Marcel Dekker, New York.

Syafruddin, D., Krisin, Asih, P., Sekartuti, Dewi, R.M., Coutrier, F., Rozy, I.E., Susanti, A.I., Elyazar, I.R.F, Sutamihardja, A., Rahmat, A., Kinzer, M. & Rogers, W.O. 2009. Seasonal prevalence of malaria in West Sumba district, Indonesia. *Malaria J.*, 8(8): 1-8.

Tambajong, E.H. 1999. Patobiologi malaria, *dalam* P.N. Harijanto (Ed.): *Malaria: Epidemiologi, Patogenesis, Manifestasi Klinis, & Penanganan*, EGC, Jakarta.

Tambun, I. N.K. 2005. Beberapa parameter kimia fisik senyawa baru (1)-N-Etil-1,10-fenantrolinium sulfat, berkaitan dengan absorbsinya. *Skripsi*. Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.

Thaithong, S., Beale, G.H. & Chutmongkonkul, M. 1983. Susceptibility of *Plasmodium falciparum* to five drugs: an *in vitro* study of isolates mainly from Thailand. *Trans. Royal Soc. Trop. Med. and Hyg.*, 77: 228–231.

Theis, J.G.W., Koren, G. 1997. Maternal and fetal clinical pharmacology, *dalam* T.M. Speight & N.H.G. Holford (eds.): *Avery's Drug Treatment*, 4th ed., 75-126, Adis International, Aucland.

Ter-Kuile, F., White, N.J., Holloway, P., Pasvol, G., Krishna, S. 1993. *Plasmodium falciparum*: *in vitro* studies of the pharmacodynamic properties of drugs used for the treatment os severe malaria. *Exp. Parasitol*., 76: 85-95.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Tjokrosonto, S.. 1990. Resistensi terhadap obat antimalaria. *Berita Kedokteran Masyarakat,* VI(2):146-153.

Tracy, J.W. & Webster, L.T. 2001. Drugs used in the chemotherapy of protozoal infections: malaria, *dalam* J.G. Hardman & L.E. Limbird (eds.): *Goodman & Gilman's, The Pharmacologycal Basis of Therapeutics*, 10th ed., 1069-1095. McGraw-Hill, New York.

Trager, W. & Jensen, J.B. 1976. Human malaria parasites in continuous culture. *Science*, 193 (4254): 673-675.

Tropical Deseases Center. 2004. *Proceeding* : Symposium of malaria control in Indonesia. TDC, Airlangga University, Surabaya.

Tsafack A., Loyevsky, M., Ponka, P., Cabantchik, Z.I., 1996. Mode of action of iron (III) chelators as antimalarials IV. Potentiation of desferal action by benzoyl and isonicotinoyl hydrazone derivatives. *J. Lab. Clin. Med*., 127 : 574-582.

Tuti, S. 1992. Resistensi *Plasmodium falciparum* terhadap beberapa obat anti malaria di Indonesia. *Cermin Dunia Kedokteran*, (76): 50-52.

Udomsangpetch, R., Pipitaporn, B., Krishna, S., Angus, B., Pukrittayakamee, S., Bates, I., Supputamongkol, Y., Kyle, D.E. & White, N.J. 1996. Antimalarial drugs reduce cytoadherence and rosetting of *Plasmodium falciparum*. *J. Infect. Dis*., 173(3) :691-698.

Vial,H. & Ancelin, M.L., 1994, Recherches de nouvelles molecules antipaludieens: Une urgence, un espoir. *Pathol. Biol.*, 42, 138-144.

Vathsala, P.G., Pramanik, A., Dhanasekaran, S., Ushadevi, C., Pillai, C.R., Subbarao, S.K., Ghosh, S.K., Tiwar, S.N., Sathyanarayan, T.S., Deshpande, P.R., Mishra, G.C., Ranjit, M.R., Dash, A.P., Rangarajan, P.N. & Padmanaban, G. 2004. Widespread occurrence of the *Plasmodium falciparum* chloroquine resistance transporter (Pfcrt) gene haplotype SVMNT in *P. falciparum* malaria in India. *Am. J. Trop. Med. Hyg*., 70(3) : 256-259.

Watson, D.G. 1999. *Pharmaceutical Analysis*. Churchill Livingstone, London.

Wallace, R.J., Newbold, C.J., McKain, N. 1996. Inhibition by 1,10-phenantroline of the breakdown of peptides by rumen bacteria and protozoa. *J. Appl. Bacteriol*., 80: 425-430.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

White, N.J. 1997. Minireview: assessment of the pharmacodynamic properties of antimalarial drugs in vivo. *Antimicrob. Agents Chemother*., 41: 1413-1422.

White, N.J., Krishna, S., Waller, D., Craddock, C., Kwiatkowski, D. & Brewster, D. 1989. Open comparison of intramuscular chloroquine and quinine in children with severe chloroquine-sensitive falciparum malaria. *Lancet*, 2(8675): 1313-1316.

WHO. 1998. *Roll back Malaria*. A global partnership. WHO, Geneva.

WHO. 2008. *World Malaria Report 2008.* WHO, Geneva

WHO. 2009. *World Malaria Report 2009.* WHO, Geneva

Wilkinson, G.R. 2001. Pharmacokinetic, the dynamic of drug absorption, distribution, and elimination, dalam J.G. Hardman & L.E. Limbird (eds.): *Goodman & Gilman's, The Pharmacologycal Basis of Therapeutics*, 10th ed., 3-29. McGraw-Hill, New York.

Winstanley, P.A., 2000, Chemotherapy for *falciparum* malaria: the Armoury, the problems and the prospects. *Parasitol. Today*, 16(4): 146-153.

Winstanley, P. & Walley, T. 2002. Medical Pharmacology. 2nd ed., Churchill Livingstone, Edinburg.

Wollf, M.E. 1980. Burger's Medicinal Chemistry, 4th ed. New York: John Wiley.

Yapi. A.D., Valentin, A., Chezal, J.M., Chavignon, O., Chaillot, B., Gerhardt, R., Teulade, J.C. & Blache, Y. 2006. *In vitro* and *in vivo* antimalarial activity of derivatives of 1,10-phenanthroline framework. *Arch. Pharm. Chem. Life Sci*., 339: 201-206.

Yapi. A.D., Mustofa, Valentin, A., Chavignon, O., Teulade, J.C., Mallie, M., Chapat, J.P. & Blache, Y. 2000. New potential antimalarial agents: synthesis and biological activities of original diaza analogs phenanthrene. *Chem. Pharm. Bull.*, 48(12): 1886-1889.

Yayon, A., Vande-Waa, J.A., Yayon, M., Geary, T.G. & Jensen, J.B. 1983. Stage-dependent effects of chloroquine on *Plasmodium falciparum in vitro*. *J. Protozool*., 30: 642-647.

Zalis, M.G., Wilson, C.M., Zhang, Y. & Wirth, D.F. 1993. Characterization of the pfmdr2 gene for *P. falciparum. Mol. Biochem. Parasitol. 62:* 83-92.

UNIVERSITAS
GADJAH MADA
Antiplasmodium baru turunan N-Alkil dan N-Benzil 1,10-fenantrolin :: Kajian aktivitas in vitro, sitotoksisitas, sifat fisika kimia dan profil farmakokinetika
SHOLIKHAH, Eti Nurwening, Promotor Prof. dr. Supargiyono, DTMH., SU., Ph.D
Universitas Gadjah Mada, 2010 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, Y., Asante, K.S. & Jung, A. 1986. Stage-dependent inhibition of chloroquine on *Plasmodium falciparum in vitro*. *J. Parasitol.* 72(6), 830-836.

Zhu, S. Zhang, Q., Gudise, C., Meng, L., Wei, L., Smith, E. & Kong, Y. 2007. Synthesis and evaluation of naphthyridine compounds as antimalarial agents. *Bioorg.Med. Chem. Lett*. 17: 6101–6106.