

DAFTAR PUSTAKA

- Abednego, H.M. & Suroso, T. 1998. Mosquito-borne diseases : Status and control in Indonesia. *National Seminar on Mosquito-borne Diseases by Molecular Approaches*. Pusat Kedokteran Tropis, Fakultas Kedokteran UGM. Yogyakarta, Februari 1998.
- Aldoro, S., Uhumwangho, S., Adekoya, A., Faronhi, O. 2004. Rat liver microsomal lipid peroxidation is increased by antimalarial drugs in the presence of oxidant. *Pharmacol Toxicol* 37:1-6.
- Aldunate, J., Morello, A. 1993. Free radicals in the mode of action of antiparasitic drug. In: Okezie A. *Free radical s in Tropical Disease*. Hardwood Academic Publisher, Switzerland, 137-143.
- Ang, K.H., Holmes, M.J., Higa, T., Hamann, M.T., Kara, V.A. 2000. *In vivo* antimalarial activity of the β -carboline alkaloid Manzamine A. *Antimicrob Agent Chemother* 44(6):1645-1649.
- Alves, T.M., Nagem, T.J., De Carvalho, L.H., Kretili, A.U., Zani, C.L. 1997. Antiplasmodial triterpene from *Vernonia brasiliensis*. *Planta Med* 63:554-555.
- Auparakkitanon, S., Noonpakden, W., Ralph, R., Denny, W and Wilairat, P. 2003. Antimalarial 9-anilinoacridine compounds directed at hematin. *Antimicrob Agents Chemother*. 47(12):3708-3712.
- Auparakkitanon, S., Chapoomran, S., Kuaha, K., Chirachariyavey, T and Wilairat P. 2006. Targeting of hematin by the antimalarial Pyonaridine. *Antimicrob Agents Chemotherapy*. 50(6):2197-22000.
- Badam, L., Deolankar, R. P., Kulkarni, M. M., Nagsampgi, B. A., Wagh, U. V. 1987. *In vitro* antimalarial activity of Neem (*Azadirachta indica* A. Juss) leaf and seed extracts. *Indian J Malariol*. 24 : 111-117.
- Barends, M., Jaidee, A., Khaohirun, N., Singhasivanon, P., Nosten, F. 2007. *In vitro* antimalarial activity of ferroquine (SSR-97193) against *Plasmodium falciparum* isolates from The Thai-Burmese border. *Malar J* 6:81-86.
- Bassilico, N., Pagani, E., Monti, D., Olliaro, P., Taramelli, D. 1998. A microtitre-based method for measuring the Haem Polymerization Inhibitory Activity (HPIA) of antimalarial drugs. *J Chemother* 42: 55-60.
- Benoit-Vical, F., Valentin, A., Pélissier, Y., Diafouka, F., Marion, C., Kone-Bamba, D., Kone M, Mallie, M, Yapi A, Bastide JM. 1996. *In vitro* antimalarial activity of vegetal extracts used in West African traditional medicine. *Am J Trop Med Hyg*. 54: 67-71.
- Benoit-Vical, F., Valentin, A., Pélissier, Y., Marion, D., Dakuyo, Z., Mallie, M., Bastide, J. M. 1995. Antimalarial *in vitro* of *Chlorospermum tinctorium* tubercle extracts. *Trans Roy Soc Trop* 89 : 217-218.
- Bicki, J., Nijifutie, N., Foyene, JA., Basco, LK and Ringwald, P. 2000. *In vitro* antimalarial activity of limonoids from *Khaya grandifolia* C.D.C (Meliaceae). *J Ethnopharmacol* 69:27-33.
- Boyd, M.F. 1970. *Malaria: A Comprehensive survey of all aspects of the group of diseases from a Global standpoint*. Vol I. Philadelphia:WB Saunders Company. hal 29-58.
- Bruce-Chwatt, L.J. 1991. *Essential Malariology*. First edit. William Heinemann Medical Books Ltd., London.



- Bryan, J. 2006. Cost considerations of malaria chemoprophylaxis including use of primaquine for primary or terminal chemoprophylaxis. *Am J Trop Med Hyg* 75(3):416-420.
- Chan, K.L., Choo, C.Y., Abdullah, N.R., Ismail, Z. 2004. Antiplasmodial studies of *Eurycoma longifolia* Jack using the lactate dehydrogenase assay of *Plasmodium falciparum*. *J Ethnopharmacol* 92(2):223-227.
- Cimanga, K.R., Tona, G.L., Mesia, G.K., Kambu, O.K., Bakana, D.P., Kalen, K *et al.* 2006. Bioassay-Guided Isolation of Antimalarial Triterpenoid Acids from the Leaves of *Morinda lucida*. *Pharma Biol* 44(9):677-681.
- Departemen Kesehatan RI. 1993. Tes resistensi untuk *Plasmodium falciparum* malaria. Direktorat Jenderal Pencegahan Pemberantasan Penyakit Menular dan Penyehatan Lingkungan Pemukiman.
- Departemen Kesehatan RI. 2001. Standar Pengawasan Program Bidang Kesehatan. Pemberantasan Penyakit Malaria. Inspektorat Jenderal Departemen Kesehatan R.I. hal 5
- Egan, T.J. 2004. Haemozoin formation as a tiger for the rational design of new antimalarials. *Drug Design Rev Online* 1:93-110.
- Eggleston, K.K., Duffin, K.L., Goldberg, D.E. 1999. Identification and characterization of falcilysin, a metallopeptidase involved in hemoglobin catabolism within the malaria parasite *Plasmodium falciparum*. *J.Biol Chem.* 274(45):32411-32417.
- Ekasari, W., Dyatmiko, W., Dahlan, Y.P., Pusarawati, S. 2001. Uji antimalaria *in vitro* dari ekstrak etanol dan kloroform daun *Cassia siamea*. *MKT* 12(2): 22-28.
- El Tahir, A., Satti, G. M., Khalid, S. A. 1999. Antiplasmodial activity of selected Sudanese medical plants with emphasis on *Acacia nilotica*. *Phytother. Res.* 13(6) : 474-478.
- Fidock. D.A, Rosenthal. P.J, Croft. S.L, Brun. R, Nwaka. S, 2004. Antimalarial Drug Discovery: Efficacy Models for Compound Screening., www.nature.com/reviews/drugdisc
- Fotie, J., Bohle, D.S., Leïmanis, M.L., Georges, E., Rukungi, G and Nkengfack, A. 2006. Lupeol long-chain fatty acid esters with antimalarial activity from *Holarrhena floribunda*. *J Nat Prod* 69:62-27.
- Franssen, F. F., Smeijters, L. J., Berger, I., Medinilla Aldana, B. E. 1997. *In vivo* and *in vitro* antiplasmodial activities of some plants traditionally used in Guatemala against malaria. *Antimicrob. Agents Chemother* 30 : 101-104.
- Frederch, M., Tits, M., Goffin, E., Philippe, G., Grellier, P., DeMol, P., Hayette, P., Angenot, L. 2004. *In vitro* and *in vivo* Antimalarial Properties of Isostrychnopentamine, an Indolomonoterpenic Alkaloid from *Strychnos usambarensis*. *Plant Med* 70(6): 520-525.
- Freshney, R.I. 2000. Culture of animals cells: A Manual of basic technique. Fourth Ed. A John Wiley and Sons, Inc Publication, USA.
- Gessler, M.C., Nkunya, M.H.H., Mwasumbi, L.B., Heinrich, M., Tanner, M. 1994. Screening Tanzanian Medicinal Plants for Antimalarial Activity. *Act Trop* 56:65-77.
- Go, M.L 2003. Novel antiplasmodial agents. *Med Res Rev* 23:456-487.
- Gritter, R.J., Bobbitt, J.M., Schwarting, A.E. 1991. Pengantar kromatografi Ed. II. Penerjemah: Padmawinata. Bandung, ITB. hal 186-234.
- Halliwell, B., Gutteridge, J.M.C. 1998. Free radicals in Biology and Medicine 3rded Oxford University Press, pp 22-24.



- Harborne, J.B. 1987. *Metoda Fitokimia. Penuntun cara modern menganalisis tumbuhan. Edisi II.* Diterjemahkan oleh Padmawinata, K. Bandung, ITB, hal 1-109.
- Hay, A.E., Helesbeux, J.J., Duval, O., Lan, M., Grellier, P and Richomme, P. 2004. Antimalarial xanthenes from *Calophyllum caledonicum* and *Garcinia viellardii*. *Life Sci* 75:3077-3085.
- Haynes, R.K., Monti, D., Taramelli, D., Basilico, N and parapini, S. 2003. Artemisinin antimalarials do not inhibit hemozoin formation. *Antimicrob Agents Chemother* 47(3):1175-1180.
- Heyne K, 1987. *Tumbuhan Berguna Indonesia.* Diterjemahkan oleh Badan Litbang Kehutanan Jakarta. Hal:1383-1384.
- Heller, S.R dan Milne, G.V.A. 1973. Mass spectral data base, US. Department of Commerce. Hal 24-43.
- Ho, C.K., Huang, Y., Chien, C. 2002. Garcinone E. a xanthone derivates has potent cytotoxic effect against hepatocellular carcinoma cell lines. *Planta Med* 68:975-979.
- Huang, K.C., Gao, H., Yamasaki, E.F., Grabowski, D.R., Liu, S., Shen, L.L., Chan, K.K., Garaphati, R and Snapka, R.M. 2001. Topoisomerase II Poisoning by ICRF-193. *J Biol Chem* 276:44488-44494.
- Huang, Y.L., Chen, C.C., Chen, Y.J., Huang, R.L., Shieh, B.J. 2001. Three xanthenes and a benzophenone from *Garcinia mangostana*. *J Nat Prod* 64(7):903-906.
- Hyde, J.E., Dittrich, S., Wang, P., Sims, P.F., Crecy-Lagard, V. 2008. *Plasmodium falciparum*: a paradigm for alternative folate biosynthesis in diverse microorganisms? *Trends in Parasitol* 24(11):502-508.
- Ignatushchenko, M., Winter, R and Riscoe. 2000. Xanthenes as antimalarial agents. Stage specificity. *Am J Trop Med Hyg* 62(1):77-81.
- Ignatushchenko, M., Winter, R., Baechinger, H.P., Hinrich, R.J., Riscoe, M.K. 1997. Xanthenes as antimalarial agents: Studies of a possible mode of action. *FEBS lett* 409:67-73.
- Ito, C., Miyamoto Y., Nakayama M., Kawai Y., Rao K. S. and Fukurawa, H. (1997) A Novel Depsidone and Some New Xanthenes from *Garcinia* Species, *Chem pharm Bull*, 45(9) 1403-1413.
- Jantan, I., Pizar, M.M., Idris, M.S., Ali, R.M. 2002. *In vitro* inhibitory effect of rubraxanthone isolated from *Garcinia parvifolia* on platelet-activating factor binding. *Planta Med* 68(12):1133-1134.
- Jenie, U.A., Kardono, L.B.S., Hanafi, M., Rumampuk, R.J., Darmawan, A. 2006. *Teknik Modern Spektroskopi NMR.* LIPI, Jakarta.
- Jensen, S.R., Schripnema, J. 2002. *Chemotaxonomy and pharmacology of Gentianaceae* In: Stowe, L and Albert, V: *Gentianaceae-Systematics and Natural History.* Cambridge University Press.
- Kalra, B.S., Chawla, S., Gupta, P., Valecha, N. 2006. Screening of antimalarial drug: An overview. *Indian J Pharmacol* 38(1):5-12.
- Kanokmedhakul, S., Kanokmedhakul, K., Yodbudde, D and Phonkerd, N. 2003. New antimalarial bis-dehydroaporphine alkaloids from *Polyalthia debilis*. *J Nat Prod*. 66:616-619.
- Karov, D., Dicko, M.H., Sanon, S., Simpore, J and Traore, A.S. 2003. Antimalarial activity of *Sida acuta* Burm.f (Malvaceae) and *Pterocarpus erinaceus* Poir (Fabaceae). *J Ethnopharmacol* 89:291-294.



- Kassim, O.O., Loyevsky, M., Elliot, B., Geall, A., Amonoo, H., Gordevk, V.K. 2005. Effects of root extracts of *Fagara zanthoxyloides* on the *in vitro* growth and stage distribution of *Plasmodium falciparum*. *Antimicrob Agent Chemother* 49(1):264-268.
- Kelly, X.J., Winter, R., Peyton, D., Hinrich, D.J., Riscoe, M. 2002. Optimization of xanthenes from antimalarial activity: the 3,6-bis-diethylaminoalkoxy xanthone series. *Antimicrob Agent Chemother* 46(1):144-150.
- Khalid, S. A., Farouk, A., Grey, T., Jensen, J. B. 1989. Potential antimalarial candidates from Africans plants : an *in vitro* approach using *Plasmodium falciparum*. *J. Ethnopharmacol.* 15: 201-209.
- Krnajski, Z., Gilbert, T.W., walter, R.D., Cowman, A.F., Muller, S. 2002. Thioredoxin reductase is essential for the survival of *Plasmodium falciparum* Erythrocytic stages. *J Biol Chem* 277(29):25970-25975.
- Laphookhieo, S., Keith, J.S., Rattana, S.K., Chantrapromma, J. 2006. Cytotoxic and Antimalarial Prenylated Xanthenes from *Cratoxylum cochinchinense*. *Chem Pharm Bull* 54:745-747.
- Li, Z.L., Gu, H.M., Warhust, D.C and Peters, W. 1983. Effects of Qinghaousu and related compounds on incorporation of (G-3H) hypoxanthin by plants, *Plasmodium falciparum in vitro*. *Trans R Soc Trop Med Hyg.* 77:522-523.
- Likhitwitayawuid, K., Kaewamatawong, R., Ruangrunsi, N., Krungkrai, J. 1998. Antimalarial naphthoquinones from *Nepenthes thorelii*. *Planta Med.*, 64 : 237-241.
- Likhitwitayawuid, K., Chanmahasathien, W., Ruangrunsi, N., Krungkrai, J. 1998a. Xanthenes with antimalarial activity from *Garcinia dulcis*. *Planta Med.*, 64 : 281-282.
- Likhitwitayawuid, K., Phadungcharoen, T., Krungkrai, J. 1998b. Antimalarial xanthenes from *Garcinia cowa*. *Planta Med.*, 64 : 70-72.
- Linuma, M., Tosa, T.J., Tanaka, T. 1996. Antibacterial activity of xanthenes from Guttiferous plants against methicillin resistant *Staphylococcus aureus*. *J Pharm Pharmacol* 48(8):861-865.
- Linuma, M., Tosa, T.J., de Oliveira, F. 2000. Tetraoxygenated naturally occurring xanthenes. *Phytochemistry* 55:683-710.
- Lü, F.C. 1995. Toksikologi dasar. Edisi kedua. Diterjemahkan oleh Edi Nugroho. UI Press.
- Mac Kinnon, S., Durst, T., Arnason, J. T., Angerhofer, C., Pezzuto, J., Sanchez-Vindas, P. E., Poveda, L. J., Gbeassor, M. 1997. Antimalarial activity of tropical Meliaceae extracts and gedunin derivatives. *J. Nat. Prod.*, 60 : 336-341.
- Mahabusarakam, W., Kuaha, K., Wilariat, P and Taylor, J. 2006. Prenylated xanthenes as potential antiplasmodial substances. *Planta Med.* 72:912-916.
- Manjang, J. 2006. Penelitian Kimia Bahan Alam untuk Pelestarian dan Pengembangan Tumbuhan melalui Taman Agrowisata. Workshop Peningkatan SDM Pengelolaan dan Penelitian Potensi Keanekaragaman Hayati. Padang 16-22 Juli 2006.
- Mardiswojo, S., Radjkmangunsudarso. 1975. *Cabe puyang warisan nenek moyang*. Karya Wreda, Jakarta.
- Massimine, K.M., McIntosh, M.T., Doan, L.T., Atreya, C.E., Gromer, S., Sirawaraporn, E., Elliot, D.A., Joiner, K.A., Schirmer, R.H and Anderson, K.S. 2006. Eosin B as a novel antimalarial agent for drug-resistant *Plasmodium falciparum*. *Antimicrob Agent Chemother* 50(9):3132-3142.



- Mbah, J.A., Tane, P., Ngadjul, B.T., Canolly, J.D., Okunji, C., Iwo, M., Schuster, B. 2004. Antiplasmodial agents from the leaves of *Glossocalyx brevipes*. *Planta Med* 70:437-440.
- McKinoon, S., Durst, T., Arnason, J.T., Angerhofer, C., Pezzuto, J., Sanchez-vindas, P.E. 1997. Antimalarial activity of Tropical Meliaceae extracts and gedunin derivatives. *J. Nat. Prod* 60:336-341.
- Mendoza, D.T., Gonzales, J., Barra, E.D., Heller, M.V., Capson, T.L., Mc Phail, K., Gerwick, W.H., Rios, L.C. 2006. Weakly antimalarial flavonol arabinofuranosides from *Calycolpus warszewiczianus*. *J Nat Prod* 69:826-828.
- Mergny, J.L., Riov, J.F., Mailllet, P., teulad-Firchow, M., Gilson, E. 2002. Natural and pharmacological regulation of telomerase. *Nucleic Acids Res* 30(4):839-865.
- Meshnick, S.R. 1998. The mode of action of antimalarial endoperoxides. *Transac of the Royal SocTrop Med Hyg* 88 Suppl (1):31-32.
- Meshnick, S.R., Taylor, T.E., Kamchonwongpaison, S. 1996. Artemisinin and the antimalarial endoperoxides: from herbal remedy to targeted chemotherapy. *Microbiol Rev* 60(2):301-315.
- Meshnick, S.R. 2001. Artemisinin and its derivatives In: antimalarial chemotherapy; Mechanisms of action, resistance and Directions in drugs discovery (ed:P.J. Rosenthal) Toronto. V.J. Humano Press.
- Minami, H., Kinoshita, M., Fukuyama, Y., Kodama, M., Yoshikawa, T., Sugiura, M., Nakagawa, K., Tago, H. 1994. An antioxidant xanthenes from *Garcinia subelliptica*. *Phytochem.*36(2):501-506.
- Mosmann, T. 1983. Rapid colorimetric assay for cellular growth and survival application to proliferation and cytotoxicity assays. *J Immun Method.* 65: 55-63.
- Munoz, V., Sauvain, M., Boudy, G., Callapa, J., Bergeron, S., Rojas, I., Bravo, J. A., Balderrama, L., Ortiz, B., Gimenez, A., Deharo, E. 1999. A search for natural biactive compound in Bolivia through a multidisciplinary approach Part I : Evaluation of antimalarial activity of plants used by the Chacobo Indians. *J Ethnopharmacol.* 2 : 121-125.
- Mungthin, M., Bray, P.G., Ridley, R.G., Ward, A.S. 1998. Central role of hemoglobin degradation in mechanisms of action of 4-aminoquinolines, quinoline methanols, and phenanthrene methanols. *Antimicrob. Agents. Chemother.*42(11):2973-2977.
- Mustofa, Valentin, A., Benoit-Vical, F., Pelissier, Y., Kone-Bamba, D., Mallie, M. 2000. Antiplasmodial activity of plant extracts used in West African traditional medicine. *J Ethnopharmacol.* 1: 141-145.
- Mustofa. 2003. Molekul antimalaria alami : potensi dan tantangan pengembangannya sebagai obat baru untuk malaria. *MOT.* 8(26): 8-18.
- Mustofa & Qamariah, N. 2004. Aktivitas antiplasmodial *in vitro* dan sitotoksik ekstrak air, metanol dan kloroform akar pasak bumi (*Eurycoma longifolia* Jack) yang Secara Tradisional Digunakan untuk Pengobatan Malaria di Kalimantan Selatan. *Medika,* 3(XXX): 147-152.
- Ngatidjan. 2006. Metode laboratorium dalam toksikologi. Bagian Farmakologi dan Toksikologi, FKUGM, Yogyakarta.
- Nguyen, L.H., Harrison, L.J. 2000. Xanthenes and triterpenoids from the bark of *Garcinia vilsersiana*. *Phytochem.* 53:111-114.
- Ngouela, S., Lenta, B.N., Noungove, D.T., Ngoupayo, J., Boyom, F.F., Tsamo, E., Gut, J., Rosenthal, P.J., Connolly, J.D. 2006. Antiplasmodial and antioxidant activities of



constituents of the seed sheels of *Symphonia globulifera* Linn.f. *Phytochem.* 67:302-306.

- Nunome, S., Ishiyama, A., Kobayashi, M. 2004. *In vitro* antimalarial activity of biflavonoids from *Wikstroemia indica*. *Planta Med.* 70(1):132-137.
- Oemiyati, S. 1991. Masalah malaria di Indonesia. Kumpulan Makalah Simposium Malaria Jakarta. FKUI, hal 2-3.
- Okpako, D.T. 1991. Principles of pharmacology. A tropical approach. Cambridge University Press, hal 51-56.
- O'Neill, M.J., Bray, D.H., Boardman, P., Phillipson, J.D., Warhurst, D.C., 1985. Plants as sources of antimalarial drugs, part I: *In vitro* test method for the evaluation of crude extract from plants. *Plant. Med.* 5:384-397
- O'Neill, M. J., Bray, D. H., Boardman, P., Chan, K. L., Phillipson, J. D. 1987. Plants as sources of antimalarial drugs, part 4: activity of *Brucea javanica* fruits against chloroquine resistant *Plasmodium falciparum* *in vitro* and against *Plasmodium berghei* *in vivo*. *J. Nat. Prod.* 50(1) : 41-48.
- Pattalung, P., Wiriyaichitra, P., Ongsakul, M. 1988. The antimicrobial activities of rubraxanthone isolated from *Garcinia parvifolia* (Miq)Miq. *J Sci Soc* 14:67-71.
- Peres, V., Nagem, T.J., de Oliveira, F. 2003. Tetraoxygenated naturally occurring xanthenes. *Phytochem.* 55: 683-710.
- Peters, W. 1987. *Chemotherapy and drugs resistance in malaria*, vol 1. Academic Press, Inc., New York.
- Phillipson, J.D., 1991. Assays for antimalarial and amoebicidal activities In : Dey PM, Harborne, J.B: *Methods in plants biochemistry* Vol 6. Assays for bioactivity. London: Academic Press Harcourt Brace Jovanovich Publisher.
- Pribadi, W. 2000. masalah penyakit malaria dan upaya penanggulangannya menjelang tahun 2000. Pidato pengukuhan guru besar tetap Ilmu Parasitologi, FKUI, tanggal 11 Desember 1993, hal 3-10.
- Ridley, R.G. 2002. Medical need, scientific opportunity and the drive antimalarial drugs, *Nature.* 415:686-693.
- Romanha, A.J. 1986. Overview: Carbohydrate Metabolism of Malarial Parasites. *Mem. Ins. Oswaldo Cruz, Rio de Janeiro.* 81 (Suppl. II):149-152.
- Rosenthal, P.J. 2005. Antimalarial drug discovery: Old and New Approaches. *J Exp Biol.* 206: 3735-3738.
- Roth, R.J., Acton, N.A. 1988. A simple conversion of artemisinic acid into artemisinin. *J Nat Prod* 52:1183-1185.
- Rukachaisirikul, V., Naklue, W., Phongpaichit, S, Towatana, N.H., Mancenoom, K. 2007. Phoroglucinols, depsidones and xanthenes from the twigs of *Garcinia parvifolia*. *Tetrahedron* 62(36):8578-8585.
- Saxena, S Pant, N., Jain, D.C and Bhakuni, R.S. 2003. Antimalarial agents from plants sources. *Curr Sci.* 85(9):1314-1328.
- Schwartz, I.K., Lackritz, E.M., Patchen, I.C. 1991. Chloroquine resistant *Plasmodium vivax* from Indonesia. *Engl J Med.* 324-327
- Sherman, I. 1979. Biochemistry of Plasmodium. *Microb Rev* 45:453-471.
- Singh, A., Rosenthal, P.J. 2004. Selection of cystein protease inhibitor resistant malaria parasites is accompanied by amplification of falcipain genes and alteration in inhibitor transport. *J of Biol Chem.* 35:234-239.
- Silverstein, R.M., Basaber, G.C., Mornill, T.C. 1981. Spectrometric identification of organic compounds 5thed Canada. John Wiley and Sons, Inc.



- Steele, J.C.P., Philips, R.J., Simmonds, M.S., Warhurst, D.C., Meyer, D.J. 2005. Two novel assays for the detection of haemin-binding properties of antimalarials evaluated with compounds isolated from medicinal plants.
- Subeki, Matsuura, H., Murningsih, T., Chairul., Yamasaki, M., Yamato., D., Maede, Y., Katakura, K., Suzuki, M and Yoshihara, T. 2003. Antimalarial activities of berberine and 20-hydroxyecdysone from *Arcangelisia flava* Merr. *Bull Soc Nat Prod Chem.* 3:59-66.
- Sullivan, D., Matile, H., Ridley, R.G and Goldberg, D. 1998. A Common mechanism for blockade of heme polymerization by antimalarial Quinoline. *J of Biological Chemistry.* 273(47):31103-31107.
- Sutaryo, B. 1999. Isolasi dan identifikasi zat kandungan daun prasman (*Eupatorium triplinerve* Vahl) yang berkhasiat sebagai antiplasmodium *falciparum* *in vitro*. Disertasi. Program Pascasarjana Universitas Airlangga. Surabaya.
- Sweeney, P. 2005. Mangosteen Madnes. Diambil dari [http://www.mobot.org/MOBOT.reserch/mangosteen/](http://www.mobot.org/MOBOT/reserch/mangosteen/)
- Syamsuhidayat, S. S. 1991. *Inventarisasi tanaman obat Indonesia I*. Badan Penelitian dan Pengembangan Kesehatan.
- Syamsuhidayat, S. S. 1997. *Inventarisasi tanaman obat Indonesia IV*. Badan Penelitian dan Pengembangan Kesehatan.
- Syamsudin, Rita Marleta Dewi, Simotiyani. 2004. Efek ekstrak daun asam gelugur (*Garcinia atroviridis*) terhadap *P. berghei* pada mencit. *MFA.* 4(3): 101-105.
- Syamsudin, Mustofa, Subagus Wahyuono, Soesanto Tjokrosonto, Rita Marleta Dewi. 2006a. Efek antiplasmodium dari ekstrak kulit buah manggis (*Garcinia mangostana*) secara *in vitro* dan *in vivo*. *MOT.* 11(35): 21-25.
- Syamsudin, Soesanto Tjokrosonto, Subagus Wahyuono, Mustofa. 2007. *In vitro* and *in vivo* antiplasmodial activities of stem bark extracts of *Garcinia parvifolia*. *Int J Trop Med.* 2(2): 41-44.
- Syamsudin, Susan Marlina, Rita Merleta Dewi. 2006b. Efek antiplasmodium dari ekstrak kulit batang Asam Kandis (*Garcinia parvifolia* Miq) yang diberikan secara intraperitoneal pada mencit yang diinfeksi dengan *Plasmodium yoelii*. *J Sains Tek Far* 11 (2)81-87.
- Tekwani, B.L., Walker, L.A. 2005. Targeting the haemozoin synthesis pathway for new antimalarial drug discovery. Technology for *in vitro* β -hematin formation assay. *Comb Chem and High Throughput Screening* 8:63-79.
- Tjitra, E., Gunawan, S., Laihard, F., Marwoto, H., Sulaksono, S., Arjoso, S., Richie, T., Manurung, N. 1997. Evaluation of antimalarial drugs in Indonesia 1981-1995. *Bull Penelit Kesehat.* 25(1):28-53.
- Tjitra, E. 2003. Pengobatan malaria dengan kombinasi artemisinin. *Bul Penelit Kes* 33(2):53-61.
- Tjitra, E. 1996. Pengobatan malaria. *MKI.* 46(1):24-31.
- Tona, L., Ngimbi, N. P., Tsakala, M., Mesia, K., Cimanga, K., Apers, S., De Bruyne, T., Pieters, L., Totte, J., Vlietinck, A. J. 1999. Antimalarial activity of 20 crude extracts from nine African medicinal plants used in Kinshasa, Congo. *J. Ethnopharmacol.* 68(1-3):193-203.
- Trager, W and Jensen, J.B. 1976. Human malaria parasites in continuous culture. *Science* 193:673-676.
- Uko, J.O., Usman,A., Ataja, M.A. 2001. Some biological activities of *Garcinia kola* in growing rats. *Veterin Arch.* 71(5):287-297.



- Valentin, A., Benoit-Vical, F., Moulis, C., Stanilas, E., Mallie, M., Fouraste, I., Bastide, J. M. 1997. *In vitro* antiplasmodial activity of penduline, a bisbenzylisoquinoline from *Isopyrum thalicroides*. *Antimicrob. Agents Chemother.* 41(10): 2305-2307.
- Verheij E.W.M., Coronad R.E. 2000. Sumber Daya Nabati Asia Tenggara 2. PROSEA.
- Waffo, K.F., Mulholland, D., Wansi, J.D., Mbaze, M., Powo, R., Mpondo, T.N., Fomum, Z.T., Konig, W and Nkengfack, A.E. 2006. Afzeliixanthonones A and B, Two new prenylated xanthonones from *Garcinia afzeltii* ENGL (Guttiferae). *Chem Pharm Bull.* 54(4):448-451.
- Wiwantikit, V. 2007. Plasmodium and host lactate dehydrogenase molecular function and biological pathways: Implication for antimalarial drug discovery. *Chem Biol Drug Des.* 69(4):280-283.
- WHO. 1997. The situation of malaria in the world in 1994. *J. Epid. Week.* 72: 269-292.
- WHO. 1985. Special programe for research and training in tropical disease research. TDR Seventh Programe Report. Malaria (2). WHO Spec programme for Trop Disease.
- WHO Expert Committee on Malaria. 2000. Twentieth Report. Drug Resistance of Malaria Parasites. WHO, Geneva.
- Wiser, W.F. 2003. Mechanism of Drug Action and Resistance (Focus on antimalarials), <http://www.tulane.edu/~wiser/protozoology/notes/drugs/html>.
- White, J.N. 2004. Antimalarial drug resistance. *J Clin Invest.* 113:1084-1091.
- Xu.J.Y, Lai Y.H, Imiyabir. Z, and Goh S.H. 2001. Xanthonones from *Garcinia parvifolia*. *J. Nat. Prod.* 64: 1191-1195.
- Yoshikara, T., Subeki, katakura, K. 2001. Chemicals studies on medicinal plants in Kalimantan. Prosiding Simposium nasional II Tumbuhan Obat dan Aromatik., Bogor, hal: 17-25.
- Zirih, G.H., Yao, D.J., Ka-adou, K.M., Philippe, G. 2005. Phytochemical and pharmacological studies of alcoholic extract of *Fagara macrophylla* (Oliv) Engl (Rutaceae): Chemical structure of active compound inducing antipaludic activity. *J Chin Clin Med* 2(4):205-210.



UNIVERSITAS
GADJAH MADA

Isolasi dan uji aktivitas antiplasmodium senyawa aktif dari kulit batang asam kandis (*Garcinia parvifolia* (Miq)Miq)

SYAMSUDIN, Promotor Prof. dr. Supargiyono, DTMH., SU., SpPar.K., Ph.D

Universitas Gadjah Mada, 2010 | Diunduh dari <http://etd.repository.ugm.ac.id/>

