



DAFTAR PUSTAKA

- Adler, A.I., Stevens, R.J., Neil, A., Stratton, I.M., Boulton, A.J., Holman, R.R., 2002, UKPDS 59: hyperglycemia and other potentially modifiable risk factors for peripheral vascular disease in type 2 diabetes, *Diabetes Care*, 25:894–899.
- American Diabetes Association, 2003, Peripheral arterial disease in people with diabetes, *Diabetes Care*, 26 : 3333–3341.
- Arnadi, Subekti, I., Surjadipradja, R.M., Muthalib, A., dan Waspadji, S., 2003, The prevalence rate of peripheral arterial disease in type 2 diabetes mellitus and associated risk factors, *Acta Medica Indonesiana*, XXXV(1): 2-8.
- Bayes-Genis, A., Mateo, J., Santalo, M., Oliver, A., Guindo, J., Martinez-Rubio, A., Fontcuberta, J., Schwatz, R.S., dan DeLuna, A.B., 2000, D-Dimer is an early diagnostic marker of coronary ischemia in patients with chest pain. *Am Heart J*, 140:379–384.
- Beckman, J.A., Creager, M.A., dan Libby, P., 2002, Diabetes and Atherosclerosis Epidemiology, Pathophysiology, and Management, *JAMA*, 287:2570-2581.
- Bembi, V., Singh, S., Singh, P., Aneja , G.K., Arya, T.V.S., dan Arora, R., 2006, Prevalence of Peripheral Arterial Disease in a Cohort of Diabetic Patients, *Southern Medical Journal*, 99(6):564-569.
- Berge, E., Friis, P., Sandset, P.M., 2001, Hemostatic activation in acute ischemic stroke, *Thromb Res*, 15 :13-21.
- Bini, A., Fenoglio, J.J., Mesa-Tejada, R., Kudryk, B., dan Kaplan, K.L., 1989, Identification and distribution of fibrinogen, fibrin, and fibrin(ogen) degradation products in atherosclerosis. Use of monoclonal antibodies, *Arteriosclerosis*, 9(1):109-121.
- Boushey, C.J., Beresford, S.A., Omenn, G.S., dan Motulsky, A.G., 1995, A quantitative assessment of plasma homocysteine as a risk factor for vascular disease: probable benefits of increasing folic acid intakes, *JAMA*, 274:1049 –1057.
- Carr, M.E., 2001, Diabetes mellitus: a hypercoagulable state, *J Diabetes Complications*, 15(1):44-54.
- Cassar, K., Bachoo, P., Ford, I., Greaves, M., Brittenden, J., 2005, Marker of coagulation activation, endothelial stimulation and inflammation in patients with peripheral arterial disease, *Eur J Vasc Endovasc Surg*, 29(2):171-176.
- Castro, D.J., Perez-Rodriguez, E., Montaner, L., Flores, J., Nuevo, G.D., 2001, Diagnostic value of D-dimer in pulmonary embolism and pneumonia, *Respiration*, 68(4):371-375.



- Chobanian, A.V., Bakris, G.L., Black, H.R., Cushman, W.C., Green, L.A., Izzo, J.L., Jones, D.W., Materson, B.J., Oparil, S., Wright, J.T., Roccella, E.J., dan the National High Blood Pressure Education Program Coordinating Committee, 2003, The seventh report of the joint national committee on prevention, detection, evaluation, and treatment of high blood pressure, *Hypertension*, 42:1206-1252.
- Criqui, M.H., Denenberg, J.O., Langer, R.D., dan Fronek, A., 1997, The epidemiology of peripheral arterial disease: importance of identifying the population at risk, *Vasc Med*, 2:221–226.
- Criqui, M.H., Langer, R.D., Fronek, A., Feigelson, H.S., Klauber, M.R., McCann, T.J., dan Browner, D., 1992, Mortality over a period of 10 years in patients with peripheral arterial disease, *N Engl J Med*, 326:381–386.
- Dahlan, M.S., 2006, Menghitung Besar Sampel:"Menggunakan Rumus Besar Sampel Secara Benar" dalam *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan*, PT Arkans, Jakarta, 19-70.
- Danesh, J., Whincup, P., Walker, M., Lennon, L., Thomson, A., Appleby, P., Rumley, A., dan Lowe, G.D.O., 2001, Fibrin D-Dimer and Coronary Heart Disease : Prospective Study and Meta-Analysis, *Circulation*, 103:2323-2327.
- Eckel, R.H., Wassef, M., Chait, A., Sobel, B.S., Barrett, E., King, G., Virella, M.L., Reusch, J., Ruderman, N., Steiner, G., dan Vlassara, H., 2002, Prevention Conference VI Diabetes and Cardiovascular disease Writing Group II: Patogenesis of atherosclerosis in diabetes, *Circulation*, 105: e 138- 143.
- Feener, E.P., dan Dzau, V.J., 2005, Pathogenesis of cardiovascular disease in diabetes, in C. Ronald Khan, Gordon C. Weir, George L. King, Alan M. Jacobson, Robert J. Smith(eds): *Joslins Diabetes Mellitus*, 14th edition, Lippincott William & Williams, 867-884.
- Folsom, A.R., Aleksic, N., Park, E., Salomaa, V., Juneja, H., dan Wu, K.K., 2001, Prospective Study of Fibrinolytic Factors and Incident Coronary Heart Disease : The Atherosclerosis Risk in Communities (ARIC) Study, *Arterioscler Thromb Vasc Biol*, 21:611-617.
- Fowkes, F.G., Lowe, G.D., Housley, E., Rattray, A., Rumley, A., Elton, R.A., Mac Gregor, I.R., dan Dawes, J., 1993, Cross-linked fibrin degradation product, progression of peripheral arterial disease, and risk of coronary heart disease, *Lancet*, 342(8863):84-86.
- Freund, K.M., Belanger, A.J., dan D'Agostino, R.B., 1993, The health risks of smoking: the Framingham Study: 34 years of follow-up. *Ann Epidemiol*, 3: 417– 424.
- Fujii, Y., Takeuchi, S., Harada, A., Abe, H., Sasaki, O., dan Tanaka, R., 2001, Hemostatic Activation in Spontaneous Intracerebral Hemorrhage, *Stroke*, 32:883.



- Gregg, E.W., Sorlie, P., Paulose-Ram, R., Gu, Q., Eberhardt, M.S., Wolz, M., Burt, V., Curtin, L., Engelgau, M., dan Geiss, L., 2004, The 1999–2000 National Health and Nutrition Examination Survey: Prevalence of lower-extremity disease in the U.S. adult population 40 years of age with and without diabetes: 1999–2000 National Health and Nutrition Examination Survey, *Diabetes Care*, 27:1591–1597.
- Gruber, C.J., Tschugguel, W., Schneeberger, C., dan Huber, J.C., 2002, Production and Actions of Estrogens, *N Engl J Med*, 346(5):340–353.
- Herren, T., Stricker, H., Haeberli, A., Do, D.D., dan Straub, P.W., 1994, Fibrin formation and degradation in patients with arteriosclerotic disease, *Circulation*, 90:2679–2686.
- Hiatt, W.R., 2001, Medical treatment of peripheral arterial disease and claudication. *N Engl J Med*, 344:1608–1621.
- Hirsch, A.T., Criqui, M.H., Treat-Jacobson, D., Regensteiner, J.G., Creager, M.A., Olin, J.W., Krook, S.H., Hunninghake, D.B., Comerota, A.J., Walsh, M.E., McDermott, M.M., dan Hiatt, W.R., 2001, Peripheral arterial disease detection, awareness, and treatment in primary care, *JAMA*, 286: 1317–1324.
- Ichikawa, K., Yoshinari, M., Iwase ,M., Wakisaka, M., Doi, Y., Iino, K., Yamamoto, M., dan Fujishima, M., 1998, Advanced glycosylation end products induced tissue factor expression in human monocyte-like U937 cells and increased tissue factor expression in monocytes from diabetic patients, *Atherosclerosis*, 136(2):281-7.
- Ingolfsson, I.O., Sigurdsson, G., Sigvaldason, H., Thorgeirsson, G., dan Sigfusson, N., 1994, Marked decline in the prevalence and incidence of intermittent claudication in Icelandic men 1968–1986: a strong relationship to smoking and serum cholesterol—the Reykjavik Study, *J Clin Epidemiol*, 47:1237–1243.
- Johna, S., Callaghan, T.O., Cemaj, S., dan Catalano, R., 2002, Effect of tissue injury on D-dimer levels: a prospective study in trauma patients, *Med Sci Monit*, 8(1):5-8.
- Kallio, M., Forsblom, C., Groop, P., Groop, L., dan Lepantalo, M., 2003, Development of new peripheral arterial occlusive disease in patients with type 2 diabetes during a mean follow up of 11 years, *Diabetes Care*, 26:1241-1245.
- Kario, K., Matsuo, T., dan Kobayashi, H., 1991, Which factors affect high D-dimer levels in the elderly?, *Thromb Res*, 62:501–508.
- Kobayashi, T., Tokunaga, N., Sugimura, M., Suzuki, K., Kanayama, N., Nishiguchi, T., dan Terao, T., 1999, Coagulation/fibrinolysis disorder in patients with severe preeclampsia, *Semin Thromb Hemost*, 25:451–454.



- Kobayashi, T., Tokunaga, N., Sugimura, M., Kanayama, N., dan Terao, T., 2001, Predictive values of coagulation/fibrinolysis parameters for the termination of pregnancy complicated by severe preeclampsia, *Semin Thromb Hemost*, 27:137–141.
- Koenig, W., Rothenbacher, D., Hoffmeister, A., Griesshammer, M., dan Brenner, H., 2001, Plasma fibrin D-dimer levels and risk of stable coronary artery disease results of a large case-control study, *Arterioscler Thromb Vasc Biol*, 21: 1701-1705.
- Lemeshow, S., Hosmer, D.W., Klar, J., dan Lwanga, S.K., 1990, *Adequacy of sample size in health studies*, John Wiley & Sons, Chichester, 1-40.
- Lamina, C., Meisinger, C., Heid, I.M., Rantner, B., Doring, A., dan Lowel, H., 2005, Ankle Brachial Index and Peripheral arterial Disease, *Gesundheitswesen*, 67: S57-61.
- Lamping, D.L., Constantinovici, N., dan Roderick, P., 2000, Clinical outcomes, quality of life, and costs in the North Thames Dialysis Study of elderly people on dialysis: a prospective cohort study, *Lancet*, 356(9241): 1543–1550.
- Larsen, J.F., Ejstrud, P., Svendsen, F., Redke, F., Pedersen, V., dan Rahr, H.B., 2001, Randomized study of coagulation and fibrinolysis during and after gasless and conventional laparoscopic cholecystectomy, *Br J Surg*, 88:1001–1005.
- Lassila, R., Peltonen, S., Lepantalo, M., Saarinen, O., Kauhanen, P., dan Manninen, V., 1993, Severity of peripheral atherosclerosis is associated with fibrinogen and degradation of cross-linked fibrin, *Arterioscler. Thromb. Vasc. Biol.*;13:1738-1742.
- Lee, A.J., Fowkes, F.G., Lowe, G.D., dan Rumley, A., 1995, Fibrin D-dimer, haemostatic factors and peripheral arterial disease, *Thromb Haemost*, 74:828-832.
- Lee, A.J., MacGregor, A.S., Hau, C.M., Price, J.F., Rumley, A, Lowe, G.D., dan Fowkes, F.G., 1999, The role of haematological factors in diabetic peripheral arterial disease: the Edinburgh artery study, *Br J Haematol*, 105(3):648-654.
- Leskinen, Y., Salenius, J.P., Lehtimaki, T., Huhtala, H., dan Saha, H., 2002, The prevalence of peripheral arterial disease and medial arterial calcification in patients with chronic renal failure: requirements for diagnostics, *Am J Kidney Dis*, 40:472– 479.
- Lip, G.Y., Lowe, G.D., Rumley, A., dan Dunn, F.G., 1995, Increase markers of thrombogenesis in chronic atrial fibrillation: effects of warfarin treatment, *British Heart Journal*, 73: 527-533.
- Long, Z.F., Qu, G.Y., dan Xu, M., 2001, Relationship between the level of plasma D-dimer and diabetic microangiopathy, *Hunan Yi Ke Da XueXue Bao*, 26(5):436-436.



- Lowe, G.D.O., Yarnell, J.W.G., Rumley, A., Bainton, D., dan Sweetnam, P. M., 2001, C-Reactive Protein, Fibrin D-Dimer, and Incident Ischemic Heart Disease in the Speedwell Study : Are Inflammation and Fibrin Turnover Linked in Pathogenesis? *Arterioscler Thromb Vasc Biol*, 21: 603-610.
- Marsø, S. P., dan Hiatt, W.R., 2006, Peripheral Arterial Disease in Patients With Diabetes, *J Am Coll Cardiol*, 47:921-929.
- McDermott, M.M., Green, D., Greenland, P., Liu, K., Criqui, M.H., Chan, C., Guralnik, J.M., Pearce, W.H., Ridker, P.M., Taylor, L.M., Rifai, N., dan Schneider, J.R., 2003a, Relation of levels of hemostatic factors and inflammatory markers to the ankle brachial index, *Am J Cardiol*, 92:194–199.
- McDermott, M.M., Greenland, P., Green, D., Guralnik, J.M., Criqui, M.H., Liu, K.L., Chan, C., Pearce, W.H., Taylor, L., Ridker, P.M., Schneider, J.R., Martin, G., Rifai, N., Quann, M., dan Fornage, M., 2003b, D-dimer, Inflammatory Markers, and Lower Extremity Functioning in Patients with and without Peripheral arterial disease, *Circulation*, 107:3191-3198.
- Mehler, P.S., Coll, J.R., Estacio, R., Esler, A., Schrier, R.W., dan Hiatt, W.R., 2003, Intensive blood pressure control reduces the risk of cardiovascular events in patients with peripheral arterial disease and type 2 diabetes. *Circulation*, 107: 753–756.
- Meijer, W.T., Grobbee, D.E., Hunink, M.G., Hofman, A., dan Hoes, A.W., 2000, Determinants of peripheral arterial disease in the elderly: the Rotterdam study, *Arch Intern Med*, 160:2934 –2938.
- Mohler, E.R., 2006a, Non invasive diagnosis of peripheral arterial disease, *Up ToDate* 14.2
- Mohler, E.R., 2006b, Clinical feature, diagnosis, and natural history of lower extremity peripheral arterial disease, *Up ToDate* 14.2
- Muntner, P., Wildman, R.P., Reynolds, K., DeSalvo, K.B., Chen, J., dan Fonseca, V., 2005, Relationship between HbA1c level and peripheral arterial disease, *Diabetes Care*, 28: 1981-1987.
- Murabito, J.M., D'Agostino, R.B., Silbershatz, H., dan Wilson, W.F., 1997, Intermittent claudication: a risk profile from the Framingham Heart Study, *Circulation*, 96:44–49.
- National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III), 2002, Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) final report, *Circulation*, 106:3143– 3421.
- Neumann, F.J., Ott, I., dan Marx, N., 1997, Effect of human recombinant interleukin-6 and interleukin-8 on monocyte procoagulant activity, *Arterioscler Thromb Vasc Biol*, 17:3399-3405.



- Newby, D.E., Wright, R.A., dan Labinjoh, C., 1999, Endothelial dysfunction, impaired endogenous fibrinolysis, and cigarette smoking: a mechanism for arterial thrombosis and myocardial infarction, *Circulation*, 99:1411–1415.
- Newman, A.B., Siscovick, D.S., dan Manolio, T.A., 1993, Ankle-arm index as a marker of atherosclerosis in the Cardiovascular Health Study Cardiovascular Heart Study (CHS) Collaborative Research Group, *Circulation*, 88: 837–845.
- Nguyen, N.T., Owings, J.T., Gosselin, R., Pevec, W.C., Lee, S.J., Goldman, C., dan Wolfe, B.M., 2001, Systemic coagulation and fibrinolysis after laparoscopic and open gastric bypass, *Arch Surg*, 136:909–16.
- Nina, P., Schisano, G., Chiapetta, F., Luisa Papa, M., Maddaloni, E., Brunori, A., Capasso, F., Corpetti, M.G., dan Demurtas, F., 2001, A study of blood coagulation and fibrinolytic system in spontaneous hemorrhage. Correlation with Hunt-Hess grade and outcome, *Surg Neurol*, 55:197–203.
- Nolting, P.R., de Groot, E., Zwinderman, A.H., Buirma, R.J., Trip ,M.D., dan Kastelein, J.J., 2003, Regression of carotid and femoral artery intima-media thickness in familial hypercholesterolemia: treatment with simvastatin, *Arch Intern Med*, 163:1837–1841.
- O'Hare, A.M., Glidden, D.V., Fox, C.S., dan Hsu, C.Y., 2004, High prevalence of peripheral arterial disease in persons with renal insufficiency: results from the National Health and Nutrition Examination Survey 1999–2000, *Circulation*, 109: 320–323.
- Paredero, V.M., Vadillo, J., Diaz, J., Espinosa, A., Berga, C., Segura, J., Sanchez, J., Barbod, A., Villaverde, C. dan Richard, C.M., 1998, Fibrinogen and fibrinolysis in blood and in the arterial wall: its role in advanced atherosclerotic disease, *Cardiovascular Surgery*, 6: 457–462.
- Pedersen, T.R., Kjekshus, J., dan Pyorala, K., 1998, Effect of simvastatin on ischemic signs and symptoms in the Scandinavian simvastatin survival study (4S), *Am J Cardiol*, 81:333–335.
- Pieper, C.F., Rao, K.M., Currie, M.S., Harris , T.B., dan Chen, H.J., 2000, Age, functional status, and racial differences in plasma D-dimer levels in community-dwelling elderly persons, *J Gerontol Med Sci*, 55:M649–657.
- Raines, E.W., dan Ferri, N., 2005, Cytokines affecting endothelial and smooth muscle cells in vascular disease, *J Lipid Res*, 46:1081-1092.
- Ridker, P.M., Stampfer, M.J., dan Rifai, N., 2001, Novel risk factors for systemic atherosclerosis: a comparison of C-reactive protein, fibrinogen, homocysteine, lipoprotein(a), and standard cholesterol screening as predictors of peripheral arterial disease, *JAMA*, 285:2481– 2485.



- Robson, S.C., Shephard, E.G., dan Kirsch, R.E., 1994, Fibrin degradation product D-dimer induces the synthesis and release of biologically active IL-1 beta, IL-6 and plasminogen activator inhibitors from monocytes in vitro, *Br J Haematol*, 86(2):322-326.
- Salomaa, V., Stinson, V., Kark, J.D., Folsom, A.R., Davis, C.E., dan Wu, K.K., 1995, Association of fibrinolytic parameters with early atherosclerosis. The ARIC Study. Atherosclerosis Risk in Communities Study, *Circulation*, 91:284-290.
- Selvin, E., dan Erlinger, T.P., 2004, Prevalence of and risk factors for peripheral arterial disease in the United States: results from the National Health and Nutrition Examination Survey, 1999–2000, *Circulation*, 110:738–743.
- Smith, E.B., 1986, Fibrinogen, fibrin and fibrin degradation products in relation to atherosclerosis, *Clin Haematol*, 15(2):355-370.
- Spronk, H.M.H., Voort, D.V.D., dan Cate, H.T., 2004, Blood coagulation and the risk of atherothrombosis: a complex relationship, *Thrombosis Journal*, 2:1-10.
- Taubman, M.B., Fallon, J.T., Schechter, A.D., Giesen, P., Mendlowitz, M., Fyfe, B.S., Marmur, J.D., dan Nemerson, Y., 1997, Tissue factor in the pathogenesis of atherosclerosis, *Thromb Haemost*, 78(1):200-204.
- Taylor, L.M., Moneta, G.L., Sexton, G.J., Schuff, R.A., dan Porter, J.M., 1999, Prospective blinded study of the relationship between plasma homocysteine and progression of symptomatic peripheral arterial disease, *J Vasc Surg*, 29: 8–19.
- Teede, H.J., Mc Grath, B.P., Smolich, J.J., Malan, E., Kotsopoulos, D., Liang, Y.L., dan Peverill, R.E., 2000, Postmenopausal hormone replacement therapy increases coagulation activity and fibrinolysis, *Arterioscler Thromb Vasc Biol*, 20:1404-1409.
- Tzoulaki, I., Murray, G.D., Price, J.F., Smith, F.B., Lee, A.J., Rumley, A., Lowe, G.D., dan Fowkes, F.G., 2006, Hemostatic factors, inflammatory markers, and progressive peripheral atherosclerosis: the Edinburg Artery Study, *Am J Epidemiol*, 163: 334-341.
- Unlu, Y., Karapolat, S., Karaca, Y., dan Kiziltunc, A., 2006, Comparison of levels of inflammatory markers and hemostatic factors in the patients with and without peripheral arterial disease, *Thromb Res*, 117(4):357-364.
- Wakai, A., Gleeson, A., dan Winter, D., 2003, Role of fibrin D-dimer testing in emergency medicine, *Emerg Med J*, 20: 319-325.
- Welch, G.N., dan Loscalzo, J., 1998, Homocysteine and atherothrombosis, *N Engl J Med*, 338:1042–1050.
- Wilde, J.T., Kitchen, S., Kinsey, S., Greaves, M., dan Preston, F.E., 1989, Plasma D-dimer levels and their relationship to serum fibrinogen/fibrin degradation products in hypercoagulable states, *Br J Haematol*, 71(1):65-70.



UNIVERSITAS
GADJAH MADA

Perbedaan Kadar D-Dimer Plasma Antara Penyakit Arteri Perifer dan Bukan Penyakit Arteri Perifer
Pada
Diabetes Melitus Tipe 2
KRISTIYANTO, Yusuf, Prof. dr. H.A.H. Asdie, SpPD-KEMD
Universitas Gadjah Mada, 2007 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wirajaya, I.P.K., Aryana, I.G.P.S., Suastika, K., dan Kuswardani, R.A.T., 2006, Penyakit arteri perifer dan faktor-faktor yang berhubungan pada pasien diabetes tipe 2 umur \geq 50 tahun, *Acta Medica Indonesiana*, XXXVIII, 398-402.

Yevdokimova, N.Y. , Veselovska,L.D., Gogolinska, G.K., Buchanevich, O.M., Kosyakova, G.V., Gritsenko, P.G, Lugovskoj, E.V., dan Komisarenko, S.V., 2003, Fibrin D-dimer impairs the accumulation and anticoagulant properties of heparan sulphate and stimulates secretion of plasminogen activator inhibitor-1 by rabbit coronaryendothelial cells, *Acta Biochimica Polonica*, 50 (1): 279–289.