

## DAFTAR PUSTAKA

- Ali AT, Crowther NJ. 2009. Review Article: Factor predisposing to obesity: a review of the literature. *JEMDSA* 2009 Vol 14 No 2 Hal 81-84.
- Al-khazraj LA, Raheem YA and Hanoon YK. 2010. Sex Differences in the Impact of Body Mass Index (BMI) and Waist /Hip (W/H) Ratio on Patients with Metabolic Risk Factors in Baghdad. *Global Journal of Health Science* 2(2).
- Almatsier, S. 2002. *Prinsip Dasar Ilmu Gizi*. Jakarta: PT Gramedia Pustaka Utama.
- Alrasyid, Harun. 2007. Pengaruh Modifikasi Diet Rendah Kalori Terhadap Berat Badan dan Lingkar Pinggang Wanita Obesitas Dewasa. *Majalah Kedokteran Nusantara*, Vol 40 no 4, pp 267-273.
- American College of Sport Medicine. 2006. General Principle of Exercise Prescription. ACSM's Guidelines for Exercise Testing and Prescription. 7<sup>th</sup> Edition. USA: Lippincot Williams & Wilkins.
- American College of Cardiology. 2015. *Exercise: Measuring Intensity*. Tersedia dalam [www.cardiosmart.org](http://www.cardiosmart.org) [Diakses 26 Februari 2018 ].
- American Dietetic Association. 2007. Evidence Analysis Library. Tersedia dalam <http://www.adaevidencelibrary.com> [Diakses 8 Maret 2019]
- Animesh H, Kalyan C.B, and Swatik M. 2015. Effect Of Aerobic Exercise Training On Body Composition And Heart Rate Recovery In Overweight and Obese Sedentary Indian Women. *JMPS*, 5(1): 1-6.
- Arner., Peter., Eva K., Peter E., and Jan B. 1990. Adrenergic Regulation of Lipolysis In Situ At Rest and During Exercise. *Journal of Clinical Investigation*, 85(3): 893–898.
- Australian Institute of Health and Welfare. 2017. Causes of Overweight and Obesity. *Australian Institute of Health and Welfare*. <https://www.aihw.gov.au/reports/biomedical-risk-factors/risk-factors-to-health/contents/overweight-and-obesity/causes-of-overweight-and-obesity> Diakses pada 25 Februari 2018.
- Berg, A., Combs T, P., Scherer, P, E. 2002. ACRP30/Adiponectin: an Adipokine Regulating Glucose and Lipid Metabolism. *Elsevier Science Ltd*, 13(2): 84-89.
- Bigaard J, Frederiksen K, Tjønnelan A, Thomsen BL, Overvad K, Heitmann BL, Sørensen TI. 2004. Waist and Hip Circumferences and All-Cause Mortality: Usefulness of the Waist-to Hip Ratio. *International Journal of Obesity* 28:741–747.

- Boyko, Edward J., Sullivan, Catherine A., Leonetti, Donna L., Kahn, Steven E., Fujimoto, Wilfred Y dan Hayashi, Tomoshige. 2015. Change in Intra-Abdominal Fat Predicts the Risk of Hypertension in Japanese Americans. *Psychiatry Research* 28, 193-213.
- Bray GA. *Nutrition, diet and treatment of overweight. In: Contemporary Diagnosis and Management of Obesity.* Handbooks in Health Care Co. Newtown Pennsylvania USA.1998.p.192-224.
- Bray, George A., Steven R. Smith, Lilian de Jonge, hui Xie, Jennifer Rood, Corby K. Martin, Marlene Most, Courtney Brock, Susan Mancuso, Leanne M. Redman. 2012. Effect of Dietary Protein Content on Weight Gain, Energy Expenditure, and Body Composition During Overeating A Randomized Controlled Trial. *JAMA*, 307(1): 47-55.
- Cashdan, E. 2008. Waist Hip Ratio a Cross Sectional: Trade-Offs Between Androgen and Estrogen Dependent Traits. *The Wenner-Gren Foundation For Anthropological Research.*
- CDC (Centers for Disease Control and Prevention). 2011. *Physical Activity for a Healthy Weight.* Tersedia dalam <[http://www.cdc.gov/healthyweight/physical\\_activity/index.html?s\\_cid=tw\\_ob387](http://www.cdc.gov/healthyweight/physical_activity/index.html?s_cid=tw_ob387)> [Diakses 3 Maret 2018].
- CDC (Centers for Disease Control and Prevention). 2015. *Physical Activity: Target Heart Rate and Estimated Maximum Heart Rate.* Tersedia dalam <<https://www.cdc.gov/physicalactivity/basics/measuring/hearttrate>> [Diakses 1 Maret 2018].
- Chiolero, Arnaud, David F., Fred P., and Jacques C. 2008. Consequences of Smoking for Body Weight, Body Fat Distribution, and Insulin Resistance. *Am. J. Clin. Nutr*, 87: 801-809.
- Cnop, M. 2003. Relationship of Adipopectin to Body Fat Distribution, Insulin Sensitivity and Plasma Lipoproteins: Evidence for Independent Roles of Age and Sex. *Diabetologia.*
- Cugusi, B. Wilson, and R. Serpe. 2016. Cardiovascular Effects, Body Composition, Quality Of Life and Pain After A Zumba Toning® Fitness Program In Italian Overweight Women. *J Sports Med Phys Fitness*, Vol. 56. No. 3 :328–335.
- Curioni and P. M. Lourenço. 2005. Long-Term Weight Loss After Diet And Exercise: A Systematic Review, *International Journal of Obesity*, 29(10): 1168–1174.
- Dalton, M., Cameron, A.J., Zimmet, P.Z., Shaw, J.E., Jolley, D., Dunstan, D.W., et al. 2003. Waist Circumference, Wist-Hip Ratio abd Body Mass Index and Ther Correlation With Cardiovascular Disease Risk Factors in Australian Adults. *J Intern Med* 254( 6): 555-63.

- Deborah L Heim, Carol A.H, *et al.* 2000. Exercise Mitigates the Association Of Abdominal Obesity With High Density Lipoprotein Cholesterol In Premenopausal Wome. *Am Diet Assoc*,100; 1347-1353.
- Departemen Kesehatan Republik Indonesia. 2017. Profil Kesehatan Provinsi Daerah Istimewa Yogyakarta. Tersedia di [http://www.depkes.go.id/resources/download/profil/PROFIL\\_KES\\_PROVI\\_NSI\\_2017/14\\_DIY\\_2017.pdf](http://www.depkes.go.id/resources/download/profil/PROFIL_KES_PROVI_NSI_2017/14_DIY_2017.pdf). Diakses pada 29 Desember 2018.
- Després J. 2006. Abdominal obesity: The Most Prevalent Cause of the Metabolic Syndrome and Related Cardiometabolic Risk. *European Heart Journal Supplements* 8:B4–B12.
- Domene, H. J. Moir, E. Pummell. 2016. The Health-Enhancing Efficacy Of Zumba Toning® Fitness: An 8-Week Randomized Controlled Study. *J Sports Sci*, Vol. 34. No.15: 1396–1404.
- Donnelly, J.E., S.N. Blair, J.M Jakicic. 2009. American College of Sports Medicine position stand. Appropriate Physical Activity Intervention Strategies for Weight Loss and Prevention of Weight Regain for Adults. *Med.Sci Sports Exer.* 41: 459-471.
- Eckel RH, Grundy SM, Zimmet PZ. 2005. The metabolic syndrome, *The Lancet*, 365 (9468), 1415–1428.
- Enriori, Pablo J., Anne E. Evans, Puspha S, Michael A. Cowley. 2006. Leptin Resistance and Obesity. *Obesity*, 14 (58):2545-2585
- Garber, C.E., Blissmer, B., Deschenes, M.R., Franklin, B.A., Lamonte. M.J., Lee, I., Nieman, D.C., and Swain, D.P. 2011. Quality and Quantity Of Exercise For Developing and Maintaining Cardiorespiratory, Musculoskeletal, and Neuromotor Fitness In Apparently Healthy Adults: Guidance For Prescribing Exercise. *American College of Sports Medicine: Medicine & Science In Sports & Exercise*, 1334-1359.
- Gibney, M.J., Margetts, B.M., Kearney, J.M., dan Arab, L. 2009. *Gizi Kesehatan Masyarakat*. Jakarta: Buku Kedokteran EGC.
- Grundy SM. 2004. Obesity, Metabolic Syndrome, and Cardiovascular Disease. *J Clin Endocrinol Metab* 89(6):2595–2600.
- Gugliucci, A. 2009. Short-Term Low Calorie Diet Intervention Reduces Serum Advanced Glycation End Products in Healthy Overweight or Obese Adults. *Annals of Nutrition & Metabolism* 54:197-201
- Gunawan A, Hedison P, dan Damajanty HC. 2015. Pengaruh Senam Zumba Toning Terhadap Kebugaran Kardiorespiratori Pada Mahasiswa Fakultas Kedokteran Universitas Sam Ratulangi Angkatan 2014. *Jurnal e-Biomedik*. Vol 3. No 1.

- Haghjoo, Marjan, Abdossaleh Z, Syeed, AH. 2016. Effect of 8-week Zumba Toning Training on Overweight Women's Body Composition. *Pars Journal of Medical Sciences*. Vol 14. No.2.
- Halliwell, B and Whiteman, M. 2004. Measuring reactive species and oxidative damage in vivo and in cell culture: how should you do it and what do the results mean?. *Br. J. Pharmacol.*142,231–255.
- Han, TS., and Mike E.JL. 2016. A Clinical Perspective of Obesity, Metabolic Syndrome and Cardiovascular Disease. *Journal of the Royal Society of Medicine Cardiovascular Disease*. Vol 5: 1–13 doi: 10.1177/2048004016633371.
- Haque SNAFU, Dananjaya R, Yuniarti. Pengaruh Olahraga Zumba Toning Terhadap Kadar Kolesterol Total Darah dan Lingkar Pinggang pada Mahasiswi Tingkat 4 FK Unisba Periode April-Mei 2016. 2016;37–43.
- Hartanti, Dwi. 2008. Hubungan Asupan Energi, Serat, dan Pengeluaran Energi dengan Rasio Lingkar Pinggang-Panggul (RLPP) (Studi Penelitian Pada Karyawan PT. Pertamina (Persero) Semarang). Skripsi. Program Studi Ilmu Gizi Fakultas Kedokteran Universitas Diponegoro. Semarang.
- Hassan, NE., Zaki, S.T, El-Masry. Sahar, Mohsen. MA, Elashmawy E. 2011. Impact of Balanced Caloric Diet and Physical Activity on Body Composition and Fat Distribution of Obese Egyptian Adolescent Girls. *Maced Jmed Sci*, 4(1): 17-24.
- Henuhili, Victoria. 2010. Gen-Gen Penyebab obesitas dan hubungannya dengan perilaku makan : prosiding seminar nasional penelitian, Pendidikan dan Penerapan MIPA, Yogyakarta : Univerists Negeri Yogyakarta.
- Irianto, Djoko Pekik. 1999. *Panduan Latihan Kebugaran*. Yogyakarta: Lukman Offset.
- Jain, Preeti K dan Nigudkar, MR. 2016. Effect of 12 Week Zumba Toning Program and Healthy Diet on Anthropometry, Body Composition and Fitness Parameters in Working Women. *J.Nutr Health Food Eng.*, 5(4).
- Janghorbani M, Amini M, Rezvanian H, Gouya MM, Delavari A, Alikhani S *et al*. 2008. Association of body mass index and abdominal obesity with marital status in aduts. *Arch Iranian Med* 11:274–281..
- Jensen MD, Ryan DH, Apovian CM, Loria CM, Ard JD, Millen BE, *et al*. 2013. Guideline for the Management of Overweight and Obesity in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and The Obesity Society. *Journal of the American College of Cardiology*. 2985-3023.
- Kasper DL, Fauci AS, Lango DL *et al*. 2005. Harrison's Principles of Internal Medicine 16th edition New York. The McGraw- Hill Companies inc; 422-429.

- Kemenkes RI. 2013. *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Klijn, P. H., van der Baan-Slootweg, O. H., & van Stel, H. F. (2007). Aerobic exercise in adolescents with obesity: preliminary evaluation of a modular training program and the modified shuttle test. *BMC pediatrics*, 7, 19-19.
- Krishnan, Sridevi, *et al.* 2015. Zumba Toning Dance Improves Health in Overweight/Obese Type 2 Diabetic Women. *Am J Health Behav.* 2015;39 (1): 109-120.
- Lambert CP, Wright NR, Finck BN, Villareal DT. 2008. Exercise but not diet induced weight loss decreases skeletal muscle inflammatory gene expression in frail obese elderly persons. *J Appl Physiol.* 105:473-8
- Laskowski,E.R. 2012. The Role of Exercise In the Treatment of Obesity. *PM&R.*,4(11): 840-844.
- Layman, E. Evans, J. I. Baum, J. Seyler, D. J. Erickson, and R. A. Boileau. 2005. Dietary Protein and Exercise Have Additive Effects On Body Composition During Weight Loss In Adult Women. *Journal of Nutrition.*135(8): 1903–1910.
- Lean MEJ, Han TS, Morrison CE. 1995. Waist circumference As A Measure For Indicating Need For Weight Management. *BMJ*;311:621-8.
- Levers, S. Simbo, B. Lockard *et al.* 2013. Effects Of Exercise and Diet-Induced Weight Loss On Markers Of Inflammation: Impact On Body Composition and Markers Of Health and Fitness. *Journal of the International Society of Sports Nutrition.*10(1):15
- Lin, J. S., O'Connor, E., Whitlock, E. P., and Beil, T. L. 2010. Behavioral Counseling to Promote Physical Activity and A Healthful Diet to Prevent Cardiovascular Disease in Adults: A Systematic review for the U.S Preventive Service Task Force. *Annals of Internal Medicine*, 152(11), 736-750.
- Ljubojevis, Adriana, Vladimir Jakocljevic, dan Milijana Poprzen. 2014. Effects of Zumba Toning Fitness Program on Body Composition of Women. *SportLogia*, 10(1): 29-33.
- Luetgenn, Mary, Carl Foster, Scott Doberstein, Rick Mikat, John Porcari. 2012. ZUMBA TONING®: Is the “Fitness-party” a Good Workout? *J. Sports Sci. Med.*, 11(2): 357-358.
- Luglio HF, Sulistyoningrum DC, Apriliana NL, *et al.* 2017. The effect of a combination of aerobic and strength training on a weight loss and metabolic profile: Development an effective lifestyle based weight loss program. *Topics in Clinical Nutrition*, 32, 152-160.

- Marlowe F, Apicella C, Reed D. 2005. Men's Preferences For Women's Profile Waist-to-Hip Ratio In Two Societies. *Evolution and Human Behavior*, 26:458–468.
- Maersk, Maria, Anita Belza, Hans Stodkilde-Jorgensen, Steffen Ringgaard, Elizaveta Chabanova, Henrik Thomsen, Steen B. Pedersen, Arne Astrup, dan Bjorn Richelsen. 2012. Sucrose-sweetened Beverages Increase Fat Storage in The Liver, Muscle, and Visceral Fat Depot: a 6-mo Randomized Intervention Study. *Am. J. Clin. Nutr.*, 95: 283-289.
- Micallef, C. 2014. The Effectiveness of an 8-week Zumba Toning Programme for Weight Reduction in a Group of Maltese Overweight and Obese Women. *Sport Sciences for Health*, 10(3): 211-217.
- Miller, D. M. Koceja, and E. J. Hamilton. 1997. A Meta-Analysis Of The Past 25 Years Of Weight Loss Research Using Diet, Exercise or Diet Plus Exercise Intervention. *International Journal of Obesity.*, Vol. 21, No. 10: 941–947.
- National Heart, Lung, and Blood Institute. 1998. *Clinical Guidelines On The Identification, Evaluation, and Treatment of Overweight and Obesity In Adults*. US: National Institutes of Health Publication.
- National Heart, Lung, and Blood Institute. 2000. *Identification, Evaluation, and Treatment of Overweight and Obesity in Adults*. USA: National Institute of Health, Lung, and Blood Institute North American Association for The Study of Obesity.
- National Heart lung and Blood Institute. 2012. *Obesitas*. Diakses pada 7 Maret 2018.
- Parengkuan, Rendy, R., Mayulu, Nelly., dan Ponidjan, Tati. 2011. Hubungan Pendapatan Keluarga dengan Kejadian Obesitas pada Anak Sekolah Dasar di Kota Manado. Mando: Universitas Sam Ratulangi.
- Pawar, Satish A. 2017. Comparison of Body Mass Index and Waist-Hip Ratio in Physically Trained Adults. *International Journal of Bioassays* 6(9): 5485-5488.
- Piers L. S., K. Z. Walker, R. M. Stoney, M. J. Soares, dan K. O'Dea. 2002. The Influence of The Type of Dietary Fat on Postprandial Fat Oxidation Rates: Monounsaturated (Olive Oil) vs Saturated Fat (Cream). *Int. J. Obes. Relat. Metab. Disord.*, 26:814–821.
- Prihadi, JS. 2007. *Exercise and Rehabilitation Training as Treatment of Obesity. Fight Obesity from Cell to Community*. Malang: Penerbit Laboratorium Ilmu Faal FK Universitas Brawijaya
- Reaven, GM. 2006. The metabolic syndrome: is this diagnosis necessary? *Am J Clin Nutr.*, 83:1237–1247.

- Rebuffle-Scrive, and P.Bjorntorp. 1987. Glucose Uptake in Human Adipose Tissue. *Metabolism*. 36:1154-60
- Redman, L. K. Heilbronn, C. K. Martin, A. Alfonso, S. R. Smith, and E. Ravussin. 2007. Effect Of Calorie Restriction With Or Without Exercise On Body Composition and Fat Distribution. *The Journal of Clinical Endocrinology & Metabolism*, vol. 92, no. 3: 865–872.
- Roemmich, James N. and Alan D. Rogol. 1999. Hormonal Changes During Puberty and Their Relationship to Fat Distribution. *American Journal Of Human Biology*, 11:209–224.
- Rosqvist, Fredrik, David I, Joel K, Jonathan C, Hans-EJ, Anders L, Lars J, Hankan A, Peter A, Ingrid D, and Ulf R. 2014. Overfeeding Polyunsaturated and Saturated Fat Causes Distinct Effects on Liver and Visceral Fat Accumulations in Humans. *Diabetes*, 63(7): 2356-2368.
- Roy, Bidya and Mandal, Sanjit. 2017. Effect of Strong by Zumba on Waist Hip Ratio of Middle Aged Sed entary Females. *Int. J. Physical Education, Sports and Health.*, 4(3): 379-381.
- Roy,Bidya and Saha, G.C. 2016. Combined Effect Of Dance and Fitness On Waist Hip Ratio Of Sedentary Females. *Journal of Physical Education Research*, 3(3): 73-79.
- Safika, Errie L. 2018. Efek Latihan Zumba Toning Terhadap Penurunan Berat Badan dan Lemak Tubuh. *Skripsi*. Yogyakarta: Universitas Gadjah Mada.
- Scharfetter, H., T. Schlager, R. Stollberger, R. Felsberger, H. Hutten, dan H. Hinghofer-Szalkay. 2001. Assessing Abdominal Fatness with Local Bioimpedance Analysis: Basics and Experimental Findings. *Int. J. Obes. Relat. Metab. Disord.*, 25(4):502-511.
- Skolnik, Neil. 2013. Diagnosis and Management of Obesity. USA: American Academy of Family Physicians.
- Slattery, *et al.* 1992. Association of Body Fat and It's Distribution with Dietary Intake, Physical Activity, Alchohol, and Smoking in Black and Whites. *American Journal Clinical Nutrition*.
- Soeharto, Iman. 2004. Serangan Jantung dan Stroke: Hubungannya dengan Lemak dan Kolesterol. Jakarta: PT Gramedia Pustaka Utama.
- Stanković V, Stojanović S, Vasiljević N. 2013. Evaluation of Anthropometric Indices for Metabolic Syndrome and their Association with Metabolic Risk Factors among Healthy Individuals in New Belgrade. *Scientific Journal of the Faculty of Medicine in Nis*, 30(1): 21-30.
- Sukma, Tri Arum. 2016. Efek *Zumba* Terhadap Penurunan Tebal Lemak Bawah Kulit dan Berat Badan Member DF Fitness dan *Aerobic*. *Skripsi*. Fakultas Ilmu Keolahragaan Universitas Negeri Yogyakarta. Yogyakarta.

- Susanti, Eva. 2017. Pengaruh Senam *Zumba* Terhadap *Waist Circumference* Pada Wanita Obesitas Di Sanggar Senam RM 7. *Skripsi*. Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta. Surakarta
- Tchernof, A., E. T. Poehlman, and J.P. Despres. 2000. Body Fat Distribution, The menopause Transition, and Hormone Replacement Therapy. *Diabetes and Metabolism*. 20: 69-81
- The Endocrine Society (TES). 2008. Prevention and Treatment Of Pediatric Obesity: an Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab*. 93(12):4576-99.
- United State of Preventive Services Task Force. 2012. *Screening for and Management Of Obesity in Adult*, <http://www.uspreventiveservicestaskforce.org/.../obe>, [diakses tanggal 17 Februari 2018]
- Vassilopoulou, E., Georgia P., Christoforos C. 2017. Is Zumba Toning® Fitness Effective to Manage Overweight without Dietary Intervention?. *Arab Journal of Nutrition and Exercise*,1(1): 112-121.
- Wahyuningsih. 2013. Penatalaksanaan Diet Pada Pasien. Yogyakarta: Graha Ilmu
- Waspadji, S., 2003, Pengkajian Status Gizi, Studi Epidemiologi, FKUI, Jakarta.
- Wadden TA, Butryn ML, Wilson C. 2007. *Lifestyle modification for the management of obesity*.*Gastroenterology*;132:2226–2238.
- Wajchenberg, B.L., 2000. Subcutaneous and Visceral Adipose Tissue Their Relation to The Metabolic Syndrome. *Endocrine Rev*, 21 (6): 697-38
- Weiss, Ram. 2007. Fat Distribution and Storage: How much, Where and How? *European Journal of Endocrinology*,157: S39-S45
- Welborn, T.A., Dhaliwal SS. 2003. Waist Hip - Ratio Is The Dominant Risk Factor Predicting Cardiovascular Death In Australia. *The medical Journal of Australia*, 29(11): 580-586.
- Welborn, TA., Dhaliwal, S.S. 2007. Preferred clinical measures of central obesity for predicting mortality. *European Journal of Clinical Nutrition*, 61:1373-1379.
- World Health Organization Western Pacific Region. 2000. The Asia-Pacific Perspective: *Redefining Obesity and Its Treatment*. Health Communications Australia Pty Limited on behalf of the Steering Committee ISBN # 0-9577082-1-1
- World Health Organization. 2008. *Waist Circumference and Waist Hip Ratio: Report of a WHO Expert Consultation*, [http://whqlibdoc.who.int/publications/2011/9789241501491\\_eng.pdf](http://whqlibdoc.who.int/publications/2011/9789241501491_eng.pdf) [Diakses 12 Februari 2018].

World Health Organization. 2011. *Global Status Report on Communicable Disease 2010*. Geneva: WHO Press

World Health Organization. 2016. *Obesity and Overweight*. <http://www.who.int/mediacentre/factsheets/fs311/en/> [Diakses 12 Februari 2018]

Żurawska-Kliś, M., Kasznicki, J., Kosmalski, M., Śmigielski, J., Drzewoski, J. 2009. Adiponectin Plasma Concentration, Type 2 Diabetes Mellitus, Cardiovascular Diseases and Features of metabolic Syndrome. *Diabetologia Doświadczalna I Kliniczna*, 9(2): 81-87