

DAFTAR PUSTAKA

- Adamczyk, J.J., Williams, M.R., Reed, J.T. *et al.* 2003. Spatial and temporal occurrence of beet armyworm (Lepidoptera: Noctuidae) moths in Mississippi. *Florida Entomologist*, 86, 229 – 232
- Agelopoulos, N.G, K.Chamberlain and J.A. Pickett. 2000. Factors Affecting Volatile Emissions of intact potato Plant *Solanum tuberosum* Variability of Quantities and Stability of Ratios. *Journal of Chemical Ecology*, Vol. 26, No. 2 : 497-511.
- Ansebo, L. 2004. Odour Perception in the Codling Moth *Cydia pomonella* L. *Doctoral thesis*. Swedish University of Agricultural Sciences
- Azidah, A.A and M.S. Azirun. 2006. Life history of *Spodoptera exigua* (Lepidoptera: Noctuidae) on various host plants. *Bulletin of Entomological Research* : 96 : 613–618
- Badan Litbang Pertanian Deptan. 2005. *Prospek dan Arah Pengembangan Agribisnis Bawang Merah*. Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian.
- Bakkali, F., S. Averbek, D. Averbek, M. Idaomar. 2008. Biological effects of essential oils. *Food and Chemical Toxicology* 46 : 446–475.
- Bengtsson, M., Z.Karpati, G. Szocs, H. Reuveny, Z. Yang, and P. Witzgall. 2006. Flight Tunnel Responses of Z Strain European Corn Borer Female to Corn and Hemp Plant. *Chemical Ecology*. Vol. 35. No. 5 : 1239-1243.
- Bernays, E.A and R.F. Chapman. 1994. *Host-Plant Selection by Phytophagous Insect*. Chapman & Hall An International Thomson Publishing Company. New York.
- Blomquist, G.J and R.G. Vogt. 2003. *Insect Pheromone Biochemistry and Molecular Biology : The biosynthesis and detection of pheromones and plant volatiles*. Elsevier Academic Press.
- Blackmer, J.L., C.R. Saona, J.A. Byers, K.L. Shope and J.P. Smith. 2004. Behavioral Rspnon of *Lygus hesperus* to Conspecifics and Headspace Volatile of alfafa in a Y-Tube Olafactometer. *Journal of Chemical Ecology*. Vol. 30. No. 8 : 1547-1564
- Brewer, M.J., Trumble, J.T., Alvarado-Rodriguez, B., Chaney, W.E., 1990. Beet armyworm (Lepidoptera, Noctuidae) adult and larval susceptibility to 3 insecticides in managed habitats and relationship to laboratory selection for resistance. *Journal of Economic Entomology*. 83 : 2136–2146.



- Bruce, T.J.A., L. J. Wadhams and C. M. Woodcock. 2005. Insect host location: a volatile situation. *Trends in Plant Science*. Vol.10 No.6 : 269-274.
- Burguiere, L., F.M. Poll, and A. Cork. 2001. Electrophysiological responses of female *Helicoverpa armigera* (Hubner) (Lepidoptera : Noctuidae) to synthetic host odours. *Journal of Insect Physiology* 47: 509-514
- Cha, D.H., S. Nojima, S. P. Hesler, A. Zhang, C. E. Linn, W. L. Roelofs, G. M. Loeb. 2008. Identification and Field Evaluation of Grape Shoot Volatiles Attractive to Female Grape Berry Moth (*Paralobesia viteana*). *Journal of Chemical Ecology* 34: 1180-1189.
- Cha, D.H, S.P.Hesler, C.L. Moser, S. Nojima, C. E. Linn, W.L. Roelofs, G.M.Loeb. 2008. Flight Tunnel Responses of Female Grape Berry Moth (*Paralobesia viteana*) to Host Plants. *Journal of Chemical Ecology* 34:622-627.
- Chamberlain, K., Khan, Z.R., Pickett, J.A., Toshova, T., Wadhams, L.J., 2006. Diel periodicity in the production of green leaf volatiles by wild and cultivated host plants of stemborer moths, *Chilo partellus* and *Busseola fusca*. *Journal of Chemical Ecology* 32: 565-577.
- Dakiaca, I. 2007. Attraction of *Spodoptera exigua* to shallot leaf volatile extract. Thesis. Program Pasca Sarjana Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta.
- de Bruyne, M. And T. C. Baker. 2008. Odor Detection in Insects: Volatile Codes. *Journal of Chemical Ecology*. Vol. 34:882-897.
- Direktorat Jenderal Bina Produksi Hortikultura. 2006. Produksi Bawang Merah Menurut Propinsi Tahun 2002-2006. www.deptan.go.id/infoeksekutif/horti Diakses pada tanggal 31 Januari 2008.
- Dicke, M. and J.J.A. van Loon. 2000. Multitrophic effects of herbivore- induced plant volatiles in an evolutionary context. *Entomol. Exp. Appl.* 97:237-249.
- Dickens, J.C. 2007. Sexual contact influences orientation to plant attractant in Colorado potato beetle, *Leptinotarsa decemlineata* Say (Coleoptera: Chrysomelidae). *Naturwissenschaften* 94:847-852
- Fan, J., L.Kang and J. Sun. 2007. Role of Host Volatile in Mate Location by Japanese Pine Sawyer, *Monochamus alternatus* Hope (Coleoptera : Cerambycidae). *Chemical Ecology*. Vol 36 Number 1 59-63.
- Gullan, P.J., Cranston, P.S., 2005. *The Insects: an outline of entomology*. Blackwell Publisihing.



- Heath, R.R., P.J.Landolt, B. Dveben and B. Lenezewski. 1992. Identification of Floral Compounds of Nightblooming Jessamine Attractive to Cabbage Looper Moth. *Environ. Entomol.* 21(3): 854-859.
- Hilker, M and T. Meiners. 2002. *Chemoecology of Insect Eggs and Egg Deposition*. A Blackwell Publishing Company.
- Hick, A.J., M.C. Luszniak and J. A. Pickett. 1999. Volatile isoprenoids that control insect behaviour and development. *Nat. Prod. Rep.* 16 : 39-54
- Hori, M., 1999. The effects of rosemary and ginger oils on the alighting behavior of *Myzus persicae* (Sulzer) (Homoptera: Aphididae) and on the incidence of yellow spotted streak. *Applied Entomology and Zoology* 34 : 351-358.
- Huotari, M. 2004. *Odour Sensing By Insect Olfactory Receptor Neurons: Measurements Of Odours Based On Action Potential Analysis*. Oulu University Press. Oulu.
- Ikeda, T., N. Enda, A. Yamane, K. Oda and T. Toyoda. 1980. Attractants for the Japanese pine sawyer, *Monochamus alternatus* Hope (Coleoptera: Cerambycidae). *Applied Entomology and Zoology*. 15: 358-361.
- Jackson, R.R., R.J.Clark, D.P.Harland. 2002. Behavioural and Behavioural And Cognitive Influences Of Kairomones On An Araneophagic Jumping Spider. *Behaviour* 139: 749-775.
- Johson, M. 2005. Responses to Oilseed Rape and Cotton Volatiles in Insect Herbivores and Parasitoids. *Doctoral thesis*. Swedish University of Agricultural Sciences
- Johnson, S.N. and P.J. Gregory. 2006. Chemically-mediated host-plant location and selection by root-feeding insects. *Physiological Entomology* 31 : 1-13.
- Karr, L.L., Coats, J.R., 1992. Effects of four monoterpenoids on growth and reproduction of the German cockroach (Blattodea: Blattellidae). *Journal of Ecological Entomology* 85, 424-429.
- Kalshoven, L.G.E. 1981. The Pest of Crops in Indonesia. (*translated in English by van der Laan*). PT. Ichtiar Baru, Van Hoove. Jakarta. Indonesia.
- Landolt, P.J., Hofstetter, R.W., Biddick, L.L., 1999. Plant essential oils as arrestants and repellents for neonate larvae of the codling moth (Lepidoptera: Tortricidae). *Environmental Entomology* 28 : 954- 960.
- Lanzotti, V. 2006. The analysis of onion and garlic. *Journal of Chromatography A*, 1112: 3-22



- Lei adn Vicker. 2008. Central processing of Natural Odor Mixtures in Insect. *Journal of Chemical Ecology* 34 : 915-927.
- Lee SD, Ahn SB, Cho WS, Choi KM, 1991. Effects of temperature on the development of beet armyworm, *Spodoptera exigua* Hübner (Lepidoptera: Noctuidae). *Research Reports of the Rural Development Administration, Crop Protection*, 33(2):58-62.
- Magalhaes, S.T.V., R.N.C. Guedes, E. R. Limaa, A. J. Demuner. 2008. Coffee leaf volatiles and egg laying by the coffee leaf miner *Leucoptera coffeella*. *Crop Protection* 27 : 1038–1041.
- Moekasan, T.K, W.W.Hadi Soeganda, E. Suryaningsih. 1995. Penyakit dan Hama Bawang Merah dan Hama bawang Merah dan Cara Pengendaliannya dalam A.A. Permadi, H.H. Sunarjono, Suwandi, F.A. Bahar, S. Sulihanti (eds) *Teknologi Produksi Bawang Merah*. Pusat Penelitian dan Pengembangan Hortikultura Badan Penelitian dan Pengembangan Pertanian. Jakarta.
- Miller, D.R. 2006. Ethanol and (-)- α -Pinene: Attractant Kairomones for some Large Wood-Boring Beetle in Southeastern USA. *Journal Chem. Ecol* (2006).
- Nordlund, D.A., Lewis, W.J., 1976. Terminology of chemical releasing stimuli in intraspecific and interspecific interactions. *Journal of Chemical Ecology*. 2, 211–220.
- Pare, P.W adn .J.H. Tumlinson. 1996. Plant Volatile Signal in Response to Herbivore Feeding. *Florida Entomologist* 79 (2) : 1996
- Phillips, F. J., A. J. Wilkening, T. H. Atkinson, J. F. Nation, R. C. Wilkinson and J. L. Foltz. 1988. Synergism of terpentine and ethanol as attractants for certain pine- infesting beetles (Coleoptera). *Environ. Ent.* 17: 456-462.
- Pogue, M.G.2006.*World Spodoptera Database (Lepidoptera: Noctuidae)* <http://www.sel.barc.usda>. Diakses pada tanggal 5 Pebruari 2008.
- Purnomo, H. dan N.T. Haryadi. 2007. *Entomologi*. Center for Society Studies. Jember
- Rauf, A. 1999. Dinamika populasi *Spodoptera exigua* pada tanaman bawang merah di dataran rendah. *Buletin Hama dan Penyakit Tumbuhan* : 11: 39-47.
- Renwick, J.A.A. and F.S.Chew. 1994. Oviposition behavior in Lepidoptera. *Annals of the Entomological of America* 39 : 377-400.



- Rojas, J.C., Wyatt, T.D., 1999. Role of visual cues and interaction with host odour during the host-finding behaviour of the cabbage moth. *Ent. Exp. Appl.* 91(1), 59–65.
- Rukmana, R. 1995. Bawang Merah : Budidaya dan Pengelolaan Pasca Panen. Kanisius. Yogyakarta.
- Smith, C.M. 2005. *Plant Resistance to Arthropods Molecular and Conventional Approaches*. Published by Springer. The Netherlands
- Shimada , K. , Natsuhara , K. , Oomori , Y. & Miyata , T .2005. Permetrin resistance mechanisms in the beet armyworm (*Spodoptera exigua* (Hübner)) . *Journal of Pesticide Science* , 30 , 214 – 219.
- Sharkey,. D., and E. L. Singaas.1995. Why plants emit isoprene. *Nature* 374: 769.
- Stensmyr, M.C., Urru, I., Collu, I., Celandier, M., Hansson, B.S., Angioy, A.-M., 2002. Pollination: rotting smell of dead-horse arum florets. *Nature* 420(6916), 625–626.
- Sun, J., Z. Miao, Z. Zhang, Z. Zhang and N.E. Gillette. 2004. Red Turpentine Beetle *Dendroctonus valens* LeConte (Coleoptera : Scolytidae), Response to Host Semiochemicals in China. *Chemical Ecology*. Vol. 33 No.2 : 207-211.
- Srinivasan, R., S. Uthamasamy, N.S. Talekar. 2006. Characterization of oviposition attractants of *Helicoverpa armigera* in two solanaceous plants, *Solanum viarum* and *Lycopersicon esculentum*. *Current Science*. Vol. 90, No. 6 : 846 – 850.
- Tasin, M. A. Backman, M. Coracini, D. Casado, C. Loriatti, P. Witzgall. 2007. Synergism and redundancy in a plant volatile blend attracting grapevine moth females. *Phytochemistry* 68 : 203–209.
- Trematerra, P and V. Lanzotti. 1999. The activity of some compounds extracts by *Allium* on stored-product insects *Oryzaephilus surinamensis* (L.), *Sitophilus oryzae* (L.) and *Tribolium castaneum* (Herbst). *J. Pest Science* 72: 122-125.
- Wibe, A. 2004. How the choice of method influence on the results in electrophysiological studies of insect olfaction. *Journal of Insect Physiology* 50: 497–503.
- Witzgall, P., L. Ansebo, Z. Yang, G. Angeli, B. Sauphanor and M. Bengtsson. 2005. Plant Volatiles affect oviposition by codling moths. *Chemoecology* 15: 77-83.