

DAFTAR PUSTAKA

- Aliferis, K.A dan Chrysayi-Tokousbalides, M., 2006, Metabonomic Strategy for the Investigation of the Mode of Action of the Phytotoxin (5S,8R,13S,16R)-(-)-Pyrenophorol Using ¹H Nuclear Magnetic Resonance Fingerprinting, *J.Agric.Food Chem.*, 1687–1692.
- Anonim, 2005, *Laporan Final Atlas Kabupaten Kulon Progo*, Pemerintah Kabupaten Kulon Progo, Kulon Progo.
- Arafah,E., Muchtadi, D., Zakaria, F.R., Wresdiyati, T., dan Sidik, 2005, Pengaruh Perlindungan Ekstrak Rimpang Bengle (*Zingiber cassumunar* Roxb.) Terhadap Kerusakan Hati Tikus, *J.Tekno.Industri Pangan*, 15(3) .214-220.
- Ashour, M., Wink, M., dan Gershenzon, J., 2010, Biochemistry of Terpenoids: Monoterpenes, Sesquiterpenes and Diterpenes, Dalam Wink,M., *Annual Plant Reviews Volume 40 Biochemistry of Plant Secondary Metabolism*, Willey-Blackwell Publishing, West Sussex .
- Bartel, J., Krumsiek, J., & Theis, F. J. (2013). Statistical methods for the analysis of high-throughput metabolomics data. *J.Comput.Struct.Biotechnol*, 4(5).
- Chairul, Praptiwi., Dan Chairul, S.M., 2008, Phagocytosis Effectivity Test of Phenylbutenoid Compounds Isolated from Bengle (*Zingiber cassumunar* Roxb.) Rhizome, *J.Biodiversitas.*, 10, 40-43.
- Dalisay, J.D.A, Porferio, P.D., Bangcaya, S., dan Naive,K., 2018, Taxonomic Studies and Ethnomedicinal uses of Zingiberaceae in the Mountain Ranges of Northern Antique, Philippines, *J.Biological Forum*.10(2): 68-73.
- Dinesh, R., Srinivasan, V., dan Hamza, S., 2012, Zingiberaceae Crops Present and Future, *J.Nutrition*, 256-287.
- Farag, M.A., dan Wessjohann, L.A., 2012, Metabolome Classification of Commercial *Hypericum perforatum* (St.John's Wort) Preparations via UPLC-q TOF-MS and Chemometrics, *J.Planta.Med*,78,488–496.
- Ghorbanpoud, M., Lajayer, a., dan Handian, J., 2016, Influence of Copper and Zinkc on Growth, metal Accumulation and Chemical Composition of Essential oil in sweet Basil (*Ocinum bacilicum* L.), *J.Med.Plant Res* 15 (59), 132-144.
- Godevac, D., 2012, Composition and antimicrobial activity of the essential oil from *Galatella linosyris* (L.) Rchb. f. (Asteraceae), *J. Serb. Chem. Soc*, 77(5), 619–626.

- Halouska, S., Zhang, B., Lei, S., Gaupp, R., Snell, E., Fenton, R.J., Barletta, R.G., Somerville, G.A., dan Powers, R., 2013, Revisiting Protocols for the NMR Analysis of Bacterial Metabolomes, *J.IOMICS*, 3, 120-137.
- Hasanuzzaman, M., Fujita, M., Oku, H., Nahar, K., dan Hawrylak-Nowak, B., 2018, Plant Nutrients and Abiotic Stress Tolerance, Springer, Singapore.
- Hermansyah, B. dan Utami, W.S., 2015, Bioactivity of a Compound of Standardized Bengle (*Zingiber cassumunar* Roxb.) Extract Fraction as a Complimentary Therapy to Prevent Malaria Complications, *J.Agromedicine and Medical Sciences.*, 2,19-25.
- Hess, D., 1975, *Plant Physiology Molecular, Biochemical, and Physiological Fundamentals of Metabolism and Development*, Springer, Amsterdam.
- Ibrahim, M., Chee Kong, Y., & Mohd Zain, N. (2017). Effect of cadmium and copper exposure on growth, secondary metabolites and antioxidant activity in the medicinal plant Sambung Nyawa (*Gynura procumbens* (Lour.) Merr), *J.Molecules*, 22(10), 1623.
- Jain, P., Pandey, R., dan Shukla, S.S., 2015, *Inflammation : Natural Resources and Its Applications*, Springer, New Delhi.
- Jeenapongsa, R., Yoovathaworn, K., Sriwatanakul, K. M., Pongprayoon, U., & Sriwatanakul. K., 2003, Anti-inflammatory activity of (E)-1-(3, 4-dimethoxyphenyl) butadiene from *Zingiber cassumunar* Roxb, *J.Ethnopharmacol*, 87(2-3), 143-148.
- Jung, Y., Lee, J., Kim, H.K., Moon, B.C., Do, Y.J., Ryu, H., dan Hwang, G.S., 2012, Metabolite Profiling Of Curcuma Species Grown In Different Regions Using ¹H-NMR Spectroscopy And Multivariate Analysis, *J. Analyst.*, 137, 5597–5606.
- Jurenka, J.S., 2009, Anti-inflammatory Properties of Curcumin, a Major Constituent of Curcuma longa: A Review of Preclinical and Clinical Research, *Alternative Medicine Review.*, 14(2), 141-153.
- Khaechootong, A., 2009, *Preparation and quality control of Zingiber cassumunar extract with high yield anti inflammatory affective*, Tesis, Songkhal University, Thailand.
- Kim, H. K., Choi, Y. H., & Verpoorte, R., 2010, NMR-based metabolomic analysis of plants. *J.Nature protocols*, 5(3), 536.

- Krastanov, A., 2010., Metabolomics—The state of art, *J.Biotechnol.Equip*, 24(1), 1537-1543.
- Lee, J.E., Lee, B.J., Chung, J.O., Hwang, J.A., Lee, S.J., Lee, C.H., dan Hong, Y.S., 2010, Geographical and Climatic Dependencies of Green Tea (*Camellia sinensis*) Metabolites: A 1HNMR-Based Metabolomics Study, *J. Agric. Food Chem.*, 58, 10582–10589.
- Lammerhofer, M dan Weckwerth, W, 2009, *Metabolomics in Practice: Successful Strategies to Generate and Analyze*, Springer, New York.
- Lim, T.K., 2016, *Edible Medicinal and Non-Medicinal Plants*, Springer International Publishing, New York.
- Masuda, M. dan Jitoe, A., 1994, Antioxidative and Antiinflammatory Compounds from Tropical Gingers: Isolation, Structure Determination, and Activities of Cassumunins A, B, and C New Complex Curcuminoids from *Zingiber cassumunar*, *J. Agric. Food Chem.* 42, 1850-1856.
- Masuda, M., Jitoe, A., dan Mabry, T.J., 1995, Isolation and Structure Determination of Cassumunarins A, B, and C: New Anti-Inflammatory Antioxidants from a Tropical Ginger *Zingiber cassumunar*, *J.AOCS* 72., 1053-1057.
- Miller, J.N., dan Miller, J.C., 2010, *Statistics and Chemometric for Analytical Chemistry.*, Pearson, England.
- Muhlisah, F., 1999, *Temu-temuan dan Empon-Empon.*, Kanisius, Yogyakarta.
- Ningsih, D.R., Zufahair, dan Kartika, D., 2016, Identification Of Secondary Metabolites Compounds And Antibacterial Activities On The Extract Of Soursop Leaf, *J.Molekul* (1), 101 – 111.
- Ozaki, Y., Kawahara, N., dan Haarada, M., 1991, Anti-inflammatory Effect of *Zingiber cassumunar* ROXB and Its Active Principles, *J.Chem.Pharm.Bull.*, 39 (9), 2353-2356.
- Pavia, D., Lampman, G., dan Kriz, G., 2001, *Introduction to spectroscopy*, Thomson Brooks/Cole, California.
- Petersen, M., Hans, J., and Matern, U., 2010, Biosynthesis Of Phenylpropanoids And Related Compounds, *Annual Plant Reviews*, 40, 182–257.
- Porzel, A., Farag, M.A., Ibradt, J.A., dan Wessjohann, L.A., 2013, Metabolite Profiling And Fingerprinting of *Hypericum* Species: A Comparison Of MS And NMR Metabolomics., *J.Metabolomics* (10), 574–588.

- Putri, S.P., Nusantara, F.J.P., dan Putri, S.E., 2017, Aplikasi Pendekatan Metabolomik untuk Ilmu Pangan dan Mikrobiologi, Dalam Wikantika, K., *Bunga Rampai Forum Peneliti Muda Indonesia*, ITB Press, Bandung.
- Rohman., A., 2012, Mini Review Analysis of Curcuminoids In Food And Pharmaceutical Product, *International Food Research Journal* 19(1), 19-27.
- Rosita, Rahardjo dan Kosasih, 2005, Pola Pertumbuhan Dan Serapan Hara N, P, K Tanaman Bengle (*Zingiber purpureum* Roxb.)", *J.Littri*, 11,(1), 32-36.
- Santoso, S., 2010, Statistik Multivariat Konsep dan aplikasi dengan SPSS, Elexmedia Komputindo, Jakarta.
- Salim, Z., dan Munadi, E., ,2017, *Info Komoditi Tanaman Obat*, Badan Pengkajian dan Pengembangan Perdagangan Kementerian Perdagangan Republik Indonesia, Jakarta.
- Seidemann, J.,2006, *World Spice Plants: Economic Usage*, Botany, Taxonomy., Springer,USA.
- Simamora, B., 2005, Analisis Multivariat pemasara, Gramedia Pustaka, Jakarta.
- Singh, M., Manglembi N., dan Chanu., S.B, 2015, Phytochemistry and Pharmacology *Zingiber cassumunar* Roxb. (Zingiberaceae)., *J.of Pharmacognosy and Phytochemistry Ethnobotany.*, 4 (1). 1-6.
- Song, S.Y., Kim, C.H., Im, S.J., dan Kim, I.J., 2018, Discrimination of citrus fruits using FT-IR fingerprinting by quantitative prediction of bioactive compounds, *J.Food Sci Biotechnol*, 27(2),367–374.
- Straadt, I.K., Young,J.F., Bross,P., Oksbjerg, N.,Theil,P.K., dan Beetram,H., NMR-Based Metabonomic Investigation of Heat Stress in Myotubes Reveals a Time-Dependent Change in the Metabolites *J.Agric.Food Chem.*, (58), 6387-6386.
- Suksaeree, J., Madaka, F., Monton, C.,Sakunpak, A.,Chusut, T dan Charoonratana,T., 2014, Method Validation Of (E)-4-(3', 4'-Dimethoxyphenyl)-But-3-En-1-Ol In *Zingiber Cassumunar* Roxb. With Different Extraction Techniques, *Int.J.Pharm.Pharm Sci* (6) 295-298.
- Utama, R., 2017, PERDAGANGAN DALAM NEGERI TANAMAN OBAT , Dalam Salim, S., dan Munadi, E., *Info Komoditi Tanaman Obat*, Badan Pengkajian dan Pengembangan Perdagangan Kementerian Perdagangan Republik Indonesia, Jakarta.

- Verporte, R., Choi, Y. H., & Kim, H. K., 2007, NMR-based metabolomics at work in phytochemistry, *J. Phytochemistry reviews*, 6(1), 3-14.
- Wang, Y., Tang, H., Nicholson, J. L., Hylands, P. J., Sampson, J., dan Holmes, E., 2005, A Metabonomic Strategy for the Detection of the Metabolic Effects of Chamomile (*Matricaria recutita* L.) Ingestion, *J. Agric. Food Chem.*, 191-196.
- Ward, J. L., Harris, C., Lewis, J., dan Beale, M., 2003, Assessment of H NMR spectroscopy and multivariate analysis technique for metabolite fingerprinting of *Arabidopsis thaliana*, *J. Phytochemistry*, 62, 949-957.
- Weckwerth, W., 2010, Metabolomics: an integral technique in systems biology, *J. Bioanalysis*, 2(4), 829-836.
- Westerhuis, J. A., van Velzen, E. J., Hoefsloot, H. C., & Smilde, A. K., 2010, Multivariate paired data analysis: multilevel PLS-DA versus OPLS-DA, *J. Metabolomics*, 6(1), 119-128.
- Wiklund, 2008, *Multivariate Data Analysis for Omics*, Umetrics, Tvistevägen.
- Windarsih, A., Application Of TLC and ¹H-NMR Spectra Base Metabolite Fingerprinting Combine With Chemometric As An integrated Study For The Authentication of *Curcuma longa*, *Tesis*, Magister Ilmu Farmasi UGM, Yogyakarta.
- Worley, B., dan Powers, R., 2013, Multivariate Analysis in Metabolomics, *J. Curr. Metabolomics*, 1(1), 92-107.
- Worley, B., & Powers, R., 2016, PCA as a practical indicator of OPLS-DA model reliability, *J. Current metabolomics*, 4(2), 97-103.
- Wu, F., Hu, Z., Yang, Z. T., Cheng, B., Wu, J. X., Liu, X. W., Tang, C. L., Lu, S. Y., Chen, Z. N., Song, F. M., Ruan, J. X., Zhang, H. Y., Liang, Y. H., Song, H., Su, Z. S., 2017, Urinary metabolomics study of the hepatoprotective effects of total alkaloids from *Corydalis saxicola* Bunting on carbon tetrachloride-induced chronic hepatotoxicity in rats using ¹H NMR analysis, *J. Pharm. Biomed. Anal.*, 140, 199-209.
- Wulansari, E. D., Wahyuono, S., Marchaban., dan Widayari, S., 2018, Aktivitas Antiinflamasi Topikal Ekstrak Etanolik Rimpang Bangle (*Zingiber cassumunar Roxb.*) pada Mencit yang Diinduksi Karagenin, *J. Trad. Med.*, 23(2), 122-126.

- Xiao, C., Dai, H., Liu, H., Wang, Y., dan Tang, H., 2008, Revealing the Metabonomic Variation of Rosemary Extracts Using 1H NMR Spectroscopy and Multivariate Data Analysis., *J. Agric. Food Chem.*, 56., 10142–10153.
- Yang, L., Wen, K.S., Ruang, X.Y., Zhao, Y.X., Wei, F., Wang, Q., 2018, Response of plant secondary metabolites to environmental factors, *J. Molecules*, 23, 1-26.
- Yi, L., Don, N., Yum, Y., Deng, B., Ren, D., Liu, S., dan Liang, Y., 2016, Chemometric methods in data processing of mass spectrometry-based metabolomics: A review, *J. Analytical Chimica Acta*, 914, 17-34.
- Zulhairi, A.M., Aspollah, S.M., Lian, E.G.C., dan Bustaman, A.A., 2017, Phytochemicals and cytotoxic studies of *Zingiber cassumunar Roxb.*, *E. G. J. Trop. Agric. and Fd. Sc.* 45(2), 187 – 197.



**PROFILING METABOLIT BENGLE (*Zingiber cassumunar* Roxb.) DARI KARANGANYAR, WONOGIRI
DAN KULON PROGO
BERDASARKAN ANALISIS 1H-NMR**
MOHAMAD ULIL ABSOR, Respati Tri Swasono, S.Si., M.Phil., Ph.D.
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>