

## DAFTAR PUSTAKA

- Abowei, J.N.F. and C.C Tawari. 2011. A Review of the Biology, Culture, Exploitation and Unitization Potentials Seaweed Resources: Case Study in Nigeria. *Research Journal of Applied Sciences, Engineering and Technology*. 3 (04): 290-303.
- Ale, M. T., J. D. Mikkelsen & A. S Meyer. 2011. Important determinants for fucoidan bioactivity: A critical review of structure-function relations and extraction methods for fucose-containing sulfated polysaccharides from brown seaweeds. *Marine Drugs* 9, 2106-2130.
- Ale, M. T. & A. S. Mayer. 2013. Fukoidans from Brown Seaweeds: An Update on Structures, Extraction Techniques and Use of Enzymes as Tools for Structural Elucidation. *RSC Adv*. 3: 8131–8141.
- Algaebase. 2016. [http://www.algaebase.org/search/species/detail/?species\\_id=4086c.>](http://www.algaebase.org/search/species/detail/?species_id=4086c.>). Diakses tanggal 23 Oktober 2018.
- Anastyuk, S. D., Shevchenko, N. M., Ermakova, S. P., Vishchuk, O. S., Nazarenko, E. L., Dmitrenok, P. S., & Zvyagintseva, T. N. 2012. Anticancer activity in vitro of a fucoidan from the brown alga *Fucus evanescens* and its low-molecular fragments, structurally characterized by tandem mass-spectrometry. *Carbohydrate Polymers* 87: 186– 194.
- Anonim. 2016. Alga Cokelat Bisa Sembuhkan Stroke. <http://health.kompas.com>. Diakses pada 22 Oktober 2018.
- Aslan, L.M. 1998. *Budidaya Rumput Laut*. Kanisius. Yogyakarta.
- Balboa, E.M., S. Rivas, A. Moure, H. Dominguez, and J.C. Parajo. 2013. Simultaneous Extraction and Depolymerization of Fucoïdan from *Sargassum muticum* in Aqueous Media. *Journal Marine and Drugs*. 11:4612-4627.
- Barahona, T., Chandía, N. P., Encinas, M. V., Matsuhira, B., and Zúñiga, E. A., 2011. Antioxidant capacity of sulfated polysaccharides from seaweeds. A kinetic approach. *Food Hydrocolloids*. 25 (3): 529-535.
- Bilan MI, Grachev AA, Ustuzhanina NE, Shashkov AS, Nifantiev NE, Usov AI. 2004. A highly regular fraction of a fucoidan from the brown seaweed *Fucus distichus* L. *Carbohydrate Research* , 339(3):511-517.
- Bilan, M. I., Grachev, A. A, Ustuzhanina, N. E, Shashkov, A. S, Nifantiev, N. E, & Usov, A. I. 2002. Structure of fucoidan from the brown seaweed *Fucus evanescens*. *Carbohydrate Research* 337:719–730.
- Bilan, M. I., Grachev, A. A., Shashkov, A. S., Kelly, M., Sanderson, C. J., Nifantiev, N. E., et al. 2010. Further studies on the composition and structure of a fucoidan preparation from the brown alga *Saccharina latissima*. *Carbohydrate Research*, 345(14), 2038–2047.
- Budhiyanti, S.A., S. Raharjo, D.W. Marseno, and I.Y.B. Lelana. 2011. Free Radical Scavenging, Metal Chelating, and Singlet Oxygen Quenching Activity of Fractionated Brown Seaweed *Sargassum hystrix* Extract. *Journal of Biological Sciences*. 11:299-289.
- Budhiyanti, S.A., S. Raharjo, D.W. Marseno, and I.Y.B. Lelana. 2012. Antioxidant Activity of Brown Algae *Sargassum* Species Extract from the Coastline of Java Island. *American Journal of Agricultural and Biological Sciences*. 7(3): 337-346.



- Cholisoh, A dan W. Utami. 2008. Aktivitas Penangkap Radikal Ekstrak Etanol 70% Biji Jengkol (*Archidendrom jiringa*). *Pharmacol.* 9(1):33-40.
- Clarke, G., Ting, K.N., Wiart, C., & Fry, J. 2013. High correlation of 2,2-diphenyl-1-picryl (DPPH) radical scavenging, ferric reducing activity potential and total phenolic content indicates redundancy in use of all three assays to screen for antioxidant activity of extracts of plants from the Malaysian rainforest. *Antioxidant*, 2(1):1 – 10.
- Cumashi, A.; Ushakova, N.A.; Preobrazhenskaya, M.E.; D' Incecco, A.; Piccoli, A.; Totani, L.; Tinari, N.; Morozevich, G.E.; Berman, A.E.; Bilan, M.I.; Usov, A.I.; Ustyuzhanina, N.E.; Grachev, A.A.; Sanderson, C.J.; Kelly, M.; Rabinovich, G.A; Iacobelli, S. & Nifantiev, N.E. 2007. A comparative Study of The Anti-Inflammatory, Anticoagulant, Antiangiogenic, and Antiadhesive Activities of Nine Different Fucoïdan from Brown Seaweed. *Glycobiology*, 17(5):541-542.
- Dodgson, K. S., and Price, R. G., 1962. A note on the determination of the ester sulphate content of sulphated polysaccharides. *Biochemical Journal*, 84 (1): 106-110.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. A., & Smith, F. (1956). Colorimeter method for determination of sugars and related substances. *Analytical Chemistry*. 28:350–356.
- Duarte, M.; Cardoso, M.; Nosedá, M. 2001. Structural studies on fucoïdians from the brown seaweed *Sargassum stenophyllum*. *Carbohydrate Research* 333:281-293.
- Ermakova, S.; Sokolova, R.; Kim, S.M.; Um, B.; Isakov, V. & Ziyagintseva, T. 2011. Fucoïdan from Brown Seaweeds *Sargassum honery*, *Eclonia cava*, *Costaria costata*: Structural Characteristic and Anticancer Activity. *App Biochem Biotechnol*. 164:841-850.
- Fitton, J. H. 2011. Therapies from fucoïdan; multifunctional marine polymers. *Marine Drugs* 9: 1731-1760.
- Gamal, E. 2010. Biological importance of marine algae. *Saudi Pharmaceutical Journal* 18: 1-25.
- Guiyan, QU, L. Xu, W. Dongfeng, Y. Yi, and H. Lijun. 2014. Isolation and Characterization of Fucoïdians from Five Brown Algae and Evaluation of Their Antioxidant Activity. *Oceanic and Coastal Sea Research*. 13: 851-856
- Hagiwara, H. 2010. La Jolla, CA, US Patent No. Patentdocs: H. Foundation
- Halliwell, B. 1992. Reactive oxygen species and the central nervous system. *Journal of Neurochemistry* 59: 1609-1623.
- Holtkamp, A.D. 2009. Isolation, Characterization and Application of Fucoïdan from *Fucus vesiculosus*. Dissertation: Carolo Wilhelmina University.
- Honya, M., Mori H., Anzai, M., Araki & Nisizaa, K. 1999. Monthly Changes in the Content of Fucans, Their Constituent Sugars and Sulphate in Cultured *Laminaria japonica*. *Hydrobiologia*. 398/399, 411-416.
- Huang, C.Y., S.J. Wu., W.N. Yang., A.W. Kuan., C.Y. Chen. 2015. Antioxidant activities of crude extracts of fucoïdan extracted from *Sargassum glaucescens* by a compressional puffing-hydrothermal extraction process. *Food Chemistry*. 197: 1121–1129
- Husni, A., D.R. Putra & I.Y.B. Lelana. 2014. Aktivitas Antioksidan *Padina* Sp. Pada Berbagai Suhu dan Lama Pengeringan. *Jurnal Perikanan*. 9(2): 165-173
- Isnansetyo A., A. Fikriyah N., Kasanah., Murwantoko. 2015. Non-specific immune potentiating activity of fucoïdan from a tropical brown algae (*Phaeophyceae*),

- Sargassum cristaefolium* in tilapia (*Oreochromis niloticus*). *Aquaculture International*. 24:465–477
- Kraan, S. 2012. Algal polysaccharides, novel applications and outlook. In: *Carbohydrates-Comprehensive Studies on Glycobiology and Glycotechnology*, edited by Chang, C.F., InTech, Chapters published.489-532.
- Kang, C., Jin, B., Lee, H., Cha, M., Sohn, E., Moon, J., Park, C., Chun, S., Jung, E., Hong, J.S., Kim, J., & Kim, E. 2010. Brown algae *Eclonia cava* attenuates type 1 diabetes by activating AMPK and AKT signaling pathways. *Journal of Food Chemistry and Toxicology*. 48: 509–516.
- Kawamoto, Hitoshi; Miki, Y.; Kimura, T.; Tanaka, K.; Nakagawa, T.; Kawamukai, M & Matsuda, H. 2006. Effect of Fucoidan from Mozuku on Human Stomach Cell Lines. *Food Sci. Technol*. 12 (3), 218-222.
- Kim W.J.; Kim H.G.; Oh H.R.; Lee K.B.; Lee Y.K. & Park Y.I. 2007. Purification and Anticagulant Activity of A Fucoidan from Korean *Undaria pinnatifida* Sporohyll. *Algae*, 22 (3): 247-252.
- Kumar, P.S., Sucheta, S., Deepa, V.S., Selvamani, P., & Latha, S. 2008. Antioxidant activity in the some selected Indian medical plants. *African Journal of Biotechnology*. 7(12): 1826–1828.
- Lee IT, Luo S-F, Lee C-W, Wang S-W, Lin C-C, Chang C-C, Chen Y-L, Chau L-Y, Yang C-M. 2009. Overexpression of HO-1 Protects against TNF- $\alpha$ -Mediated Airway Inflammation by Down-Regulation of TNFR1-Dependent Oxidative Stress. *The American Journal of Pathology*. 175(2):519-532.
- Lehninger, Albert L. 1982. *Principle of Biochemistry*. New York.: Work Publisher, Inc.
- Li, Bo., F. lu., X. Wei & R. Zhao. 2008. Fucoidan: Structure and Bioactivity. *Molecules* 13:1671-1695.
- Lim, S.J., W.M.W Aida, M.Y Maskat., S. Mamot, J. Ropien, D.M Mohd. 2014. Isolation and antioxidant capacity of fucoidan from selected Malaysian seaweeds. *Science direct. Food Hydrocolloids* 42: 280-288.
- Lu, J., P.H. Lin, Q. Yao dan C. Chen. 2010. Chemical and Molecular Mechanisms of Antioxidants: Experimental Approaches and Model Systems. *J. Molecular Medicine*. 14(4): 840-860.
- Maciel, J.S., L.S. Chaves, B.W.S. Souza, D.I.A. Teixeira, A.L.P. Freitas, J.P.A. Feitosa. 2008. Structural characterization of cold extracted fraction of soluble sulfated polysaccharide from red seaweed *Gracilaria birdiae* *Carbohydrate Polymers*. 71(4): 559-565.
- Marudhupandi, T., T.T Ajith K., S.L Senthil., K.N Devi. 2014. Invitro Antioxidant Properties of Fucoidan Fractions from *Sargassum tenerrimum*. *Journal of Biological Science*. 17(3):402-407
- Mawardi, A. 2015. Keanekaragaman *Sargassum* sp. di Pantai Rontu Kabupaten Bima NTB dan Potensinya sebagai Substrat Pembuatan Etanol. Fakultas Biologi. Universitas Gadjah Mada. Thesis.
- Men'shova, R.V.; Lepeshkin, F.D.; Ermakova, S.P.; Pokrovskii, O.I. & Zvyagintseva, T.N. 2013. Effect of Pretreatment Condition of Brown Algae by Supercritical Fluids on Yield and Structural Characteristics of Fucoidans. *Chemistry of Natural Compounds*. 48(6).



- Na, Ye Seul, Kim, J. W., S., Park, J., Lee, S., Kim, S., Synytsya, A. and Park, Y. 2010. Purification, Characterization and Immunostimulating Activity of Water Soluble Polysaccharides Isolated from *Capsosiphon fulvescen*. International immunopharmacology. 10: 364-370.
- Nurfahmi, A. R. 2016. Pengaruh Pemberian Bubuk *Sargassum hystrix* terhadap Kadar Glukosa Darah Tikus Wistar Diabetes. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Pereira M.S., Fabio R. Melo., and Paulo A.S Mourao. 2002. Is there a correlation between structure and anticoagulant action of sulfated galactans and sulfated fucans?. Glycobiology 12(10): 573-580.
- Ponce, N. M., Pujol, C. A., Damonte, E. B., Flores, M. L., & Stortz, C. A. (2003). Fucoidans from the brown seaweed *Adenocystis utricularis*: Extraction methods, antiviral activity and structural studies. Carbohydrate Research 338: 153–165.
- Prabu D. L., N. P. Sahu, A. K. Pal and A. iNarendra. 2013. Isolation and evaluation of antioxidant and antibacterial activities of fucoidan rich extract (fre) from indian brown seaweed, *Sargassum wightii*. Continental J. Pharmaceutical Sciences 7 (1): 11 - 21.
- Pramesti, Rini., AB. Susanto, Wilis A. S., A. Ridlo., Subagiyo., Y. Oktaviaris. 2016. Struktur Komunitas dan Anatomi Rumpun Laut di Perairan Teluk Awur, Jepara dan Pantai Krakal, Yogyakarta. Jurnal Kelautan Tropis. 19(2):81–94
- Pretsch, Erno, Buhlmann, Philippe, Badertscher, Martin. 2009. Structure Determination of Organic Compounds. Germany. Springer.
- Prior, R.L., Wu., X., & Schaich, K. 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. Journal of Agricultural and Food Chemistry. 53:4290-4320.
- Rao, P. & Pattabiraman, T. N. (1989). Reevaluation of the phenol-sulfuric acid reaction for the estimation of hexoses and pentoses. Analytical Biochemical, 181(1): 18-22.
- Rohman, A. 2016. Lipid: Sifat Fisika Kimia dan Analisisnya. Pustaka Pelajar. Yogyakarta.
- Rohmatussolihat. 2009. Antioksidan, penyelamat sel-sel tubuh manusia. *Bio Trends*. 4:5-9.
- Samudra A. G., B. Dewi, A. E. Nugroho, A. Husni. 2015. Aktivitas Inhibisi  $\alpha$ -Amilase Ekstrak Alginat dan Senyawa Polifenol dari *Sargassum hystrix*. Prosiding Seminar Nasional & Workshop “Perkembangan Terkini Sains Farmasi & Klinik 5”. Padang, 6-7 November 2015. 338-343.
- Santoso, U. 2016. Antioksidan Pangan. Gadjah Mada University Press. Yogyakarta.
- Sayuti, K. & R. Yenrina. 2015. Antioksidan Alami dan Sintetik. Andalas University Press. Padang.
- Sedjati, Sri., Suryono, A. Santosa., E. Supriyantini., & A. Ridlo. 2017. Aktivitas Antioksidan dan Kandungan Senyawa Fenolik Makroalga Coklat *Sargassum* sp. Jurnal Kelautan Tropis 20(2):117–123.
- Senthilkumar, Kalimuthu., P. Manivasagan., J. Venkatesan., & S.K. Kim. 2013. Brown seaweed fucoidan: Biological activity and apoptosis, growth signaling mechanism in cancer. International Journal of Biological Macromolecules 60:366– 374.
- Sigma Aldrich. [www.sigmaaldrich.com/technical-document/articles/biology/ir-spectrum-table.html](http://www.sigmaaldrich.com/technical-document/articles/biology/ir-spectrum-table.html). Diakses tanggal 27 Januari 2019.
- Silverstein, R. M., & Webster, F. X. (1998). Spectrometric identification of organic compounds (6th ed.). John Wiley & Sons, Inc. New York.



- Singh, R.P., S. Sharad, & S. Kapur. 2004. Free Radicals and Oxidative Stress in Neurodegenerative Diseases: Relevance of Dietary Antioxidants. *Journal, Indian Academy of Clinical Medicine*. 5(3): 218-225
- Solarin, B.B, D.A. Bolaji, O.S. Fakayode, and R.O. Akininnigbagbe. 2014. Impacts of An Invasive Seaweed *Sargassum hystrix* var. *fluitans* (Borgeses 1914) on The Fisheries and Other Economic Implications for The Nigerian Coastal Waters. *IOSR Journal of Agriculture and Veterinary Sciences (IOSR-JAVS)*. 7 (7): 01-06
- Sinurat, E., Rosmawaty, P., & Saepudin, E. 2011. Ekstraksi dan Uji Aktivitas Fukoidan dari Rumput Laut Coklat (*Sargassum crassifolium*) sebagai Antikoagulan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*. 6(2), 131-138.
- Sinurat, E., R. Peranginangin, & E. Saepudin. 2015. Characterization of Fucoidan Extracted from Binuangun's Brown Seaweeds. *International Journal of Chemical, Environmental & Biological Sciences (IJCEBS)* 3(4):2330-4087.
- Sinurat, E., R. Peranginangin, & E. Saepudin. 2015. Purification And Characterization Of Fucoidan From The Brown Seaweed *Sargassum binderi* Sonder. *Squalen Bulletin of Marine & Fisheries Postharvest & Biotechnology*. 10(2):79-87.
- Sinurat, E., E. Saepudin, R. Peranginangin S. Hudiyono. 2016. Immunostimulatory activity of brown seaweed-derived fucoidans at different molecular weights and purity levels towards white spot syndrome virus (WSSV) in shrimp *Litopenaeus vannamei*. *Journal of Applied Pharmaceutical Science* 6 (10): 082-091.
- Sinurat, E., & R. Kusumawati. 2017. Optimasi Metode Ekstraksi Fukoidan Kasar dari Rumput Laut Cokelat *Sargassum Binderi* Sonder. *JPB Kelautan dan Perikanan*.12(2): 125-134.
- Skriptsova, A. V., N. M. Shevchenko, T. N. Zvyagintseva, & T. I. Imbs. 2009. Monthly changes in the content and monosaccharide composition of fucoidan from *Undaria pinnatifida* (Laminariales, Phaeophyta). *Journal of Applied Phycology* 22:79-86.
- Svetlana E. & Roza Sokolova & Sang-Min Kim & Byung- Hun Um & Vladimir Isakov & Tatyana Zvyagintseva. 2011. Fucoidans from Brown Seaweeds *Sargassum hornery*, *Eclonia cava*, *Costaria costata*: Structural Characteristics and Anticancer Activity. *Appl Biochem Biotechnol* 164: 841–850.
- Talha, B. S. A. (2015). Methods for quantification and extraction of fucoidan, and quantification of the release of total carbohydrate and fucoidan from the brown algae *Laminaria hyperborea*. Norwegian University of Science and Technology. Thesis: 109.
- Tirzitis, G. and Bartosz, G. 2010. Determination of antiradical and antioxidant activity : basic principles and new insights (review). *Acta Biochimica Polonica*, 57(1): 139-142.
- Utomo, A. R., R. Retnowati, U.P Juswono. 2013. Pengaruh Konsentrasi Minyak Kenanga (*Cananga odorata*) terhadap Aktivasnya sebagai Anti Radikal Bebas. *Kimia Student Journal*. 1(2):264-268.
- Vo, T. S. & S. K. Kim. 2013. Fukoidans as a Natural Bioactive Ingredient for Functional Foods. *Journal of functional foods* 5: 16-27.
- Wang, C. Y, & Chen, C. Y. 2016. Extraction and characterization of fucoidan from six brown macroalgae. *Journal of Marine Science and Technology*, 24(2), 319-328.



- Wang, J., Zhang, Q., Zhang, Z., Song, H., & Li, P. 2010. Potential antioxidant and anticoagulant capacity of low molecular weight fucoidan fractions extracted from *Laminaria japonica*. *International Journal of Biological Macromolecules*, 46, 6–12.
- Winarti, S. 2010. *Makanan Fungsional*. Kanisius. Yogyakarta.
- Wijaya A. 1996. Radikal Bebas dan Parameter Status Antioksidan. *Forum Diagnosticum. Laboratorium Klinik Prodia.*, 1:1-12.
- Wijesinghe, W. A. J. P., & Y.-J. Jeon. 2012. Biological activities and potential industrial applications of fucose rich sulfated polysaccharides and fucoidans isolated from brown seaweeds: A review. *Carbohydrate Polymers* 88:13-20.
- Yang, C., D. Chung, I. S. Shin, H. Lee, J. Kim, Y. Lee, & S. You. 2008. Effects of molecular weight and hydrolysis conditions on anticancer activity of fucoidans from sporophyll of *Undaria pinnatifida*. *Journal of Biological Macromolecules* 43:433-437.
- Ye, H., Chunhong, Z., Yi, S., Xin, Z., Jun, L., Qihui H. & Xiaoxiong, Z. 2009. Antioxidant activities in vitro of ethanol extract from brown seaweed *Sargassum pallidum*. *European Food Research Technology* 230:101-109.
- Yunizal, 2004. *Teknologi Pengolahan Alginat*. Pusat Riset Pengolahan Produk dan Sosial Ekonomi Kelautan dan Perikanan. Jakarta. 6-12.
- Zaranappa, Vagdevi, H.M., Lokesh, M.R., & Gowdarshivannanavar, B.C. 2012. Synthesis and antioxidant activity of 3-substituted schiff bases of quinazoline-2.4-diones. *International Journal of Chem Tech Research*, 4(4): 1527-1533.
- Zubia, M., Robledo, D., & Freile-Pelegrin Y. 2007. Antioxidant activities in marine macroalgae from the coasts of quintana Roo and Yucatan, Mexico. *Journal of Applied Phycology*. 19: 449–458.