

## DAFTAR PUSTAKA

- Alam, N. M., Bristi, N. J & Rafquzzaman, M. 2013. Review on in vivo and in vitro methods evaluation of antioxidant activity. *Saudi Pharmaceutical Journal*. 21: 143-152.
- Ale, M. T., J. D. Mikkelsen & A. S Meyer. 2011. Important determinants for *fucooidan* bioactivity: A critical review of structure-function relations and extraction methods for fucose-containing sulfated polysaccharides from brown seaweeds. *Marine Drugs*. 9: 2106-2130.
- Ale, M. T & A. S. Mayer. 2013. *Fucooidans* from Brown Seaweeds: An Update on Structures, Extraction Techniques and Use of Enzymes as Tools for Structural Elucidation. *RSC Adv*. 3: 8131–8141.
- Algae Base. 2018. [http://www.algaebase.org/search/images/detail/?img\\_id=8026&sk=0](http://www.algaebase.org/search/images/detail/?img_id=8026&sk=0)  
Diakses 27 Februari 2018.
- Apak, R., Guclu, K., Ozyurek, M & Celik, S. E. 2008. Mechanism of antioxidant capacity assays and the CUPRAC (cupric ion reducing antioxidant capacity) assay. *Microchimica Acta*. 160: 413-419.
- Athukorala, Y., Lee Ki-Wan, Kim Se-Kwon & Jeon You-Jin. 2006. Anticoagulant activity of marine green and brown algae collected from Jeju Island in Korea. *Journal of Bioresource Technology*. 1-6.
- Balboa, E.M., Rivas, S., Moure, A., Dominguez, H & Parajo, J.C. 2013. Simultaneous extraction and depolymerization of fucoidan from *Sargassum muticum* in aqueous media. *Marine Drugs*. 11: 4612–4627.
- Basmal, J., B. S. B. Utomo, Tazwir, Murdinah, T. Wikanta, E. Maraskurantodan R & Kusumawati. 2013. Membuat Alginat dari Rumput Laut *Sargassum*. Panebar Swadaya. Jakarta.
- Bilan, M. I., Grachev, A. A., Shashkov, A. S., Kelly, M., Sanderson, C. J & Nifantiev, N. E. 2010. Further studies on the composition and structure of a *fucooidan* preparation from the brown alga *Saccharina latissima*. *Carbohydrate Research*. 345(14): 2038–2047.
- Brummer, Y & Cui, S. 2005. *Understanding Carbohydrate Analysis. Food Carbohydrates: Chemistry, Physical Properties and Applications*. Taylor and Francis Group. New York. 70-74.
- Chew, K. K., Khoo, M. Z., Ng, S. Y., Thoo, Y. Y., Aida, W. W. M & Ho, C. W. 2011. Effect of ethanol concentration, extraction time and extraction temperature on the recovery of phenolic compounds and antioxidant capacity of *Orthosiphon stamineus* extracts. *International Food Research Journal*. 18(4): 1427-1435.



- Clarke, G., Ting, K.N., Wiart, C & Fry, J. 2013. High correlation of 2,2-diphenyl-1-picryl (DPPH) radical scavenging, ferric reducing activity potential and total phenolic content indicates redundancy in use of all three assays to screen for antioxidant activity of extracts of plants from the Malaysian rainforest. *Antioxidant*. 2(1): 1 – 10.
- Cumashi, A., Ushakova, A. N., Preobrazhenskaya, E. M., Incecco, D. A., Piccoli, A., Totani, L., Tinari, N., Morozovich, E. G., Berman, E. A & Bilan, I. M. 2007. A Comparative Study of the Anti-inflammatory, Anticoagulant, Antiangiogenic, and Antiadhesive Activities of Nine Different Fucoidans from Brown Seaweeds. *Glycobiology*. 17: 541–552.
- Dai, J & Mumper RJ. 2010. Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. *Molecules*. 15: 7313-7352.
- Dodgson, K. S & Price, R. G. 1962. A note on the determination of the ester sulphate content of sulphated polysaccharides. *Biochemistry*. 84: 106-110.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers P. A & Smith, F. 1956. Colorimeter method for determination of sugars and related substances. *Analytical Chemistry*. 28: 350–356.
- Ermakova, S., Sokolova, R., Kim, S. M., Um, B., Isavakov, V & Zvyaginseva, T. 2011. Fucoidans from brown seaweeds *Sargassum hornery*, *Eclonia cava*, *Costaria costata*: Structural characteristics and anticancer activity. *Appl Biochem Biotechnol*. 164: 841–850.
- Fensholt, D. E. 1955. An emendation of the genus *Cystophyllum* (Fucales). *American Journal of Botany*. 42: 305-322.
- Field, A. 2009. *Discovering Statistics Using SPSS* (Third Edit). SAGE Publisher. California.
- Guiry, M. D & Guiry, G. M. 2017. *Algaebase*. World-wide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org>. Diakses tanggal 10 Februari 2019.
- Guiyan, Q. U., L. Xu, W. Dongfeng, Y. Yi & H. Lijun. 2014. Isolation and Characterization of Fucoidans from Five Brown Algae and Evaluation of Their Antioxidant Activity. *Journal Ocean Univ. China*. (5): 851-856.
- Hahn, T., S. Lang, R. Ulber & K. Muffler. 2012. Novel procedures for the extraction of *fucoidan* from brown algae. *Process Biochemistry*. 47: 1691-1698.
- Halliwell, B. 1992. Reactive oxygen species and the central nervous system. *Journal of Neurochemistry* 59: 1609-1623.



- Holtkamp, A. D. 2009. Isolation, Characterization, Modification and Application of Fucoidan from *Fucus vesiculosus*. PhD Dissertation. Fakultät für Lebenswissenschaften, Technischen Universität Carolo Wilhelmina.
- Hu, T., D. Liu, Y. Chen, J. Wu & S. Wang, 2010. Antioxidant activity of sulfated polysaccharide fractions extracted from *Undaria pinnatifida* in vitro. International Journal Biol. Macromolecules. 46: 193-198.
- Huang, C., S. J. Wu, W. N. Yang, A. W. Kuan & C. Y. Chen. 2016. Antioxidant activities of crude extracts of fucoidan extracted from *Sargassum glaucescens* by a compressional-puffing-hydrothermal extraction process. Food Chemistry. 197: 1121-1129.
- Imbs, T. I., Skriptsova, A. V & Zvyagintseva, T. N. 2015. Antioxidant activity of fucose-containing sulfated polysaccharides obtained from *Fucus evanescens* by different extraction methods. Journal of Applied Phycology. 27: 545-553.
- Isnansetyo, A., A. Fikriyah, N. Kasanah & Murwantoko. 2015. Non-specific immune potentiating activity of *fucoidan* from a tropical brown algae (Phaeophyceae), *Sargassum cristaeifolium* in tilapia (*Oreochromis niloticus*). Aquaculture Int. 24: 465-477.
- Isnansetyo, A., Lutfia, F. N. L., Nursid, M., Trijoko & Susidarti, R. A. 2017. Cytotoxicity of fucoidan from three tropical brown algae against breast and colon cancer cell lines. Pharmacogn Journal. 9(1): 14-20.
- Kang, C., Jin, B., Lee, H., Cha, M., Sohn, E., Moon, J., Park, C., Chun, S., Jung, E., Hong, J.S., Kim, J & Kim, E. 2010. Brown algae *Eclonia cava* attenuates type 1 diabetes by activating AMPK and AKT signaling pathways. Journal of Food Chemistry and Toxicology. 48: 509-516.
- Kasanah, N., Wisnu A. S., Muhammad A. H. R. P., Maria U & Triyanto. 2017. *Sargassum*: Karakteristik, Biogeografi dan Potensi. UGM Press. Yogyakarta.
- Kindleysides, S., Quek, S. Y & Miller, M. R. 2012. Inhibition of fish oil oxidation and the radical scavenging activity of New Zealand seaweed extracts. Food Chemistry. 133: 1624-1631.
- Kraan, S. 2012. Algal polysaccharides, novel applications and outlook. In: Carbohydrates-Comprehensive Studies on Glycobiology and Glycotechnology, edited by Chang, C.F., InTech, Chapters published. 489-532.
- Kumar, P.S., Sucheta, S., Deepa, V.S., Selvamani, P & Latha, S. 2008. Antioxidant activity in the some selected Indian medical plants. African Journal of Biotechnology. 7(12): 1826-1828.
- Lee, R. E. 2008. Phycology. Cambridge University Press. Cambridge.



- Lehninger, A. L. 1982. *Principle of Biochemistry*. Worth Publisher, Inc. New York.
- Li, Bo., Lu Rui, X. Z & Xin, J. W. 2008<sup>a</sup>. Anticoagulant activity of *fucoidan* from *Hizikia fusiforme*. *Agro Food Ind. Hi-tech*. 19: 22-24.
- Li, B., Lu F., Wei, X & Zhao, R. 2008<sup>b</sup>. *Fucoidan: Structure and bioactivity*. *Molecules*. 13: 1671-1695.
- Lim, S. J., W. M. W. Aida, M. Y. Maskat, S. Mamot, J. Ropien & D. M. Mohd. 2014. Isolation and Antioxidant Capacity of *Fucoidan* from Selected Malaysian Seaweeds. *Food Hydrocolloids*. 42: 280-288.
- Lewokeda A. 2017. Produksi Rumput Laut Capai 630.000 Ton. <https://kupang.antaranews.com/berita/4135/produksi-rumput-laut-capai-630000-ton>. Diakses pada tanggal 17 Maret 2019.
- Mak, W. W. F. 2012. *Extraction, Characterization and Antioxidant Activity of Fucoidan from New Zealand Undaria pinnatifida (Harvey) Suringar*. Thesis. Auckland University of Technology. New Zealand.
- Marudhupandi, T., T. T. A. Kumar, S. Lakshmana, S., G. Suja & T. Vinothkumar. 2014<sup>a</sup>. Invitro Anticancer Activity of Fucoidan from *Turbinaria conoides* against A549 Cell Lines. *International Journal of Biological Macromolecule*. 72: 919-923.
- Marudhupandi, T., T. T. A. Kumar, & K. N. Devi. 2014<sup>b</sup>. In vitro Antioxidant Properties of Fucoidan Fractions from *Sargassum tenerrimum*. *Pakistan Journal of Biological Sciences*. 17: 402-407.
- Men'shova, R. V., Lepeshkin, F. D., Ermakova, S. P., Pokrovskii, O. I & Zvyagintseva, T. N. 2013. Effect of Pretreatment Condition of Brown Algae by Supercritical Fluids on Yield and Structural Characteristics of *Fucoidans*. *Chemistry of Natural Compounds*. 48(6).
- Michelle, T. S., Croft Anna, K & Hayes, M. 2010. A review of antihypertensive and antioxidant activities in macroalgae. *Botanica Marina*. 53(5): 387-408.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci. Technology*. 26(2): 211-219.
- Morya, V. K., Kim J & Kim E. K. 2012. Algal *Fucoidan: Structural and Size-Dependent Bioactivities and Their Perspectives*. 2012. *Appl Microbiol Biotechnol*. 93:71–82.
- Na, Ye Seul, Kim, J. W., Kim, S., Park, J., Lee, S., Kim, S., Synytsya, A & Park, Y. 2010. Purification, Characterization and Immunostimulating Activity of Water Soluble Polysaccharides Isolated from *Capsosiphon fulvescen*. 2010. *International immunopharmacology*. 10: 364-370.



- Ponce, N. M., Pujol, C. A., Damonte, E. B., Flores, M. L & Stortz, C. A. 2003. *Fucoidans* from the brown seaweed *Adenocystis utricularis*: Extraction methods, antiviral activity and structural studies. *Carbohydrate Research*. 338: 153–165.
- Prabu, D. L., N. P. Sahu, A. K. Pal & A. Narendra. 2013. Isolation and evaluation of antioxidant and antibacterial activities of fucoidan rich extract (FRE) from Indoan seaweed *Sargassum wightii*. *J. Pharmaceutical Sciences*. 7(1): 11-21.
- Pretsch, E., Bulhman, P & Badertscher, M. 2009. *Structure Determination of Organic Compounds, Tables of Spectral Data*. Springer. Berlin.
- Prior, R. L., Wu, X & Schaich, K. 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*. 53: 4290-4320.
- Ribeiro, I. S., Shirahigue, L. D., Sucasas, L. F. A., Carpes, S. T & Oetterer, M. 2014. Evaluation of antioxidant activity of seaweeds through accelerated oxidation methods. *International Food Research Journal*. 21(5): 2055-2059.
- Rodriguez-Jasso, R. M., Mussatto, S. I., Pastrana, L., Aguilar, C. N & Jose A. Teixeiraa. 2011. Microwave-Assisted Extraction of Sulfated Polysaccharides (Fucoidan) from Brown Seaweed. *Carbohydrate Polymers*. 86:1137–1144.
- Rohmatussolihat. 2009. Antioksidan, penyelamat sel-sel tubuh manusia. *BioTrends*. 4: 5-9.
- Sabour, B., A. Reani, H. E. L. Magouri & R. Haroun. 2013. *Sargassum muticum* (Yendo) Fensholt (Fucales, Phaeophyta) in Morocco, an Invasive Marine Species New to The Atlantic Coast of Africa. *Journal of Aquatic Invasions*. 8(1): 97-102.
- Sarma, A. D., Mallick, A. R & Ghosh, A. K. 2010. Free radicals and their role in different clinical conditions: an overview. *International Journal of Pharma Sciences and Research*. 1(3): 185-192.
- Sayuti, K & R. Yenrina. 2015. *Antioksidan Alami dan Sintetik*. Andalas University Press. Padang.
- Sedjati, S., Suryono, A. Santosa, E. Supriyantini & A. Ridlo. 2017. Aktivitas Antioksidan dan Kandungan Senyawa Fenolik Makroalga Coklat *Sargassum* sp. *Jurnal Kelautan Tropis*. 20(2): 117–123.
- Senthilkumar, Kalimuthu, P. Manivasagan, J. Venkatesan & S. K. Kim. 2013. *Brown seaweed fucoidan: Biological activity and apoptosis, growth signaling mechanism in cancer*. *International Journal of Biological Macromolecules*. 60: 366– 374.



- Sinurat, E. 2011. Isolasi dan Karakterisasi serta Uji Aktivitas Fukoidan sebagai Antikoagulan dari Rumput Laut Cokelat (*Sargassum crassifolium*). Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Indonesia. Jakarta. Tesis.
- Sinurat, E., Rosmawaty, P & Saepudin, E. 2011. Ekstraksi dan Uji Aktivitas *Fucoidan* dari Rumput Laut Cokelat (*Sargassum crassifolium*) sebagai Antikoagulan. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan. 6(2): 131-138.
- Sinurat, E., R. Peranginangin & E. Saepudin. 2015. Characterization of *Fucoidan* Extracted from Binuangeun's Brown Seaweeds. International Journal of Chemical, Environmental & Biological Sciences. 3(4).
- Sinurat, E., Saepudin, E., Peranginangin, R & Hudiyono, S. 2016. Immunostimulatory activity of brown seaweed-derived fucoidans at different molecular weights and purity levels towards white spot syndrome virus (WSSV) in shrimp *Litopenaeus vannamei*. Journal of Applied Pharmaceutical Science. 6(10): 082-091.
- Sinurat, E & R. Kusumawati. 2017. Optimasi Metode Ekstraksi Fukoidan Kasar dari Rumput Laut Cokelat *Sargassum Binderi* Sonder. JPB Kelautan dan Perikanan. 12(2): 125-134.
- Stanislav D. Anastyuk, Natalia M. Shevchenko, Svetlana P. Ermakova, Olesya S. Vishchuk, Evgeny L. Nazarenko, Pavel S. Dmitrenok & Tatyana N. Zvyagintseva. 2012. Anticancer activity in vitro of a *fucoidan* from the brown alga *Fucus evanescens* and its low-molecular fragments, structurally characterized by tandem mass-spectrometry. Carbohydrate Polymers. 87: 186– 194.
- Talha, B. S. A. 2015. Methods for quantification and extraction of fucoidan, and quantification of the release of total carbohydrate and fucoidan from the brown algae *Laminaria hyperborea*. Norwegian University of Science and Technology. Thesis: 109.
- Thinh, P. D., Menshova, R. V., Ermakova, S. P., Anastyuk, S. D., Ly, B. M & Zvyagintseva, T. N. 2013. Structural Characteristics and Anticancer Activity of *Fucoidan* from The Brown Alga *Sargassum mcclurei*. Marine Drugs. 11: 1456-1476.
- Usov, A. I & Bilan, M. I. 2009. *Fucoidan*–sulfated polysaccharides of brown algae. Russian Chemical. Reviews. 78(8): 785-799.
- Wang, J., Zhang, Q., Zhang, Z & Li, Z. 2008. Antioxidant activity of sulfated polysaccharide fractions extracted from *Laminaria japonica*. International Journal of Biological Macromolecules. 42: 127-132.
- Wijaya, A. 1996. Radikal Bebas dan Parameter Status Antioksidan. Forum Diagnosticum. Laboratorium Klinik Prodia. 1:1-12.



- Williams, W. B., Cuvelier, M. E & Berset, C. 1995. Use of a free radical method to evaluate antioxidant activity. *LWT e Food Science and Technology*. 28(1): 25-30.
- Winarti, S. 2010. Makanan Fungsional. Kanisius. Yogyakarta.
- Wouthuyzen, S., Herandarudewi, S. M. C & Komatsu, T. 2016. Stock assessment of brown seaweeds (Phaeophyceae) along the bitung-bentena coast, north sulawesi province, indonesia for alginate product using satellite remote sensing. *Procedia Envireonmental Sicence*. 33: 553-561.
- Yang, J., Kim, J. S., Sa, Y. J., Kim, M. O., Jeong, H. J., Yu, C. Y & Kim, M. J. 2011. Antioxidant, antibacterial and  $\alpha$ -glucosidase inhibitory activities of different extracts of *Cortex moutan*. *African Journal of Biotechnology*. 10(46): 9438-9444.
- Yangthong, M., Towatana, N. H & Phromkunthong, W. 2009. Antioxidant activities of four edible seaweeds from the Southern Coast of Thailand. *Plant Foods for Human Nutrition*. 64: 218-223.
- Ye, H., Chunhong, Z., Yi, S., Xin, Z., Jun, L., Qiuhui H & Xiaoxiong, Z. 2009. Antioxidant activities in vitro of ethanol extract from brown seaweed *Sargassum pallidum*. *European Food Research Technology*. 230: 101-109.
- Yunizal. 2004. Teknologi Pengolahan Alginat. Pusat Riset Pengolahan Produk dan Sosial Ekonomi dan Kelautan dan Perikanan. Jakarta.
- Zubia, M., Robledo, D & Freile-Pelegrin, Y. 2007. Antioxidant activities in marine macroalgae from the coasts of quintana Roo and Yucatan, Mexico. *Journal of Applied Phycology*. 19: 449–458.