

## DAFTAR PUSTAKA

- Aedtm, P., Y. Waiprib, A. Tongta, P. Wilaipun, N. Areechon, and M. Maita. 2016. Optimization of culture process conditions for chitinase production by a soil isolate *Streptomyces shandongensis* ct1105 using response surface methodology. *Kasetsart University Fisheries Research Bulletin*. 40 (3):102-112.
- Afridiana, N. 2011. Recovery Glukosamin Hidroklorida dari Cangkang Udang Melalui Hidrolisis Kimiawi sebagai Bahan Sediaan Suplemen Osteoarthritis. Fakultas Perikanan dan Ilmu Kelautan. Skripsi.
- Aida, F.M., and A.T. Nusarie 2014. Production, optimization, characterization, and antifungal activity of chitinase produced by *Aspergillus terreus*. *Journal Biotechnology*. 13:1567-1578.
- Alexander, M. 1977. *Introduction to Soil Microbiology*. Second Edition. John Willey and Sons. New York.
- Anisah. 2015. Media Alternatif Pertumbuhan Bakteri Menggunakan Sumber Karbohidrat yang Berbeda. Fakultas Keguruan dan Ilmu Pendidikan. Universitas Muhammadiyah Surakarta. Skripsi.
- Anna, R. 2012. Penyiapan media mikroorganisme. Pelatihan Laboratorium Guru SMA Kabupaten Purworejo. Universitas Negri Yogyakarta.
- Anonim, 2011 Nutrient Broth. American Type Culture Collection. USA.
- Arif, R.A., Ischaidar, H. Natsir, dan S. Dali. 2013. Isolasi Kitin dari Limbah Udang Putih (*Panaeus merguensis*) secara Enzimatis. Prosiding: Seminar Nasional Kimia.
- Arnold, L.D. and Solomon. 1986. *Manual of Industrial Microbiology and Biotech*. American Society for Microbiology, Washington.
- Augustin, J.C., A. Brouillaud-Delattre., L. Rosso., and V. Carlier., 2000. Significance of inoculum size in the lag time of *Listeria monocytogenes*. *Journal Applied and Environmental Microbiology*. 66:1706-1710.
- Badan Standardisasi Nasional. Standar Nasional Indonesia 01-2332.3-2006. Penentuan Angka Lempeng Total pada Produk Perikanan. Jakarta (ID): Badan Standardisasi Indonesia.
- Bakti, C.P. 2012. Optimasi Produksi Enzim Selulase Dari *Bacillus* Sp. BPPT CC RK2 dengan Variasi pH dan Suhu Menggunakan *Response Surface Methodology*. Fakultas Teknik Universitas Indonesia. Skripsi.

- Bocchini, D.A. 2002. Optimazation of xylanase production by *Bacillus circulans* D1 in the submerged fermentation using response surface methodology. *Proses biochemistry*. 38(5). 727-731.
- Brzezinska, M.S. and W. Donderski. 2001. occurrence and activity of the chitinolytic bacteria of *Aeromonas*. *Polish Journal of Environmental Studies*. 10: 27-31.
- Bustos, R.O. and M.G. Healy. 1994. Microbial Extraction of Chitin from Prawn Shell Waste. *Proceeding from the 6th International Conference on Chitin and Chitosan*. Poland.
- Chasanah, F. 2016. Optimasi Produksi Glukosamin Hidrolorida dari Karapas Udang dengan Kombinasi Konsentrasi HCL dan Waktu Pemanasan. Universitas Airlangga. Skripsi.
- Chen, J.K., C.R. Shen, and C.L. Liu. 2010. N-Acetylglucosamin: Production and Applications. *Marine Drugs*. 8: 2493-2516.
- Dada, O., M.S. Kalil., and W.M.W. Yusoff. 2012. Effect of inoculum and substrate concentration in anaerobic fermentation of threated rice brand to acetone, butanol and ethanol. *Journal Bacteriology*. 2:79-89.
- Dimiyanti, F. 2014. Pengaruh berbagai Suhu dan pH dalam Produksi Selulase *Aspergillus niger*. Unisula. Skripsi.
- Dhewanto, M. and M.T.A. Kresnowati. 2002. Chitosan Industry: an alternative for maritime industry empowerment in indonesia. in *proceeding istecs (indonesian student's scientific meeting)*. 4-6 October 2002. Germany. 327-333.
- Dhony, S. dan F. Rama. 2011. Pembuatan Komposit Kitin/Kitosan yang Diekstrak dari Cangkang Kepiting dan Karakterisasinya. Fakultas MIPA Universitas Andalas. Skripsi
- Djajakirana, G. 2003. Metode-metode penetapan biomassa mikroorganisme tanah secara langsung dan tidak langsung : kelemahan dan keunggulannya. *jurnal tanah dan lingkungan*. Vol 5 (2003) 29-38.
- Dompeipen, E. J. 2017. Isolasi dan identifikasi kitin dan kitosan dari kulit udang windu (*Panaeus monodon*) dengan spektroskopi inframerah. Balai Riset dan Standarisasi Industri Ambon. *Jurnal Kementrian Perindustrian*.31-41.
- EFSA [European Food Safety Authority]. 2009. Scientific Opinion on the substantiation of a health claim related to glucosamine hydrochloride and reduced rate of cartilage degeneration and reduced risk of development of osteoarthritis pursuant. Parma, Italy. European Food Safety Authority, 7(10): 1358.

- Fauliana, R., A. Shofi, D. Anggaraeni. 2011. Response Surface Methodology dan Aplikasinya. Institut Teknologi Sepuluh Nopember. Tesis.
- Fathurrohmah, I. 2017. Optimasi substrat dan jumlah inokulum dalam produksi kitinase oleh *Serratia marcescens* PT 6. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Fenice, M., P. Barghini, L. Selbmann, and F. Federici. 2012. Combined effect of agitation and aeration of the chitinolytic enzymes production by the antarctic fungus *Lecanicilium muscarium* CCFEE 5003. Microbial Cell Factories. 11: 12.
- Gangadharan, D. 2008. Response surface methodology for the optimization of alpha amilase production by *Bacillus amyloliquefaciens*. Bioresources technology. 99(11) 4597-4602.
- Gooday, G.W. 1990. Physiology of Microbial Degradation of Chitin and Chitosan. Biodegradation. 1: 177-190.
- Gohel V., A. Singh, M. Vimal, P. Ashwini, and HS. Chhatpar. 2008. Bioprospecting and antifungal potential of chitinolytic microorganisms. African Journal of Biotechnology. 5:2, 54-72.
- Gupta, R. Saxena, R.K. Chaturvedi, and P. Viridi, J.S. 1995. Chitinase production by *Streptomyces viridificans*: its potential in fungal cell wall lysis. Journal Applied Bacteriology. 78: 378-383.
- Hakim, A.R. 2016. Produksi N-Asetilglukosamin oleh *Pseudomonas* sp. Isolat PT5 pada Berbagai Suhu, Sumber dan Konsentrasi Nitrogen. Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta. Skripsi.
- Haliza, W dan M.T. Suhartono. 2012. Karakteristik Kitinase dari Mikrobia. Buletin Teknologi Pascapanen Pertanian. 8(1): 1-14.
- Haedar N., Hasnah N., Fahrudin, dan A. Wildan. 2017. Produksi dan karakterisasi enzim kitinase dari bakteri kitinolitik asal kerang *Anadara granosa*. Jurnal Ilmu Alam dan Lingkungan. 8 (15): 14-21.
- Hargono, A. dan I. Sumantri. 2008. Pembuatan kitosan dari limbah cangkang udang serta aplikasinya dalam mereduksi kolesterol lemak kambing. reaktor. 12: 53-57.
- Heck, J.K. 2005. Optimazation of cellulase free xylanase of the medium for the production of cellylase by the mutant *Tricoderma reesei* WX-112 using Response Surface methodology. Food technology biotechnology. 44(1) 89-94.
- Herdyastuti, N., T.J. Raharjo, Mudasir dan S. Matjeh. 2009. Chitinase and chitinolyticmicroorganism isolation characterization and potential. Indonesian Journal of Chemistry. 2009. 9: 37-47.

- Herdyastuti, N., S. E. Cahyaningrum, M. Tamimi and A. Wirawan. 2015. Modification of chitin as substrates for chitinase. *African of Journal Biotechnology*. 14:1590-1595
- Hsu, S. and C. Lockwood. 1974. Powdered chitin agar as a selective medium for enumeration of actinomycetes in water and soil. *applied microbiology*. 29(3): 422-426.
- Ilanokvan, P., S. Hein., N. Chuen-How., T.S. Trung., W.F. Stevens. 2005. Production of n-acetyl chitobiose from various chitin substrates using commercial enzymes. *Journal Carbohydrate Polymer*. 63:245-250.
- Indah, F. 2018. Optimasi Berbagai Suhu dan pH terhadap Aktivitas Kitinase oleh *Streptomyces* Sp. PB2. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Institute of Medicine and National Research Council. 2004. prototype monograph on glucosamine. in dietary supplements: a framework for evaluating safety. c-1-c86.isl
- Islam, M. M., S. M. Masum, M. M. Rahman, M. A. I. Molla, A. A. Shaikh, and S. K. Roy. 2011. Preparation of chitosan from shrimp shell and investigation of its properties. University of Dhaka. Bangladesh. Vol: 11 No: 01. 4 p.
- Islem, Y., Marguerite, R. 2015 Chitin and chitosan preparation from marine sources. structure, properties and applications. *Mar. Drugs* 13 : 1133-1174.
- Jenkinson, D.S. 1988. Determination of microbial biomass carbon and nitrogen in soil. in j. r. wilson (ed.). *advances in nitrogen cycling in agricultural ecosystems*. CAB International, Wallingford GB, p 368-386.
- Jagadeeswari, S., and K.P. Selvam. 2012. Optimization of Chitinase production by *Streptomyces* sp. SJKP9. *Journal of Academia and Industrial Research*. 1(6):332- 336.
- Jha, S., Hasmukh, Modi, and Chaitanya. 2016. Characterization of extracellular chitinase produced from *streptomyces rubiginosus* isolated from rhizosphere of *Gossypium* sp. *Cogent Food and Agriculture*. 2:1198225
- Juttner, F., and S. Watson. 2007. Biochemical and ecological control of geosmin and 2- methylisoborneol in source waters. *applied environmental microbiology*. 73(14):4395-4406.
- Kashyap, P. A. Sabu., A. Pandey., and G. Szakacs. 2002. Extra-cellular L- glutaminase production by *Zygosaccharomyces rouxii* under solid-state fermentation. *Process Biochemistry*. 38:307–312
- Kholifah, A. 2015. Isolasi dan Identifikasi Bakteri-Bakteri Kitinolitik dari Sedimen Tambak Udang. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

- Khusniati, T., N. Widhyastuti, I. Saskiawan, A. Choliq, dan R. Handayani. 2012. Peningkatan kualitas produk susu dengan n-asetilglukosamina dan  $\beta$ -galaktosidase di jawa. tim pelaksana insentif peningkatan kemampuan peneliti dan perekayasa. Lembaga Ilmu Pengetahuan Indonesia.
- Kumar, M., Amandeep, Brar., V. Vivekanand., P. Nidhi. 2018. Process optimazation purification and characterization of a novel acidic, thermostble achitinase frofm *Humicola grisea*. *Bioamac*. 125
- Kurita, K. 2006. Chitin and Chitosan: Functional Biopolymers from Marine Crustaceans. *Marine Biotechnology*. 8:203–226.
- Lee, S.Y., J.H. Park., S.H. Jang., L.K. Nielsen., J. Kim., and K.S. Jung. 2008. Fermentative butanol production by clostridia. *journal biotechnology and bioengineering*. 101:209-228.
- Lim, H.S., and S. Dal. Kim. 1994. The production and enzymatic properties of extracellular chitinase from *Pseudomonas stutzeri* YPL-1, as biocontrol agent. *Journal of Microbiology and Biotechnology*. 4(2): 134-140.
- Liu, J., Du, Y.M., Liang, H.B., Yao, P.J., Wei, Y.A. 2006. Effect of immobilized neutral protease on the preparation and physicochemical properties of low molecular weight chitosan and chitoooligomers. *J. Appl. Polym. Sci* 102 : 4185–4193.
- Maleki, H., A. Dehnad, S.Hanifian, and S. Khani. 2013. Isolation and molecular identification of *streptomyces* spp. with antibacterial activity from northwest of iran. *bioimpacts*. 3(3):129-134.
- Miyadoh, S dan Otoguro M. 2004. Workshop on Isolation Methods and Classification of Actinomycetes. Bogor (ID): Biotechnology Centre, LIPI.
- Miyashita, K., T. Fujii and Y. Sawada. 1991. Molecular cloning and characterization of chitinase genes from *Streptomyces lividans* 66. *Journal General Microbiology*. 137 : 2065 - 2072.
- Montgomery, DC. 2001. Design and Analysis of Experiments 5th edition. New York: John Wiley & Sons, Inc.
- Monreal J, and E.T. Reese. 1968. The chitinase of *Serratia marcescens*. *Journal of Microbiology*. 15:689-696.
- Moreira, Keila, Aparecida., Maria, Tacania Holanda., H.S. Duarte., E.B. Tambourgi, Eduardo.H.M.de Melo. Validine, L.S., Ama, L.F.p ., Jose,Lima.F., 2011. Partial characterization of protease from *Streptomyces clavuligerus* using an inexpensive Medium. *Brazilian Journal of Microbiology*. 32:215-200.

- Mukherjee, G., and S.K. Sen. 2004. Purification, characterization, and antifungal activity of chitinase from *Streptomyces venezuelae* P10. *Current Microbiology*. 53: 265–259.
- Nampoothiri, K.M., T.V. Baiju., C. Sandhya., A. Sabu., C. Szakacs., and A. Pandey. 2003. Process optimization for antifungal chitinase production by *Trichoderma harzianum*. *Journal Process Biochemistry*. 39:1583-1590.
- Narayana, K., and M. Vijayalakshmi. 2009. Chitinase production by *Streptomyces* sp. ANU 6277. *Journal Microbiology*. 40:725-733.
- Niederhoffer, E.C. 2000. *Biochemistry and Molecular Biology Resource*. <[http://www.siumed.edu/~eniederhoffer/web\\_lessons/bmb\\_sac.htm](http://www.siumed.edu/~eniederhoffer/web_lessons/bmb_sac.htm)>. Diakses pada 26 Juli 2015.
- Pelczar, M.J. and E.C.S Chan. 2008. *Dasar-Dasar Mikrobiologi*. UI-Press, Jakarta.
- Prashanth, K.V.H., & R.N. Tharanathan. 2007. Chitin/Chitosan: modifications and their unlimited application potential-an overview. *Trends in Food Science & Technology*. 18: 117-131.
- Pratiwi, R.S., T.E. Susanto, Y.A.K. Wardani, dan A. Sutrisno. 2015. Chitinase and the application in industry: a review. *Jurnal Pangan dan Agroindustri*. 3(3): 878-887.
- Putra, A.R.P. 2012. Optimasi produksi lipase dengan variasi konsentrasi substrat dan suhu melalui fermentasi rendam *Rhodotorula mucilaginosa* YUICC422 menggunakan *Response Surface Methodology*. Fakultas Teknik Universitas Indonesia. Skripsi.
- Purkan, A, Badi'atul, Afaf, Bakteir dan Sumarsih. 2014. Eksplorasi bakteri kitinolitik dari sampah organik : Isolasi dan karakterisasi enzim kitinase. *Jurnal Molekul*. 2: 128-135.
- Reissig, J.L., J.L. Strominger, and L.F. Leloir. 1955. A modified colorimetric method for the estimation of n-acetylamino sugars. *The Journal of Biological Chemistry*. 217: 959-966.
- Robles, M.O., Antonio, Rodriguez-Garia, Juan,F.Martin. 2018. Genome-wide transcriptome response of *Streptomyces tsukubaensis* to Nacetylglucosamine : effect on tacrolimus biosynthesis. *Microbiological Research*. 14-22.
- Saadoun, I., R. Al-Omari, Z. Jaradat, Q. Ababne. 2009. Influence of culture condition of *Streptomyces* sp. (strain s242) on chitinase production. departement of applied biological science. University of Science and Technology. Irbid, Jordan. *Microbiology*. 100:41-46.
- Sakti, P. 2017. *Buku Panduan Praktikum Statistika Fakultas Pertanian*. Universitas Gadjah Mada. Yogyakarta.

- Schlegel, H.G. 1994. Mikrobiologi Umum. Penterjemah TedjoBaskoro. Edisi keenam. Gajah Mada University Press. Yogyakarta.
- Seidl, V. 2008. Chitinases of filamentous fungi: a large group of diverse proteins with multiple physiological functions. *fungus biology reviews*. 22: 36-42.
- Setyati, Willis Ari., Erni, Martani., Triyanto., Subagyio., Muhammad, Zainuddin. 2015. Kinetika pertumbuhan dan aktivitas protease isolat 36K dari sedimen ekosistem mangrove karimunjawa jepara. *Jurnal Fakultas Perikanan dan Ilmu Kelautan. Universitas Diponegoro*. Vol 20(3):163-169.
- Shakhbazau, A.V. and N.A. Kartel. 2008. Chitinases in Bioengineering Research. *Russian Journal of Genetics*. 44(8): 881-889.
- Shivalee, A., K. Lingappa., Divatar, Mahesh. 2018. Influence of bioprocess variables on the production of extracellular chitinase under submerged fermentation by *Streptomyces pratensis* strain KLSL55 A. *Journal of Genetic Engineering and Biotechnology*. Vol 16 (412-426).
- Sowmya B, Gomathi D, Kalaiselvi M, Ravikumar G, Arulraj C, Uma C. 2012. Production and purification of chitinase by *Streptomyces* sp. from soil. *J Adv Sci Res* 3 (3): 25-29.
- Sinaga, Fransiska C., Elvi, Yeni., Sri, Rezeki Muria. 2013. Pengaruh pH dan Inokulum pada Pemanfaatan Limbah Kulit Nanas untuk Produksi Enzim Selulase.
- Soeka, Y. S. dan E. Triana. 2016. Pemanfaatan limbah kulit udang untuk menghasilkan enzim kitinase dari *Streptomyces macrosporeus* InaCC A454. *Indonesia Journal Applied Chemistry*. 18 (1):91-101.
- Soeka, Y. S. 2015. Karakteristik enzim kitinase dan identifikasi isolat aktinomisetes krc 21.d berasal dari kebun raya cibodas. Bidang Mikrobiologi, Pusat Penelitian Biologi, Lembaga Ilmu Pengetahuan Indonesia. 1(5): 1156-1161.
- Stephen, A. M., 1995. *Food Polysaccharides and Their Application*, University of Cape Town, Rondebosch, Marcel Dekker, Inc, p.442-450.
- Sukma, S., S.E. Lusiana, Masruri dan Suratmo. 2014. Kitosan dari Rajungan Lokal *Portunus pelagicus* Asal Probolinggo, Indonesia. *Kimia Student Journal* 2(2): 506-512. Universitas Brawijaya Malang.
- Synowiecki, J. dan N.A. Al-Khateeb. (2003). Production, properties and some new applications of chitin and its derivatives. *Crit. Rev. Food Sci. Nutr.* 43: 145-171.
- Tamreihao, K.A., S. Nimaichand., S.B. Chanu., K.A. Devi., R. Lynda., N. Jeeniita., S. Debananda., Ningthoujam. 2018. Acidotolerant *Streptomyces* sp.

- MBRL 10 from limestone quarry site showing antagonism against fungal pathogens and growth promotion in rice plants. *Journal of King Sa ud University. Science* 30,143-152.
- Tork, S.E., M. Aly. Magda, E. Omar., 2018. A new L-glutaminase from *Streptomyces pratensis* NRC 10: Gene identification, enzyme purification, and characterization. *International Journal of Biological Macromolecules*. 500-557.
- Triwijayani, A.U. 2016. Identifikasi Bakteri Kitinolitik dari Sedimen Tambak Udang dan Karakteristik Kitinasenya. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta. Skripsi.
- Wang, S. L., B.S. Lin, T.W. Liang, C.L. Wan, P.C. Wu, and J.R. Liu. 2010. Purification and characterization of chitinase from new species strain, *Pseudomonas* sp. TKU008. *Journal of Microbiology and Biotechnology*. 20(6): 1001-1005.
- Wang, D., A. Li., H. Han., T. Liu., Q. Yang. 2018. A potent chitinase from *Bacillus subtilis* for the efficient bioconversion of chitin-containing wastes. *International Journal of Biological Macromolecule*. Vol 116 (863-868).
- Webb, C and Atkinson. 1992. The role of chemical engineering in biotechnology. *Chemical Engineering Journal*. 50: 9–16.
- Widodo, A. 2018. Optimasi Berbagai Jumlah Inokulum dan Substrat Koloidal Kitin dalam Produksi Kitinase Oleh *Bacillus cereus* SM 1.1. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Wirawan, A. dan N. Herdyastuti. 2013. Penentuan Waktu Inkubasi pada Pembentukan Senyawa N-Asetilglukosamin yang didegradasi secara Enzimatis dari Kitin. Unesa. *Jurnal of Chemistry*. Vol 2.
- Yurnaliza, S. Margino, dan L. Sembiring. 2008. Kondisi optimum untuk produksi kitinase dari *streptomyces* Rkt5 dan karakterisasi pH dan suhu enzim. *Biota*. 3(3): 169- 174.