

## DAFTAR PUSTAKA

- Abdel M,A., Abd EA., Sonia dan Elmarasy. (2008). Effect of different types of fish on rats suffering from diabetes. *Nutrition and Health*. England, 19(4), pp. 257–271.
- Abdulazeez SS, Sundaram B, Ramamoorthy B dan Ponnusamy P. (2014). Synthesis and in vitro antioxidant functions of protein hydrolysate from backbone of *Rastrelliger kanagurta* by proteolytic enzymes (Indian mackerel). *Saudi journal of Biological Science*, 21, pp. 19-26
- Adionortey., Michael. (2017) Biochemicophysiological Mechanisms Underlying Signs and Symptoms Associated with DM. *Advances in Biological Research*, 11 (5): 233-241.
- Adler-N, J. (1979). Determination of the Degree of Hydrolysis of Food Protein Hydrolysates by Trinitrobenzenesulfonic Acid. *Journal of Agricultural and Food Chemistry*, 27 (6): 1256- 1262.
- American Diabetes Association. (2011) *Standards of medical care in diabetes . Diabetes Care*;38(1):S1-S94.
- Andarwulan, N., Feri, K. dan Dian, H. (2011). *Analisis Pangan*. PT. Dian Rakyat:Jakarta.
- Archana, G. dan Jyothi, T. (2015). Review: Glucagon-Like Peptide 1 (GLP-1) in the Treatment of Diabetes. *Genetic Engineering and Biotechnology News*, Vol.35 No.13 June 30, 2015 dapat diakses pada <https://www.genengnews.com/magazine/review-glucagon-like-peptide-1-glp-1-in-the-treatment-of-diabetes/>
- Arihara, K. (2006). Strategies for designing novel functional meat products. *Meat Science*,74(1), 219–229.
- Astawan, M., Mita W., Tadashi Y., Kazuhiro Y.,. Tadahiro T. dan Akio M. (1995). Effects of Angiotensin I-Converting Enzyme Inhibitory Substances Derived from Indonesia Died-salted Fish on Blood Pressure of Rats. *Bioscience, Biotechnology, Biochemistry*, 59(3), 425-429.
- Ao, J. dan Li, B. (2012). Amin o Acid Composition and Antioxidant Activities of Hydrolysates and Peptide Fractions from Porcine Collagen. *Food Science. Technology. International*, 18:425–434.
- Ayun, FP. (2013). Identifikasi dan Prevalensi Cacing Ektoparasit Pada Ikan Kembung di Pelabuhan Perikanan Nusantara Brondong, Lamongan . *SKRIPSI*. Fakultas Perikanan dan Kelautan Universitas Airlangga Surabaya.
- Babu, PD., Bhagyaraj, R. dan Vidhyalakshmi R. (2009). A low cost nutritious “Tempe” – A Review. *World Journal Dairy Food Sci*, 4(1): 22-27.

- Bennett, P. (2008). Epidemiology of Type 2 DM .In Le Roith et . al , Diabetes Mellitus a Fundamental and Clinical Text. Philadelphia : Lippincott William dan Wilkin S, 43(1): 544-7.
- Belkaaloul, K., Checroun, A., Ait- AA., Saidi, D. dan Kherouoa, O. (2010). Growth, acidification & proteolysis performance of two co-cultures (Lactobacillus plantarum- Bifidobacterium longum and Streptococcus thermophilus bifido -bacterium longum). *African Journal of Biotechnology*. 9(10): 1463-1469.
- Berdanier, CD., Dwyer, J. dan Feldman, EB. (2006). *Handbook of nutrition and food. Second Edition*. New York (USA): CRC Press.
- Berg, J., M., Tymoczko, J, dan Stryer, L. (2002) Proteases: Facilitating a Difficult Reaction. *Biochemistry. 5th ed.*, New York: W H Freeman, Section 9.1.
- Borzoei S, Neovius M, Barkeling B, Teixeira-Pinto A dan Rössner S. (2006). A comparison of effects of fish and beef protein on satiety in normal weight men. *Europe Journal Clinical Nutrition* 60: 897-902.
- Buraerah, H., Abdullah, A., Hanis, M., (2007). Analisis Faktor Risiko DM tipe 2 di Puskesmas Tanrutedong, Sidenreg Rappang. *MEDIKA: Jurnal Kedokteran Indonesia*, Vol. 35 no. 04 (apr. 2009): 228.
- Chatterjea M.N dan Shinde R. (2002). *Text Book Of Medical Biochemistry*. 5th ed. New Delhi: Jaypee Brothers, *Medical Publishers (P) Ltd*:p. 317
- Comerford, K., dan Gonca, P. (2016). Emerging Evidence for the Importance of Dietary Protein Source on Glucoregulatory Markers and Type 2 Diabetes: Different Effects of Dairy, Meat, Fish, Egg, and Plant Protein Foods. *Nutrients*. 2016 Aug; 8(8): 446
- Cox, E., Elelman, D. (2009). Test for Screening and Diagnosis of Type 2 Diabetes. *Clinical Diabetes*, 4(27):132-138
- Crampton, R., Gangolli, S., Simon, P. dan Maithews., D (1971). Rates of absorption by rat intestine of pancreatic hydrolysates of proteins and their corresponding amino acid mixtures. *Clinical Science*, 41. 409-417.
- Daliri, E. B. M., Oh, D. H. dan Lee, B. H. (2017). Bioactive Peptides. *Foods*. Edited by M. Hayes. MDPI, 6(5), p. 32.
- Defronzo, R.A., Ratner, E.R., Han, J., Kim, D.D., Fineman, M.S. dan Baron, A.D . (2005). Effects of exenatide (exendin-4) on glycemic control and weight over 30 weeks in metformin-treated patients with type 2 diabetes. *Diabetes Care*, 28(5): 1092-1100.
- Dhanvantari, S., Izzo, A., Jansen, E., Patricia L., Brubaker. (2001). Coregulation of Glucagon-Like Peptide-1 Synthesis with Proglucagon and Prohormone Convertase 1 Gene Expression in Enteroendocrine GLUTag Cells.

*Endocrinology*, Volume 142, Issue 1, 1 January 2001, Pages 37–42

Diabetes Mellitus: Biochemistry for Medics–Lecture Notes diakses pada <http://www.namrata.co/category/diabetesmellitus>.

Drucker, DJ. (2006). The biology of incretin hormones. *Cell Metabolism*; 3:153–165.

Emilio, M de V. M., Mariano, M.A., dan Torregrosa, M.D.Y., (2005) dalam Eugenia, M., Núñez, S,. (2015). Bioavailability and Intestinal Bioactivity of Intact and In Vitro Digested B-Casein. *Master's Degree in Molecular Nutrition and Food Technology Aarhus University*. Diakses melalui [https://www.researchgate.net/profile/Vladimir\\_Kulchitsky/post/Can\\_Beta\\_casomorphin\\_be\\_used\\_pharmacologically\\_to\\_offset\\_inflammation\\_in\\_IBDs/attachment/59d63e4c79197b807799af0b/AS%3A423517503135746%401477985850000/download/Bioavailability.pdf](https://www.researchgate.net/profile/Vladimir_Kulchitsky/post/Can_Beta_casomorphin_be_used_pharmacologically_to_offset_inflammation_in_IBDs/attachment/59d63e4c79197b807799af0b/AS%3A423517503135746%401477985850000/download/Bioavailability.pdf)

Erdmann, K., Cheung, B.W. dan Schroder, H. (2008). The possible roles of food-derived bioactive peptides in reducing the risk of cardiovascular disease. *Journal. Nutrition. Biochemistry*, 19:643–654

Fatimah, N.R. (2015). Artikel Review: DM Tipe 2. *Medical Journal of Lambung University*, Vol. 4 No. 5.

Graham, M.L., Janecek, J.L., Kittredge, J.A., Hering, B.J., dan Schuurman, H-J. (2011). The Streptozotocin-Induced Diabetic Nude Mouse Model: Differences between Animals from Different Sources. *Comparative Medicine*. 2011 Aug; 61(4):356-360.

Grygiel-Gorniak B. (2014) Peroxisome proliferator-activated receptors and their ligands: nutritional and clinical implications—a review. *Nutrition Journal* 13:17.

Goldenberg, R. dan Zubin, P. (2013). Clinical Practice Guidelines: Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome. *Canadian Journal of Diabetes*, 37 (2013) S8eS11.

Hackett, E. dan Natasha J. (2009). Clinical Fokus: Type 2 Diabetes Pathophysiology and Clinical Feature. *Clinical Pharmasit*, Vol. 1 Desember 2009.

Hare, K.J., Vilsbøll, T., Asmar, M., Deacon, C., Knop, F.K. dan Holst, J.J. (2010). The Glucagonostatic and Insulinotropic Effects of Glucagon-Like Peptide 1 Contribute Equally to Its Glucose-Lowering Action. *Diabetes*, 59:1765–1770

Hasanah, A. (2015). Efek Jus Bawang Bombay (*Allium Cepa* Linn.) terhadap Motilitas Spermatozoa Mencit yang Diinduksi Streptozotocin (STZ). *Jurnal Universitas Muhammadiyah Malang* Volume 11 No 2 Desember

2015

- Hayes, M., Ross, R.P., Fitzgerald, G.F., Hill, C. dan Stanton, C. (2006). Casein-Derived Antimicrobial Peptides Generated by *Lactobacillus acidophilus* DPC6026. *Application Environment. Microbiology*, 72:2260–2264.
- Hermanto, S. (2016). Virtual Screening Peptida Bioaktif Antihipertensi dari Hidrolisat Kasein Susu Kambing Etawa. *Journal of Chemistry* 5: (2016) 45-54
- Hernandez-LB., Quiros, A., Amigo, L. dan Recio, I. (2007). Identification of Bioactive Peptides after Digestion of Human Milk And Infant Formula with Pepsin and Pancreatin. *Internasional Dairy Journal*;17:42–49.
- Hordur, G., Kristinsson. dan Barbara, A.R. (2000). Fish Protein Hydrolysates. Production, Biochemical, and Functional Properties, *Critical Reviews in Food Science and Nutrition*, 40:1, 43-81.
- Holst, J.J. (2007). The physiology of glucagon-like peptide 1. *Physiology Review*, 87: 1409-1439.
- Hsiao, N.W., Chen, Y., Kuan, Y.C., Lee, Y.C., Lee, S.K., Chan, H.H. dan Kao, C.H. (2014). Purification and Characterization of an Aspartic Protease from The *Rhizopus Oryzae* Protease Extract, Peptidase R. *Electron Journal Biotechnology*, 17:89-94.
- Huang., Shih-Li., Chia-Ling, J., Kit-Pan, H. dan Kuo-Chiang, H. (2012). Dipeptidyl-Peptidase IV Inhibitory Activity of Peptidase Derived from Tuna Cooking Juice Hydrolysates. *Peptides* 35, Hal: 114-121.
- Hui-Chun, W., Hua, M. C. dan Chyuan, Y. S. (2003) Free Amino Acids and Peptides as Related To Antioxidant Properties In Protein Hydrolysates of Mackerel (*Scomber austriasicus*). *Food Research International*. 36: 949–957.
- Huss, H.H. (1988). Fresh Fish-Quality and Quality Changes: A Training Manual. *Food and Agriculture Organization of the United Nations (FAO)*. Rome, Italy.
- Ikasari, L dan Mitchell, D. A. (1994). Protease production by *Rhizopus oligosporus* in solid-state fermentation. *World Journal of Microbiology & Biotechnology* 10(3), 320–324
- Internasional Diabetes Federation (IDF). (2013). *IDF Diabetes Atlas Sixth Edition*, International Diabetes Federation (IDF).
- Ishii, S., Kamegai, J., Tamuram, H, Shimizu, T., Sugihara, H. dan Oikawa, S. (2002). Role of Ghrelin In Steptozotocin-Induced Diabetic Hyperphagia, *Endocrinology*, 143(i2), hal. 4934-4937.

- Jia-Shin, L., Shuo-Kang L., Yeh, C., Wei-De, L., dan Chao-Hung, K. (2011). Purification and Characterization of a Novel Extracellular Tripeptidyl Peptidase from *Rhizopus oligosporus*. *Journal of Agricultural and Food Chemistry*, 2011, 59, 11330–11337.
- Jung, J.Y., Lim, Y., Moon, M.S., Kim, J.Y. dan Kwon, O. (2008). Onion Peel Extracts Ameliorate Hyperglycemia and Insulin Resistance In High Fat Diet/ Streptozotocin-Induced Diabetic Rats. *Nutrition and Metabolism*.
- Karnila, R., Made, A., Tutik, W. (2011). Potensi Ekstrak, Hidrolisat dan Isolat Protein Teripang Pasir (*Holothuria Scabra* J.) untuk Menurunkan Kadar Glukosa Darah dan Memperbaiki Profil Sel Beta Pankreas Tikus DM. *Laporan Penelitian Hibah Bersaing Bidang Kesehatan Universitas Riau* diakses melalui <https://repository.unri.ac.id/xmlui/bitstream/handle/123456789/282/Rahman.pdf?sequence=1&isAllowed=y>
- Karnila, R. (2012). Daya Hipoglikemik Hidrolisat, Konsentrat, Isolat Protein Teripang Pasir (*Holothuria Scabra* J) pada Tikus Percobaan. *Disertasi*. Bogor: Institut Pertanian Bogor
- Kementerian Kesehatan Republik Indonesia. (2009). *Daftar Komposisi Bahan Makanan*
- Kim, S.Y., Je, J.Y. dan Kim, S.K., (2007). Purification and Characterization of Antioxidant Peptide from Hoki (*Johnius Belengerii*) Frame Protein By Gastrointestinal Digestion. *Journal. Nutrition. Biochemistry*, 18, 31–3.
- Kusminski, C.M., Bickel, P.E. dan Scherer, P.E. (2016) Targeting Adipose Tissue in The Treatment of Obesity-Associated Diabetes. *Nature Review Drug Discovery*, 15(9):639–660.
- Kusuma, J.R., Ermamalia, A., Nurmalita, A.S., Halimah, S.N., Sholikha, I. dan Pradani, N.F. (2018). Hydrolisis of Indian Mackerel (*Rastrelliger kanagurta*) Fish Protein using Tempeh Protease Has an Antidiabetic Properties Possibly through GLP-1. Departemen Gizi Kesehatan FKKMK UGM. In press
- Lenzen, S. (2008). The Mechanisms of Alloxan- and Streptozotocin-Induced Diabetes. *Diabetologia*, 51: 216–226.8.
- Liang, X.M., Otani, H., Zhou, Q., Tone, Y., Fujii, R., Mune, M., Yukawa, S. dan Akizawa, T. (2007). Various Dietary Protein Intakes and Progression of Renal Failure In Spontaneously Hipercholesterolemic Lmai Rats. *Nephron. Experimental Nephrology.*, 105 (4), e98-10.
- Liu, G.Q., Zhu, C.F. dan Li, Y.F. (2008) Effect of Marine Collagen Peptide on The Expression of Overoxidation Stress Markers In Rats With Type 2 Diabetes. *Journal Clinical Rehabilitative Tissue Engineering Research*, 12:4469–4472.

- Liu, O., Zhen, W. dan Yang, Z. (2007) . Genistein Acutely Stimulates Insulin Secretion in Pancreatic B-Cells Through A Camp-Dependent Protein Kinase Pathway. *Diabetes Journal*, 2006;55:1043- 50.
- Liu,Z., Jeppesen, P.B., Gregersen, S., Chen, X. dan Hermansen, K. (2008). Dose- and Glucosedependent Effects of Amino Acids on Insulin Secretion From Isolated Mouse Islets and Clonal INS-1E Beta-Cells. *The Review Diabetes Study*, 5(4): 232-244.
- Moritoh, Y., Lockwood, C.M., Takeuchi, K. dan Hazama, M. (2009). Chonic administration Voglibose, an Alpha-Glucosidase Inhibitor, to Increase Acvtive Glucagon-Like Peptide-1 Levels. *Journal Molecular Cell Pharmacology*. 1(4): 188-192
- López-Ptín, C. dan Bond, J.S. (2008). Proteases: Multifunctional enzymes in life and disease. *Journal Biology Chemistry*, 283:30433-30437.
- Bloch (1793) dalam Love., Milton, S., Julianne, K., Passarelli, C., Okamoto ad, D. W. dan Diehl. (2015). The Bigeye Scad, Selar *crumenophthalmus* (Bloch, 1793) (Family Carangidae). New to the California Marine Fauna, with a List no and Keys for All California Carangidae. *Bulletin Southern California Academy of Science*, 114(3), pp.141-148
- Mannucci., Edoardo, M., Ilaria, D.M.D., Angelo, L. M. D. dan Paolo, P.M.D. (2013). Is Glucose Control Important for Prevention of Cardiovascular Disease in Diabetes?“, *Diabetes Care*, 36(Supplement 2), p.S259LP-S263. diakses pada [http://care.diabetesjournals.org/content/36/Supplement\\_2/S259.abstract](http://care.diabetesjournals.org/content/36/Supplement_2/S259.abstract)
- Madigan, M.T. dan Martinko, J.M. (2006). *Brock Biology of Microorganisms 11th ed.* Pearson Education: New Jerse
- Masiello,P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D. (1998). Experimental NIDDM: Development of a New Model in Adult Rats Administered Streptozotocin and Nicotinamide. *Diabetes*, 47, 224-229.
- Mien, K., Djoko, S. dan Hermana, H. (1996). Aktivitas Enzim Hidrolik Kapang *Rhizopus sp* pada Proses Fermentasi Tempe. *Journal of Nutrition and Food Research*, ISSN: 0125-9717. e-ISSN: 2338-8358
- Mohanty, B., Arabinda, M., Satabdi, G.T.V, Sankar.,Kajal, C., Ananda. R., Baidyanath, P., Debajit, S., Suseela, M., Kurukhan, K.A., Bijay, B., Aftabuddin., Dipesh, P., Vijayagopal, N., Sridhar, M. S., Akhtar., Neetu, S., Tandrima, M., Sudeshna, B., Prasenjit, P., Debajeet, D, Pushpita, D. K. K., Vijayan, P.T., Laxmanan. dan Sharma, A. P. (2014). *Amino Acid Compositions of 27 Food Fishes and Their Importance in Clinical Nutrition. Journal of Amino Acids*. Hindawi Publishing Corporation, 2014, p.269797

- Montaya, E., Nacher, V., Biarnes, M. dan Soler, J. (2000). Linear Correlation Between Beta-Cell Mass And Body Weight Throughout the Lifespan in Lewis Rats: Role Of Beta-Cell Hyperplasia and Hypertrophy . *Diabetes* 49, 1341 – 1346.
- Mojsov, S., Heinrich, G., Wilson, I.B., Ravazzola, M. dan Orci, L. (1986) Preproglucagon Gene Expression in Pancreas and Intestine Diversifies at the Level of Post-Translational Processing. *Journal Biology Chemical* 261: 11880-11889.
- Murray, R.K., Garnner, D.K., dan Rodwell, W. (2009). *Biokimia Harper 27<sup>th</sup> Ed.* Jakarta: EGC
- Natarajan, S.K., Lakshmi, S., Punitham, R., Arokiasamy,T., Sukumar, B. dan Ramakrishnan, S. (2002). Effect of Oral Supplementation of Free Amino Acids In Type 2 Diabetic Patients - a pilot clinical trial. *Medical Science Monitor* 8: CR131-CR137.
- Nauck, M.A. dan Meier, J.J. (2005). Glucagon-like peptide 1 and its derivatives in the treatment of diabetes. *Regulatory Peptides*, 128(2): 135-148.
- Nauck, M.A., Vardarli, I., Deacon, C.F., Holst, J.J., Meier, J.J. (2011) Secretion of glucagon-like peptide-1 (GLP-1) in type 2 diabetes: what is up, what is down? *Diabetologia*, 54: 10-18.
- Newsholme, P., Brennan, L. dan Bender, K. (2006). Amino acid metabolism,  $\beta$ -cell function, and diabetes. *Diabetes*, 55(2): 39-47.
- Nisa, K. dan Asadullah, K. (2011). Seasonal variation in chemical composition of the Indian mackerel (*Rastrelliger kanagurta*) from Karachi Coast", *Iranian Journal of Fisheries Sciences*, 10(1), pp. 67–74.
- Nurdini, A.L., Nuraida, L., Suwanto, A. dan Suliantari. (2015). Microbial growth dynamics during tempe fermentation in two different home industries. *International Food Research Journal*, 22(4): 1668-1674.
- Nurhidayati., Rini, H. dan Djunaidi. (2017). Studi Protein Ikan Kembung Segar dan Ikan Kembung Pasar Bungur Kabupaten Bungo Provinsi Jambi. *Journal Pengelolaan Sumberdaya Perairan*, Vol. 1 No. 1 Agustus 2017
- Nurjanah., Nurjanah., Mala, N., Taufik, H. dan Gia, G. (2015). Amino Acid and Taurine Changes of Indian Mackerel Due to Frying Process", *International Journal of Chemical and Biomolecular Science*, 1(3), pp. 163–166. Dapat diakses di: <http://www.aiscience.org/journal/ijcbs>.
- Nørgaard, S.A., Sand, F.W., Sørensen, D.B., Abelson, K.S dan Søndergaard, H. (2018). Softened food reduces weight loss in the Streptozotocin-induced male mouse model of diabetic nephropathy. *Laboratory Animals*, 52(4), 373–383.

- Olokoba, A., B., Olusegun, A., Obateru. dan Lateefat, B., Olokoba. (2012). Type 2 DM: A Review of Current Trends. *Oman Medical Journal*, Vol. 27, No. 4: 269-273.
- Oyedemi, S., Bradley, G. dan Afolayan, A. (2012). Antidiabetic activities of aqueous stem bark extract of *Strychnos henningsii* Gilg in Streptozotocin-nicotinamide type 2 diabetic rats. *Services Iranian Journal of Pharmaceutical Research*, 11 1:221-228.
- Ozougwu, J., Obimba, K., Belonwi, C. dan Unakalamba, C. (2013). The pathogenesis and pathophysiology of type 1 dan type 2 DM. *Journal of Physiology and Pathophysiology*, 4 (4), hal 46-57
- Perez, E., Paula, J., Nilda de, F.S.S., Jane, S.R.C., Nélio, J, de A., Renato, R.S. dan Eber, A.A.M. (2012). Bioactive Peptides: Synthesis, Properties, and Applications in the Packaging and Preservation of Food", *Comprehensive Reviews in Food Science and Food Safety*. Blackwell Publishing Inc, 11(2), pp. 187–204.
- PERKENI. (2015). Pengelolaan dan Pencegahan DM Tipe 2 di Indonesia, PERKENI, Jakarta.
- Perley, M.J. dan Kipnis, D.M. (1967) Plasma insulin responses to oral and intravenous glucose: studies in normal and diabetic subjects. *Journal Clinical Investigation*, 46: 1954-1962.
- Pournaghi, P., Rajab-Ali, S., Shapour, H. dan Azadeh, F. (2012). An investigation on body weights, blood glucose levels and pituitary-gonadal axis hormones in diabetic and metformin-treated diabetic female rats. *Veterinary Research Forum*. 2012; 3 (2) 79 – 84.
- Prastari, C., Sedarnawati, Y. dan Mala, N. (2017). Karakteristik Protein Ikan Gabus yang Berpotensi sebagai Antihiperlipemik. *Jurnal Pengelolaan Hasil Perikanan Indonesia 2017*, Volume 20 Nomor 2.
- Rahier, J., Guiot, Y., Goebbels, R.M., Sempoux, C. dan Henquin, J.C. (2008) Pancreatic  $\beta$ -cell mass in European subjects with type 2 diabetes. *Diabetes Obesity Metabolism*, 10(Suppl 4):32–42.
- Rauf, A., Irfan, M., Nadeem, M., Ahmed, I. dan Iqbal, H.M.N. (2010). Optimization of growth conditions for acidic protease production from *Rhizopus oligosporus* through solid state fermentation of sunflower meal. *World Academy Science Engineering Technology*, 4:12-26.
- Revees, Philip, G., Forrest, H., Nielsen., George, C. dan Fahey, Jr. (1993). AIN-93 Purified Diets for Laboratory Rodents: Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet. *Journal of Nutrition*, June 25, 2011

- Rizzello, C.G., Losito, I., Gobbetti, M., Carbonara T, de-Bari, M.D. dan Zambonin, P.G. (2005). Antibacterial activities of peptides from the water-soluble extracts of Italian cheese varieties. *Journal Dairy Science*, 88:2348–2360.
- Ryan, J. T. (2011). Bioactive Peptides from Muscle Sources: Meat and Fish", *Nutrients*, MDPI, 3(9), pp. 765–791.
- Rosell, M., Appleby P., Spencer, E. dan Key, T. (2006). Weight gain over 5 years in 21 966 meat-eating, fish-eating, vegetarian, and vegan men and women in EPIC-Oxford. *International Journal of Obesity*. 30, 1389–1396.
- Rui, L. (2014). Energy Metabolism in the Liver. *Comprehensive Physiology*, 4(1): 177-197.
- Sadikin, M. 2002. *Biokimia Enzim*. Jakarta: Widya Medika
- Sánchez, A. dan Vázquez, A. (2017). Bioactive peptides: A review, *Food Quality and Safety*, 1(1), pp. 29–46.
- Setyani, S., Nurdjanah S., Eliyana. (2017). Evaluasi Sifat Kimia Dan Sensori Tempe Kedelai-Jagung Dengan Berbagai Konsentrasi Ragi Raprima dan Berbagai Formulasi [The Evaluation of Chemical and Sensory Properties of Soybean-Corn Tempeh Fermented with Various Raprima Yeast Concentration and Formulation]. *Jurnal Teknologi Industri dan Hasil Pertanian* Vol. 22 No.2.
- Shepherd, P.R., Withers, D.J. dan Siddle, K. (1998). Phosphoinositide 3-kinase: the key switch mechanism in insulin signalling. *Review Article: Biochemistry Journal* 333:471–490.
- Slamet, S. (2008). Diet pada diabetes. *Buku Ajar Ilmu Penyakit Dalam*. Edisi III. Jakarta: Balai Penerbit FK-ii
- Sigh, S., Nanna, R., Chhoun, C., Arnaud, L., Sophanneary, P. dan Frank, T., Wieringa. (2018). Effectiveness of a Locally Produced, Fish-Based Food Product on Weight Gain among Cambodian Children in the Treatment of Acute Malnutrition: A Randomized Controlled Trial. *Nutrients* 2018, 10, 909.
- Sitrin, M. (2014) dalam Eugenia, Maria, Núñez Salces. (2015). Bioavailability and Intestinal Bioactivity of Intact and In Vitro Digested B-Casein. *Master's Degree in Molecular Nutrition and Food Technology Aarhus University*. Diakses melalui [https://www.researchgate.net/profile/Vladimir\\_Kulchitsky/post/Can\\_Beta\\_casomorphin\\_be\\_used\\_pharmacologically\\_to\\_offset\\_inflammation\\_in\\_IBDs/attachment/59d63e4c79197b807799af0b/AS%3A423517503135746%401477985850000/download/Bioavailability.pdf](https://www.researchgate.net/profile/Vladimir_Kulchitsky/post/Can_Beta_casomorphin_be_used_pharmacologically_to_offset_inflammation_in_IBDs/attachment/59d63e4c79197b807799af0b/AS%3A423517503135746%401477985850000/download/Bioavailability.pdf)

- Steinkraus, K.H. (1983). *Handbook of Indigenous Fermented Food*. New York: Merceel Dekker.Inc
- Stephanie., Purwadaria, T. (2013). Fermentasi substrat padat kulit singkong sebagai bahan pakan ternak unggas. *Wartazoa*, 23:15-22.
- Szkudelski, T. (2001). The mechanism of alloxan and Streptozotocin action in B cells of the rat pancreas. *Physiology Res*, 50: 537–546.
- Teixeria L. (2011). Regular physical exercise training assists in preventing type 2 diabetes development: focus on its antioxidant and anti-inflammantory properties. *Biomedical Central Cardiovascular Diabetology*; 10(2);1-15.
- Theresia., Rori., Syamsul, F. dan Mega, S. (2015). Aktivitas Antihiperglikemia Ekstrak Kulit dan Daun Surian (Toona Sinensis) pada Tikus Diabetes (Sprague-Dawley) yang Diinduksi Streptozotocin. *Jurnal. Gizi Pangan*, November 2017, 12(3):187-194.
- Tjandrawinata., Raymond, R. (2016). Mekanisme Molekuler dan Seluler pada Keadaan Resistensi Insulin. *Dexa Laboratoies of Biomolecular Sciences (DLS) Dexa Medica Group*, Jakarta. Diakses melalui [https://www.researchgate.net/publication/292971125\\_Mekanisme\\_molekuler\\_dan\\_seluler\\_pada\\_keadaan\\_resistensi\\_insulin](https://www.researchgate.net/publication/292971125_Mekanisme_molekuler_dan_seluler_pada_keadaan_resistensi_insulin)
- Triplitt, C. dan Chiquette, E. (2006). Exenatide: From The Gila Monster to The Pharmacy. *Journal American Pharmacy Association*. 46(1): 44-52.
- Tomasz., Szkudelski. (2012). Streptozotocin–nicotinamide-induced diabetes in the rat: Characteristics of the experimental model. *Minireview: Experimental Biology and Medicine* 2012; 237: 481–490.
- Tsai, J.S., Chen, T.J., Pan, B.S., Gong, S.D. dan Chung, M.Y. (2008). Antihypertensive effect of bioactive peptides produced by protease-facilitated lactic acid fermentation of milk. *Food Chemistry*, 106:552–558.
- Usysus, Z., Richert, J.S. dan Adamczyk, M.I. (2009) .Protein Quality and Amino Acid Profile of Fish Product Available in Poland. *Food Chemistry*, 112.139-145.
- Utami, N., Jumirah, Siagian, Albiner. (2013). Pengaruh Penggunaan Tempe sebagai Bahan Dasar Pembuatan Isian Burger Terhadap Komposisi Zat Gizi dan Daya Terimanya. *Jurnal Universitas Sumatera Utara: Gizi, Keseharan Reproduksi dan Epidemiologi* Vol. 2 No.5.
- Utari, D.M., Rimbawan., Hadi, R., Muhilal. dan Purwastyastuti. (2010). Pengaruh Pengolahan Kedelai Menjadi Tempe dan Pemasakan Tempe Terhadap Kadar Isoflavon (*Effects Of Soybean Processing Becoming Tempeh And The Cooking Of Tempeh On Isoflavones Level*)/ PGM 2010, 33(2): 148-153.
- Venugopal, V., Chawla, S. P. dan Nair, P. M. (1996). Spray dried protein powder

- from threadfin beam: preparation, properties and comparison with FPC type-B, *Journal. Muscle Foods*, 7, 55.
- Virtanen, T., Pihlantom S.A., Akkanen. dan Korhonen, H. (2007). Development of antioxidant activity in milk whey during fermentation with lactic acid bacteria. *Journal of Application Microbiology*, 102 1: 106-115.
- Webb, Jr. K.E. (1990). Intestinal Absorbption of Protein Hydrolysis Product: A Review. *Journal of Animal Science* 68:3011-3022
- Williams, L.B., Ernest, W.JR.H dan Abul, B.K.M. (2006). sopods (Isopoda: Aegidae, Cymothoidae, Gnathiidae) associated with Venezuelan marine fishes (Elasmobranchii, Actinopterygii). *Review Biology Tropical* Vol.54 suppl.3 San Jose Dec.2006.
- White, W.T., Dharmadi, L.P.R., Faizah, U., Chodrijah, B.I., Prisantoso, J.J., Pogonoski, M., Puckridge. dan S.J.M. Blaber. (2013). Market Fishes Indonesia Jenis-jenis ikan Indoneisa. CanPrint Communication. Canberra.pp.172.
- Wilcox, G. (2005). Insulin and Insulin Resistance. *Clinical Biochemistry Review* Vol 26 May 2005
- Wild, S., Roglic, G., Green A., Sicree. H. dan King, H. (2004) .Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetic care*;27(3);1047-53.
- Winter, W. E. dan Signorino, M.R. (2002). DM: Pathophysiology, Ethologies Complications, Management, and Laboratory Evaluation. Washington DC. *AACC Press*
- Wresdiyati, Tutik, Ani, K., Astawan, M. dan Karnila. R. (2015). Teripang Pasir Meningkatkan Kandungan Antioksidan Superoksida Dismutase pada Pankreas Tikus Diabetes. *Jurnal Veteriner*, Maret 2015 Vol. 16 No. 1 : 145-151 ISSN : 1411 – 8327
- World Health Organization. (2011). Collaborative Framework for Care and Control of Tuberculosis and Diabetes diakses pada <https://www.who.int/tb/publications/tb-diabetes-framework/en/>
- Yanez, E., Ballester, D. dan Monckeberg, F. (1976). Enzymatic fish protein Hydrolysate: chemical composition, nutritive value and use as a supplement to cereal protein, *Journal Food Science*, 41, 1289.
- You, L.J., Zhao, M.M., Cui, C., Zhao, H.F. dan Yang, B. (2009). Effect of degree of hydrolysis on the antioxidant activity of loach (*Misgurnus anguillicaudatus*) protein hydrolysates. *Innovative Food Science and Emerging Technologies* 10:235–240.
- Yuhelma, Y.H. dan Nauli, F.A. (2013). Identifikasi dan Analisis Komplikasi Makrovaskuler dan Mikrovaskuler pada Pasien DM. Program Studi Ilmu

Keperawatan Universitas Riau. 49 (2003-2013). Dapat diakses pada <https://media.neliti.com/media/publications/185334-ID-identifikasi-dan-analisis-komplikasi-mak.pdf>

Wang-Fischer, Yanlin. dan Tina, G. 2018. Improving the Reliability and Utility of Streptozotocin-Induced Rat Diabetic Model. *Journal of Diabetes Research Volume* 2018, Article ID 8054073.

Zhu, Cui-Feng, Guan-Zhi, L., Hong-Bin, P., Fan, Z., Yun, C., dan Yong, L. (2010). Effect of marine collagen peptides on markers of metabolic nuclear receptors in type 2 diabetic patients with/without hypertension. *Biomedical and Environmental Sciences: BES*, Netherlands, 23(2), pp. 113–120.

Zhu, K.X., Zhou, H.M. dan Qian, H.F.(2006). Antioxidant and free radical-scavenging activities of wheat germ protein hydrolysates (WGPH) prepared with alcalase. *Process Biochemistry*, 41:1296–1302.

Zhu, C-F., Zhang, W., Mu, B., Zhang, F., Lai, N., Zhou, J., Xu, A., Liu, J., Li, J., (2017). Effects of Marine Collagen Peptides on Glucose Metabolism and Insulin Resistance in Type 2 Diabetic Rats. *Journal Food Science Technology* (July 2017) 54 (8):2260-2269.

Zimecki, M. dan Kruzel, M.L. (2000). Systemic or Local co-administration of lactoferin with sensitizing dose of antigen enhance delayed type hypersensitivity in mice. *Immunology Letters* 74: 183-188.

Zohra, M., Abdullah, S., Willy, J., Malaisse. dan Ait, Y.D. (2015). Sardine Protein Diet Increases Plasma Glucagon-Likepeptide-1 Levels And Prevents Tissue Oxidative Stress In Rats Fed a High-Fructose Diet. *Molecular Medicine Reports* 12: 7017-7026.