

DAFTAR PUSTAKA

- Abu, R. L. A., Z. Basri, and U. made. 2017. Respon pertumbuhan dan hasil tanaman padi (*Oryza sativa* L.) terhadap kebutuhan nitrogen menggunakan bagan warna daun. *Jurnal Agroland* 24 (2): 119-127.
- Altieri, M. A, and I. Nicholss. 1999. Biodiversity, Ecosystem Function, and Insect Pest Management in Agricultural Systems. In: Collins WW, Qualset CO (ed) *Biodiversity in Agroecosystems*. CRC Press LLC, New York.
- Angraini, F. A. Suryanto, and N. Aini. 2013. Sistem tanam dan umur bibit pada tanaman padi sawah (*Oryza sativa* L.) varietas Inpari 13. *Jurnal Produksi Tanaman* 1 (2): 52-60.
- Anonim. 2015. Kebutuhan Hara Tanaman Padi. <http://www.litbang.pertanian.go.id/berita/one/2418/> . Diakses tanggal 23 September 2018.
- Anonim, tt. Variety Description of Sasanishiki Rice. https://ineweb.narcc.affrc.go.jp/search/ine.cgi?action=inedata_top&ineCode=TOH00780. Diakses tanggal 15 Desember 2018.
- Barbarosa, S. F. and C. S. Barbarosa. 1994. The Bioecology of Snail Vectors for Schistosomiasis in Brazil. *Cad. Saude Publ*, Rio de Janeiro.
- Baskoro, M. G. T. 2016. Analisis Pertumbuhan Tanaman pada Berbagai Aksesori Benih Kacang Bambara (*Vigna subterranean* (L.) Verdcourt). Skripsi. Institut Pertanian Bogor, Bogor.
- Baxter, C.V., K.D. Fausch, M. Murakami, and P.L. Chapman. 2004. Fish invasion restructures stream and forest food webs by interrupting reciprocal prey subsidies. *Ecology* 85: 2656–2663.
- Chandran, R., S. Saravanan, P. Thangaraj, and T. Sajeesh. 2012. Antioxidant and anti-inflammatory potential of *Monochoria vaginalis* (Burm F.) C. Presk.: A wild edible plant. *Journal of Food Biochemistry* 36 (4): 1-12.
- Chew. 1976. Uses and abuses of duncan's multiple range test. *Proc. Fla. State Hort. Soc* 89: 251-253.
- Chiu, Y.W., H.C. Chen, S.C. Lee, and C.A. Chen. 2002. Morphometric analysis of shell and operculum variations in the viviparid snail, *Cipangopaludina chinensis* (Mollusca: Gastropoda), in Taiwan. *Zoological Studies* 41: 321– 331.
- Cooke, G.W. 1985. Potassium in the Agricultural Systems of the Humid Tropics. In *Potassium in the Agricultural Systems of the Humid Tropics*. Colloquium of the International Potash Institute, Bangkok, Thailand.

- Dewi, V. K., S. Satoru., and H. Yasuda. 2017. Effects of a *mud snail Cipangopaludina chinensis laeta* (Architaenioglossa: Viviparidae) on the abundance of terrestrial arthropods through rice plant development in a paddy field. *Journal of Applied Entomology and Zoology* 52: 97–106.
- Dinas Pangan, Pertanian, dan Perikanan. 2018. Gulma dan Cara Menanggulanginya. <http://pertanian.pontianakkota.go.id/artikel/48-gulma-dan-cara-menanggulanginya.html> . Diakses tanggal 12 April 2019.
- Dunn, B. L., H. Singh, and C. Goad. 2018. Relationship chlorophyll meter readings and nitrogen in poinsettia leaves. *Journal of Plant Nutrition* 41 (12): 1566 – 1575.
- Edirisinghe, J. P. and C. N. N Bambaradeniya. 2006. Rice field: an ecosystem rich in biodiversity. *Journal of Nature Science Foundation Sri Lanka* 34 (2): 57-59.
- Eixarch, M. M., M. M. Catala, N. Tomas, E. Pla, and D. Zhu. 2015. Tillering and yield formation of a temperate Japonica rice cultivar in a Mediterranean rice agroecosystem. *Spanish Journal of Agricultural Research* 13 (4): 1-9.
- Fish, U. S, and W. Service. 2018. Chinese mystery snail (*Cipangopaludina chinensis*). <https://www.fws.gov/fisheries/ans/erss/highrisk/ERSS-Cipangopaludina-chinensis-FINAL-March2018.pdf>. Diakses tanggal 30 Oktober 2018.
- Fox, R. H., W. P. Piekielek, and K. E. Macneal. 2001. Comparison of late-season diagnostic test for predicting nitrogen status of corn. *Agronomy Journal* 9 (5): 90 – 97.
- Fujita, Y. and H. Nakahara. 1999. Seasonal variations of algal communities in the paddy water and air-dried paddy soil. *Japanese Journal of Limnology*, 60: 67–76.
- Grant, I.F., A.C. Tirol, T. Aziz, and Watanabe, I. 1983. Regulation of invertebrate grazers as a means to enhance biomass and nitrogen fixation of Cyanophyceae in wetland rice fields. *Soil Sci Soc Am J* 47(4): 669-675.
- Haryanto, D. 2016. Indikasi Gulma di Lahan Pertanian Pagi (*Oryza sativa* L.) Pasang Surut di Desa Pegayut Kecamatan Pemulutan Kabupaten Ogan Ilir dan Sumbang Sihnnya pada Pokok Bahasa Keanekaragaman Hayati Kelas X di MA/SMA. Skripsi. Prodi Pendidikan Biologi, Fakultas Tarbiyah Keguruan, Universitas Islam Negeri Radeh Fatah, Palembang.
- Hasanah, I. 2007. Bercocok Tanam Padi. Azka Mulia Media, Jakarta.
- Hendriyani, I. S and N. Setiari. 2009. Kandungan Klorofil dan Pertumbuhan Kacang Panjang (*Vigna sinensis*) pada Tingkat Penyediaan Air yang Berbeda. *J. Sains & Mat.* 17(3): 145-150.

- Hirzel, J. and F. Rodriguez. 2013. Increasing nitrogen rates in rice and its effect on plant nutrient composition and nitrogen apparent recovery. *Chilean Journal of Agricultural Research* 73 (4): 385-390.
- Ismunadji, M. and S. Roechan. 1998. Hara Mineral Padi. Balai Penelitian dan Pengembangan Tanaman Pangan, Bogor.
- Katsura, K. 2013. Agronomic traits for high productivity of rice grown in aerobic culture in progeny of a japonica cultivar and a high-yielding indica cultivar. *Journal of Plant Production and Science* 16 (4): 317-324.
- Kobayashi, K., T. Kuawaga, Yoshimoto, and M. Yoshimoto. 2011. The hot summers and rice in Japan. *J. Japan. Agric. Meteorol* 67 (4): 205-207.
- Krishnan, P., B. Ramakrishnan, K. R. Reddy, and V. R. Reddy. Hight Temperature Effects on Rice Growth, Yield, and Grain Quality. Academic Press, Burlington.
- Kurematsu, F. 1979. *Mud snails: Methods for Aquaculture*. Rural Culture Association, Tokyo.
- Kurihara, Y. and K. Kadowaki. 1988. Effect of different ecological conditions on the *mud snail* (*Cipangopaludina japonica*) in submerged paddy soil. *Biology and Fertility of Soils* 6: 292-297.
- Kurniawan, A. H., S. Sato, and H. Yasuda. 2018. Effects of ambient temperature and the mud snail *Cipangopaludina chinensis laeta* (Architaenioglossa: Viviparidae) on performance of rice plants. *Journal of Applied Entomology and Zoology* 53: 137-141.
- Lakitan, B. 2007. *Dasar-dasar Fisiologi Tumbuhan*. Cetakan Pertama. PT Raja Grafindo Persada, Jakarta.
- Lam, J. 2016. *Cipangopaludina chinensis*: effects of temperatures and parasite prevalence. <https://underc.nd.edu/assets/215354/fullsize/lam2016.pdf>. Diakses tanggal 18 November 2018.
- Leghari, J. S., N. A. Wahocho, G. M. Laghari, A. H. HafeezLaghari, G. MustafaBhabhan, K. HussainTaipur, T. A. Bhutto, S. A. Wahocho, and A. A. Lashari. 2016. Role of nitrogen for plant growth and development: a review. *Advances in Environmental Biology* 10 (9): 209-218.
- Leghari, J. S., N. A. Wahocho, G. M. Laghari, A. H. HafeezLaghari, G. MustafaBhabhan, K. HussainTaipur, T. A. Bhutto, S. A. Wahocho, and A. A. Lashari. 2016. Role of nitrogen for plant growth and development: a review. *Advances in Environmental Biology* 10 (9): 209-218.

- Loveless, A. R. 1991. Prinsip-prinsip Biologi Tumbuhan untuk Daerah Tropik 1. Cetakan Kedua. PT Gramedia Pustaka, Jakarta. (Diterjemahkan oleh: K. Kartawinata, D. Sarkat, dan S. Usep).
- Mamta, T. and M. M. Ranga. 2012. Assessment of diurnal variation of physio-chemical status of Khanpura. Res. J. Che, Sci 7 (2): 69-71.
- Maryanto, S. Nasution, and D. Yoswaty. tt. Pola Distribusi dan Kepadatan Populasi Gastropoda *Terebia sulcata* di Perairan Muara Sungai Putri Sembilan Kecamatan Rupert Utara. Fakultas Perikanan dan Ilmu Kehutanan Universitas Riau, Pekanbaru.
- Masuda, O. 2007. *Cipangopaludina chinensis laeta*. In: Endangered species of the waterside. Yama-kei Publishers Co., Tokyo.
- Matthews, R. B., M. J. Kropff, T. Horie, and D. Bachelet. 1997. Stimulating the impact of climate change on rice production in Asia and evaluating option for adaption. J. Agricultural System 54(3): 339-425.
- Michael, T. P., D. Bryant, R. Gutierrez, N. Borisjuk, P. Chu, H. Zhan, J. Xia, J. Zhou, H. Peng, M. E. Baidouri, B. tenhaller, A. R. Hastie, T. Liang, K. Acosta, S. Gilbert, M. McEntee, S. A. Jackson, T. C. Mockler, W. Zhang, and E. Lam. 2016. Comprehensive definition of genome features in *Spirodela polyrhiza* by high-depth physical mapping and short-read DNA sequencing strategies. The Plant Journal 89 (3):1-10.
- Mohanani, K.V. and C.B. Mini. 2008. Relative contribution of rice tillers of different status towards yield. Int. J. Plant. Breed. Genet. 2:9-12.
- Mungara, E., D. Indradewa, and R. Rogomulyo. Analisis pertumbuhan dan hasil padi sawah (*Oryza sativa* L.) pada sistem pertanian konvensional, transisi organik, dan organik. Vegetalika 2 (3): 1-12.
- Nagano, K., K. Sasaki, and T. Endo. 2013. Breeding of new rice cultivar "Tohoku 194" with "Sasanishiki"-type good eating quality of cooked rice. Journal of Breeding Science 63: 233-237.
- Nakanishi, K., K. Takura, R. Kanai, K. Tawa, D. Murakami, and H. Sawada. 2014. Impacts of environmental factors in rice paddy fields on abundance of the mud snail (*Cipangopaludina chinensis laeta*). Journal of Molluscan Studies 80 (4): 460-463.
- Nishiyama, T., H. Sakayama, J. Vries, H. Buschmann, D. Saint-Marcoux, K. K. Ullrich, F. B. Haas, L. Vanderstraten, D. Becker, D. Lang, S. Vosolbobe, S. Rombauts, P. K. I. Wilhemsson, P. Janitza, R. Kern, A. Heyl, F. Rumble, L. I. A. C. Villalobos, J. M. Clay, R. Skokan, A. Toyoda, Y. Suzuki, H. Kagoshima, E. Schijlen, N. Tajeshwar, B. Catarino, A. J. Hetherington, A. Saltykova, C. Bonnot, H. Bruninger, A. Symeonidi, G. V. Radhakrishnan, F. V. Niewerburgh, D.

- Deforce, C. Chang, K. G. Karol, R. Hedrich, P. Ulvskov, G. Glocker, C. F. Delwiche, J. Petrasek, Y. V. Peer, and J. Friml. 2018. The Chara Genome: Secondary Complexity and Implication for Plant Terrestrialization. Cell Press, USA.
- Nobis, A., M. Nobis, K. Piotrowicz, Z. Kacki, and Z. Dajdok. 2010. *Lindernia procumbens* in Poland: the relationship between weather conditions and the occurrence of the species. Biodiversitas Research Conservation (17): 39-46.
- Nugroho, I. F., Y. Sugito, and E. Widaryanto. 2018. Pengaruh kerapatan gulma teki (*Cyperus rotundus* L.) terhadap tanaman buncis tegak (*Phaseolus vulgaris* L.). Jurnal Produksi Tanaman 6 (4): 649-654.
- Peng, S., J. Huang, J. E. Sheehy, R. C. Laza, R. M. Visperas, X. Zhong, G. S. Centeno, G. S. Khush., and K. G. Cassman. 2004. Rice yields decline with higher night temperature from global warming. Proc. Natl. Acad. Sci. USA (101): 9971–9975.
- Pithaloka, S. A., Sunyoti, M. Kamal, and K. F. Hidayat. 2015. Pengaruh kerapatan tanaman terhadap pertumbuhan dan hasil beberapa varietas sorgum (*Sorghum bicolor* (L.) Moench). Jurnal Agrotek Tropika 3 (1): 55-63.
- Pratiwi, S. H. 2016. Pertumbuhan dan hasil padi (*Oryza sativa* L.) sawah pada berbagai metode tanam dengan pemberian pupuk organik. Gontor Agrotech Science Journal 2 (2): 1-19.
- Puteri, E. A., Y. Nurmianty, and Agustiansyah. 2014. Pengaruh aplikasi fosfor dan silica terhadap pertumbuhan dan hasil tanaman kedelai (*Glycine max* (L.) Merrill.). Jurnal Agrotek Tropika 2 (2): 241-245.
- Rahayu, D. R., W. P. Rahayu, H. N. Lioe. D. Herawati, W. Broto, and S. Ambarwati. 2015. Pengaruh suhu dan kelembaban terhadap pertumbuhan *Fusarium verticillioides* BIO 957 dan produksi *Fumonisin* B1. Agritech 35 (2): 156-162.
- Rawls, 1982. Estimating soil bulk density from particle size analysis and organic matter content. J.Soil. Sci 123-125(eds). Risalah Diskusi ilmiah Hasil Penelitian Pertanian Lahan Kering dan Konservasi di daerah Aliran Sungai, Malang 1-3 Maret 1988. P3HTA. Badan Litbang Pertanian.
- Rosmawati, D.Y. 2008. Pengaruh Tinggi Genangan terhadap Pertumbuhan Gulma dan Produksi Padi Hibrida (*Oryza sativa* L.). Skripsi. Fakultas Pertanian IPB, Bogor.
- Sani, A. M., G. M. Naufal Syarif, and H. A. Ningrum. Tt. Kualitas Air Sebagai Sumber Irigasi di Wilayah Bandung Timur. Jurusan Agroteknologi Fakultas Pertanian Sains dan Teknologi, UIN Sunan Gunung Djati, Bandung.
- Schah, F., J. Huang, K. Cui, L. Nie, T. Schah, C. Chen, and K. Wang. 2011. Impact of hight-temperatue stress on rice plant and its traits related to tolerance. Journal of Agricultural Science 7 (12): 1-12.

- Shinzo, A.B.E. 2004. Breeding of a blast resistant multiline variety of rice, sasanishiki BL. JARQ 38 (3): 149-154.
- Simpson, I. C., P. A. Roger, and R. O. I. F. Grant. 1994. Effects of nitrogen fertilizer and pesticide management on floodwater ecology in a wetland rice field. Journal of Biol Fertil Soils 18: 219-227.
- Stcanheva, R., J. D. Hall, R. M. McCourt, and R. G. Sheath. 2013. Identity and phylogenetic placement of spirogyra species (*Zygnematophyceae*, *Charophyta*), from California Streams and elsewhere. J. Phycol 49: 588-607.
- Sudirman, S. P. and A. Iwan. S., 1994. Mina Padi Budi Daya Ikan Bersama Padi. Penebar Swadaya. Jakarta.
- Sutono, S., A. Abdurachman, and I. Juarsah. 1996. Perbaikan Tanah Podsolik Merah Kuning (Haplorthox) Menggunakan Bahan Organik dan Anorganik: Suatu Percobaan Rumah Kasa. Prossiding Pertemuan Pembahasan dan Komunikasi Hasil Penelitian Tanah dan Agroklimat. Puslitanak.
- Sutoro, T. Duhartini, M. Setyowati, and K. R. Trijatmiko. 2015. Keragaman malai anakan dan hubungannya dengan hasil padi sawah (*Oryza sativa*). Bul. Plasma Nutfah 21 (1): 9-16.
- Suyono, A. D. and Citraresmini. 2010. Komposisi kandungan fosfor pada tanaman padi sawah (*Oryza sativa* L.) berasal dari pupuk P dan bahan organik, Bionatura Jurnal Ilmu-Ilmu Hayati dan Fisik 12 (3): 126-135.
- Taira, M. and K. Hogetsu. 1987. Species composition of phyto- and zoo-plankton communities in fertilized and non-fertilized paddy fields. Japanese Journal of Limnology 48: 77– 83.
- Takaya Y, K. Kyuma, and K. Kawaguchi. 1974. Rice cultivation and its environmental conditions in the mediterranean countries I. Climate and physiography in relation to rice cultivation. Journal of Soil Science and Plant Nutrition 2: 209-223.
- Tamura, M., T. Nagai, Y. Hidaka, T. Noda, M. Yokoe, and Y. Ogawa. 2014. Changes in non-waxy japonica rice grain textural-related properties during cooking. Journal of Food Quaity (37): 177-185.
- Teo, S. S. 2004. Biology of the golden apple snail, *Pomacea canaliculata* with emphasis on responses to certain environmental conditions in Sabah, Malaysia. Molluscan Research 24 (3): 139-148.
- Tony, N. 2011. Effect of some physico-chemical parameters on abundance of intermediate snails of animal trematodes in Imo State, Nigeria. Departemen on Environmental Technology, School of Engineering Technology, Federal University of Technology, Ower, Nigeria.

United State Department of Agriculture. 2012. Classification for Kingdom Plantae Down to Species *Oryza sativa* L. <https://plants.usda.gov/java/ClassificationServlet?source=display&classid=ORSA> . Diakses tanggal 20 September 2018.

Utama, Z. H. 2015. Budidaya Padi pada Lahan Marginal. CV. Andi Offset, Yogyakarta.

Waltz, J. 2008. Chinese Mystery Snail (*Bellamya chinensis*). http://depts.washington.edu/oldenlab/wordpress/wp-content/uploads/2013/02/Bellamya-chinensis_Waltz.pdf. Diakses tanggal 20 Oktober 2018.

Xu, J.X., and J.C. Wu. 1999. On the significance, role and manipulating of neutral insects in paddy ecosystem. Chinese Journal of Ecology 18: 41–44.

Yang, H., J. Li, J. Yang, H. Wang, J. Zou, and J. He. 2014. Effects of Nitrogen Application on Rate and Leaf Age on the Distribution Pattern of Leaf SPAD Reading in the Rice Canopy. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0088421>. Diakses tanggal 25 November 2018.