

DAFTAR PUSTAKA

- Adam, P and L. C. Ho. 1992. The suscepibility of modern tomato cultivar to blossom end rot in relation to salinity. *J. Hort. Sci.* 67: 827-839. Abstract. <<https://www.tandfonline.com/doi/abs/10,1080/00221589.1992.11516315>> Diakses 27 Maret 2019.
- Adam, P. and L. C. Ho. 1989. Effect of constant and fluctuating salinity on the yield, quality and calcium status of tomato. *Journal of Horticultural Science.* 64(6): 725-732.
- Ahmed, N. U., N. U. Mahmud, M. A. U. Zaman, Z. Ferdous, and S. C. Halder. 2017. Effect of different salinity level on tomato (*Lycopersicum esculentum*) production under climate change condition in Bangladesh. *Annual Reasearch & Review Biology.* 13(3): 1-9.
- Ali, M. H. 2011. *Practices of Irrigation and On-Farm Water Management.* Vol. 2. Springer Science & Business Media, London.
- Aloni, B., L. Karni, I. Rylski, Y. Cohen, Y. Lee, M. Fuchs, S. Moreshet, and C. Yao. 1998. Cuticular cracking in pepper fruit. i. effects of night temperature and humidity. *Journal of Horticultural Science & Biotechnology.* 73(6): 743-749.
- Aloni, B., L. Karni, S. Moreshet, C. Yao, dan C. Stanghellini. 1999. Cuticular cracking in bell pepper fruit: ii. effects of fruit water relation and fruit expansion. *Journal of Horticultural Science & Biotechnology.* 74(1): 1-5.
- Anonim, 2004. *Instruction Manual: Pocket Brix-Acidity Meter (Multi Fruits) PAL-BX/ACID F5.* Atago Co., Ltd. Japan.
- Anonim. 2009. *Budidaya Tomat Secara Komersial.* Penebar Swadaya, Jakarta.
- Avidan, B. and I. Klein. Physiological disorder in laquat (*Eriobotrya japonica* Lindl.) i. russeting. *Adv. Hort. Sci.* 12: 190-195.
- Balibrea, M. E., E. Cayuela, F. Artes, and F. Perez-Alfocea. 1997. Salinity effects on some postharvest quality factor in a commercial tomato hybrid. *Journal of Horticultural Science.* 72(6): 885-892.
- Blanco, F. F. and M. V. Folegatti. 2002. Salt accumulation and distribution in greenhouse soil as affected by salinity of irrigation water and leaching management. *Revista Brasileira de Engenharia Agricola e Ambiental.* 6(3): 414-419.
- Borghesi, E., M. L. Gonzalez- Miret, M. L. Escudero-Gilete, F. Malorgio, F. J. Heredia, and A. J. Melendez-Martinez. 2011. Effets of salinity stress on carotenoid, anthocyanins, and color of diverse tomato genotypes. *Journal of Agricultural and Food Chemistry.* 59(21): 11676-11682. Abstract. <<https://pubs.acs.org/doi/abs/10,1021/jf2021623>> Diakses 27 Maret 2019.
- Cahyono, B. 2008. *Tomat: Usaha Tani dan Pengamanan Pasca Panen.* Kanisius, Yogyakarta.

- Chadirin, Y., T. Matsuoka, H. Suharyadi, and A. D. Susila. 2007. Application of deep sea water (DSW) for nutrient supplement in hydroponics cultivation of tomato: effect of supplemented DSW of different EC levels on fruit properties. *Bul. Agron.* 35(2): 118-126
- Chhabra, R. 1996. *Soil Salinity and Water Quality*. A. A. Balkema Publishers, USA.
- Chretien, S., A. Gosselin and M. Dorais. 2000, High electrical conductivity and radiation-based water management improve fruit quality of greenhouse tomatoes grown in rockwool. *HortScience*. 35(4): 627-631.
- Colla, G., Y. Roupahel, M. Cardarelli, and E. Rea. 2006. Effect of salinity on yield, fruit quality, leaf gas exchange, and mineral composition of grafted watermelon plants. *HortScience*. 41(3): 622-627.
- Colla, G., Y. Roupahel, M. Cardarelli, D. Massa, A. Salerno, and E. Rea. 2006. Yield, fruit quality, and mineral composition of grafted melon plants grown under saline conditions. *Journal of Horticultural Science & Biotechnology*. 81(1): 146-152.
- Demers, D., M. Dorais, and A. P. Papadopoulos. 2007. Yield and russetting of greenhouse tomato as influence by leaf- to- fruit ratio and relative humidity. *HortScience*. 42(3): 503-507.
- Dorais, M., A. P. Papadopoulos, and A. Gosselin. 2001. Influence of electric conductivity management on greenhouse tomato yield and fruit quality. *Agronomie*. 21: 367-383.
- Dorais, M., D. Demers, A. Papandopoulos, and W. V. Ieperen. 2004. Greenhouse tomato fruit cuticle cracking. *Horticultural Reviews*. 30: 163-184.
- Emmons, C. L. W. and J. W. Scott. 1996. Factors affecting cuticle cracking in tomato. *Proc. Fla. State Hort. Soc.* 109: 178- 82.
- Emmons, C. L. W. and J. W. Scott. 1997. Environmental and physiological effects on cuticle cracking tomato. *J. Amer. Soc. Hort. Sci.* 122(6): 797-801.
- Essa, T. A. 2002. Effect of salinity stress on growth and nutrient composition of three soybean (*Glycine max* L. Merrill) cultivars. *J. Agronomi & Crop Science*. 188: 86-93.
- Ferguson, L. and S. R. Grattan. 2005. How salinity damage citrus: osmotic effects and specific ion toxicities. *HortTechnology*. 15(1): 95-99.
- Fernandez-Garcia, N., V. Martinez, A. Cerda, M. Carvajal. 2004. Fruit quality of grafted tomato plants grown under saline conditions. *Journal of Horticultural Science & Biotechnology*. 79(6): 995-1001.
- Gibert, C., J. Chadoeuf, G. Vercambre, M. Genard, and F. Lescourret. 2007. Cuticular cracking on nectarine fruit surface: spatial distribution and development in relation to irrigation and thinning. *J. Amer. Soc. Hort. Sci.* 132(5): 583-591.
- Guicard, S., N. Bertin, C. Leonardi, and C. Gary. 2001. Tomato fruit quality in relation to water and carbon fluxes. *Agronomie*. 21: 385-392.

- Hao, X. and A. D. Papadopoulos. 2003. Effect of calcium and magnesium on growth, fruit yield, and quality in fall greenhouse tomato crop grown in rockwool. *J. Plant. Sci.* 83: 903-912.
- Hossain, M. M. and H. Nonami. 2012. Effect of salt stress on physiological response of tomato fruit grown in hydroponic culture system. *Hort.Sci.* 39(1): 26-32.
- Huang, J. and S. S. Snapp. 2004. The effect of boron, calcium, and surface moisture on shoulder check, a quality defect in fresh-market tomato. *J. Amer. Soc. Hort. Sci.* 129(4): 599-607.
- Ikeda, T., Y. Sakamoto, S. Watanabe, and K. Okano. 1999. Water relations in fruit cracking of single-truss tomato plants. *Environ. Control in Biol.* 37(2): 153-158.
- Islam, M. Z., M. A. Mele, K. Y. Choi, H. M. Kang. 2018. Nutrient and salinity concentrations effects on quality and storability of cherry tomato fruits grown by hydroponics system. *Bragantia, Campinas.* 77(2): 385-393.
- Jobin-Lawler, F. J. K. Simard, A. Gosselin, A. P. Papadopoulos, and M. Dorais. 2002. The influence of solar radiation and boron-calcium fruit application on cuticle cracking of winter tomato crop grown under supplemental lighting. *Acta Hort.* 580: 235-239.
- Jones, J. B. 2007. *Tomato Plant Culture: In the Field, Greenhouse, and Home Garden.* 2nded. CRC Press, Boca Raton.
- Kim, H., J. M. Fonseca, J. Choi, C. Kubota, and D. Y. Kwon. 2008. Salt in irrigation water affects the nutritional and visual properties of romaine lettuce (*Lactuca sativa* L.). *Journal of Agricultural and Food Chemistry.* 56(10): 3772-3776. Abstract. <<https://www.ncbi.nlm.nih.gov/pubmed/18439016>> Diakses 27 Maret 2019.
- Lopez, C. M. L., H. Takahashi, and S. Yamazaki. 2002. Plant-water relations of kidney bean treated with NaCl and foliarly applied glycinebetaine. *J. Agronomy & Crop Science.* 188: 73-80,
- Machado, R. M. A. and R. P. Serralheiro. 2017. Soil salinity: effect of vegetable crop growth: management practice to prevent and mitigate soil salinization. *Horticulturae.* 3(30): 1-13.
- Matas, A. J., E. D. Cobb, and K. J. Niklas. 2004. Crack resistance in cherry tomato fruit correlates with cuticular membrane thickness. *HortScience.* 39(6): 1354-1358.
- Matas, A. J., G. Lopez-Casado, J. Cuartero, and A. Heredia. 2005. Relative humidity and temperature modify the mechanical properties of isolated tomato fruit cuticles. *American Journal of Botany.* 92(3): 462-468.
- Miller, R. O. 1998. High Temperature Oxidation: Dry Ashing. *In:* Karla, Y. P. (Ed.) *Handbook of Reference Methods for Plant Analysis.* CRC Press, Boca Raton, p: 53-56.
- Mitchell, J. P. and C. Shennan. 1991. Tomato fruit yields and quality under water deficit and salinity. *J. Amer. Soc. Hort. Sci.* 116(2): 215-221.

- Neumann, P. 1997. Salinity resistance and plant growth revisited. *Plant, Cell and Environment*. 20: 1193-1998.
- Ohta, K., T. Takashi Hosoki, K. Matsumoto, M. Ohya, N. Ito, and K. Inaba. 1997. Relationships between fruit cracking with solute flow to fruit in cherry tomatoes. *J. Japan. Soc. Hort. Sci.* 65(4): 753-759.
- Parvin, K., K. U. Ahamed, M. M. Islam, and M. N. Haque. 2015. Respon of tomato plant under salt stress: role of exogenous calcium. *Journal of Plant Sciences*. 10(6): 222-233.
- Peet, 2009. Physiological disorders in tomato fruit development. *Acta Hort.* 821: 151-159.
- Peet, M. M. 1992. Fruit cracking in Tomato. *HortTechnology*. 2(2):216-223
- Peet, M. M. and D. H Willits. 1995. Role of excess water in tomato fruit cracking. *HortScience*. 30(1): 65-68.
- Perring, M. A. 1984. Lenticel blotch, watercome, splitting and cracking in relation to calcium concentration in the apple fruit. *J. Sci. Food. Agric.* 35: 1165-1173.
- Pessarakli, M. and Szabolcs, I. 1999. Soil Salinity and Sodicity as Particular Plant/Crop Stress Factors. *In: Passarakli, M. (Ed.) Handbook of Plant and Crop Stress*. 2nded. Marcel Dekker, Inc., New York, p: 1- 15.
- Plaut, Z., A. Grava, C. Yehezkel, and E. Matan. 2004. How salinity and water stress affect transport of water, assimilates, and ions to tomato fruits? *Physiologia Plantarum*. 122: 429-442.
- Pracaya. 1998. Bertanam Tomat. Kanisius, Yogyakarta
- Putri, F. 2011. Penurunan Hasil Tanaman Akibat Peningkatan Salinitas Lahan. <<http://www.bbpp-lembang.info/index.php/arsip/artikel/artikel-pertanian/491-penurunan-hasil-tanaman-akibat-peningkatan-salinitas-lahan>>. Diakses 5 November 2018.
- Rahmawati, H., E. Sulistyaningsih, dan E. T. S. Putra. 2012. Pengaruh kadar NaCl terhadap hasil dan mutu buah tomat (*Lycopersicum esculentum* Mill.). *Jurnal Vegetalika*. 1(4): 1-11.
- Resh, H. M., 2016. *Hydroponic Tomatoes*. CRC Press, New York.
- Riccardi, M., C. Pulvento, A. Lavini, R. d'Andrian, and S. E. Jacobsen. 2014. Growth and ion content of quinoa under salin irrigation. *J. Agro Crop*. 200(4): 246-260.
- Rukmana, R. 1994. *Tomat dan Cherry*. Kanisius, Yogyakarta.
- Saito, T., C. Matsukara, Y. Ban, K. Shoji, M. Sugiyama, N. Fukuda, and S. Nishimura. 2008. Salinity stress affects assimilates metabolism at the gene- expression level during fruit development and improves fruit quality in tomato (*Solanum lycopersicum* L.). *J. Japan. Soc. Hort. Sci.* 77(1):61-68.
- Sakamoto, Y., S. Watanabe, T. Nakashima, and K. Okano. 1999. Effects of salinity at two ripening stages on the fruit quality of single truss tomato grown in

- hydroponics. *Journal of Horticultural Science & Biotechnology*. 74(6): 690-693.
- Savvas, D., G. Ntatsi, and H. C. Passam. 2008. Plant nutrition and physiological disorders greenhouse grown tomato, pepper, and eggplant. *The European Journal of Plant Science and Biotechnology*. 2(1): 43-41.
- Shamshiri, R. R., J. W. Jones, K. R. Thorp, D. Ahmad, H. C. Man, and S. Taheri. 2018. Review of optimum temperature, humidity, and vapour pressure deficit for microclimate evaluation and control in greenhouse cultivation of tomato: a review. *Int. Agrophys*. 32: 287-302.
- Sheaffer, C. C. and K. M. Moncada. 2009. *Introduction to Agronomy: Food, Crops, and Environment*. Delmar Cengage Learning, USA.
- Shepherd, T. dan D. W. Griffiths. 2006. The effect of stress on plant cuticular waxes. *New Phytologist*. 171: 469-499.
- Shiddiqie, D., P. Sudira, dan Tohari. 2018. *Aspek Dasar Agronomi Berkelanjutan*. UGM Press, Yogyakarta.
- Singh, J., E. V. D. Sastry, and V. Singh. 2012. Effect of salinity on tomato (*Lycopersicon esculentum* Mill.) during seed germination stage. *Physiol Mol Biol Plants*. 18(1): 45-50,
- Supriati, Y. dan F. D. Siregar. 2015. *Bertanam Tomat di Pot*. Penebar Swadaya, Jakarta.
- Syukur, M., H. E. Saputra, dan R. Hermanto. 2015. *Bertanam Tomat di Musim Hujan*. Penebar Swadaya, Jakarta.
- Sundari, T., dan A. Taufiq. 2016. Penampilan Genotipe Kedelai pada Cekaman Salinitas. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi*. Balai Penelitian Tanaman Aneka Kacang dan Umbi.
- Ullah, S. M., M. H. Gerzabek, and G. Soja. 1994. Effect of seawater and soil salinity on ion uptake, yield, and quality of tomato (fruit). *Bodenkultur*. 45(3): 227-237.
- USDA. 2012. Japan Agricultural Situation. <<https://ipad.fas.usda.gov/highlights/2012/08/Japantrip/>>. Diakses 26 Februari 2019.
- Welbaum, G. E. 2015. *Vegetables Production and Practices*. CABI, UK.
- Yahia, E. M., X. Hao, and A. P. Papadopoulos. 2005. Influence of crop management decisions on postharvest quality of greenhouse tomatoes. *JFAE*. 3(1):379-405.
- Zhang, P., M. Senge, and Y. Dai. 2016. Effects of salinity stress on growth, yield, fruit quality, and water use efficiency of tomato under hydroponics system. *Reviews in Agricultural Science*. 4: 44-56.