

## DAFTAR PUSTAKA

- Adolfsson, O., Russell, R. M., dan Meydani, S. N. (2004). Yogurt and gut function. *The American Journal of Clinical Nutrition*, 80(2), 245-256.
- Alfadhli, E. M. (2015). Gestational Diabetes Mellitus. *Saudi Medical Journal*, 36, 399-406.
- Ali, M. A. (2013). Pengaruh latihan aerobik terhadap peningkatan kadar high density lipoprotein pada atlet aerobic gymnastics. *Jurnal Media Ilmu Keolahragaan Indonesia*, 3(2), 72-77.
- American Diabetes Association. (2018). Standards of Medical Care in Diabetes. *Diabetes Care*, 41(1), S13–S27.
- Asemi, Z., Zare, Z., Shakeri, H., Sabihi, S. S., dan Esmailzadeh, A. (2013). Effect of multispecies probiotic supplements on metabolic profiles, hs-CRP, and oxidative stress in patients with type 2 diabetes. *Annals of Nutrition and Metabolism*, 63(1-2), 1-9.
- Asztalos, B., Lefevre, M., Wong, L., Foster, T. A., Tulley, R., Windhauser, M., Zhang, W., dan Roheim, P. S. (2000). Differential response to low-fat diet between low and normal HDL-cholesterol subjects. *J Lipid Res*, 41, 321-8.
- Aw, W., dan Fukuda, S. (2017). Understanding the role of the gut ecosystem in diabetes mellitus. *Journal of diabetes investigation*, 9(1), 5-12.
- Bamba, T., Lee, J.W., Matsubara, A., dan Fukusaki, E. (2012). Metabolic profiling of lipids by supercritical fluid chromatography/mass spectrometry. *Journal of Chromatography A* 1250, 212-219.
- Barbagallo, M., dan Dominguez, L. J. (2015). Magnesium and type 2 diabetes. *World journal of diabetes*, 6(10), 1152-7.
- Barter, P. J. (2011). The Causes and Consequences of Low Levels of High Density Lipoproteins in Patients with Diabetes. *Diabetes and Metabolism Journal*, 35,101–6.
- Butler, G., Stergiadis, S., Seal, C., Eyre, M., dan Leifert, C. (2011). Fat composition of organic and conventional retail milk in northeast England. *Journal of Dairy Science*, 94(1), 24-36.
- Casarotti, S. N., Monteiro, D. A., Moretti, M. M. S., dan Penna, A. L. B. (2014). Influence of the Combination of Probiotic Cultures during Fermentation and Storage of Fermented Milk. *Food Research International*. Elsevier Ltd, 59, 67–75.
- Chahil, T. J., dan Ginsberg, H. N. (2006). Diabetic dyslipidemia. *Endocrinology and metabolism clinics of North America*, 35(3), 491-510.
- Chang, H. C., Hsieh, C. F., Tantoh, D. M., Ko, P. C., Kung, Y. Y., Lin, M. C., Liaw, Y. C., dan Liaw, Y. P. (2018). HDL and associated factors stratified by sex and menopausal status: results from a community-based survey in Taiwan. *Oncotarget*, 9(23), 16354-16367.
- Chehade, J. M., Gladysz, M., dan Mooradian, A. D. (2013). Dyslipidemia in Type 2 Diabetes: Prevalence, Pathophysiology, and Management. *Drugs* 73(4), 327-339.
- Chilton, S. N., Burton, J. P., dan Reid, G. (2015). Inclusion of Fermented Foods in Food Guides around the World. *Nutrients*, 7, 390–404.
- Christiansen C. B., Gabe M. B. N., Svendsen B., Dragsted L. O., Rosenkilde M.

- M., dan Holst J. J. (2018). The impact of short chain fatty acids on GLP-1 and PYY secretion from the isolated perfused rat colon. *Am J Physiol Gastrointest Liver Physiol*, 315(1), G53-G65.
- Clarke, G., Stilling, R. M., Kennedy, P. J., Stanton, C., Cryan, J. F., Dinan, T. G., C, A. P. C. G., dan Psychiatry, D. (2014). Gut Microbiota : The Neglected Endocrine Organ. *Molecular Endocrinology*, 28(8), 1221–1238
- Daniil, G., Phedonos, A. A., Holleboom, A. G., Motazacker, M. M., Argyri, L., Kuivenhoven, J. A., dan Chroni, A. (2011). Characterization of antioxidant/anti-inflammatory properties and apoA-I-containing subpopulations of HDL from family subjects with monogenic low HDL disorders. *Clin Chim Acta*, 412, 1213–1220.
- Defronzo R. A. (2009). From the triumvirate to the ominous octet: a new paradigm for the treatment of type 2 diabetes mellitus. *Diabetes*, 58(4), 773-795.
- Ejtahed, H.S., Mohtadi-Nia, J., Homayouni-Rad, A., Niafar, M., Asghari-Jafarabadi, M., Mofid, V., dan Akbarian-Moghari, A. (2011). Effect of probiotic yogurt containing *Lactobacillus acidophilus* and *Bifidobacterium lactis* on lipid profile in individuals with type 2 diabetes mellitus. *Journal of dairy science*, 94(7), 3288-3294.
- Fabian, E., dan Elmadfa, I. (2006). Influence of daily consumption of probiotic and conventional yoghurt on the plasma lipid profile in young healthy women. *Ann. Nutr. Metab*, 50, 387-393.
- Farbstein, D., dan Levy, A. P. (2012). HDL dysfunction in diabetes: causes and possible treatments. *Expert review of cardiovascular therapy*, 10(3), 353-61.
- Flach, J., Waal M., Nieuwboer, M., Claassen, E., dan Larsen O. (2017). The Underexposed Role of Food Matrices in Probiotic Products : Reviewing the Relationship between Carrier Matrices and Product Parameters. *Food Science and Nutrition*, 8398.
- Gomes, A. C., Bueno, A. A., de Souza, R. G. M., dan Mota, J. F. (2014). Gut microbiota, probiotics and diabetes. *Nutrition journal*, 13, 60.
- Gonzalez, E. L., Johansson, S., Wallander, M. A., dan Rodriguez, L. A. (2009). Trends in the prevalence and incidence of diabetes in the UK: 1996 – 2005. *J. Epidemiol. Community Health*, 63, 332-336.
- Guarner, F., Perdigon, G., Corthier, G., Salminen, S., Koletzko, B., dan Morelli, L. (2005). Should Yoghurt Cultures be Considered Probiotic?. *British Journal of Nutrition*, 93(06), 783.
- Guyton, A. C., dan Hall, J. E. (2006). *Textbook of Medical Physiology*. 11th Edition. New Delhi : Elsevier Inc.
- Han, J. L., dan Lin, H. L. (2014). Intestinal Microbiota and Type 2 Diabetes: From Mechanism Insights to Therapeutic Perspective. *World Journal of Gastroenterology*, 20(47), 17737-17745.
- Hayek, T., Ito, Y., Azrolan, N., Verdery, R. B., Aalto-Setälä, K., Walsh, A., dan Breslow, J. L. (1993). Dietary fat increases high density lipoprotein (HDL) levels both by increasing the transport rates and decreasing the fractional catabolic rates of HDL cholesterol ester and apolipoprotein (Apo) A-I. Presentation of a new animal model and mechanistic studies in human Apo A-I transgenic and control mice. *The Journal of clinical investigation*, 91(4), 1665-71.

- Hemalatha, R., Ouwehand, A. C., Saarinen, M. T., Prasad, U. V., Swetha, K., dan Bhaskar, V. (2017). Effect of probiotic supplementation on total lactobacilli, bifidobacteria and short chain fatty acids in 2-5-year-old children. *Microbial ecology in health and disease*, 28(1), 1298340.
- Hill, J. O., Wyatt, H. R., dan Peters, J. C. (2012). Energy balance and obesity. *Circulation*, 126(1), 126-32.
- Holzer, M., Trieb, M., Konya, V., Wadsack, C., Heinemann, A., dan Marsche, G. (2013). Aging affects high-density lipoprotein composition and function. *Biochimica et biophysica acta*, 1831(9), 1442-8.
- Jannah, A. M., Legowo, A. M., Pramono, Y. B., Al-baarri, A. N., dan Abduh, S. B. M. (2014). Total Bakteri Asam Laktat, pH, Keasaman, Citarasa dan Kesukaan Yogurt Drink dengan Penambahan Ekstrak Buah Belimbing. *Jurnal Aplikasi Teknologi Pangan*, 3(2).
- Kaku, K. (2010). Pathophysiology of type 2 diabetes and its treatment policy. *JMAJ*, 53(1), 41-46.
- Kasubuchi, M., Hasegawa, S., Hiramatsu, T., Ichimura, A., dan Kimura, I. (2015). Dietary gut microbial metabolites, short-chain fatty acids, and host metabolic regulation. *Nutrients*, 7(4), 2839-49.
- Kharroubi, A. T., dan Darwish, H. M. (2015). Diabetes mellitus: The epidemic of the century. *World journal of diabetes*, 6(6), 850-867.
- Kiessling G., Schneider J., dan Jahreis G. (2002). Long-term consumption of fermented dairy products over 6 months increases HDL cholesterol. *Eur. J. Clin. Nutr.* 56, 843–849.
- Koh, A., Vadder, F. De, Kovatcheva-Datchary, P., dan Backhed, F. (2016). From Dietary Fiber to Host Physiology: Short-Chain Fatty Acids as Key Bacterial Metabolites. *Cell*, 165(6), 1332–1345.
- Komoda, T. (2014). *The HDL Handbook: Biological Functions and Clinical Implications*. Edisi ke 2. London : Academic Press.
- Kratky, D., Zimmermann, R., Wagner, E. M., Strauss, J. G., Jin, W., Kostner, G. M., Haemmerle, G., Rader, D. J., dan Zechner, R. (2005). Endothelial lipase provides an alternative pathway for FFA uptake in lipoprotein lipase-deficient mouse adipose tissue. *The Journal of clinical investigation*, 115(1), 161-7.
- Lemeshow, S., Hosmer Jr, D. W., Klar, J., dan Lwanga, S. K. (1990). *Adequacy of Sample Size in Health Studies*. 1st edn, *World Health Organization*. 1st edn. Chichester: John Wiley & Sons.
- Leroy, F., dan De Vuyst, L. (2004). Lactic Acid Bacteria as Functional Starter Cultures for the Food Fermentation Industry. *Trends in Food Science and Technology*, 15(2), 67–78.
- Levine, Y. C., Li, G. K., Michel, T. (2007). Agonist-modulated regulation of AMP-activated protein Kinase (AMPK) in Endothelial cells. *J Biol Chem*, 282, 20351- 20364.
- Lewis G. F., dan Rader D. J. (2005). New insights into the regulation of HDL metabolism and reverse cholesterol transport. *Circ. Res*, 96, 1221–1232.
- Linthout, S. V., Spillman, F., Schultheiss, H. P., dan Tschope, C. (2010). High-density lipoprotein at the interface of type 2 diabetes mellitus and cardiovascular disorders. *Current Pharmaceutical Design*, 16(13), 1504-1516.
- Maduningsih, G. L. (2008). *Stabilitas Bakteri Probiotik Lactobacillus acidophilus dan Bifidobacterium longum dalam Yogurt Susu Kambing di Dalam*

*Saluran Pencernaan*. Institut Pertanian Bogor.

- Mahan, L. Kathleen, dan Stump, S. E. (2004). *Krause's Food Nutrition and Diet Therapy*. USA : WB Saunders Company.
- Martirosyan, D. M., dan Singh, J. (2015). A New Definition of Functional Food by Functional Food Center: What Makes a New Definition Unique ?. *Functional Foods in Health and Disease*, 5(6), 209–223.
- Matthaei, S., Stumvoll, M., Kellner, M., dan Häring, H. (2000). Pathophysiology and pharmacological treatment of insulin resistance. *Endocrine Reviews*, 21(6), 585–618.
- Miremadi, F., Ayyash, M., Sherkat, F., dan Stojanovska, L. (2014). Cholesterol reduction mechanisms and fatty acid composition of cellular membranes of probiotic Lactobacilli and Bifidobacteria. *Journal of Functional Foods*, 9, 295-305.
- Mohamadshahi, M., Veissi, M., Haidari, F., Javid, A. Z., Mohammadi, F., dan Shirbeigi, E. (2014). Effects of probiotic yogurt consumption on lipid profile in type 2 diabetic patients: A randomized controlled clinical trial. *Journal of research in medical sciences : the official journal of Isfahan University of Medical Sciences*, 19(6), 531-6.
- Moreno-Indias, I., Cardona, F., Tinahones, F. J., dan Queipo-Ortuño, M. I. (2014). Impact of the Gut Microbiota on the Development of Obesity and Type 2 Diabetes Mellitus. *Frontiers in Microbiology*, 5(4), 1–10.
- Moroti, C., Magri, L.F.S., de Rezende Costa, M., Cavallini, D.C. dan Sivieri, K., (2012). Effect of the consumption of a new symbiotic shake on glycemia and cholesterol levels in elderly people with type 2 diabetes mellitus. *Lipids in health and disease*, 11(1), 29.
- Muller, H., Lindman A. S., Brantsæter A. L., dan Pedersen J, I. (2003). The Serum LDL/HDL Cholesterol Ratio Is Influenced More Favorably by Exchanging Saturated with Unsaturated Fat Than by Reducing Saturated Fat in the Diet of Women. *The Journal of Nutrition*, 133 (1), 78-83.
- Murray, R. K., Granner, D. K., dan Rodwell, V. W. (2009). *Biokimia Harper* (27 ed.). Jakarta: Buku Kedokteran EGC.
- National Cholesterol Education Program (NCEP). (2002). Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) final report. *Circulation*, 106, 3143–21.
- Ohlsson, L. (2010). Dairy products and plasma cholesterol levels. *Food & nutrition research*, 54, 5124.
- Olokoba, A. B., Obateru, O. A., dan Olokoba, L. B. (2012). Type 2 diabetes mellitus: a review of current trends. *Oman Medical Journal*, 27(4), 269-273.
- Pajvani, U. B. dan Accili, Domenico. (2015). The new biology of diabetes. *Diabetologia*, 58 (11), 2459-2468
- Papathanasiou, G., Mamali, A., Papafloratos, S., dan Zerva, E. (2014). Effects of smoking on cardiovascular function : the role of nicotine and carbon monoxide. *Health Science Journal*, 8(2), 274-290.
- Pasin, G., dan Comerford, K. B. (2015). Dairy foods and dairy proteins in the management of type 2 diabetes: a systematic review of the clinical evidence. *Advances in nutrition*, 6(3), 245-259.

- PERKENI. (2015). *Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2015*. Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB Perkeni). Jakarta.
- Potočki, S. (2016). Potential health benefits of sphingolipids in milk and dairy products. *Mljekarstvo*, 66(4), 251-261
- Prasanna, P. H. P., Grandison, A. S., dan Charalampopoulos, D. (2014). Bifidobacteria in Milk Products: An Overview of Physiological and Biochemical Properties, Exopolysaccharide Production, Selection Criteria of Milk Products and Health Benefits. *Food Research International*. Elsevier Ltd, 55, 247–262.
- Psichas, A., Sleeth, M. L., Murphy, K. G., Brooks, L., Bewick, G. A., Hanyaloglu, A. C., Ghatei, M. A., Bloom, S. R., dan Frost, G. (2014). The short chain fatty acid propionate stimulates GLP-1 and PYY secretion via free fatty acid receptor 2 in rodents. *International journal of obesity*, 39(3), 424-9.
- Ray, A., Huisman, M. V., dan Tamsma, J. T. (2009). The role of inflammation on atherosclerosis, intermediate and clinical cardiovascular endpoints in type 2 diabetes mellitus. *Eur. J. Intern. Med*, 20, 253–260.
- Rezaei, M., Sanagoo, A., Jouybari, L., Behnampoo, N. dan Kavosi, A. (2017). The effect of probiotic yogurt on blood glucose and cardiovascular biomarkers in patients with type ii diabetes : a randomized controlled trial. *Evidence Based Care Journal*, 6(4), 25–35.
- Sadrzadeh-Yeganeh, H., Elmadfa, I., Djazayery, A., Jalali, M., Heshmat, R., dan Chamary, M. (2010). The effects of probiotic and conventional yoghurt on lipid profile in women. *British Journal of Nutrition*, 103(12), 1778-1783.
- Shah, N. P. (2017). *Yogurt in Health and Disease Prevention*. 1st edn. Edited by J. Truesdell. London: Academic Press Elsevier.
- Shepherd, J., Packard, C. J., Patsch, J. R., Gotto, A. M., dan Taunton, O. D. (1978). Effects of dietary polyunsaturated and saturated fat on the properties of high density lipoproteins and the metabolism of apolipoprotein A-I. *The Journal of clinical investigation*, 61(6), 1582-92.
- Shiby, V. K., dan Mishra, H. N. (2013). Fermented Milks and Milk Products as Functional Foods — A Review. *Critical Reviews in Food Science and Nutrition*, 53(5), 482–496.
- Siri-Tarino, P. W. (2011). Effects of Diet on High Density Lipoprotein Cholesterol. *Current Atherosclerosis Reports*, 13(6), 453-460.
- Sudoyo, dan Aru, W. (2007). *Buku Ajar Ilmu Penyakit Dalam*. Edisi 4, Jilid 1. Jakarta : Departemen Ilmu Penyakit Dalam FKUI.
- Sultana, R. (2010). Impact of duration of type 2 diabetes mellitus on lipid profile. *Gomal Journal of Medical Science*, 8(1), 57-59.
- Tajabadi-Ebrahimi M., Sharifi N., Farrokhian A., Raygan F., Karamali F., Razzaghi R., et al. (2017). A Randomized Controlled Clinical Trial Investigating the Effect of Synbiotic Administration on Markers of Insulin Metabolism and Lipid Profiles in Overweight Type 2 Diabetic Patients with Coronary Heart Disease. *Exp Clin Endocrinol Diabetes*, 125(1), 21–27.
- Talaei M., Pan A., Yuan J-M., dan Koh W-P. (2017). Dairy intake and risk of type 2 diabetes. *Clinical Nutrition*.
- Tofighyan, T., Kooshki, A., Hoseini, B. L., dan Mohammadi, M. (2016). The Effects of Probiotic On Serum Lipid Profiles in Patients with type 2

- Diabetes Mellitus: A Randomized Clinical Trial. *Journal of Food and Nutrition Research*, 4(12), 795-798.
- Tonucci, L. B., dos Santos, K.M.O., de Oliveira, L.L., Ribeiro, S.M.R., dan Martino, H.S.D. (2017). Clinical application of probiotics in type 2 diabetes mellitus: A randomized, double-blind, placebo-controlled study. *Clinical Nutrition*, 36(1), 85-92.
- Tripathi, M. K., dan Giri, S. K. (2014). Probiotic Functional Foods: Survival of Probiotics during Processing and Storage. *Journal of Functional Foods*. Elsevier Ltd, 9, 225–241.
- Upadhyaya N., dan Moudga V. (2012). Probiotics: A review. *J SciCommun*, (19), 76-84.
- Villegas, R., Gao, Y. T., Dai, Q., Yang, G., Cai, H., Li, H., Zheng, W., dan Shu, X. O. (2009). Dietary calcium and magnesium intakes and the risk of type 2 diabetes: the Shanghai Women's Health Study. *The American journal of clinical nutrition*, 89(4), 1059-67.
- Wang, H., Livingston, K. A., Fox, C. S., Meigs, J. B., dan Jacques, P. F. (2013). Yogurt consumption is associated with better diet quality and metabolic profile in American men and women. *Nutrition Research*, 33(1), 18-26.
- WHO. (2016). *Global Report on Diabetes*. WHO Press.
- Weijenberg, M. P., Feskens, E. J., dan Kromhout, D. (1996). Age-related changes in total and high-density-lipoprotein cholesterol in elderly Dutch men. *American journal of public health*, 86(6), 798-803.
- Weissglas-Volkov, D., dan Pajukanta, P. (2010). Genetic causes of high and low serum HDL-cholesterol. *Journal of lipid research*, 51(8), 2032-57.
- Wilkin, T. J. (2009). The accelerator hypothesis: a review of the evidence for insulin resistance as the basis for type I as well as type II diabetes. *Int J Obes (Lond)*, 33, 716-726.
- Yerlikaya, O. (2014). Starter Cultures Used in Probiotic Dairy Product Preparation and Popular Probiotic Dairy Drinks. *Food Science and Technology*, 34(6), 221–229.
- Yunoki, K., Renaguli, M., Kinoshita, M., Matsuyama, H., Mawatari, S., Fujino, T., Kodama, Y., Sugiyama, M., dan Ohnishi, M. (2010). Dietary sphingolipids ameliorate disorders of lipid metabolism in Zucker fatty rats. *Journal of Agricultural and Food Chemistry*, 58, 7030-7035.
- Zhang, Q., Wu, Y., dan Fei, X. (2015). Effect of Probiotics on Glucose Metabolism in Patients with Type 2 Diabetes Mellitus: A Meta-Analysis of Randomized Controlled Trials. *Medicina*. Lithuanian University of Health Sciences, 52(1), 28–34.