

## DAFTAR PUSTAKA

- Ai, L., Zhou, Y., and Jiang, J., 2011, Removal of methylene blue from aqueous solution by montmorillonite/CoFe<sub>2</sub>O<sub>4</sub> composite with magnetic separation performance, *Desalination*, 266, 72–77.
- Alpat, S.K., Özbayrak, Ö., Alpat, Ş., and Akçay, H., 2008, The adsorption kinetics and removal of cationic dye, Toluidine Blue O, from aqueous solution with Turkish zeolite, *J. Hazard. Mater.*, 151, 213–220.
- Altıntığ, E., Altundag, H., Tuzen, M., Sarı, A., and Sarı, A., 2017, Effective removal of methylene blue from aqueous solutions using magnetic loaded activated carbon as novel adsorbent, *Chem. Eng. Res. Des.*, 122, 151–163.
- Ates, A. and Hardacre, C., 2012, The effect of various treatment conditions on natural zeolites: Ion exchange, acidic, thermal and steam treatments, *J. Colloid Interface Sci.*, 372, 130–140.
- Atkins, P.W., 1999, *Kimia Fisika*, (diterjemahkan oleh: Kartahadiprojo Irma I), edisi ke-2, Erlangga, Jakarta.
- Atla, S.B., Lin, W.R., Chien, T.C., Tseng, M.J., Shu, J.C., Chen, C.C., and Chen, C.Y., 2018, Fabrication of Fe<sub>3</sub>O<sub>4</sub>/ZnO magnetite core shell and its application in photocatalysis using sunlight, *Mater. Chem. Phys.*, 216, 380–386.
- Bessa, R. de A., Costa, L. de S., Oliveira, C.P., Bohn, F., do Nascimento, R.F., Sasaki, J.M., and Loiola, A.R., 2017, Kaolin-based magnetic zeolites A and P as water softeners, *Micropor. Mesopor. Mater.*, 245, 64–72.
- Caparkaya, D. and Cavas, L., 2008, Biosorption of methylene blue by a brown alga *Cystoseira barbatula* Kützing, *Acta Chim. Slov.*, 55, 547–553.
- Cho, D.W., Jeon, B.H., Chon, C.M., Schwartz, F.W., Jeong, Y., and Song, H., 2015, Magnetic chitosan composite for adsorption of cationic and anionic dyes in aqueous solution, *J. Ind. Eng. Chem.*, 28, 60–66.
- Cornell, R.M. and Schwertmann, U., 2003, *Iron oxide in the laboratory*, VCH, New York.
- Cottet, L., Almeida, C.A.P., Naidek, N., Viante, M.F., Lopes, M.C., and Debacher, N.A., 2014, Adsorption characteristics of montmorillonite clay modified with iron oxide with respect to methylene blue in aqueous media, *Appl. Clay Sci.*, 95, 25–31.

- Daneshvar, E., Vazirzadeh, A., Niazi, A., Sillanpää, M., and Bhatnagar, A., 2017, A comparative study of methylene blue biosorption using different modified brown, red and green macroalgae – Effect of pretreatment, *Chem. Eng. J.*, 307, 435–446.
- Daou, T.J., Pourroy, G., Bégin-Colin, S., Grenèche, J.M., Ulhaq-Bouillet, C., Legaré, P., et al., 2006, Hydrothermal synthesis of monodisperse magnetite nanoparticles, *Chem. Mater.*, 18, 4399–4404.
- Dariani, R.S., Esmaeili, A., Mortezaali, A., and Dehghanpour, S., 2016, Photocatalytic reaction and degradation of methylene blue on TiO<sub>2</sub> nano-sized particles, *Optik (Stuttg.)*, 127, 7143–7154.
- El-Din, T.A.S., Elzatahry, A.A., Aldhayan, D.M., Al-Enizi, A.M., and Al-Deyab, S.S., 2011, Synthesis and characterization of magnetite zeolite nano composite, *Int. J. Electrochem. Sci.*, 6, 6177–6183.
- Eslami, H., Khavidak, S.S., Salehi, F., and Khosravi, R., 2017, Biodegradation of methylene blue from aqueous solution by bacteria isolated from contaminated soil, *J. Adv. Env. Heal. Res*, 5, 10–15.
- Faghihian, H., Moayed, M., Firooz, A., and Iravani, M., 2014, Evaluation of a new magnetic zeolite composite for removal of Cs<sup>+</sup> and Sr<sup>2+</sup> from aqueous solutions: Kinetic, equilibrium and thermodynamic studies, *Comptes Rendus Chim.*, 17, 108–117.
- Fajaroh, F., Setyawan, H., Widiyastuti, W., and Winardi, S., 2012, Synthesis of magnetite nanoparticles by surfactant-free electrochemical method in an aqueous system, *Adv. Powder Technol.*, 23, 328–333.
- Fan, H.L., Zhou, S.F., Jiao, W.Z., Qi, G.S., and Liu, Y.Z., 2017, Removal of heavy metal ions by magnetic chitosan nanoparticles prepared continuously via high-gravity reactive precipitation method, *Carbohydr. Polym.*, 174, 1192–1200.
- Fil, B.A., Özmetin, C., and Korkmaz, M., 2012, Cationic dye (methylene blue) removal from aqueous solution by montmorillonite, *Bull. Korean Chem. Soc.*, 33, 3184–3190.
- Freire, T.M., Dutra, L.M.U., Queiroz, D.C., Ricardo, N.M.P.S., Barreto, K., Denardin, J.C., et al., 2016, Fast ultrasound assisted synthesis of chitosan-based magnetite nanocomposites as a modified electrode sensor, *Carbohydr. Polym.*, 151, 760–769.
- Fungaro, D.A., Bruno, M., and Grosche, L.C., 2009, Adsorption and kinetic studies of methylene blue on zeolite synthesized from fly ash, *Desalin. Water Treat.*, 2, 231–239.

- Giraldo, L., Erto, A., and Moreno-Piraján, J.C., 2013, Magnetite nanoparticles for removal of heavy metals from aqueous solutions: Synthesis and characterization, *Adsorption*, 19, 465–474. DOI: 10.1007/s10450-012-9468-1
- Habibi, A. and Mehrabi, Z., 2017, Aerobic degradation of methylene blue from colored effluents by *Ralstonia eutropha*, Faculty of Petroleum and Chemical Engineering, *Razi University, Kermanshah, Iran*, 3(3): 363-375
- Han, R., Wang, Y., Zou, W., Wang, Y., and Shi, J., 2007, Comparison of linear and nonlinear analysis in estimating the Thomas model parameters for methylene blue adsorption onto natural zeolite in fixed-bed column, *J. Hazard. Mater.*, 145, 331–335.
- Hor, K.Y., Chee, J.M.C., Chong, M.N., Jin, B., Saint, C., Poh, P.E., and Aryal, R., 2016, Evaluation of physicochemical methods in enhancing the adsorption performance of natural zeolite as low-cost adsorbent of methylene blue dye from wastewater, *J. Clean. Prod.*, 118, 197–209.
- Hu, T., Liu, Q., Gao, T., Dong, K., Wei, G., and Yao, J., 2018, Facile Preparation of Tannic Acid-Poly(vinyl alcohol)/Sodium Alginate Hydrogel Beads for Methylene Blue Removal from Simulated Solution, *ACS Omega*, 3, 7523–7531.
- Humelnicu, I., Băiceanu, A., Ignat, M.E., and Dulman, V., 2017, The removal of Basic Blue 41 textile dye from aqueous solution by adsorption onto natural zeolitic tuff: Kinetics and thermodynamics, *Process Saf. Environ. Prot.*, 105, 274–287.
- Khanday, W.A., Asif, M., and Hameed, B.H., 2017, International Journal of Biological Macromolecules Cross-linked beads of activated oil palm ash zeolite/chitosan composite as a bio-adsorbent for the removal of methylene blue and acid blue 29 dyes, *Int. J. Biol. Macromol.*, 95, 895–902.
- Khodadadi, M., Malekpour, A., and Ansaritabar, M., 2017, Removal of Pb (II) and Cu (II) from aqueous solutions by NaA zeolite coated magnetic nanoparticles and optimization of method using experimental design, *Micropor. Mesopor. Mater.*, 248, 256–265.
- Koesnarpadi, S., Santosa, S.J., Siswanta, D., and Rusdiarso, B., 2015, Synthesis and Characterization of Magnetite Nanoparticle Coated Humic Acid (Fe<sub>3</sub>O<sub>4</sub>/HA), *Procedia Environ. Sci.*, 30, 103–108.
- Korkuna, O., Leboda, R., Skubiszewska-Zięba, J., Vrublevs'ka, T., Gun'ko, V.M., and Ryzkowski, J., 2006, Structural and physicochemical properties of natural zeolites: Clinoptilolite and mordenite, *Micropor. Mesopor. Mater.*, 87, 243–254.

- Lin, S., Song, Z., Che, G., Ren, A., Li, P., Liu, C., and Zhang, J., 2014, Adsorption behavior of metal-organic frameworks for methylene blue from aqueous solution, *Micropor. Mesopor. Mater.*, 193, 27–34.
- Liu, H., Peng, S., Shu, L., Chen, T., Bao, T., and Frost, R.L., 2013a, Magnetic zeolite NaA: Synthesis, characterization based on metakaolin and its application for the removal of Cu<sup>2+</sup>, Pb<sup>2+</sup>, *Chemosphere*, 91, 1539–1546.
- Liu, H., Peng, S., Shu, L., Chen, T., Bao, T., and Frost, R.L., 2013b, Effect of Fe<sub>3</sub>O<sub>4</sub> addition on removal of ammonium by zeolite NaA, *J. Colloid Interface Sci.*, 390, 204–210.
- Liu, J., Zhao, Z., and Jiang, G., 2008, Coating Fe<sub>3</sub>O<sub>4</sub> Magnetic Nanoparticles with Humic Acid for High Efficient Removal of Heavy Metals in Water, *Environ. Sci. Technol.*, 42, 6949–6954.
- Lofrano, G., Belgiorno, V., Gallo, M., and Raimo, A., 2013, Toxicity reduction in leather tanning wastewater by improved coagulation flocculation process, *Glob. NEST J.*, 8, 151–158.
- Mahmoud, M.S., Farah, J.Y., and Farrag, T.E., 2013, Enhanced removal of Methylene Blue by electrocoagulation using iron electrodes, *Egypt. J. Pet.*, 22, 211–216.
- Mesdaghinia, A., Azari, A., Nodehi, R.N., Yaghmaeian, K., Bharti, A.K., Agarwal, S., et al., 2017, Removal of phthalate esters (PAEs) by zeolite/Fe<sub>3</sub>O<sub>4</sub>: Investigation on the magnetic adsorption separation, catalytic degradation and toxicity bioassay, *J. Mol. Liq.*, 233, 378–390.
- Mockovčiaková, Annamária, Matik M., Orolínová Z., Hudec P., and Kmecová E., 2008, Structural characteristics of modified natural zeolite, *J. Porous Mater.*, 15, 559–564.
- Mostafaei, M., Hosseini, S.N., Khatami, M., Javidanbardan, A., Sepahy, A.A., and Asadi, E., 2018, Isolation of recombinant Hepatitis B surface antigen with antibody-conjugated superparamagnetic Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub> core-shell nanoparticles, *Protein Expr. Purif.*, 145, 1–6.
- Nah, I.W., Hwang, K.Y., Jeon, C., and Choi, H.B., 2006, Removal of Pb ion from water by magnetically modified zeolite, *Miner. Eng.*, 19, 1452–1455.
- Nah, I.W., Hwang, K.Y., and Shul, Y.G., 2007, A simple synthesis of magnetically modified zeolite, *Powder Technol.*, 177, 99–101.
- Nah, I.W., Hwang, K.Y., Shul, Y.G., and Jeon, C., 2008, Removal of ammonium ion from aqueous solution using magnetically modified zeolite, *Environ. Technol.*, 29, 633–639.

- Nassar, N.N., 2012, Kinetics, equilibrium and thermodynamic studies on the adsorptive removal of nickel, cadmium and cobalt from wastewater by superparamagnetic iron oxide nanoadsorbents, *Can. J. Chem. Eng.*, 90, 1231–1238.
- Oliveira, Luiz C.A., Petkowicz D.I., Smaniotto A., and Pergher S., 2004, Magnetic zeolites: a new adsorbent for removal of metallic contaminants from water, *Water Research*, 38, 3699–3704.
- Oscik, J. dan Cooper, I.L., 1982, *Adsorption*, Ellis Horwood Ltd., Chichester.
- Postai, D.L., Demarchi, C.A., Zanatta, F., Melo, D.C.C., and Rodrigues, C.A., 2016, Adsorption of rhodamine B and methylene blue dyes using waste of seeds of *Aleurites Moluccana*, a low cost adsorbent, *Alexandria Eng. J.*, 55, 1713–1723.
- Radoń, A., Drygała, A., Hawełek, Ł., and Łukowiec, D., 2017, Structure and optical properties of Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesized by co-precipitation method with different organic modifiers, *Mater. Charact.*, 131, 148–156.
- Rashad, M.M., El-Sayed, H.M., Rasly, M., and Nasr, M.I., 2012, Induction heating studies of magnetite nanospheres synthesized at room temperature for magnetic hyperthermia, *J. Magn. Magn. Mater.*, 324, 4019–4023.
- Renault, F., Sancey, B., Badot, P.M., and Crini, G., 2009, Chitosan for coagulation/flocculation processes - An eco-friendly approach, *Eur. Polym. J.*, 45, 1337–1348.
- Rida, K., Bouraoui, S., and Hadnine, S., 2013, Adsorption of methylene blue from aqueous solution by kaolin and zeolite, *Appl. Clay Sci.*, 83–84, 99–105.
- Salazar-Rabago, J.J., Leyva-Ramos, R., Rivera-Utrilla, J., Ocampo-Perez, R., and Cerino-Cordova, F.J., 2017, Biosorption mechanism of Methylene Blue from aqueous solution onto White Pine (*Pinus durangensis*) sawdust: Effect of operating conditions, *Sustain. Environ. Res.*, 27, 32–40.
- Sapawe, N., Jalil, A.A., Triwahyono, S., Shah, M.I.A., Jusoh, R., Salleh, N.F.M., et al., 2013, Cost-effective microwave rapid synthesis of zeolite NaA for removal of methylene blue, *Chem. Eng. J.*, 229, 388–398.
- Shah, M.T. and Alveroglu, E., 2017, Synthesis and characterization of magnetite nanoparticles having different cover layer and investigation of cover layer effect on the adsorption of lysozyme and bovine serum albumin, *Mater. Sci. Eng. C*, 81, 393–399.
- Shen, Y.F., Tang, J., Nie, Z.H., Wang, Y.D., Ren, Y., and Zuo, L., 2009, Preparation and application of magnetic Fe<sub>3</sub>O<sub>4</sub> nanoparticles for wastewater purification, *Sep. Purif. Technol.*, 68, 312–319.

- Shirani, M., Semnani, A., Haddadi, H., and Habibollahi, S., 2014, Optimization of simultaneous removal of methylene blue, crystal violet, and fuchsine from aqueous solutions by magnetic NaY zeolite composite, *Water. Air. Soil Pollut.*, 225:2054.
- Singh, L.H., Pati, S.S., Coaquira, J.A.H., Matilla, J., Guimarães, E.M., Oliveira, A.C., et al., 2016, Magnetic interactions in cubic iron oxide magnetic nanoparticle bound to zeolite, *J. Magn. Magn. Mater.*, 416, 98–102.
- Smolkova, I.S., Kazantseva, N.E., Parmar, H., Babayan, V., Smolka, P., and Saha, P., 2015, Correlation between coprecipitation reaction course and magneto-structural properties of iron oxide nanoparticles, *Mater. Chem. Phys.*, 155, 178–190.
- Sohrabnezhad, S. and Pourahmad, A., 2010, Comparison absorption of new methylene blue dye in zeolite and nanocrystal zeolite, *Desalination*, 256, 84–89.
- Tedsree, K., Temnuch, N., Sriplai, N., and Pinitsoontorn, S., 2017, Ag modified Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> magnetic core-shell nanocomposites for photocatalytic degradation of methylene blue, *Mater. Today Proc.*, 4, 6576–6584.
- Teh, C.Y., Budiman, P.M., Shak, K.P.Y., and Wu, T.Y., 2016, Recent Advancement of Coagulation-Flocculation and Its Application in Wastewater Treatment, *Ind. Eng. Chem. Res.*, 55, 4363–4389.
- Teja, A.S. and Koh, P.Y., 2009, Synthesis, properties, and applications of magnetic iron oxide nanoparticles, *Prog. Cryst. Growth Charact. Mater.*, 55, 22–45.
- Treacy, M. M. J.; Higgins, J. B., 2001, *Collection of simulated XRD powder patterns for zeolites*, 4th ed., Elsevier, <http://www.iza-structure.org/databases/>.
- Turhan, K., Durukan, I., Ozturkcan, S.A., and Turgut, Z., 2012, Decolorization of textile basic dye in aqueous solution by ozone, *Dye. Pigment.*, 92, 897–901.
- Vadivelan, V. and Vasanth Kumar, K., 2005, Equilibrium, kinetics, mechanism, and process design for the sorption of methylene blue onto rice husk, *J. Colloid Interface Sci.*, 286, 90–100.
- Vimonses, V., Lei, S., Jin, B., Chow, C.W.K., and Saint, C., 2009, Adsorption of congo red by three Australian kaolins, *Appl. Clay Sci.*, 43, 465–472.
- Wahyuni, E. Tri, and Mudasir, 2007, Improvement of ion-exchange capacity of indonesian natural zeolite by sequential washing using hydrofluoric acid and EDTA solutions, *J. Ion Exchange*, 8, 340-345.

- Wang, S. and Peng, Y., 2010, Natural zeolites as effective adsorbents in water and wastewater treatment, *Chem. Eng. J.*, 156, 11–24.
- Wang, S. and Zhu, Z.H., 2006, Characterisation and environmental application of an Australian natural zeolite for basic dye removal from aqueous solution, *J. Hazard. Mater.*, 136, 946–952.
- Yamaura, M. and Fungaro, D.A., 2013, Synthesis and characterization of magnetic adsorbent prepared by magnetite nanoparticles and zeolite from coal fly ash, *J. Mater. Sci.*, 48, 5093–5101.
- Yan, L., Li, S., Yu, H., Shan, R., Du, B., and Liu, T., 2016, Facile solvothermal synthesis of Fe<sub>3</sub>O<sub>4</sub>/bentonite for efficient removal of heavy metals from aqueous solution, *Powder Technol.*, 301, 632–640.
- Yavuz, C.T., Mayo, J.T., Yu, W.W., Prakash, A., Falkner, J.C., and Yean, S., 2006, Low-field magnetic separation of monodisperse Fe<sub>3</sub>O<sub>4</sub> nanocrystals, *Science.*, 314, 964–967.
- Yuan, M. liang, Yu, L., Tao, J. Hua, and Song, C., 2011, Preparation of magnetically modified zeolites and the application of metal ions adsorption, *Adv. Mater. Res.*, 299, 764–769.
- Yuan, M., Xie, T., Yan, G., Chen, Q., and Wang, L., 2018, Effective removal of Pb<sup>2+</sup> from aqueous solutions by magnetically modified zeolite, *Powder Technol.*, 332, 234–241.
- Zhang, L., Nie, Y., Hu, C., and Hu, X., 2011, Decolorization of methylene blue in layered manganese oxide suspension with H<sub>2</sub>O<sub>2</sub>, *J. Hazard. Mater.*, 190, 780–785.
- Zhang, W., Zhang, L.Y., Zhao, X.J., and Zhou, Z., 2016, Citrus pectin derived ultrasmall Fe<sub>3</sub>O<sub>4</sub>@C nanoparticles as a high-performance adsorbent toward removal of methylene blue, *J. Mol. Liq.*, 222, 995–1002.
- Zhang, Xian, Zhang P., Wu Z., Zhang L., Zeng G., and Zhou C., 2013, Adsorption of methylene blue onto humic acid-coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles, *J. Colloids Surf., A: Physicochem. Eng. Aspects*, 435, 85–90.