

DAFTAR PUSTAKA

- Arifianto, M. R., Ma'ruf, A. Z., & Ibrahim, A. (2016). Efficacy Comparison of Mannitol and Hypertonic Saline for Traumatic Brain Injury (TBI) Treatment. *Bali Medical Journal*, 5(3), 170. <https://doi.org/10.15562/bmj.v5i3.281>
- Brown, F. D., Johns, L., Jafar, J. J., Crockard, H. A., & Mullan, S. (1979). Detailed monitoring of the effects of mannitol following experimental head injury. *J Neurosurg*, 50(4), 423–432. <https://doi.org/10.3171/jns.1979.50.4.0423>
- Carney, N., Totten, A. M., O'Reilly, C., Ullman, J. S., Hawryluk, G. W. J., Bell, M. J., ... Ghajar, J. (2016). Guidelines for the Management of Severe Traumatic Brain Injury, Fourth Edition. *Neurosurgery*. <https://doi.org/10.1227/NEU.0000000000001432>
- Chen, H., & Song, Z. (2014). Hypertonic saline versus other intracranial pressure?lowering agents for people with acute traumatic brain injury. *Cochrane Database of Systematic Reviews*, (2). <https://doi.org/10.1002/14651858.CD010904>
- Cooper, J. D., Myles, P. S., McDermott, F. T., Murray, L. J., Laidlaw, J., Cooper, G., ... Bernard, S. S. (2004). Prehospital Hypertonic Saline Resuscitation of Patients With Hypotension and Severe Traumatic Brain Injury. *Trauma*, 29(11).
- Cottenceau, V., Masson, F., Mahamid, E., Petit, L., Shik, V., Sztark, F., ... Soustiel, J. F. (2011). Comparison of Effects of Equiosmolar Doses of Mannitol and Hypertonic Saline on Cerebral Blood Flow and Metabolism in Traumatic Brain Injury. *Journal of Neurotrauma*, 28(10), 2003–2012. <https://doi.org/10.1089/neu.2011.1929>
- Diringer, M. N., & Zazulia, A. R. (2004). Osmotic Therapy Fact and Fiction. *Neurocritical Care*, 1, 219–233. <https://doi.org/10.1385/NCC:1:2:219>
- Forsyth, L. L., Liu-DeRyke, X., Parker, D. J., & Rhoney, D. H. (2008). Role of hypertonic saline for the management of intracranial hypertension after stroke and traumatic brain injury. *Pharmacotherapy*, 28(4), 469–484. <https://doi.org/10.1592/phco.28.4.469>

- Greenberg, M. S. (2016). Handbook of neurosurgery, 8th edition. In M. S. Greenberg (Ed.), *Handbook of neurosurgery* (8th ed, pp. 824–927). New York: Thieme Publishers New York.
- Himmelseher, S. (2007). Hypertonic saline solutions for treatment of intracranial hypertension. *Current Opinion in Anaesthesiology*, 20(5), 414–426.
<https://doi.org/10.1097/ACO.0b013e3282eff9ea>
- Hinson, H. E., Stein, D., & Sheth, K. N. (2013). Hypertonic saline and mannitol therapy in critical care neurology. *Journal of Intensive Care Medicine*.
<https://doi.org/10.1177/0885066611400688>
- Jallo, J., & Loftus, C. M. (2018). *Neurotrauma and Critical Care of the Brain*. (T. Y. Hiscock, Ed.) (2nd ed.). New York: Thieme Medical Publisher, inc.
- Kamel, H., Navi, B. B., Nakagawa, K., Hemphill, J. C., & Ko, N. U. (2011). Hypertonic saline versus mannitol for the treatment of elevated intracranial pressure: A meta-analysis of randomized clinical trials. *Critical Care Medicine*, 39(3), 554–559. <https://doi.org/10.1097/CCM.0b013e318206b9be>
- Li, M., Chen, T., Chen, S., Cai, J., & Hu, Y.-H. (2015). Comparison of equimolar doses of mannitol and hypertonic saline for the treatment of elevated intracranial pressure after traumatic brain injury: a systematic review and meta-analysis. *Medicine (Baltimore)*, 94(17), e736.
<https://doi.org/10.1097/MD.0000000000000736>
- Li, N., & Zhang, W. Z. W. (2011). Acute Kidney Injury in Patients with Severe Traumatic Brain Injury : Implementation of the Acute Kidney Injury Network Stage System, 377–381. <https://doi.org/10.1007/s12028-011-9511-1>
- Li, Q., Chen, H., Hao, J., Yin, N., Xu, M., & Zhou, J. (2015). Agreement of measured and calculated serum osmolality during the infusion of mannitol or hypertonic saline in patients after craniotomy : a prospective , double-blinded , randomised controlled trial. *BMC Anesthesiology*, 1–10.
<https://doi.org/10.1186/s12871-015-0119-4>
- Mangat, H. S., Chiu, Y.-L., Gerber, L. M., Alimi, M., Ghajar, J., & Härtl, R. (2015). Hypertonic saline reduces cumulative and daily intracranial pressure burdens after severe traumatic brain injury. *Journal of Neurosurgery*, 122(1),

202–10. <https://doi.org/10.3171/2014.10.JNS132545>

Manninen, P. H., Lam, A. M., Gelb, A. W., & Brown, S. C. (1987). The effect of high-dose mannitol on serum and urine electrolytes and osmolality in neurosurgical patients. *Canadian Journal of Anaesthesia*, 34(5), 442–446.

<https://doi.org/10.1007/BF03014345>

Marshall, L. F., Smith, R. W., Rauscher, L. A., & Shapiro, H. M. (1978).

Mannitol dose requirements in brain-injured patients. *Journal of Neurosurgery*, 48(2), 169–172. <https://doi.org/10.3171/jns.1978.48.2.0169>

Mortazavi, M. M., Romeo, A. K., Deep, A., Griessenauer, C. J., Shoja, M. M., Tubbs, R. S., & Fisher, W. (2012). Hypertonic saline for treating raised

intracranial pressure: literature review with meta-analysis. *Journal of Neurosurgery*, 116(1), 210–221. <https://doi.org/10.3171/2011.7.JNS102142>

Mortimer, D. S., & Jancik, J. (2006). Administering hypertonic saline to patients with severe traumatic brain injury. *The Journal of Neuroscience Nursing : Journal of the American Association of Neuroscience Nurses*, 38(3), 142–

146. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16817665>

Qureshi, A. I., Suarez, J. I., Bhardwaj, A., Mirski, M., Schnitzer, M. S., Hanley, D. F., & Ulatowski, J. A. (1998). Use of hypertonic (3 %) saline / acetate

infusion in the treatment of cerebral edema : Effect on intracranial pressure and lateral displacement of the brain. *Critical Care Medicine*, 26(3), 440–446. Retrieved from

https://journals.lww.com/ccmjjournal/Fulltext/1998/03000/Use_of_hypertonic_3_saline_acetate_infusion_in.11.aspx

Ramenofsky, M. L., & Bell, R. M. (2012). *Advanced trauma life support*.

American College of Surgeons (ninth edit). Chicago.

<https://doi.org/10.1017/CBO9781107415324.004>

Sakellariadis, N., Pavlou, E., Karatzas, S., Chroni, D., Vlachos, K., Chatzopoulos, K., ... Karaouli, V. (2011). Comparison of mannitol and hypertonic saline in the treatment of severe brain injuries. *Journal of Neurosurgery*, 114(2), 545–

548. <https://doi.org/10.3171/2010.5.JNS091685>

Sharma, R. M., Setlur, R., & Swamy, M. N. (2011). Evaluation of mannitol as an

osmotherapeutic agent in traumatic brain injuries by measuring serum osmolality. *Medical Journal Armed Forces India*, 67(3), 230–233.

[https://doi.org/10.1016/S0377-1237\(11\)60047-6](https://doi.org/10.1016/S0377-1237(11)60047-6)

Shawkat, H., Westwood, M.-M., & Mortimer, A. (2012). Mannitol: a review of its clinical uses. *Continuing Education in Anaesthesia, Critical Care & Pain*, 12(2), 82–85. <https://doi.org/10.1093/bjaceaccp/mkr063>

Wakai, A., Roberts, I. G., & Schierhout, G. (2007). Mannitol for acute traumatic brain injury. In *Cochrane Database of Systematic Reviews*.
<https://doi.org/10.1002/14651858.CD001049.pub4>

Wani, A. A., Ramzan, A. U., Nizami, F., Malik, N. K., Kirmani, A. R., Bhatt, A. R., & Singh, S. (2008). Controversy in use of mannitol in head injury. *Indian Journal of Neurotrauma*, 5(1), 11–13.

Wells, D. L., Swanson, J. M., Wood, G. C., Magnotti, L. J., Boucher, B. A., Croce, M. A., ... Fabian, T. C. (2012). The relationship between serum sodium and intracranial pressure when using hypertonic saline to target mild hyponatremia in patients with head trauma. *Critical Care*, 16(5), R193.
<https://doi.org/10.1186/cc11678>

White, H., Cook, D., & Venkatesh, B. (2006). The use of hypertonic saline for treating intracranial hypertension after traumatic brain injury. *Anesthesia and Analgesia*. <https://doi.org/10.1213/01.ane.0000217208.51017.56>

Winn, H. R. (2016). Youmans and Winn neurological surgery, 3610. Retrieved from <https://lccn.loc.gov/2016035901>

Wise, B. L. (1963). Effects of infusion of hypertonic mannitol on electrolyte balance and on osmolality of serum and cerebrospinal fluid. *Journal of Neurosurgery*, 20, 961–967. <https://doi.org/10.3171/jns.1963.20.11.0961>

Zubkov, A. Y., & Wijdicks, E. F. (2009). Re: Reversal of transtentorial herniation with hypertonic saline. *Neurology*, 72(2), 200–201.
<https://doi.org/10.1212/01.wnl.0000344241.04543.94>