

DAFTAR PUSTAKA

- Adinaveen, J. Judith Vijaya, R. Sivakumar, L. John Kennedy, 2016, Structural and electrochemical investigation of waste newspaper based electrodes for supercapacitor applications, *Materials Science-Poland*, 34(2), 2016, pp. 302-314 <http://www.materialsscience.pwr.wroc.pl/> DOI: 10.1515/msp-2016-0064.
- Ajina, A., dan Isa, D., 2010: Symmetrical Supercapacitor Using Coconut Shell-Based Activated Carbon, *Pertanika J. Sci. & Technol.*, 18, 2, 351-363.
- Akinwolemiwa, Chuang Peng, George Z. Chen, 2015, Redox Electrolytes in Supercapacitors, *Journal Electrochem. Soc.* 2015 volume 162, issue 5, A5054-A5059, doi: 10.1149/2.0111505jes
- An, Kay Hyeok, 2001, Electrochemical Properties Of High-Power Supercapacitors Using Single-Walled Carbon nanotube Electrodes, *Advanced Functional Materials Vol 11 Hal* 387-392.
- An, K. H., Jeon, K. K., Heo, J. K., Lim, S. C., Bae, D. J., & Lee, Y. H., 2002, High-Capacitance Supercapacitor Using a Nanocomposite Electrode of Single-Walled Carbon Nanotube and Polypyrrole. *Journal of The Electrochemical Society*, 149(8), A1058. doi:10.1149/1.1491235.
- Andrew Burke, Zhengmao Liu, Hengbing Zhao, 2014, Review of the Present and Future Applications of Supercapacitors in Electric and Hybrid Vehicles UCD-ITS-RR-14-23.
- Anouti M, Timperman L, Skowron P, Boisset A, Galiano H, Lemordant D, Frackowiak E, Béguin, 2012, Triethylammonium bis (tetrafluoromethylsulfonyl) amide protic ionic liquid as an electrolyte for electrical double-layer capacitors., *Chem Phys.* 2012 Jun 14;14(22):8199-207. doi: 10.1039/c2cp40315c. Epub 2012 May 1.
- Augustyn, V. et al. 2014, Lithium-ion storage properties of titanium oxide nano sheets, *Mater. Horiz.* 1, 219–233.
- Béguin, F and Frackowiak, E., 2013, Supercapacitors from nanotubes/polypyrrole composites, *Chem. Phys. Lett.*, 347(1–3), 36–40.
- Béguin, F., Raymundo-Piñero, E., dan Frackowiak E, 2010, Electrical Double-Layer Capacitors and Pseudocapacitors *Carbons for Electrochemical Energy Storage and Conversion Systems*, CRC Press, USA.
- Bleda-Martinez, M. J., J. A. Macia-Agullo, D. Lozano-Castello, E. Morallon, D. Cazorla- Amoros and A. Linares-Solano, 2005, Role of surface chemistry on electric double layer capacitance of carbon materials, *Carbon*, 1-8.
- Bose, S., T. Kuila, A. K. Mishra, R. Rajasekar, N. H. Kim and J. H. Lee, 2013, Carbon-based nanostructured materials and their composites as supercapacitor electrodes, *J. Mater. Chem.*, 22, 767–784.
- Brousse, PL Taberna, O Crosnier, R Dugas, P Guillemet, Y Scudeller, 2007, Long-term cycling behavior of asymmetric activated carbon/MnO₂ aqueous electrochemical supercapacitor, *Journal of Power Sources* 173 (1), 633-64.
- Burke, A., 2000, Ultracapacitors: Why, how, and where is the technology, *Journal of Power Sources* 91(1): 37-50.

- Candelaria, Betzaida B. Garcia, Dawei Liu, Guozhong Cao., 2012, Nitrogen modification of highly porous carbon for improved supercapacitor performance, *J. Mater. Chem.*, 2012, 22, 9884-9889, DOI: 10.1039/C2JM30923H
- Caturla, F., Selles, M.J., 1995, Porosity in granular carbons activated with phosphoric acid. *Carbon* 33 (8), 1105–1113.
- Centeno, F. Stoeckli, 2006, EDLC performance of carbide-derived carbons in aprotic and acidic electrolytes, *Electrochim. Acta* 52, 560.
- Chmiola dkk., 2006, Anomalous increase in carbon capacitance at pore sizes less than 1 nanometer, *Journal Science*, Vol 313, Issue 5794, DOI : 10.1126/Science.1132195.
- Conway, B.E., 1999, *Electrochemical Supercapacitors. Scientific Fundamentals and Technological Applications*, New York : Kluwer Academic/Plenum Publishers. Ch. 15. Bansal R. C, Goyal M. *Activated Carbon Adsorption*, CRC Press, 1st edition, USA. 2005; 1-5.
- Cottineau, m. toupin, t. delahaye, t. brousse, d. belanger, 2006, Nanostructured transition metal oxides for aqueous hybrid electrochemical supercapacitors, *Appl. Phys. A* 82, 599–606 (2006), DOI: 10.1007/s00339-005-3401-3.
- Cheremisinoff, D.N., Ellerbusch, F., 1978, *Carbon Adsorption Handbook, A n C a r b o n S c i e n c e*, New York.
- Davies. A and A. Yu, The Canad , 2011, Material advancements in supercapacitors: From activated carbon to carbon nanotube and graphene, *J. Chem. Eng.* 89, 1342
- Deraman, M. Suleman , M.R.M. Jasni , J.G. Manjunatha , M.A.R. Othman , S.A. Shamsudin, 2017, Supercapacitors using Binderless Activated Carbon Monoliths Electrodes consisting of a Graphite Additive and Pre-carbonized Biomass Fibers , *Int. J. Electrochem. Sci.*, 12 (2017) 2520 – 2539, doi: 10.20964/2017.03.48.
- Deraman, M., Ishak, M., M., Saad S., K., M., Saman, M.M. Awitdrus, and Taer, M., 2002, Biomass Carbon Electrode for Supercapacitor, University Kebangsaan Malaysia
- Dongale, T. D., Jadhav, P. R., Navathe, G. J., Kim, J. H., Karanjkar, M. M., & Patil, P. S. , 2015, Development of nano fiber MnO₂ thin film electrode and cyclic voltammetry behavior modeling using artificial neural network for supercapacitor application. *Materials Science in Semiconductor Processing*, 36, 43-48
- Du X, Chengyang Wang, Mingming Chen, Yang Jiao, and Jin Wang Electrochemical Performances of Nanoparticle Fe₃O₄/Activated Carbon Supercapacitor Using KOH Electrolyte Solution, *J. Phys. Chem. C* 2009, 113, 2643–2646.
- Elzbieta Frackowiak, Qamar Abbas, Francis , 2013, Review Carbon/carbon supercapacitors, *Journal of Energy Chemistry* 22, 226–240.
- Enock T, Cecil K. King'ondou, Alexander Pogrebnoi, Yusufu Abeid Chande Jande., 2017, Status of Biomass Derived Carbon Materials for Supercapacitor Application, *International Journal of Electrochemistry* Volume 2017, <https://doi.org/10.1155/2017/6453420>.

- Etape EP, Lambi John Ngolui, Josepha Foba-Tendo, Divine Mbom Yufanyi, and Beckley Victorine Namondo 2017, Synthesis and Characterization of CuO, TiO₂, and CuO-TiO₂ Mixed Oxide by a Modified Oxalate Route, *Hindawi Journal of Applied Chemistry* Volume 2017, Article ID 4518654, 10 pages <https://doi.org/10.1155/2017/4518654>.
- Faraji S, Farid Nasir Ani, 2014, Microwave-assisted synthesis of metal oxide/hydroxide composite electrodes for high power supercapacitors – A review, *Journal of Power Sources* 263:338–360, DOI: 10.1016/j.jpowsour.2014.03.144.
- Fey, G.T.-Kuo, Lee, D.C., Lin, Y.Y., Kumar, T.P., 2003, High-capacity disordered carbons derived from peanut shells as lithium-intercalating anode materials, *Synthetic Metals*, 139, 71-80.
- Frackowiak E, Francois Beguin, 2001, Review Carbon materials for the electrochemical storage of energy in capacitors, *Carbon* 39, 937- 950.
- Fraga, M. A., Jordao, E., Mendes, M. J., Freitas, M. M. A., Faria, J. L., and Figueiredo, J. L., 2002, Properties of Carbon-Supported Platinum Catalyst, *Journal Catal.*, 209, 355-364.
- Franklin, T. W. Tomblor, A. M. Cassell and H. J. Dai ,1999, Self-Oriented Regular Ar- rays of Carbon Nanotubes and Their Field Emission Properties, *Journal Science*, Vol. 283, No. 5401, pp. 512-514.
- Fuertes, G.A. Ferreroa, M. Sevilla , 2014, One-pot synthesis of microporous carbons highly enriched in nitrogen and their electrochemical performance, *Journal Mater. Chem. A* 2 , 14439–14448.
- Gamby, J., P. L. Taberna, et al., 2001, Studies and characterisations of various activated carbons used for carbon/carbon supercapacitors, *Journal of Power Sources* 101(1): 109-116.
- Gonzalez , 1997, Catalyzed Pyrolysis of Grape and Olive Bagasse. Influence of Catalyst Type and Chemical Treatment, *Industrial & Engineering Chemistry Research* 10, 4176-4183.
- Gryglewicz G, Machnikowski J., 2005, Electrochemical capacitors based on highly porous carbons prepared by KOH activation, *Electrochimica Acta*, 49(4): 515–523
- Hartman R., Lu W., 2011, Nanocomposite electrodes for high performance supercapacitors, *Journal of Physical Chemistry Letters* 43, 655.
- Ho, P.S. Khidew , 2014, Activated Carbon Composites Nano Fe₃O₄ for Aqueous Supercapacitors, *Sains Malaysiana* 43(6), 885–894
- Hu, C. C., Chang, K. H., Lin, M. C., and Wu, Y. T., 2006, Design and tailoring of the nanotubular arrayed architecture of hydrous RuO₂ for next generation supercapacitors. *Nano Letters*. 6, 2690–2695. doi:10.1021/nl061576a.
- Hu, C. C., and Huang, Y. H., 2001, Effects of preparation variables on the deposition rate and physicochemical properties of hydrous ruthenium oxide for electrochemical capacitors. *Electrochim. Acta* 46, 3431–3444. doi:10.1016/S00134686(01)00543-6
- Huang L, Diana Santiago, Patricia Loyselle, 2018, Graphene-Based Nanomaterials for Flexible and Wearable Supercapacitors, <https://doi.org/10.1002/sml.201800879>

- Huang C, Jin Zhang, Neil P.Young, Henry J. Snaith & Patrick S.Grant., 2016, Solid-state supercapacitors with rationally designed heterogeneous electrodes fabricated by large area spray processing for wearable energy storage applications, *Scientific Reports* | 6:25684 | DOI: 10.1038/srep25684.
- Huang Y, Ming Zhong, Yang Huang, 2015, A self-healable and highly stretchable supercapacitor based on a dual crosslinked polyelectrolyte, nature communication, DOI: 10.1038/ncomms10310
- Hulicova, D., Kodama, M., Yamashita J., 2004, Electrochemical Properties of Melamine-Based Carbon, *Energy Storage Material Research Group*, AIST West, Japan.
- Hwang J, 2008, Lateral organic carbon supply to the deep Canada Basin, <https://doi.org/10.1029/2008GL034271>.
- Hwang, Y.J., Jeong, S.K., Nahm, K.S., dan Stephan, A.M., 2008, High capacity disordered carbons obtained from coconut shells as anode materials for lithium batteries, *Journal of Alloys and Compounds*, 448, 141-147.
- Ian Y.Y. Bu, Ray Huang, 2017, Fabrication of CuO-decorated reduced graphene oxide nanosheets for supercapacitor applications, *Ceramics International* 43 (2017) 45–50.
- Inagaki, M., Konno, H., and Tanaike, O., 2010, Carbon materials for electrochemical capacitors. *Journal Power Sources* 195, 7880–7903. doi:10.1016/j.jpowsour.2010.06.036 powsour.2010.06.036.
- Iqbalidin, I Khudzir, MI Mohd Azlan, AG Zaidi, B Surani and Z Zubri, 2013, Properties of Coconut shell activated carbon, *Journal of Tropical Forest Science*, Vol. 25, No. 4 (October 2013), pp. 497-503 Published by: Forest Research Institute Malaysia
- Izadi, N.A., Yamada, T., Futaba, D.H., Yudasaka, M., Takagi, H., Hatori, H., Iijima S., and Hata, K., 2011, High-Power Supercapacitor Electrodes from Single- Walled Carbon Nanohorn/ Nanotube Composite, *ACS Nano*, Vol. 5, No. 2, pp. 811-819
- J.R. Miller, P. Simon, 2008, Electrochemical capacitors for energy management *Material Science* 321, 651–652.
- Jain A, Vanchiappan Aravindan., 2013, Activated carbons derived from coconut shells as high energy density cathode material for Li-ion capacitors, *Scientific Reports* volume 3, Article number: 3002, doi: 10.1038/srep03002.
- Jain, A. et al., 2014, Activated carbons derived from coconut shells as high energy density cathode material for Li-ion capacitors. *Scientific Reports* 3, 3002.
- Jayalakshmi, M., 2008, Simple Capacitors To Supercapacitors, *Int. J. Electrochem. Sci.*, Vol 3. Hal 1196 – 1217.
- Jayalakshmi.M., K Balasubramanian, 2008, Review Simple Capacitors to Supercapacitors - An Overview, *Int. J. Electrochem. Sci.*, 3 , 1196 – 1217
- Jiang J, Yadi Zhang , Ping Nie., 2018, Progress of Nanostructured Electrode Materials for Supercapacitors, *Advance Sustainable System*, <https://doi.org/10.1002/adsu.201700110>.

- Jiang, Zhifeng Ren, Shuo Chen, Qinyong Zhang, Xiong Lu, Hongping Zhang and Guojiang Wan, 2018, Bio-derived three-dimensional hierarchical carbon-graphene-TiO₂ as electrode for supercapacitors Sci Rep, doi: 10.1038/s41598-018-22742-7
- Karthikeyan, K., 2009, Synthesis And Characterization Of Znco2o4 Nanomaterial For Symmetric Supercapacitor , *Applications. Ionics*.
- Kesavan S, K Surya, Michael Siluvai Michael., 2018, High powered hybrid supercapacitor with microporous activated carbon, Solid State Ionics 321, DOI: 10.1016/j.ssi.2018.04.005
- Khalili N.R., Campbell, M., Sandi, G., 2000, Production of Micro and Mesoporous Activated Carbon from Paper Mill Sludge; Effect of Zinc Chloride Activation, *Carbon*, vol. 38, pp. 1905- 1915.
- Kim H, Min-Young Cho, Mok-Hwa Kim, Kyu-Young Park, 2013, A Novel High-Energy Hybrid Supercapacitor with an Anatase TiO₂-Reduced Graphene Oxide Anode and an Activated Carbon Cathode, Advance Energy Material, <https://doi.org/10.1002/aenm.201300467>
- Kotz.R and M. Carlen, Electrochim. Acta, 2000, Principles and applications of electrochemical capacitor, *Principle and application* 45, 2483–2498
- Largeot, C. Portet, J. Chmiola, P.L. Taberna, Y. Gogotsi, , 2008, Relation Between the Ion Size and Pore Size for an Electric Double-Layer Capacitor, *Journal of the American Chemical Society* 130 , 2730–2731
- Largeot, P.-L. Taberna, P. Simon and Y. Gogotsi , 2010, Ultrahigh-power micrometre-sized supercapacitors based on onion-like carbon, *J. Science*, 328, 480– 483.
- Lee, H., Cho, M. S., Kim, I. H., Nam, J. D., and Lee, Y., 2010, RuOx/polypyrrole nanocomposite electrode for electrochemical capacitors, *Synth. Met.* 160, 1055–1059. doi:10.1016/j.synthmet.2010.02.026
- Lee YH , 2007, Anisotropic electrical conductivity of MWCNT/PAN nanofiber paper, *Chem Phys Lett* 2007;413:188–93.
- Lee, G. and Pyun, S., 2007, Synthesis and Characterization of Nanoporous Carbon and Its Electrochemical Application to Electrode Material for Supercapacitor. *Springer: Modern Aspects of Electrochemistry*, pp. 2-195.
- Lengthaus, K., Qiao, G.G., Solomon, D.H., Gomez, C., Reinoso, F.R., and Escribano, A.S., 2001, Controlling Carbon Microporosity: The Structure of Carbons Obtained from Different Phenolic Resin Precursors, *Polymer Science Group*, pp. 743-749.
- Li B, Guangyao Gao, Dengyun Zhai, Chunguang Wei, Yanbing He, Hongda Du and Feiyu Kang, 2013, Synthesis, Characterization and Electrochemical Performance of Manganese Dioxide in a Quaternary Microemulsion: the Role of the Co-surfactant and Water, *Int. J. Electrochem. Sci.*, 8 (2013) 8740 – 8751.
- Lillo-Rodenas, A. Linares-Solano, A. Oya, F. Pico, J. Ibanéz F. Agullo-Rueda, J. M. Amarilla and J. M. Rojo , 2010, Biomass for Sustainable Applications Pollution Remediation and Energy , *J. Phys. Chem. C.*, 114, 10302.

- Lillo-Rodenas M-A, Linares-Solano A, et al., 2004, Causes of ageing of supercapacitors based on activated carbon electrodes and organic electrolyte, *J Power Sources* 2004;171:1046.
- Liu, G. Shi, 2010, Supercapacitors based on flexible graphene/polyaniline nanofiber composite films, *ACS Nano* 4 (2010) 1963e1970.
- Liu.Y, Shen.W., Li.Z., 2008, Surface Chemical Functional Groups Modification of Porous Carbon, *Recent Patents on Chemical Engineering*, 27-40.
- Lozano-Castello.D., J. Alcan ~iz-Monge, M.A. de la Casa-Lillo, D. Carzola Amaro ´s, A. Linares-Solano, 2003, Advances in the study of methane storage in porous carbonaceous, *Fuel* 81, 1777.
- Lozano-Castello D, Lillo-Rodenas MA, Ca zorla-Amoros D, Linares-Solano A., 2001, Preparation of activated carbons from Spanish anthracite. Carbon, *Electrochim Acta* ; 49:515-523
- Lufrano.F., Staiti.P.,J., 2010, Mesoporous Carbon Materials as Electrodes for Electrochemical Supercapacitors, *International Journal of Electrochemical Science*, 5, 903-906
- Macia, J.A., Moore, B.C., Cazorla, D., and Linares A., 2004, Activation of Coal Tar Pitch Carbon Fibres, *Physical Activation vs. Chemical Activation, Carbon*, vol. 42, pp. 1367-1370
- Manisha Vangari, Tonya Pryor, and Li Jiang, 2013, Supercapacitors Review of materials and fabrication methods. *Journal of Energy Engineering*, 139(2), 72–79, [http://doi.org/10.1061/\(ASCE\)EY.1943-7897.0000102](http://doi.org/10.1061/(ASCE)EY.1943-7897.0000102).
- Markus Heinemann, Bianca Eifert, and Christian Heiliger, 2013, Band structure and phase stability of the copper oxides Cu₂O, CuO, and Cu₄O₃, DOI:<https://doi.org/10.1103/PhysRevB.87.115111>.
- Marsh H, Rodríguez-Reinoso F, 2006, Activated carbon. Amsterdam: *Elsevier*
- Marshall, W.E., 2006, Utilization of turkey manure as granular activated Carbon, *physical, chemical and adsorptive properties*, *Waste Management* 25, 726–732.
- Menendez, J. A. et al. 2009, Microwave Heating Processes Involving Carbon Materials, *Full Processing Technology* 91: 1-8.
- Mi G, PAN Qun, TU Wenmao, 2012, Characteristics of Electric Double Layer in Different Aqueous Electrolyte Solutions for Supercapacitors, *Journal of Natural Science*, DOI 10.1007/s11859-012-0828-1
- Miller, J.R. & Simon, P., 2008, Electrochemical capacitors for energy management, *Science*, 321 (5889), 651–652
- Molina-Sabio, M., Rodriguez-Reinoso, F., Caturia, F., Selles, M.J., 1995, Porosity in granular carbons activated with phosphoric acid, *Carbon* 33 (8), 1105–1113
- Molina-Sabio, M., Rodriguez-Reinoso, 2004, Role of Chemichal activation in the development of carbon porosity, *Colloid surface, Physichochem Eng Aspect*, 241, 15-25.
- Mopoung S, Phansiri Moonsri, Wanwimon Palas and Sataporn Khumpai, 2015, Characterization and Properties of Activated Carbon Prepared from Tamarind Seeds by KOH Activation for Fe(III) Adsorption from Aqueous

- Solution, The Scientific World Journal Volume 2015, <http://dx.doi.org/10.1155/2015/415961>.
- Musa M S, M.M. Sanagi, h. nur & W.A.Wan Ibrahim, 2015, Understanding Pore Formation and Structural Deformation in Carbon Spheres During KOH Activation, *Sains Malaysiana* 44(4)(2015): 613–618.
- Obreja Vasile V. N., 2014, Supercapacitors specialities Materials review, AIP Conference Proceedings 1597, 98 (2014); doi: 10.1063/1.4878482.
- Palungkun, R., 1992, Aneka Produk Tanaman Kelapa. Penebar Swadaya. Jakarta. Hal 118
- Pandolfo A G, Hollenkamp A F, 2006, Carbon properties and their role in Supercapacitor, *Journal of Power Sources*, 157(1): 11–27
- Park, J.H. and Park, O.O., 2002, Hybrid Electrochemical Capacitors Based on Polyaniline and Activated Carbon Electrodes, *Journal of Power Sources*, vol. 111, pp. 185-190.
- Perry, R.H. dan Don W.G. 1997. Chemical Engineers Handbook. Mc Graw Hill. New York.
- Porada S., Zhao R., van der Wal A., Presser V., Biesheuvel P.M., 2013, Review on the science and technology of water desalination by capacitive deionization, *Prog. Mater. Sci.*, 58, 1388–1442.
- Praveen, A. Balakrishnan, K.R.V. Subramanian, M.V. Reddy, S.V. Nair, A. Sreekumaran Nair, N. Sivakumar, 2013, Electrospun CuO nanostructures for supercapacitor applications, *J. Mater. Chem. A* 1, 11698.
- Prasad, Dattatray S Dhawale, Thiripuranthagan Sivakumar, Salem S Aldeyab, Javaid S M Zaidi, Katsuhiko Ariga, and Ajayan Vinu, 2011, Fabrication and textural characterization of nanoporous carbon electrodes embedded with CuO nanoparticles for supercapacitors, *Sci Technol Adv Mater*. 2011 Aug; 12(4): 044602, doi: 10.1088/1468-6996/12/4/044602.
- Qu. D, 2002, Studies of activated carbon used in double layer capacitor, *Journal of Power Source*, 109, 403-411.
- Qu. D, Shi.H., 1998, Studies of activated carbon used in double layer capacitor, *Journal of Power Source*, 74, 99-107
- Roldán, S., Granda, M., Menéndez, R., Santamaría, R., and Blanco, C., 2011, Mechanisms of energy storage in carbon-based supercapacitors modified with a quinoid redox-active electrolyte, *J. Phys. Chem. C* 115, 17606–17611. doi:10. 1021/jp205100v.
- Rosi M, Ferry Iskandar, Mikrajuddin Abdullah, Khairurrijal Khairurrijal., 2014, Hydrogel-Polymer Electrolytes Based on Polyvinyl Alcohol and Hydroxyethylcellulose for Supercapacitor Applications, *International journal of electrochemical science* 9(8):4251-4256.
- Ruiz V., Roldán S., Villar I., Blanco C. & Santamaría R., 2013, Voltage dependence of carbon-based supercapacitors for pseudocapacitance quantification, *Electrochim Acta* 95, 225–229.
- Sahay, Kuldeep. , 2009, Supercapcitor Energy Storage System For Power Quality Improvement, *J. Electrical Systems* Vol X Hal 1-8

- Selvakumar.M, D. Krishna Bhat, 2012, Microwave synthesized nanostructured TiO₂-activated carbon composite electrodes for supercapacitor, *Applied Surface Science* 263 , 236–241.
- Selvakumar.M, D.Krishna Bhat, A.Manish Aggarwal, S.PrahladhIyer, G.Sravani, 2010, Nano ZnO-activated carbon composite electrodes for supercapacitors, *Physica B: Condensed Matter*, Volume 405, Issue 9, 1 May 2010, Pages 2286-2289, <https://doi.org/10.1016/j.physb.2010.02.028>.
- Seo, M. K., Yang, S., Kim, I. J., & Park, S. J., 2010, Preparation and electrochemical characteristics of mesoporous carbon spheres for supercapacitors. *Materials Research Bulletin*, 45(1), 10–14
- Shen.W., Li.Z., 2008, Surface Chemical Functional Groups Modification of Porous Carbon, *Recent Patents on Chemical Engineering*, 27-40.
- Shi a, Yan Song b , 2014, High-performance supercapacitor electrodes based on porous flexible carbon nanofiber paper treated by surface chemical etching, *Chemical Engineering Journal* 249 , 216–225
- Shukla, A.K., Sampath, S. & Vijayamohanan, K., 2000, Electrochemical supercapacitors: Energy storage beyond batteries, *Current Science* 79: 1656-1661.
- Siengchum Tritti, Matthew Isenberg and Steven Chuang, 2013, Fast pyrolysis of coconut biomass--An FTIR study, *Fuel* Vol. 105, p. 559 – 565.
- Simon, P., and Burke, A., 2008, Nanostructured carbons double-layer capacitance and more. *Electrochem. Soc. Interface* 17, 38–43.
- Sing, K. S. W., Everett, D. H., Haul, R. A. W., Moscou, L., Pierotti, R. A., Rouquerol, J., dan Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems, *Pure Appl. Chem., IUPAC*, Great Britain, **57**, 4, 603-619.
- Stoller, M. D., Park, S., Zhu, Y., An, J., and Ruoff, R. S., 2008, Graphene-based ultracapacitors. *Nano Lett.* 8, 3498–3502. doi:10.1021/nl802558y
- Su W., Zhou.L., 2003, Preparation Of Microporous Activated carbon from coconut shells withouth Activating Agent, *Carbon* 41, 861-863
- Sudrajat, R. dan S. Soleh, , 1994, Petunjuk Teknis Pembuatan Arang Aktif. Badan Penelitian dan Pengembangan Kehutanan. Bogor.
- Sun, J., Wu, C., Sun, X., Hu, H., Zhi, C., Hou, L., & Yuan, C., 2017, Recent progresses in high-energy-density all pseudocapacitive-electrode-materials-based asymmetric supercapacitors. *Journal of Materials Chemistry A*, 5(20), 9443–9464. doi:10.1039/c7ta00932a
- Taer, W S Mustika, Agustino, Fajarini, N Hidayu and R Taslim., 2017, The Flexible Carbon Activated Electrodes made from Coconut Shell Waste for Supercapacitor Application, *IOP Conf. Series: Earth and Environmental Science* 58 012065 doi:10.1088/1755-1315/58/1/012065
- Tangjuank, S., Insuk, N., Tontrakoon, J., and Udeye, V., 2009, Adsorption of Lead(II) and Cadmium(II) Ions from Aqueous Solutions by Adsorption on Activated Carbon Prepared from Cashew Nut Shells, *World Academy of Science, Engineering and Technology*, vol. 52, pp. 110-116.

- Tawalbleh.M , 2005, Production of Activated Carbon from Jojoba Seed Residue by Chemical Activation Residue Using a Static Bed Reactor, *Journal of Applied Science*, 5(3) 482-487
- Viswanathan, Mahalakshmy, R., P. Indraneel , 2009, Surface functionalities of nitric acid treated carbon - A density functional theory based vibrational analysis. *Indian Journal of Chemistry*, 352-356
- Wang Y, Jin Guo, Tingfeng Wang, Junfeng Shao , 2015, Mesoporous Transition Metal Oxides for Supercapacitors, *Nanomaterials* 2015, 5(4), 1667-1689; <https://doi.org/10.3390/nano5041667>
- Wang, G., Zhang, L., & Zhang, J., 2012, A review of electrode materials for electrochemical supercapacitors. *Chem. Soc. Rev.*, 41(2), 797–828. doi:10.1039/c1cs15060j
- Wang, Gui-Xin, 2004, Manganese Oxide/MWNTs Composite Electrodes For Supercapacitor. *Solid state ionics* vol 176 hal 1169-1174.
- Wei, Z. X., 2010, Hierarchical nanocomposites of polyaniline nanowire arrays on graphene oxide sheets with synergistic effect for energy storage, *ACS Nano* 4 (9), 5019–5026.
- Williams, David B., Carter, C. Barry, 1996, Transmission Electron Microscopy, A Textbook for Materials Science.
- Woodroof, J. G., 2015, Coconut Production Processing Product. *AVI Publ. Company. Inc.* Westport, Conecticut.
- Wu,W.C. Ren, L. Xu, F. Li, H.M. Cheng, 2011, Nanostructured Semiconductor Oxides for the Next Generation of Electronics, *ACS Nano* 5 (2011) 5463 – 5471
- Wu, W. Pisula, K. Müllen, 2007, Graphenes as Potential Material for Electronics *Chem. Rev.* 107 (2007) 718.
- Wu, N.-L., 2002, Nanocrystalline oxide supercapacitors. *Materials Chemistry and Physics*, 75(1-3), 6–11, doi:10.1016/s0254-0584(02)00022-6.
- Xu H, Biao Gao, Hao Cao, Xueyang Chen, Ling Yu, Kai Wu, Lan Sun, Xiang Peng, and Jijiang Fu., 2014, Nanoporous Activated Carbon Derived from Rice Husk for High Performance Supercapacitor, Hindawi Publishing Corporation Journal of Nanomaterials Volume 2014, Article ID 714010, 7 pages <http://dx.doi.org/10.1155/2014/714010>
- Yamada.Y, dan Ozaki , 2005, Nanoporous Carbon, *Encyclopedia of Nanoscience and Nanotechnology*, 7, 237-238.
- Yang, J., Liu, Y., Chen, X., Hu, Z., dan Zhao, G., 2008, Carbon Electrode Material with High Densities of Energy and Power, *Acta. Phys.-Chim. Sin.*, 24, 1, 13-19
- Yongbin J, Li T, Zhu L, Wang X & Lin Q., 2007, Preparation and characterization of activated carbon by microwave heating KOH activation. *Applied Surface Science* 254: 506-512.
- Yu, Nianjun Yang, Michael Vogel, Soumen Mandal, Oliver A. Williams, Siyu Jiang, Holger Schönherr, 2018, Supercapacitors: Battery-like Supercapacitors from Vertically Aligned Carbon Nanofiber Coated Diamond: Design and Demonstrator, *Advance Energy Mater.*, <https://doi.org/10.1002/aenm.201870054>

- Yu, A., Chabot, V., and Zhang, J., 2013, *Electrochemical Supercapacitors for Energy Storage and Delivery*, CRC Press, Boca Raton.
- Yushin, G., Nikitin, A., & Gogotsi, Y, 2006, Carbide-Derived Carbon. *Nanomaterials Handbook*. doi:10.1201/9781420004014.ch8.
- Yuen FK & Hameed BH., 2012, Coconut husk derived activated carbon via microwave induced activation: effects of activation agents, preparation parameters and adsorption performance. *Chemical Engineering Journal* 184: 57-65.
- Zakir.M , P Budi , Raya , A Karim , R Wulandari and A B J Sobrido, 2018, Determination of specific capacitance of modified candlenut shell based carbon as electrode material for supercapacitor, *IOP Conf. Series: Journal of Physics: Conf. Series* 979 (2018) 012024, doi :10.1088/1742-6596/979/1/012024.
- Zhang li, Shijie Wang, Rutao Wang, Yabin Zhang, 2017, Highly porous carbon with large electrochemical ion absorption capability for high-performance supercapacitors and ion capacitors, *IOP Publishing Ltd Nanotechnology*, Volume 28, Number 44.
- Zhang, Fan Zhang, Xi Yang, Kai Leng, Yi Huang, Yongsheng Chen, 2013, High-Performance Supercapacitor Electrode Materials Prepared from Various Pollens, *Wiley Online Library*, <https://doi.org/10.1002/sml.201202943>.
- Zhang L, Stephanie L, Candelaria , Jianjun Tian , Yanwei Li , Yun-xia Huang, Guozhong Cao, 2013, Copper nanocrystal modified activated carbon for supercapacitors with enhanced volumetric energy and power density, *Journal of Power Sources* 236, 215-223.
- Zhang J, Zhao XS, 2012, On the configuration of supercapacitors for maximizing electrochemical performance, *May*;5(5):818-41.doi:10.1002/cssc.201100571
- Zhang LL, Zhao XS., 2009, Carbon-based materials as supercapacitor electrodes. *Chem Soc Rev.* 2009 Sep;38(9):2520-31. doi: 10.1039/b813846j. Epub 2009 Jun 12.
- Zhang, F.M.H., Chen, J., Li, G.D., Zhang, Y., and Chen, J.S., 2008, Preparation and Gas Storage of High Surface Area Microporous Carbon Derived from Biomass Source Cornstalks, *Bioresource Technology*, vol. 99, pp. 4803-4808.
- Zheng, J. P., P. J. Cygan, et al., 1995, Hydrous Ruthenium Oxide as an Electrode Material for Electrochemical Capacitors, *Journal of the Electrochemical Society*, 142(8): 2699-2703.
- Zhi, Wei Zhao, Xiangye Liu, Angran Chen, Zhanqiang Liu., 2014, Highly Conductive Ordered Mesoporous Carbon Based Electrodes Decorated by 3D Graphene and 1D Silver Nanowire for Flexible Supercapacitor, *Advance Functional Materials*, Vol 24, <https://doi.org/10.1002/adfm.201303082>.
- Zhong-Shuai Wua, Guangmin Zhoua, Li-Chang Yina, Wencai Rena, Feng Lia, Hui Ming Cheng, 2012, Review Graphene/metal oxide composite electrode materials for energy storage, www.elsevier.com/locate/nanoenergy, 107–131.

- Zhou X, Juanjuan Zhoub, Yijing Yinc and Azzam Mansour, 2009, Development and Study of Mediator-Enhanced Polymer Electrolyte Supercapacitors, *ECS Trans.* 2009 volume 19, issue 30, 9-22, doi: 10.1149/1.3253359.
- Zhu, Z., Hu, H., Li, W., and Zhang, X., 2007, Resorcinol Formaldehyde Based Porous Carbon as an Electrode Material for Supercapacitors, *Carbon*, vol.45, pp. 160-165.
- Zihong, Yuan, Anbao, 2009, Electrochemical Performance of Nickel Hydroxide/Activated Carbon Supercapacitors Using a Modified Polyvinyl Alcohol Based Alkaline Polymer Electrolyte, *Chinese Journal of Chemical Engineering*, Volume 17, Issue 1, February 2009, Pages 150-15, [https://doi.org/10.1016/S1004-9541\(09\)60047-1](https://doi.org/10.1016/S1004-9541(09)60047-1)