



DAFTAR PUSTAKA

- Almasyhuri, Yuniati H., dan Dewi S. S. 1990. Kandungan Asam Fitat dan Tanin dalam Kacang-kacangan yang Dibuat Tempe. *PGM* 13:65-72
- Arcot, J., Wong, S., & Ashok, K., S., 2002. Comparison of Folate Losses In Soybean During The Preparation of Tempeh And Soymilk. *J Sci Food Agric* 82:1365–1368.
- Ashenafi, M., Busse, M., 1991. Development of microorganisms during cold storage of pea and chickpea tempeh and effect of *Lactobacillus plantarum* on storage microflora. *Journal of the Science of Food and Agriculture* 56: 71–78
- Asmoro, N. W. 2016. Pengaruh Jenis Inokulum Terhadap Kandungan Asam Folat pada Fermentasi Tempe Kedelai Hitam Varietas Mallika. *Jurnal Ilmiah Teknosains* 2(1): 66-72.
- Astawan, M. 2004. Potensi tempe ditinjau dari segi gizi dan medis. Dalam: Astawan, M (Ed) Tetap Sehat dengan Produk Makanan Olahan. *Tiga Serangkai*, Solo. p. 7-16
- Astawan, M. 2009. *Sehat dengan Hidangan Kacang dan Biji-bijian*. Penebar Swadaya, Bogor.
- Astuti, N.P. 2009. Sifat Organoleptik Tempe Kedelai yang Dibungkus Plastik, Daun Pisang dan Daun Jati. *Karya Tulis Ilmiah*. Program Studi Gizi Diploma III Fakultas Ilmu Kesehatan. Universitas Muhammadiyah Surakarta, Surakarta.
- Astuti, P. P. 2018. Uji Kandungan Vitamin B12 pada Tempe Kedelai Menggunkan Inokulum *Saccharomyces cerevisiae* dan *Klebsiella sp.* Selama Fermentasi. *Skripsi*. Fakultas Pertanian, Universitas Lampung, Bandar Lampung
- Badan Standardisasi Nasional. 2012. Tempe : Persembahan Indonesia untuk Dunia. http://www.bsn.go.id/uploads/download/Booklet_tempe-printed21.pdf. Diakses tanggal 12 Desember 2018
- Badan Standarisasi Indonesia. 2015. *SNI 3144:2015 : Tempe Kedelai*. BSN, Jakarta
- Bailey, L. B., 2010. *Folate In Health And Disease*. CRC Press, New York.
- Barrett DM, Beaulieub JC, Shewfelte R. 2010. Color, flavor, texture, and nutritional quality of fresh-cut fruits and vegetables: desirable levels, instrumental and sensory measurement, and the effects of processing. *Crit Rev Food Sci*, 50: 369–389. DOI: 10.1080/10408391003626322.
- Cahyadi, W. 2006. *Kedelai Khasiat dan Teknologi*. Bumi Aksara, Bandung.
- Chew, S.C., Loh, S.P., & Khor, G.L., 2012. Determination of Folate Content In Commonly Consumed Malaysian Foods. *International Food Research Journal* 19(1): 189-197.
- Cintas, L.M., M.P. Casaus, C. Herranz, I.F. Nes dan P.E. Hernández. 2001. Review: Bacteriocins of Lactic Acid Bacteria. *Food Science and Technology International* 7: 281–305.



- Cordente, A. G., Swiegers, J.H., Hegardt, F.G., dan Pretorius, I.S. 2007. Modulating aroma compounds during wine fermentation by manipulating carnitine acetyl transferases in *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 267 (2): 159-166.
- Damardjati, D. S., S. Widowati, and H. Taslim. 1996. Soybean processing and utilization in Indonesia. *Indonesian Agric. Res.and Dev. Journal* 18(1):13-25
- Damiani, P., Gobetti, M., Cossignani, L., Corsetti, A., Simonetti, M.S., Rossi, J., 1996. The sourdough microflora. Characterization of hetero- and homofermentative lactic acid bacteria, yeasts and their interactions on the basis of the volatile compounds produced. *Lebensmittel-Wissenschaft Und -Technologie-Food Science and Technology*, 29, 63–70.
- Davies, N. T. dan H. Reid. 1979. An evaluation of the phytate, zinc, copper, iron, and manganese contents of, and Zn availability from soya based textured vegetable protein meat substitutes or meat extenders. *Rowerr Research Institute*, Bucksburn, Aberdeen.
- Depkes. 1991. *Komposisi Zat Gizi Pangan Indonesia*. Balai Pustaka, Jakarta.
- Dewi R.S. dan Aziz S. 2011. Isolasi *Rhizopus oligosporus* pada beberapa inokulum tempe di Kabupaten Banyumas. *Molekul* 6:93e104.
- Dwidjoseputro D, Frederick TW. 1970. Microbiological studies of Indonesian fermented foodstuffs. *Mycopathol Mycol Appl*, 41:211e22.
- Dwinaningsih, E. A. 2010. Karakteristik Kimia dan Sensori Tempe Dengan Variasi Bahan Baku Kedelai/Beras dan Penambahan Angkak serta Variasi Lama Fermentasi. *Skripsi*. Jurusan Teknologi Hasil Pertanian, Universitas Sebelas Maret, Surakarta.
- Ferlina, F. 2009. *Tempe*. <http://www.adln.lib.unair.ac.id/go.php>. Diakses pada tanggal 22 Desember 2018.
- Feng, X. M., T.O. Larsen and J. Schnurer. 2007. Production of volatile compounds by *Rhizopus oligosporus* during soybean and barley tempeh fermentation. *Journal Food Microbiology* 113: 133-141.
- Feng, X. M. 2006. Microbial dynamic during barley tempeh fermentation. *Thesis*. Acta. Swedish University of Agricultural Sciences Uppsala.
- Feng, X.M., Eriksson, R.B.A., Schnürer, J., 2005. Growth of lactic acid bacteria and *Rhizopus oligosporus* during barley tempeh fermentation. *International Journal of Food Microbiology* 104: 249–256.
- Fleet, G.H. 1990. Yeasts in dairy products. *International Journal of Applied Bacteriology* 68: 199-121.
- Fretzdorff, B. dan Brümmer, J.M. 1992. Reduction of phytic acid during breadmaking of whole-meal bread. *Cereal Chemistry* 69(3) : 266-270.
- Garde, S., Carbonell, M., Fernandez-Garcia, E., Medina, M., Nunez, M., 2002. Volatile compounds in Hispanico cheese manufactured using a mesophilic starter, a thermophilic starter, and bacteriocin-producing *Lactococcus lactis subsp lactis* INIA 415. *Journal of Agricultural and Food Chemistry* 50: 6752–6757



- Ginting, E. dan Arcott, J. 2004. High-performance liquid chromatographic determination of naturally occurring folates during tempe preparation. *Journal of Agricultural and Food Chemistry* 52: 7752-7758.
- Ginting, E., Jayashree Arcot, & Julian M. Cox., 2003. Determination of Folate Retention During Tofu Preparation Using Trienzyme Treatment And Microbiological Assay. *Indonesian Journal of Agricultural Science* 4(1): 12-17
- Haliza, W., Purwani, E.Y., dan Thahir, R. 2007. Pemanfaatan kacang-kacangan Lokal sebagai Substitusi Bahan Baku Tempe dan Tahu. *Buletin Teknologi Pascapanen Pertanian* 3 (1): 1-8.
- Hartanti, A. T., Rahayu, G., dan Hidayat, I. 2015. Rhizopus Species from Fresh Tempe Collected from Several Regions in Indonesia. *Hayati Journal of Biosciences* 22 (3): 136-142.
- Hidayat, N. 2009. *Tahapan Proses Pembuatan Tempe*. <http://www.nurhidayat.tip.wordpress.com>. Diakses tanggal 20 Desember 2018.
- Hidayat, N., Sukardi dan Insani N. 2006. Analisis Perbandingan Teknologi Pembuatan Tempe. *Laporan Penelitian*, Jurusan Teknologi Industri Pertanian, Universitas Brawijaya.
- Iyer, R. & Tomar, S.K., 2009. Folate: A Functional Food Constituent. *Journal of Food Science*. 74(9).
- Jelen, Henryk; Małgorzata Majcher; Alexandra Ginja; Maciej Kuligowski. 2013. Determination of compounds responsible for tempeh aroma. *Food Chemistry* 141: 459–465.
- Jinap, S., dan Hajeb, P. 2010. Glutamate. Its applications in food and contribution to health. *Appetite* 55: 1-10.
- Karmini, Mien dkk. 2009. Aktivitas Enzim Hidrolitik Kapang *Rhizopus sp.* Pada Proses Fermentasi Tempe. Fakultas Pertanian, Institut Pertanian Bogor. Bogor.
- Karsono, Y, A. Tunggal, A. Wiratama, dan P. Adimulyo. 2009. Pengaruh jenis kultur starter terhadap mutu organoleptik tempe kedelai. *Laporan Penelitian* (tidak dipublikasikan), Departemen Ilmu dan Teknologi Pangan, Institut Pertanian Bogor, Bogor.
- Kasmidjo, R.B. 1990. *Tempe : Mikrobiologi dan Kimia Pengolahan serta Pemanfaatannya*. PAU Pangan dan Gizi Universitas Gadjah Mada, Yogyakarta.
- Kinanti, Dyah Ayu. 2018. Profil Sensoris dan Tingkat Penerimaan Konsumen Terhadap Tempe dengan Bubuk Starter Isolat Lokal. *Skripsi*. Departemen Teknologi Pangan dan Hasil Pertanian, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Koswara, S. 2009. *Teknologi Pengolahan Kedelai (Teori dan Praktek)*. <http://tekpan.unimus.ac.id/wp-content/uploads/2013/07/Teknologi-Pengolahan-Kedelai-Teori-dan-Praktek.pdf>. Diakses tanggal 21 Desember 2018.



- Kumar, V, Sinha, A.K., Makkar, H.P.S., Becker, K. 2010. Dietary Roles of Phytate and Phytase in Human Nutrition: A review. *Food Chemistry* 120(4): 950-959.
- Kustyawati, M. E., Nawansih, O., dan Nurdjanah, S., 2017. Profile of aroma compounds and acceptability of modified tempeh. *International Food Research Journal* 24(2): 734-740.
- Kustyawati, M.E. 2009. Kajian Peran Yeast dalam Pembuatan Tempe. *Jurnal Agritech* 29 (2) : 64-70.
- Kusuma, Y. D. 2005. Kemampuan *Rhizopus oligosporus* pada fermentasi tempe kedelai sindoro americana dan campuran masing-masing kedelai dengan kecipir dalam menghasilkan isoflavon aglikon. *Skripsi* (tidak dipublikasikan), Fakultas Biologi Universitas Jenderal Soedirman, Purwokerto.
- Lopez, Y., Gordon, D.T. dan Field, M.L. 1983. Release of phosphours from phytate by natural lactic acid fermentation. *Journal of Food Science* 43(3) : 935-954.
- Madigan MT, Martinko JM, Stahl DA, Clark DP. 2012. *Brock Biology of Microorganisms*. Pearson Education Inc, San Fransisco.
- Meilgaard, M., Civille, G.V. And Carr, B.T. 1999. *Sensory Evaluataion Techniques*. CRC Press, London.
- Mokrzycki, W.S. dan Mcej T. 2011. Color Difference Delta E- A Survey. *Machine Graphics and Vision*.
<https://www.researchgate.net/publication/236023905>. Diakses pada tanggal 25 Maret 2019.
- Mulyati. Y. I, S.P. Raharti, dan A.B. Thelma A.B. 2002. Pembuatan Inokulum Menggunakan Isolat *Rhizopus* C1 dan *Rhizopus* C2 pada Subtrat Campuran, *Prosiding Seminar Tantangan Penelitian Kimia*, LIPI, Bandung.
- Mulyowidarso, R.K, Fleet, G. H. dan Buckle K.A. 1990. Association of bacteria with the fungal fermentation of soybean tempeh. *Journal of Applied Bacteriology* 68: 43-47.
- Murata K., Miyamoto, T., Kokufu, E. & Sanke, Y., 1970. Studies on The Nutritional Value of Tempeh. III. Changes in Biotin And Folic Acid Contents During Tempeh Fermentation. *The Journal of Vitaminology* 16: 281-284.
- Nout, M.J.R, dkk. 1992. *Hibiscus* leaves for the manufacture of usar, a traditional inoculum for tempe. *Juornal of the Scienceof Food and Agriculture* 58(3).
- Nout, M.J.R dan Rombouts, F.M. 1990. Recent Developments in Tempe Research. *J-Appl Bacteriol* 69:609-633.
- Nout, N.J.R., Beernink, G. dan Bonantsvanlaarhoven, T.M.G. 1987. Growth of *Bacillus cereus* in soyabean tempe. *International Journal of Food Microbiology* 4: 293-301
- Nurdini, A. L., Nuraida, L., Suwanto, A. dan Suliantari. 2015. Microbial growth dynamics during tempe fermentation in two different home industries. *International Food Research Journal* 22(4): 1668-1674



- Ogawa, Y., Tokumasu, S. And Tubaki, K., 2004. An Original Habitat Of Tempeh Molds. *Mycoscience* 45(4):271–276.
- Permatasari, R.D. 2018. Profil Asam Amino Tempe yang Dibuat dengan Starter Isolat Lokal. *Skripsi*. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Prihatna C, Suwanto A. 2007. Phenotypic, metabolic, and genetic diversity of the Indonesian strains of *Rhizopus oligosporous*. *J Microbiol Indones* , 1:27e32.
- Purawisastra, Suryana., Dewi S. Slamet, & Uken S. S. Soetrisno. 1993. Perubahan Kandungan Protein dan Komposisi Asam Amino Kedelai pada Waktu Pembuatan Tempe dan Tahu. *Jurnal Penelitian Gizi Makanan* 16 : 117 - 124. <http://ejournal.litbang.depkes.go.id/>
- Puteri, M., Hassaneina, T.R., Prabawatia, E.K., Wijaya, C.H., dan Anthony N. M. 2015. Sensory Characteristics of Seasoning Powders from Overripe Tempeh, a Solid State Fermented Soybean. *Procedia Chemistry* 14:263–269
- Rahmaningtyas, N. L. 2018. Profil Pertumbuhan Bakteri Asam Laktat, Bakteri Proteolitik, dan Khamir pada Fermentasi Tempe dengan Bubuk Starter Isolat Lokal. *Skripsi*. Departemen Teknologi Pangan dan Hasil Pertanian, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Rahmayani, D. A. 2016. Perilaku *Cronobacter sakazakii* selama Fermentasi Tempe yang Diperkaya Bakteri Asam Laktat. *Skripsi*. Departemen Ilmu dan Teknologi Pangan, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Ramachandran, S., Roopesh, K., Nampoothiri, K. M., Szakacs, G., Pandey, A. 2005. Mixed substrate fermentation for the production of phytase by *Rhizopus spp.* using oilcakes as substrate. *Process Biochemistry* 40: 17491754
- Rani, R dan Ghosh, S. 2011. Production of phytase under solid-state fermentation using *rhizopus oryzae*: novel strain improvement approach and studies on purification and characterization. *Bioresource Technol.* 102(22): 1064110649
- Rochintaniawati, D. 2011. *Pembuatan Ragi Tempe*. http://file.upi.edu/Direktori/FPMIPA/JUR._PEND._BIOLOGI/DIANA_ROCHINTANIAWATI/BIOLOGI_TERAPAN/PEMBUATAN_RAGI_TEMPE_%26_TEMPE.pdf. Diakses tanggal 25 Desember 2018 pukul 21.20 WIB.
- Romano, P., Fiore, C., Paraggio, M., Caruso, M., dan Capece, A. 2003. Function of yeast species and strains in wine flavor. *International Journal of Food Microbiology* 86(1-2): 169-180.
- Rotzoll N., Dunkel A., dan Hofmann T. 2006. Quantitative studies, taste reconstitution, and omission experiments on the key taste compounds in morel mushrooms (*Morchella deliciosa* Fr.) *J Agric Food Chem*, 54:2705-2711.



- Saono S, Gandjar I, Basuki T, Karsono H. 1974. Mycoflora of ragi and some other traditional fermented foods of Indonesia. *Ann Bogorensis* 5:187e96.
- Sapuan dan Noer S. 2001. *The Complete Handbook of Tempe: The Unique Fermented Soyfood of Indonesia 2nd ed.* Jonathan A. editor. American Soybean Association Southeast Asia Regional Office, Singapore
- Sayudi, S., Herawati, N. & Ali, A. 2015. Potensi biji lamtoro gung dan biji kedelai sebagai bahan baku pembuatan tempe komplementasi. *Jurnal Online Mahasiswa (JOM)*, Universitas Riau 2(1): 1-9.
- Shogren, R.L., Mohamed, . A dan Carriete, C.J. 2003. Sensory analysis of whole wheat/soy flour breads. *Journal of Food Sciences* 68 : 2141-2145.
- Shurtleff W dan Akiko A. 1979. *The Book of Tempeh*. New York: Harper & Row.
- Silvia, I. 2009. Pengaruh Penambahan Variasi Berat Inokulum Terhadap Kualitas Tempe Biji Durian (*Durio zibhetinus*). *Skripsi Departemen Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Sumatera Utara, Medan.*
- Sindhu dan Khetarpaul. 2004. Development, acceptability and nutritional evaluation of an indigenous food blend fermented with probiotic organisms. *Nutrition and Food Sciences* 35: 20-27.
- Sreeramulu, G.; Srinivasa, D. S.; Nand, K.; Joseph, R. 1996. *Lactobacillus amyloVorus* as a phytase producer in submerged culture. *Lett. Appl. Microbiol* 23: 385-388.
- Steinkraus, K.H. 2002. Fermentations in world food processing. *Comprehensive Reviews in Food Science and Food Safety* 1: 23-31.
- Steinkraus, K.H. 1995. *Handbook of Indigenous Fermented Foods. 2nd edition.* New York : Marcel Dekker Inc, Pp 11-110.
- Steinkraus, K.H. 1982. *Fermented Foods and Beverages: The Role of Mixed Cultures Communities.* Vol. 1 Edited by A.T. Bull and J. H. Slater, Academic Press. Pp 407-449
- Steinkraus, K.H., Hwa, Y.B., Van Buren, J.P., Provviedenti, M.I., dan Hand, D.B., 1959. *Indonesian On Tempeh- Soybean Fermented Food.* New York State Agricultural Experiment Station, Cornell University, Geneva, New York (1176).
- Sudarmadji, S. 1975. *Certain Chemical and Nutritional Aspect of Soybean tempeh.* Michigan State University
- Suhendri, Teresia,T.,Catherine,H.,Margaret O.,Kevin A.S. 2006. Aplikasi Proses Termal Sebagai Solusi Umur Simpan Pendek pada Tempe. Departemen Ilmu dan Teknologi Pangan. IPB. Bogor.
- Supriono. 2003. *Memproduksi Tempe. Proyek Pengembangan Sistem dan Standar Pengelolaan.* Sekolah Menengah Kejuruan Direktorat Pendidikan Menengah Kejuruan, Jakarta.
- Tangkilisan, H. Anneke., dan Rumbajan, D. 2002. Defisiensi Asam Folat. *Sari Pediatri* 4(1): 21–25.
- Villijoan, B.C. dan Greyling, T. 1995. Yeast associated with cheddar and gouda making. *International Journal of Food Microbiology* 28: 79-88.
- Wang, Z. M., Zhou, Nie, Gaoa, W., Wang, Y.S., Zhao, H., Zhu, Yan, J.J., Yang, Z.J., & Wang, L.S., 2012. Folate And Risk of Coronary Heart Disease: A



- Meta-Analysis of Prospective Studies. *Nutrition, Metabolism & Cardiovascular Diseases* 22: 890- 899.
- Welthagen, J.J. dan Vilijoen, B.C. 1999. The isolation and identification of yeasts obtained during the manufacture and ripening of cheddar cheese. *Journal of Food Microbiology* 16: 63-73.
- Whitaker, J. R. 1978. Biochemical changes occurring during the fermentation of high-protein foods. *Food Technology* 32 : 175-180.
- Widowati, S., Santosa, B.A.S., Roswita, S., Hernani, S. 2010. Model Penerapan Teknologi Produksi 1 Ton Tepung Sukun Bermutu Premium dengan Efisiensi Biaya Produksi 50% dan Pengembangan 5 Macam Produk Olahannya (Snack Food) di Kabupaten Cilacap. *Artikel Ilmiah*, Badan Penelitian dan Pengembangan Pertanian. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian Badan Penelitian dan Pengembangan Pertanian, Bogor.
- Widowati, S., D. S. Damardjati, dan L. Sukarno. 1999. Kajian mutu kedelai dan pemanfaatannya dalam industri pengolahan pangan modern. *Buletin Agrobio*, Balitbio, Bogor, 3 (1): 36-44
- Wiesel, I, Rehm, H.J., dan B. Bisping. 1997. Improvement of tempe fermentations by application of mixed cultures consisting of *Rhizopus* sp. and bacterial strains. *Applied Microbiology and Biotechnology*, 47(3): 218–225.
- Winarno, F.G. 2002. *Kimia Pangan dan Gizi*. PT. Gramedia Pustaka Utama, Jakarta
- Witthoft, C.M., 2011. Folates. *Elsevier Ltd*. All rights reserved. p: 678-686
- Yong, F. M., dan B.J.B Wood. 1974. Microbiology and Biochemistry of Soy Sauce Fermentation. *Applied Microbial*, London.
- Zamudio, M., González, A. and Medina, J. 2001. *Lactobacillus plantarum* phytase activity is due to nonspecific acid phosphatase. *Letters in Applied Microbiology* 32: 18–184.