

DAFTAR PUSTAKA

- Akpapunam, M. A., & Dede, S.S., 1997. Jack bean (*Canavalia ensiformis*): Nutrition related aspects and needed nutrition research, *Plant Foods for Human Nutrition* 50: 93-99.
- Anonim, 2014. *Product information: Urease, Type III from Canavalia ensiformis (Jack Bean)*. <https://www.sigmaaldrich.com>. Diakses tanggal 28 Maret 2019.
- AOAC, 2000. *Official Methods of Analysis of AOAC International*. AOAC International, 14 Gaithersburg.
- Astuti, B.C., 2012. *Karakteristik Moromi yang Dihasilkan Dari Fermentasi Moromi Kecap Koro Pedang (Canavalia ensiformis L.) Pada Kondisi yang berbeda*. Skripsi Program Studi Ilmu dan Teknologi Pangan Fakultas Teknologi Pertanian UGM
- Baba, W.N., Punoo, H.A., Rasool, N. & Shafi, M, 2018. Physico-Chemical, Textural, And Antioxidant Properties of Low Fat Tofu Prepared from Blends Of Cow Milk And Soymilk. *International Journal of Advances in Science Engineering and Technology* ISSN(p): 2321 –8991, ISSN(e): 2321 –9009 Vol-6, Iss-1, Spl. Issue-1
- Benassi, T., Yamashita, F., Prudencio, S. H, 2011. A statistical approach to define some tofu processing conditions. *Ciênc. Tecnol. Aliment., Campinas* 31(4): 897-904
- Blazek, V., 2008. Chemical and Biochemical Factors That Influence the Gelation of Soybean Protein and the Yield of Tofu. *Faculty of Agriculture, Food and Natural Resources, The University of Sydney*
- Boer, J.D., Blitterswijk, C.V., Thomsen, P., Hubbell, P., Cancedda, R., Bruijn, J.D., Lindahl, A., Sohier, J., Williams, D.F., 2008. *Tissue of Engineering*. <https://books.google.co.id>. Diakses pada 19 Maret 2019
- BPS, 2015. *Produksi Kedelai Menurut Provinsi (ton), 1993-2015*. www.bps.go.id. Diakses pada 3 Januari 2019
- BPS, 2017. *Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting*. www.bps.go.id. Diakses tanggal 21 januari 2019
- BSN (1998). SNI 01-3142-1998. www.bsn.go.id. Diakses pada 20 January 2019 pukul 21.10



- Cai T. D., Chang K. C., 1998. Characteristics of production-scale tofu as affected by soymilk coagulation method: propeller blade size, mixing time and coagulant concentration. *Food 19 Research International* 31:289-295.
- Cai T. D., Chang K. C., Shih M. C., Hou H. J., Ji M., 1997. Comparison of bench and 21 production scale methods for making soymilk and tofu from 13 soybean varieties. *Food 22 Research International* 30:659-668.
- Cao, F., Li, X., Luo, S., Mu, D., Zhong, X., Jiang, S., ... Zhao, Y., 2017. LWT - Food Science and Technology Effects of organic acid coagulants on the physical properties of and chemical interactions in tofu. *LWT - Food Science and Technology* 85:58–65.
- Chang, Y. H., Su, H. J., and Shiau, S. Y., 2009. Rheological and textural characteristics of black soybean touhua (soft soybean curd) prepared with glucono-d-lactone. *Journal of Food Chemistry* 115:585-591
- Civille, G.V. dan Szczesniak, A.N., 1973. Guidelines to Training A Texture Profile Panel. *Journal of Texture Studies* 4: 204-223.
- Doss, A., Pugalenth, M. & Vadivel, V., 2011. Antioxidant activity of raw and differentially processed under-utilized tropical legume *Canavalia ensiformis* L. DC seeds, South India. *The IIOAB Journal* 2(8): 27-32
- Dzikunoo, J., Ayernor, G. S., & Saalia, F. K., 2015. Effect of Methods of Extraction on Physicochemical Properties of Soy Proteins (Tofu). *American Journal of Food Science and Nutrition Research* 2(5) : 138–144.
- Fellow, A.P. (2000). *Food Processing Technology, Principles and Practice 2nd Edition*. Woodhead Publish Limited, United Kingdom.
- Guo, J., & Yang, X. (2015). Texture modification of soy-based products. *Journal of Modifying Food Texture* 1:237-255.
- Harijono, Siwi, N. dan Sutrisno, A., 2011. Purifikasi dan karakterisasi linamarase gadung (*Dioscorea hispidaDennst*) untuk detoksifikasi bubur umbi gadung. *Jurnal Teknologi Pertanian* 12(2):76-82.
- Hou H. J., Chang K. C., 2004. Storage conditions affect soybean color, chemical composition 26 and tofu qualities. *Journal of Food Processing and Preservation* 28:473-488.



Hou, H. J., & Chang, S. K. C., 1998. Yield and Quality of Soft Tofu As Affected by Soybean Physical Damage and Storage. *Journal of Agricultural and Food Chemistry* 46(12).

Hou, H. J., Chang, K. C., & Shih, M. C., 1997. Yield and textural properties of soft tofu as affected by coagulation method. *Journal of Food Science* 62(4):824–827.

Jayasena, V., Tah, W. Y., & Nasar-Abbas, S. M., 2014. Effect of coagulant type and concentration on the yield and quality of soy-lupin tofu. *Quality Assurance and Safety of Crops and Foods* 6(2):159–166.

Juncher, D., Vestergaard, C. S., Jensen, J. S., Weber, C. J., Bertelsen, G., and Skibsted, L. H., 2000. Effects of chemical hurdles on microbiological and oxidative stability of a cooked cured emulsion type meat product. *Journal of Meat Science* 55:483-491.

Kalaminasih, D. dan Pangesti, L.C., 2013. Pengaruh Proporsi Kacang Koro Sayur (*Phaseolus lunatus*) dan Kacang Koro Pedang (*Canavalia ensiformis* L) terhadap mutu Organoleptik Tempe Koro. *Jurnal Tata Boga* 2 (3): 104-1L3.

Kao, F.J., Su, N.W. dan Lee, M.H., 2003. Effect of Calcium Sulfate Concentration in Soymilk on the Microstructure of Firm Tofu and the Protein Constitutions in Tofu Whey. *J. Agric. Food Chem* 51:6211–6216.

Kasno, Astanto, 2016. *Koro Pedang: Tanaman Berpotensi Belum Tereksploitasi*. <http://www.balitkabi.litbang.pertanian.go.id>. Diakses tanggal 22 januari 2019.

Kasno, Astanto, 2016. *Prospek Aneka Kacang Potensial: Koro Pedang sebagai Pengganti Kedelai*. <http://www.balitkabi.litbang.pertanian.go.id>. Diakses tanggal 20 Januari 2019.

Kuda, T., & Toshihiro, Y., 2014. Mineral Composition of Seawater Bittern Nigari Products and Their Effects on Changing of Browning and Antioxidant Activity in the Glucose/Lysine Maillard Reaction. *Appl Biochem Biotechnol* 172: 2989–2997.

Lee, H. O. dan Rha C.Y., 1978. Microstructure of Soybean Protein Aggregates And Its Relation to The Physical And Textural Properties O F The Curd, *Jurnal of Food Science* 43:79–84.

Liu, Z. S., Chang, S. K. C., Li, L. Te, & Tatsumi, E., 2004. Effect of selective thermal denaturation of soybean proteins on soymilk viscosity and tofu's physical properties. *Food Research International* 37(8):815–822.



- Mathare, S. S., Bakal, S. B., Dissanayake, T. M. R., & Jain, S. K., 2009. Effects of coagulation temperature on the texture and yield of soy paneer (tofu). *Journal of the National Science Foundation of Sri Lanka*, 37(4):263–267.
- Meilgaard, M., Civille, G.V. And Carr, B.T., 2000. *Sensory Evaluataion Techniques*. 2nd Edition. CRC Press, London.
- Obatolu, V. A., 2008. Effect of different coagulants on yield and quality of tofu from soymilk. *European Food Research and Technology*, 226(3):467–472.
- Oboh G., 2006. Coagulants modulate the hypocholesterolemic effect of tofu (coagulated 30 soymilk). *African Journal of Biotechnology* 5:290-294.
- Omar, S.dan Beauregard, M., 1995. Dissociation and unfolding of jack bean urease studied by fluorescence emission spectroscopy. *Journal of Biotechnology* 3: 221-228.
- Oliveira, A.E.A., Sales, M.P., Machado1, O.L.T., Fernandes, K.V.S. dan Filhol, J.X., 1999. The toxicity of Jack bean (*Canavalia ensiformis*) cotyledon and seed coat proteins to the cowpea weevil (*Callosobruchus maculatus*). *Entomologia Experimentalis et Applicata* 92: 249–255.
- Prabhakaran, M. P., Perera, C. O., & Valiyaveettil, S., 2006. Effect of different coagulants on the isoflavone levels and physical properties of prepared firm tofu. *Food Chemistry* 99(3):492–499.
- Rahayu, E.S., Rahayu, S., Sidar, A., Purwadi, T. dan Rochdyanto, S., 2012. *Teknologi Proses Produksi Tahu*. Yogyakarta: Kanisius.
- Rahmawati, Fitri, 2013. Materi Kegiatan: *Teknologi Proses Pengolahan Tahu Dan Pemanfaatan Limbahnya*. <http://staffnew.uny.ac.id/upload>. Diakses tgl 26 januari 2018.
- Riniarsi, Dyah., 2016. *Outlook Komoditas Pertanian Tanaman Pangan Kedelai*. Pusat Data dan Sistem Informasi Pertanian, Jakarta
- Shokunbi, O.S., Babajide, O.O., Otaigbe, D.O. and Tayo, G.O., 2011. Effect of coagulant on the yield, nutrient, and anti nutrient composition of tofu. *Arch.Appl.Sci.Res* 3(3):522-527.
- Shurtleff W. dan Aoyogi A., 2000. *Tofu and Soymilk Production, The Book of Tofu Vol. II*. New Age of Study, Lafayete.



- Solomon SG, Okomoda VT, Oguche O., 2018. Nutritional value of raw *Canavalia ensiformis* and its utilization as partial replacement for soybean meal in the diet of *Clarias gariepinus* (Burchell, 1822) fingerlings. *Food Sci Nutr* 6:207–213.
- Sridhar, K. R., & Seena, S., 2006. Nutritional and antinutritional significance of four unconventional legumes Food Chemistry Nutritional and antinutritional significance of four unconventional legumes of the genus *Canavalia* – A comparative study. *Journal of food Chemistry* 99:267–288.
- Susanti, I. Fitri H., Nobel, C.S., dan Dadang S., 2013. Potensi Kacang Koro Pedang (*Canavila ensiformis* DC) sebagai Sumber Protein Produk Pangan. *J. Riset Industri* 7(1):1–13.
- Szczesniak, A. S., 2002. Texture is a sensory property. *Food Quality and Preference* 13:215–225
- Tsai, S., Lan, C.Y., & Kao, C.S., 1981. Studies on the Yield and Quality Characteristics of Tofu, *Jurnal of food science* 46:1734–1738.
- Wang, C. C. R., & Chang, S. K. C., 1995. Physicochemical Properties and Tofu Quality of Soybean Cultivar Proto. *Journal of Agricultural and Food Chemistry* 43(12):3029–3034.
- Widaningrum I., 2015. Teknologi Pembuatan Tahu yang Ramah Lingkungan (Bebas Limbah). *Jurnal Dedikasi Versi online* 2:14 – 21.
- Widiantara, T., Cahyadi, W., Razak, I.L., 2017. Pemanfaatan kacang koro pedang (*canavalia ensiformis* l) terhadap pembuatan tahu kacang koro berdasarkan perbedaan konsentrasi koagulan. *Pasundan Food Technology Journal* 4(3).
- Widowati, S., 2007. Teknologi Pengolahan Kedelai. Monograf. Buku Kedelai: *Teknik Produksi dan Pengembangan*. Puslitbangtan hlm. 491-521.
- Winarno, F. G., 1997. *Kimia Pangan dan Gizi*. Gramedia, Jakarta.
- Winarno., 1993. *Pangan, Gizi, Teknologi, dan Konsumen*. Gramedia, Jakarta.
- Yim, D., Jang, K., & Chung, K., 2015. Effect of GdL Addition on Physico-chemical Properties of Fermented Sausages during Ripening, *Korean J. Food Sci. An.* 35(3):322–329.