



DAFTAR PUSTAKA

- Abbas, T.E. and M.E. Ahmed. 2010. The use of black cumin in poultry diets. *World's Poultry Science Journal*. 66 : 519-524.
- Adjid, R.M.A., R. Damayanti, H. Hamid, T. Sjafriati, dan Darminto. 2002. Penyakit Marek pada ayam: I. Etiologi, patogenesis, dan pengendalian penyakit. *Wartazoa*. 12: 65-71.
- Ahmad, A., A. Husain, M. Mujeeb, S.A. Khan, A.K. Najmi, N.A. Siddique, Z.A. Damanhouri, and F. Anwar. 2013. A review on therapeutic potential of *Nigella sativa*: A miracle herb. *Asian Pacific Journal of Tropical Biomedicine*. 3 : 337–352.
- Ahsan, M., A.K.A Chowdury, S.N. Islam, and Z.U Ahmed. 1996. Garlic extract and allicin: Broad spectrum antibacterial agents effective against multiple drug resistant strains of *Shigella dysenterie* type 1and *Shigella flexneri*, enterotoxigenic *Escherichia coli* and *Vibrio cholerae*. *Phytotherapy Research*. 10: 329-331.
- Akbarian, A., A. Golian., H. Kermanshashi. S. De Smet, and J. Michiels. 2015. Antioxidant enzyme activities, plasma hormone levels and serum metabolites of finishing broiler chickens reared under high ambient temperature and fed lemon and orange peel extracts and *Curcuma xanthorrhiza* essential oil. *Journal of Animal Physiology and Animal Nutrition*. 99: 150-162
- Al-Ali, A., A.A. Alkhawajah., M.A. Randhawa, and N.A. Shaikh. 2008. Oral and intraperitoneal LD₅₀ of thymoquinone, an active principle of *Nigella sativa*, in mice and rats. *Journal of Ayub Medical College Abbottabad JAMC*. 20: 25- 27.
- Aliakbarpour H. R., Chamani M., Rahimi G., Sadeghi A. A., Qujeq D. 2012. The *Bacillus subtilis* and lactic acid bacteria probiotics influences intestinal mucin gene expression, histomorphology and growth performance in broilers. *Asian-Australas. J. Anim. Sci.* 25:1285–1293.
- Amagase, H., B.L Petesch, H. Matsuura, S. Kasuga, dan Y. Itakura. 2001. Intake of garlic and its bioactive components. *American Society for Nutritional Sciences*. 131: 955S-962S.
- Amirdahri, S. H. Janmohammadi, A. Taghizadeh, and A. Rafat. 2012. Effect of dietary *Aspergillus* meal prebiotic on growth performance, carcass characteristics, nutrient digestibility, and serum lipid profile in broiler chick low-protein diets. *Turkey Journal Veterinary Science*. 36: 602-610.



- Awad, W.A., J. Bohm, E. Razzazi-Fazeli, K. Ghareeb dan J. Zentek. 2006. Effect of addition of a probiotic microorganism to broiler diets contaminated with deoxynivalenol on performance and histological alteration of intestinal villi of broiler chickens. *Poultry Science*. 85: 974-979.
- Al-Beitawi, N. and S.S. El-Ghousein. 2008. Effect of feeding different levels of *Nigella sativa* seeds (Black Cumin) on performance, blood constituents and carcass characteristics of broiler chicks. *International Journal of Poultry Science*. 7: 715-721.
- Barton, M.D. and W.S. Hart. 2001. Public health risks: antibiotic resistance. *Asian-australasian Journal of Animal Sciences*. 14: 414-422.
- Bogucka J., A. Dankowiakowska, G.E. Wenda, A. Sobolewska, A. Szczerba, and M. Bednarczyk. 2016. Effects of prebiotics and synbiotics delivered in ovo on broiler small intestine histomorphology during the first days after hatching. *Folia Biologica (Kraków)*. 64: 132–143.
- Boka, J. A.H. Mahdavi., A.H Samie dan R. Jahanian. 2013. Effect of different levels of black cumin (*Nigella sativa* L.) on performance, intestinal *Escherichia coli* colonization and jejunal morphology in laying hens. *Journal of Animal Physiology and Animal Nutrition*. 98: 373-383. (Abst.).
- Bollinger, T.K., I.K. Barker, and M.A. Fernando. 1996. Effects of the intestinal flagellate, *Cochlosoma anatis*, on intestinal mucosal morphology and disaccharidase activity in Muscovy ducklings. *International Journal for Parasitology*. 26: 533-542.
- Chapman, H.D., T.E. Cherry, H.D. Danfort, G. Richard, M.W. Shirley, R.B. Williams. 2002. Sustainable coccidiosis control in poultry production: the role of live vaccines. *International Journal for Parasitology*. 32: 617-629.
- Christaki, E., E. Bonos, I. Giannenas, and P. Florou-Paneri. 2012. Aromatic plants as a source of bioactive compounds. *Agriculture*. 2: 228-243.
- Chowdhury, S.R., S.D Chowdury, dan T.K Smith. 2002. Effect of dietary garlic on cholesterol metabolism in laying hens. *Poultry Science*. 81: 1856-1862.
- Damayanti, R dan H. Hamid. 2002. Penyakit marek pada ayam: II. Aspek klinis, patologis dan diagnosis. *Wartazoa*. 12:2 (Abstr.).
- Daneshyar, M . 2012. The effect of dietary turmeric on antioxidant properties of thigh meat in broiler chickens after slaughter. *Animal Science Journal*. 83 : 599-604.



- Daneshmand, A., G.H. Sadeghi, and A. Karimi. 2012. The effects of a combination of garlic, oyster mushroom and propolis extract in comparison to antibiotic on growth performance, some blood parameters and nutrients digestibility of male broilers. *Brazilian Journal of Poultry Science*. 14: 141-147.
- Dono, N. D. 2012. Nutritional strategies to improve enteric health and growth performance of poultry in the post antibiotic era. Ph.D. Thesis. College of Medical, Veterinary and Life Sciences, University of Glasgow. Glasgow.
- Durrani FR. , A.Sultan , Sajjad Ahmed , N.Chand , FM Khattak & Z. Durrani. 2007. Efficiency of Aniseed Extract as Immune Stimulant and Growth Promoter in Broiler Chicks". *Pakistan Journal. of Biological Sciences*. 10:3718-3721.
- El-Salhy, M. 2012. Irritable bowel syndrome: Diagnosis and pathogenesis. *World Journal of Gastroenterology*. 18: 5151-5163.
- Ertas , O.N., Güler , T. Çiftçi M., Dalkılıç B. & Yilmaz ,O. 2005. The effect of a Dietary Supplement Coriander Seed on the Fatty acid Composition of Breast Muscle in Japanese quail". *Revue Med*. 10: 514 – 518.
- Ferdous, A.J., S.N.Islam., M. Ahsan., C.M. Hasan., and Z.U Ahmed. 1992. In vitro antibacterial activity of the volatile oil of *Nigella sativaseeds* against multiple drug-resistant isolates of *Shigella* spp. and isolates of *Vibrio cholerae* and *Escherichia coli*. *Phytotherapy Research*. 6: 137-140.
- Gilani, A.H., Q. Jabeen, and M.A.U. Khan. 2004. A review of medicinal and pharmacological activities of *Nigella sativa*. *Pakistan Journal of Biological Science*. 7: 441-451.
- Girish, C.K. and T.K Smith. 2008. Effect of feeding blend of grains naturally contaminated with Fusarium mycotoxins on small intestinal morphology of turkeys. *Poultry Science Journal*. 87: 1075-1082.
- Grashorn, M.A. 2010. Use of phytobiotics in broiler nutrition - an alternative to infeed antibiotics?. *Journal of Animal and Feed Sciences*. 19: 338-347.
- Gonzales, J.L., A.R. Elbers, A. Bouma, G. Koch, J.J. de Wit, and J.A. Stegeman. 2010. Low-pathogenic notifiable avian influenza serosurveillance and the risk of infection in poultry – a critical review of the European Union active surveillance programme (2005–2007). *Influenza and Other Respiratory Viruses*. 4: 91-99.



- Gordon, C.D., C.W. Beard, S.R. Hopkins, and H.S. Siegel. 1971. Chick mortality as a criterion for selection toward resistance or susceptibility to Newcastle disease. *Poultry Science*. 50: 783-789.
- Habibi, R., G. Sadeghi, and A. Karimi. 2014. Effect of different concentration of ginger root powder and its essential oil on growth performance, serum metabolites and antioxidant status in broiler chicks under heat stress. *British Poultry Science*. 55: 228-237.
- Haddad E.E., C.E. Whitfill, A.P. Avakian, C.A. Ricks, P.D. Andrews, J.A. Thoma, and P.S. Wakenell. 1997. Efficacy of a novel infectious bursal disease virus immune complex vaccine in broiler chickens. *Avian Diseases*. 41: 882-889.
- Halawani, E. 2009. Antibacterial activity of thymoquinone and thymohydroquinone of *Nigella sativa* L. and their interaction with some antibiotics. *Advances in Biological Research*. 3: 148-152.
- Hartadi, H., S. Reksohadiprodjo, dan A.D. Tillman. 2005. Tabel Komposisi Pakan untuk Indonesia. Gadjah Mada University Press. Yogyakarta.
- Hernomo, A.H., B.P. Priosoeryanto., I.W.T Wibawan, D.R. Agungpriyono, E. Harlina, Dan S. Fatimah. 2000. Kasus Diagnostik Marek pada Ayam. Prosiding Seminar Nasional Peternakan dan Veteriner. Pusat Penelitian Peternakan. Bogor.
- Hossain M. M., Begum M., Kim I. H. 2015. Effect of *Bacillus subtilis*, *Clostridium butyricum* and *Lactobacillus acidophilus* endospores on growth performance, nutrient digestibility, meat quality, relative organ weight, microbial shedding and excreta noxious gas emission in broilers. *Vet. Med-Czech*. 60:77–86.
- Ibrahim, D.A. 2014. Preliminary study to evaluate the health benefits of natural (crude) versus commercial black seed oil in sample of healthy volunteers. *International Journal of Current Trends in Pharmaceutical Research*. 4: 502-507.
- Iji P.A and D.R. Tivey. 1998. Natural and synthetic oligosaccharides in broiler chicken diets. *World's Poultry Science Journal*.54: 129-143.
- Fodor, I., M. Coman., and N. Catana. 2009. An outbreak of marek's disease in broiler chickens: epidemiological, clinical and anatomoopathological aspects. *Lucrări Științifice Medicină Veterinară*. XLII.
- Karimi A., F. Yan, C. Coto, J.H Park, Y. Min, C.Lu, J.A. Gidden, J.O. Lay, Jr, And P.W. Waldroup. 2010. Effects of level and source of oregano leaf in starter diets for broiler chicks. *The Journal of Applied Poultry Research*. 19: 137-145.



- Kayadoe, M. dan S. Hartini. 2009. Kemampuan konsumsi ayam pedaging pada ransum komersil yang disubstitusi dengan solid kelapa sawit fermentasi. Jurnal Ilmu Peternakan. 4:13-19.
- Khan R.U., Z. Nikousefat., V. Tufarelli., S. Naz., M. Javdani., and V. Laudadio. 2012. Garlic (*Allium sativum*) supplementation in poultry diets: effect on production and physiology. World's poultry science journal. 68: 417-424.
- Kim, Y.J., S.K Jin, dan H.S. Yang. 2009. Effect of dietary garlic bulb and husk on the physicochemical properties of chickens meat. Poultry Science. 88: 398-405.
- Kmaldeep, P.C. Sharma, N. Jindal, dan G. Narang. 2007. Occurance of Marek's disease in vaccinated poultry folck of Haryana (India). International Journal of Poultry Science. 6: 372-377.
- Kumar, P., A.K Patra., G.P Mandal., I. Samanta, and S. Pradhan. 2017. Effect of black cumin seeds on growth performance, nutrient utilization, immunity, gut health and nitrogen excretion in broiler chickens. Journal of the science of food and agriculture. 11: 3742-3751.
- KW, Lee., G.H Kim., J.H. Kim., J.S Yeon., S.B Cho., B.S. Chang, and S.K Kim. Effect of dietary fermented garlic on the growth performance, relative organ weight, intestinal morphology, cecal microflora and serum characteristic of broiler chickens. 2016. 18: 511-518.
- Ledezma, T.R., C.A. Posadas., L.R Espinosa., and J.H Escareno. 2015. Effect of adding different levels of probiotics to broilers diets on gastrointestinal tract development and production performance. African Journal of Microbiology Research. 9: 892-897.
- Londhe, V.P., A.T. Gavasane, S.S. Nipate, D.D. Bandawane, and P.D. Chaudhari. 2011. Role of garlic (*Allium sativum*) in various diseases : an overview. Journal of Pharmaceutical Research and Opinion. 1: 129 – 134.
- Eid, K.M., and M.M. Iraqi. 2014. Effect of garlic powder on growth performance and immune response for newcastle and avian influenza virus diseases in broiler of chickens. Animal Biotechnology (Poultry and Fish). 7-13.
- Marcinčák, S., P. Popelka, N. Zdolec, M. Mártonová, J. Šimková, and D. Marcinčáková. 2011. Effect of supplementation of phytogenic feed additives on performance parameters and meat quality of broiler chickens. Slovenian Veterinary Research. 48 : 27-34.



- Natsir, M.H., Hartutik, O. Sofjan and E. Widodo. 2013. Effect of either powder or encapsulated form of garlic and *Phylanthus Niruri* L. mixture on broiler performances, intestinal characteristics and intestinal microflora. International Journal of Poultry Science. 12 : 676-680.
- Oguz, H. and V. Kurtoglu. 2000. Effect of clinoptilolite on performance of broiler chickens during experimental aflatoxicosis. British Poultry Science. 41: 512-517.
- Okwor, E.C. and D.C. Eze. 2011. Outbreak and persintance of Marek's disease in batches of birds reared in a poultry farm located in Nsukka, South East Nigeria. International Journal of Poultry Science. 10: 617-620.
- Omolade, A.P., A.A. Abiola, and L.O. Grace. 2015. Effect of graded levels (*Hibiscus sabdariffa* Linn) calyx extract on performance and carcass characteristic of broiler chickens. International Journal of Poultry Science. 14: 343-347.
- Parakkasi, A. 1986. Ilmu Nutrisi dan Makanan Ternak : Monogastrik. Universitas Indonesia Press. Jakarta.
- Panda K., Rama Rao S.V., Raju M.V.L.N. 2006. Natural growth promoters have potential in poultry feeding systems. Feed Tech. 10: 23-25.
- Patterson, J.A., and K.M. Burkholder. 2003. Application of prebiotics and probiotics in poultry production. Poultry Science. 82: 627-631.
- Payne, L.N. dan K. Venugopal. 2000. Neoplastic disease: Marek's disease, avian leucosis and reticuloendotheliosis. Scientific and Technical Review of the Office International. 19: 544-564.
- Porter, R.E. Jr. 1998. Bacterial enteritides of poultry. Poultry Science. 77: 1159–1165.
- Raeesi, M., S.A. Hoseini-Aliabad, A. Roofchae, A. Zare Shahneh, and S. Pirali. 2010. Effect of periodically use of garlic (*Allium sativum*) powder on performance and carcass characteristics in broiler chicken. World Academy of Science, Engineering and Technology. 68: 1213-1219.
- Ramakrishna, R.R., K. Patel and K. Srinivasan. 2003. In vitro influence of species and spice-active principles on digestive enzymes of rat pancreas and small intestine. Nahrung. 47: 408-412.
- Randall. C.J 1985. A colour atlas of disease of the domestic fowl and turkey. Wolfe Medical Publication, England. pp: 47-51.



- Rees, L.P., S.F Minney., N.T Plummer., J.H Slater., D.A Skyrme. 1993. A quantitative assessment of the anti-microbial activity of garlic (*Allium sativum*). *World J Microbiol Biotechnol.* 9: 303-307.
- Rivas, A.L. and J. Fabricant. 1988. Indications of Immunodepression in Chickens Infected with Various Strains of Marek's Disease Virus. *Avian Diseases.* 32: 1-8.
- Rooney. 1979. Marek's disease in backyard chicken flocks. *Agriculture Sciences, University of California.* Davis.
- Saeid, J.M., B.M. Arkan, and M.A. AL-Baddy. 2013. Effect of adding garlic powder (*Allium sativum*) and black seed (*Nigella sativa*) in feed on broiler growth performance and intestinal wall structure. *Journal of Natural Sciences Research.* 3: 35-41.
- Saleh, E., T. Hestiwahyuni, dan G.P. Saragih. 2006. Pemberian tepung bawang putih (*Allium sativum* L.) dalam ransum terhadap performas Itik Peking umur 1–8 minggu. *Jurnal Agribisnis Perternakan.* 2: 96-100.
- Salem, M.L. 2005. Immunomodulatory and therapeutic properties of the *Nigella sativa* L. seed. *International Immunopharmacology.* 5:1749-1770.
- Samarasinghe, K., C. Wenk, K.F.S.T. Silva and J.M.D.M. Gunasekera. 2003. Turmeric (*Curcuma longa*) root powder and mannanoligosaccharides as alternatives to antibiotics in broiler chicken diets. *Asian-Australasian Journal of Animal Sciences.* 16: 1495-1500.
- Shareef, M., T. Khaliq, M.N Faisal, W. Majeed, M. Shahid, M.J. Jamal, and M. Sarfraz. 2017. Comparative anti-bacterial activities of *Nigella sativa* and lincomycin in the gut of broiler chicks. *Matrix Science Pharma.* 1: 16-12.
- Sarica, S., A. Cifti, E. Demir, K. Kilinc, and Y. Yildirim. 2005. Use of an antibiotic growth promoter and two herbal natural feed additives with and without exogenous enzymes in wheat based broiler diets. *South African Journal of Animal Science.* 35: 61-72.
- Shewita, R.S. and A.E. Taha. 2011. Effect of dietary supplementation of different levels of black seeds (*Nigella sativa* L.) on growth performance, immunological, hematological and carcass parameters of broiler chicks. *World Academy of Science, Engineering and Technology.* 77: 788-794.
- Sklan, D. 2004. Early gut development: the interaction between feed, gut health and immunity. *Interfacing Immunity, Gut Health and Performance.* 9-31.



- Sogut, B., H. Inci and G. Ozdemir. 2012. Effect of supplemented black seed (*Nigella sativa*) on growth performance and carcass characteristics of broilers. *Journal of Animal and Veterinary Advances*. 11: 2480-2484.
- Tabbu, C. R. 2000. Penyakit Ayam dan Penanggulangannya: Penyakit Bakterial, Mikal, dan Viral volume 1. Penerbit Kanisius. Yogyakarta.
- Takhtajan, A. 1997. Diversity and Classification of Flowering Plants. Columbia University Press, New York.
- Tembhurne, S.T., S. Feroz, B.H. More, and D.M. Sakarkar. 2014. A review on therapeutic potential of *Nigella sativa* (kalonji) seeds. *Journal of Medicinal Plants Research*. 8: 167-177.
- Teng, P.Y., and W.K Kim. 2018. Review: Roles of Prebiotics in Intestinal Ecosystem of Broilers. *Frontiers Journal in veterinary Science*. 5: 245.
- Tollba AAH & Hassan MSH. 2003. Using some natural additives to improve physiological and productive performance of broiler chicks under high temperature conditions. 2. Black cumin (*Nigella sativa L.*) or garlic (*Allium Sativum*)". *Poultry Science*, 23 : 327 340.
- Ur Rehman, Z. and M.T. Munir. 2015. Effect of garlic on the health and performance of broiler. *Journal of Veterinaria*. 3: 32-39.
- Venugopal, K. 2000. Marek's disease: an update on oncogenic mechanism and control. *Res. in Vet. Sci.* 69:17-23.
- Wang, J.P., J.S. Yoo, H.D. Jang, J.H. Lee, J.H. Cho, and I.H. Kim. 2011. Effect of dietary fermented garlic by *Weisella koreensis* powder on growth performance, blood characteristic and imune response of growing pigs challenged with *Eschericia coli* lypopolysacharide. *Journal of Animal Science*. 89: 2123-2131.
- Wang, Y., Z. Dong., D. Song., H. Zou., W. Wang., and H. Miao. 2018. Effects of microencapsulated probiotics and prebiotics on growth performance, antioxidative abilities, immune functions, and caecal microflora in broiler chickens. *journal of food and agriculture immunology*. 29: 859-869.
- Windisch, W., K. Schedle, C. Plitzner, and A. Kroismayr. 2008. Use of phytogenic products as feed additives for swine and poultry. *Journal of Animal Science*. 86: 140-148.
- Windisch W., E. Rohrer, and K. Schedle. 2009. Phytogenic feed additives to young piglets and poultry: mechanisms and application. In: T.



Steiner (Editor). *Phylogenies in Animal Nutrition*. Nottingham University Press, Nottingham.

Witter, R.L. 1997. Increased virulence of Marek's disease virus field isolates. *Avian Diseases*. 41: 149-163.

Yalcin, S., E.E. Onbasilar, Z. Reisli, and S. Yalcin. 2006. Effect of garlic powder on the performance, egg traits and blood parameters of laying hens. *Journal of the science of food and agriculture*. 86: 1336-1339.

Yaseen, S.A., E.E. Onbasilar., Z. Reisli., and S. Yalcin. 2006. Effect of garlic powder on the performance, egg traits and blood parameters of laying hens. *Journal of the Science of Food and Agriculture*. 86: 1336-1339.

Zhang G.F., Z.B Yang, Y. Wang, W.R Yang, S.Z Jiang, and G.S. Gai. 2009. Effects of ginger root (*Zingiber officinale*) processed to different particle sizes on growth performance, antioxidant status, and serum metabolites of broiler chickens. *Poultry Science*. 88: 2159-2166.

Zhuang, X., H. Zou., H. Shi., H. Shao., J. Ye., J. Miao., G. Wu., and A. Qin. 2015. Outbreak's of Marek's disease in a vaccinated broiler breeding flock during its peak egg-laying period in China. *Bio Medical Central Veterinary Research*. 11: 157.