

DAFTAR PUSTAKA

- Anbudhasan, P., Surendraraj, A., Karkuzhali, S., Sathiskumaran, P., 2014, Natural Antioxidants and its Benefit, *Int. J. Food Sci. Nutr.*, **3** (6), 225-232.
- Anonim, 2008, *Farmakope Herbal Indonesia*, Edisi 1, Depkes RI, Jakarta.
- Astuti, 2012, Isoflavon Kedelai dan Potensinya sebagai Penangkap Radikal Bebas, *Jurnal Teknologi Industri dan Hasil Pertanian*, **13** (2).
- Awaad, A. S., Alothman, M. R., Zain, Y. M., Hassan, D., 2017, Comparative Nutritional Value and Antimicrobial Activity between Three *Euphorbia* Species Growing in Saudi Arabia, *Saudi Pharm. J.*, **25**, 1226-1230.
- Baranowska, I., Bajkacz, S., 2018, A New UHPLC-MS/MS Method for the Determination of Flavonoids in Supplements and DPPH-UHPLC-UV Method for the Evaluation of the Radical Scavenging Activity, *Food Chem. J.*, **256**, 333-341.
- Basma, A. A., Zakaria, Z., Latha, L. Y., & Sasidharan, S., 2011, Antioxidant Activity and Phytochemical Screening of the Metanol Extracts of *Euphorbia hirta* L., *Asian Pac. J. Trop. Med.*, 386-390.
- Biesaga, M., 2010, Influence Extraction Methods on Stability of Flavonoid, *J. Chromatogr.*, **1218**, 2505-2512.
- Cetcovic, G., S., Mandic, A. I., Canadanovic-Brunet, J., Djilas, S. M., T., Vesna, HPLC Screeing of Phenolic Compounds in Winter Savory (*Satureja montana* L.) Extracts, *J. Liq. Chromatog. Relat. Technol.*, **30**(2), 293-306.
- Crains, D., 2004, *intisari Kimia Farmasi*, Edisi 2, Penerbit Buku Kedokteran EGC, Jakarta.
- De Caro, C., 2015, UV-VIS Spectrophotometry – Fundamentals and Applications.
- Depkes RI, 1989, *Materia Medika*, Jilid 5, Jakarta, Direktorat Jenderal Pengawasan Obat dan Makanan.
- Dorta, E., Lobo, M. G., Gonzales, M., 2012, Reutilization of Mango Bioproducts: Study of the Effect of Extraction Solvent and Temperature on Their Antioxidant Properties, *J. Food Sci.*, **77**, 80-88.
- Evans, C. E., 2002, *Trease and Evans Pharmacology*, 15th edition, W. B. Saunders, New York.
- Geckil, H., Ates, B., Gencer, S., Uckun, M., Yilmaz, I., 2005, Membrane permeabilization of gram-negative bacteria with a potassium phosphate/hexane aqueous phase system for the release of L-asparaginase: an enzyme used in cancer therapy, *Process Biochem.*, **40** (2), 573,579.
- Gomes, S. M. C., Ghica, M. E., Rodrigues, I. A., Gil, E. D., Brett, A. M. O., 2016, Flavonoids Electrochemical Detection in Fruit Extracts and Total Antioxidant Capacity Evaluation, *Talanta*, **154**, 284-291.
- Halliwell, B., & Gutteridge, J. M., 2000, Free radicals and antioxidant in the year 2000 : a historical look to the future, *Ann. N. Y. Acad. Sci.*, **899** (1), 136-147.
- Hamlaoui, I., Bencheraiet, R., Bensegueni, R., Bencharil, M., 2017, Experimental and Theoretical Study on DPPH Radical Scavenging

- Mechanism of some Calcone Quinolone Derivatives, *J. Mol. Struct.*, **1156**, 385-389.
- Harborne, J. B., 1965, Plant Polyphenol-XIV Characterization of Flavonoid Glycosides by Acidic and Enzyme Hydrolysis, *Phytochem.*, vol. 4, 107-120.
- Hargono, D., 1986, *Sediaan Galenik*, Direktorat Jenderal Pengawasan Obat dan Makanan, Jakarta.
- Huang, L., Chen, S., Yang, M., 2012, *Euphorbia hirta* (Feiyangcao) : A review on its ethnopharmacology, phytochemistry and pharmacology, *J. Med. Plants Res.*, Vol. **6** (39), 5176-5185.
- Irianti, T., Murti, Y. B., 2016, Pengaruh Hidrolisis Asam-Basa terhadap Aktivitas Penangkapan Radikal 2,2-Difenil-1-Pikril Hidrazil (DPPH) Fraksi Air dari Ekstrak Etanolik Buah Talok (*Muntingia calabura* L.), *Traditional Medicine Journal*, **21** (1), 38-47.
- Irianti, T., Puspasari A., dan Choironi NA., 2013, Aktivitas Penangkapan Radikal 2,2-Difenil-1-Pikrilhidrazil (DPPH) oleh Ekstrak Etanolik Daun Mengkudu (*Morinda citrifolia* L.), Fraksi Air dan Fraksi Air Terhidrolisis, *Jurnal Bahan Alam Indonesia*, **8** (5), 302-309.
- Jun, M. H. Y., Yu, J., Fong, X., Wan, C. S., & Yang, C. T., 2003, Comparison of Antioxidant Activities of Isoflavones from Kudzu Root (*Pueraria lobata* Ohwl), *J. Food Sci.*, **68**, 2117-2122.
- Kim, G. N., dan Jang, H. D., 2010, Effect of Enzyme Treatment with β -Glucosidase on Antioxidant Capacity of Mullberry (*Morus alba* L.) Leaf Extract, *Food Sci. Biotechnol.*, **19** (5), 1341-1346.
- Kumar, S., Jyotirmayee, K., Sarangi, M., 2012, Thin Layer Chromatography: A tool of biotechnology for isolation of bioactive compounds from medicinal plants, *Int. J. Pharm. Sci. Rev. Res.*, **18** (1), 126-132.
- Li, E., Liu, K., Zang, M., Zhang, X., Jiang, H., 2015, Chemical constituents from *Euphorbia hirta*, *Biochem. Syst. Ecol.*, **62**, 204-207.
- Li, K., Fan, H., Yang L., Xue, Q., Li, X., Sun, L., Liu, Y., 2018, Structure-Activity Relationship of Eight High Content Flavonoids Analyzed With a Preliminary Assign-Score Method and Their Contribution Of Antioxidant Ability of Flavonoids-Rich Extract from *Scutellaria baicalensis* Shoots, *Arab. J. Chem.*, **11**, 159-170.
- Li, Y., Song, Q., Chen, P., Zhao, W., Wang, S. S., 2006, Synthesis of hydroxystilbene derivatives and their antioxidant activity by DPPH method, *Chem. Res. Chinese*, **22** (6), 742-746.
- Lushchak, V. I., 2014, Classification of Oxidative Stress based on its Intensity, *EXCLI Journal*, **13**, 922-937.
- Mabry, T. J., Markham, K. R., & Thomas, M. B., 1970, *The Systematic Identification of Flavonoids*, Springer-Verlag, Berlin.
- Markham, K. R., 1988, *Cara Mengidentifikasi Flavonoid*, Bandung, Penerbit ITB.
- Marliana, S. D., Suryanti, V., Suyono, 2005, Skrining fitokimia dan analisis kromatografi lapis tipis komponen kimia buah labu siam (*Sechium edule* Jacq. Swartz) dalam ekstrak etanol, *Jurnal Biofarmasi*, **3** (1), 1693-2242.
- Marston, A., & Hostettman, K., 2006, Separation and quantification of flavonoids, dalam Andersen, O., M., & Markham, K. R., (Eds.),

- Flavonoids: Chemistry, Biochemistry, and Applications*, CRC Press, New York.
- Molyneux, P., 2004, The use of stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity, *Songklanakar J. Sci. Technol.*, **26** (2), 211-219.
- Paramitha, Y., 2017, Aktivitas Anti-*Mycobacterium tuberculosis* dan Profil Fitokimia Ekstrak Etil Asetat Patikan Kebo (*Euphorbia hirta* L.), *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada.
- Patil, S. B., Naikwade, N., Magdum, C., 2009, Review on phytochemistry and pharmacological aspects of *Euphorbia hirta* L., *Asian J. Pham. Res. Healthcare*, available online at www.jphrc.com.
- Perez-Jimenez, J., Arranz, S., Tabernero, M., Diaz-Rubio, E., Serrano, J., 2008, Updated Methodology to Determine Antioxidant Capacity in Plant Foods, Oils and Beverages : Extraction, Measurement, and Expression of Results, *Food Res. Int.l*, **41** (3), 274-285.
- Pietrucha, B., Maciejczyk, M., Mikoluc, B., Plizka, E. H., 2017, Oxidative Stress, mitochondrial abnormalities and antioxidant defense in Ataxia-telaictasia, Bloom syndrome and Nijmegen breakage syndrome, *Redox Biol.*, **11**, 375-383.
- Ping, K. Y., Darah, I., Chen, Y., Sreeramanan, S., Sasidharan S., 2013, Acute and Subchronic Toxicity Study of *Euphorbia hirta* L. Metanol Extracts in Rats, *BioMed Res. Int.*, 2013.
- Puspitasari, A., 2016, Optimasi ekstraksi dan penelusuran fraksi air batang borotowali (*Andrographis paniculata* Nees) dan patikan kebo (*Euphorbia hirta* Linn) terhadap aktivitas fagositosis makrofag, *Thesis*, Fakultas Farmasi, Universitas Gadjah Mada.
- Pramono, S., Hertiani, T., Mulyani, S., 2012, *Bahan Ajar Galenika*, Departemen Biologi Farmasi, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Rabbani, H., R., Pengaruh hidrolisis asam dan waktu hidrolisis terhadap uji penangkapan radikal 2,2-difenil-1-pikrilhidrazil (DPPH) pada fraksi air ekstrak etanolik batang brotowali (*Tinospora crispa* L. Miers.), *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada.
- Ragasa, C. Y., Cornelio, K. B., 2013, Triterpenes from *Euphorbia hirta* and their cytotoxicity, *Chin. J. Nat. Medicines*, **11** (5), 0528-0533.
- Rahman, M., Akter, M., 2013, Taxonomy and Medicinal Uses of Euphorbiaceae (Spurge) Family of Rashahi, Bangladesh, *Research in Plant Sciences*, **1**, 74-80.
- Ravber, M., Knez, Z., Skerget, M., Optimization of hydrolysis of rutin in subcritical water using response surface methodology, *The Journal of Supercritical Fluids*, **104**, 145-152.
- Rubiyanto, D., 2016, *Teknik Dasar Kromatografi*, Deepublish, Yogyakarta.
- Rukmana, R. M., Soesilo, N. P., Rumiati, Pratiwi, R., The Effect of Ethanolic Extract of Black and White Rice Bran (*Oryza sativa* L.) on Cancer Cells, *Indones. J. Biotech.*, **21** (1), 63-69.
- Sabatier, 1992, Identification of Flavonoids in Sunflower Honey, *J. Food Sci.*, **57** (3), 773-777.
- Sahreem, S., Khan, M. R., Khan, R. A., 2011, Phenolic Compound and Antioxidant Activities of *Rumex hastatus* D. Don. Leaves, *J. Med. Plants Res.*, **5** (13), 2755-2765.

- Sanda, F. P., Victor, M. E., Monica, T. A., Alina, C., 2012, Base Theory for UV-Vis Spectrophotometric Measurement, *European Regional Development Fund*.
- Sang, Shengmin, dkk., 2001, Flavonol Glycosides and Novel Iridoid Glycoside from the Leaves of *Morinda citrifolia*, *J. Agr. Food Chem.*, **49**, 4478-4481.
- Sani, T., A., Golmakani, E., Mohammadi, A., Kamali, H., 2014, Phenolic and Flavonoid Content and Antioxidant Capacity of Pressurized Method from Roots of *Scutellaria pinnatifida* A. Hamilt. Subsp. alpine, *The Journal of Supercritical Fluids*, **95**, 318-324.
- Sarker, U., Oba, S., 2018, Response of Nutrients, Minerals, Antioxidant Leaf Pigments, Vitamins, Polyphenol, Flavonoid and Antioxidant Activity in Selected Vegetable Amaranth Under Four Soil Water Content, *Food Chem.*, 72-83.
- Sena, L. A., & chandel, N. S., 2012, Physiological Roles of Mitochondrial Reactive Oxygen Species, *Molecular Cell*, **48**, 870-877.
- Sheliya, M. A., et. al., 2015, Inhibition of α -glucosidase by new prenylated flavonoids from *Euphorbia hirta* L. herb, *J. Ethnopharmacol.*, **176**, 1-8.
- Sies, H., 2014, Role of metabolic H₂O₂ Generation, *J. Biol. Chem.*, **289** (13), 8735-8741.
- Sies, H., & Stahl, W., 1995, Vitamins E and C, betacarotene, and other Carotenoids as Antioxidant, *Am. J. Clin. Nutr.*, **62** (6), 1315S-1321S.
- Silva, E., Santos, M., Caroco, G., Justino, G., Mira, L., 2002, Structure-antioxidant activity relationships of flavonoids : a re-examination, *Free Radical Research*, **36** (11), 1219-1227.
- Snyder, C. R., J. J. Kirkland., J. L. Glajach, 1997, Practical HPLC Method Development, Second Edition, John Wiley and Son, New York.
- Skoog, D.A. and D.M. West 1971. *Principles of instrumental analysis*. Holt, Rinehart and Winston, Inc., New York.
- Thaipong, K., Boonprakob, U., Crosby, K., dkk., 2006, Comparison of ABTS, DPPH, FRAP, and ORAC Assays for Estimating Antioxidant Activity from Guava Fruit Extracts, *J. Food Compos. Anal.*, **19** (6-7), 669-675.
- Trouillas, P., Marsal, P., Siri, D., Lazzaroni, R., Duroux, J. L., 2005, A DFT Study of Reactivity of H Groups in Quercetin and Taxifolin Antioxidants : The specificity of the 3-OH site, *Food Chemistry*, **97**, 679-688.
- Valko, M., Leibfritz, D., Moncol, J., Cronin T. D., Mazur, M., Telser, J., Free Radicals and Antioxidants in Normal Physiological Functions and Human Disease, *Int. J. Biochem. Cell Biol.*, **39** (1), 44-84.
- Wach, A., Pyrzynska, K., Biesaga, M., 2005, Quercetin content in some food and herbal samples, *Food Chemistry*, **100**, 699-704.
- Wang, T. Y., Li, Q., dan Bi, K., 2018, Bioactive Flavonoids in Medicinal Plants: Structure, Activity and Biological Fate, *Asian J. Pharm.*, 12-13.
- WHO, 2015, *World Cancer Data*, tersedia di www.who.int/cancer/en/.
- WHO, 2016, *Cardiovascular Disease*, tersedia di www.who.int/cardiovascular/en/.
- Yakoub, A., Abdehedi, O., Jridi, M., Elfalleh, w., Nasri, M., Ferchichi, L., 2018, Flavonoid, Phenols, Antioxidant, and Antimicrobial Activities in Various Extracts from Tossa Jute Leaf (*Corchorus olitorus* L.), *Ind. Crop Prod.*, 206-213.

- Yanez, J. A., Remsberg, C. M., Miranda, N. D., Vega-Villa, K. R., k, Preston, 2017, Antimicrobial and Antiinflammatory Activities and Chemical Characterization of the Latex of *Jatropha neopauciflora* Pax, *J. Ethnopharmacol.*, **204**, 1-7.
- Yi, W., Di, G., Li, L. Y., 2012, Phenols and flavonoids from the Aerial Part of *Euphorbia hirta*, *Chinese Journal of Natural Medicine*, 1 (10), 40-42.
- Zengin, G., Cakmak, Y. S., Guler, G. O., Aktumsek, A., In Vitro Antioxidant Capacities and Fatty Acid Compositions of Three Centaurea Species Collected from Central Anatolia Region of Turkey, *Food Chem. Toxicol.*, **48** (10), 2638-2641.
- Zukowski, P., Maciejczyk, M., Waszkiel, D., 2018, Sources of Free Radicals and Oxidative Stress in the Oral Cavity, *Arch. Oral Biol.*, 92, 8-17.