

DAFTAR PUSTAKA

- Asai, N., Jijiwa, M., Enomoto, A., Kawai, K., Maeda, K., Ichihara, M., Murakumo, M. and Takahashi, M. (2006) RET receptor signaling: Dysfunction in thyroid cancer and Hirschsprung's disease. *Pathol. Internat.* 56 : 164–172.
- Amiel, J. and Lyonnet, S. (2001). Hirschsprung disease, associated syndromes and genetics: a review. *J. Med. Genet.* 38:729-739.
- Amiel, J., Sproat-Emison, E., Garcia-Barcelo, M., Lantieri, F., Burzynski, G., Borrego, S., Pelet, A., Arnold, S., Miao, X., Griseri, P., Brooks, A.S., Antinolo, G., de Pontual, L., Clement-Ziza, M., Munnich, A., Kashuk, C., West, K., K-Y Wong, K., Lyonnet, S., Chakravarti, A., K-H Tam, P., Ceccherini, I., Hofstra, R.M.W., Fernandez, R. and for the Hirschsprung Disease Consortium. 2008. Hirschsprung disease, associated syndromes and genetics: a review. *J. Med. Genet.* 45;1-14.
- Arai, H., Nakaos, K., Takaya, K., Hosoda, K., Ogawa, Y., Nakanishi, S. and Imura, H. (1993). The Human Endothelin-B Receptor Gene Structural Organization and chromosomal Assignment. *J. Biol. Chemist.* 268(5):3463-3470.
- Badner, J., Sieber, W., Garver, K. and Chakravarti, A. (1990). A genetic study of Hirschsprung disease. *Am. J. Hum. Genet.* 46: 568-580.
- Barlow, A., de Graaff, E., and Pachnis, V., (2003). Enteric nervous system progenitor are coordinately controlled by the G protein-coupled receptor EDNRB dan reseptor tyrosin kinase RET. *Neuron*; 40:905-16.
- Bartlett, J.M.S. and Stirling, D. (2003). *PCR Protocols*, 2nd Ed. Humana Press. Totowa, New Jersey.
- Bolk, S., Pelet, A., Hofstra, R.M., Angrist, M., Salomon, R., Croaker, D., Buys, C.H., Lyonnet, S. and Chakravarti, A. (2000). A human model for multigenic inheritance: phenotypic expression in Hirschsprung disease requires both the RET gene and a new 9q31 locus. *Proc. Natl. Acad. Sci. USA*, 97(1): 268–273.
- Borrego, S., Ruiz, A., Saez, M.E., Gimm, O., Gao, X., Lopez-Alonso, M., Hernandez, A., Wright, F.A., Antinolo, G. and Eng, C. (2000) RET genotypes comprising specific haplotypes of polymorphic variants predispose to isolated Hirschsprung disease. *J. Med. Genet.* 37:572–578.
- Borrego, S., Saez, M.E., Ruiz, A., Gimm, O., Lopez-Alonso, M., Antinolo, G. and Eng, C. (1999). Specific polymorphisms in the RET proto-oncogene are over-represented in patients with Hirschsprung disease and may represent loci modifying phenotypic expression. *J. Med. Genet.* 36:771–774.

- Borrego, S., Eng, C., Sanchez, B., Saez, ME., Navarro, E. and Antinolo, G., (1998). Molecular Analysis of the RET and GDNF Genes in a family with Multiple Endocrine Neoplasia Type 2A and Hirschsprung disease. *J. Clin. Endocrin and Metabol.* 83 (9): 3361-3364.
- Brooks, A.S., (2006). A novel susceptibility locus for Hirschsprung's disease maps to 4q31.s3-q32.3. *J. Med. Genet.* 43,e35.
- Brooks, A.S., Breuning, M.H., Osinga, J., vd Smagt, J.J., Catsman, C.E., Buys, C.H., Meijers, C., and Hofstra, R.M. (1999) A consanguineous family with Hirschsprung disease, microcephaly, and mental retardation (Goldberg-Shprintzen syndrome). *J. Med. Genet.* 36:485-9.
- Burns, A.J., (2007). Disorders of Interstitial Cells of Cajal. *J. Pediatr. Gastroenterol. Nutr.* 45 (2):S103-S106.
- Burns, A.J. and Thapar, N. (2006). Advances in ontogeny of the enteric nervous system. *Neurogastroenterol. Motil.* 18:876-887.
- Burzynski, G.M., Nolte, I.M., Bronda, A., Bos, K.K., Osinga, J., Menacho, I.P., Twigt, B., Maas, S., Brooks, A.S., Verheij, J.B.G.M., Buys, C.H.C.M. and Hofstra, R.M.W. (2005). Identifying Candidate Hirschsprung Disease-Associated RET Variants. *Am. J. Hum. Genet.* 76:850-858.
- Carrasquillo MM, McCallion AS, Puffenberger EG, Kashuk CS, Nouri N, Chakravarti. (2002). A Genome-wide association study in Mennonites identifies multiple genes for oligogenic Hirschsprung disease. *Am J Hum Genet.* 71:193.
- Cacheux V, Dastot-Le Moal F, Kaariainen H, Bondurand N, Rintala R, Boissier B, Wilson M, Mowat D, and Goossens M. (2001). Loss-of-function mutations in SIP1 Smad interacting protein 1 result in a syndromic Hirschsprung disease. *Hum. Mol. Genet.* 10:1503-10.
- de Groot, J.W.B., Links, T.P., Plukker, J.T.M., Lips, C.J.M. and Hofstra, R.M.W. (2006). RET as a Diagnostic and Therapeutic Target in Sporadic and Hereditary Endocrine Tumors. *Endoc. Rev.* 27(5):535-560.
- Donahoe P.K., (2006). Genomic Approaches to surgical Diseases. *Arch. Surg.* 141: 409-13.
- Duan, X., Zhang, X., and Li, G. (2003). Clinical relationship between EDN-3 gene, EDNRB gene and Hirschsprung's disease. *World. J. Gastroenterol.* 9(12):2839-2842.
- Ekblad, E. (2006). CART in the enteric nervous system. *Peptides.* 27: 2024 - 2030.

- Eketjall, S. and Ibanez, C.F. (2000). Functional characterization of mutations in the GDNF gene of patients with Hirschsprung disease. *Hum. Mol. Genet.* 11:325-9.
- Emison, E.S., McCallion, A.S., Kashuk, C.S., Bush, R.T., Grice, E., Lin, S., Portnoy, M.E., Cutler, D.J., Green, E.D. and Chakravarti, A. (2005). A common sex-dependent mutation in a RET enhancer underlies Hirschsprung disease Risk. *Nature*; 434: 857-63.
- Eng, C. (1996). The RET proto-oncogene in Multiple Endocrine Neoplasia Type 2 and Hirschsprung disease. *N. Engl. J. Med.* 335(13):943-51.
- Eng, C. and Mulligan, L.M. (1997). Mutations of the RET proto-oncogene in the multiple endocrine neoplasia type 2 syndromes, related sporadic tumours, and hirschsprung disease. *Hum. Mutat.* 9:97-109.
- Farlie, P.G., McKeown, S.J., Newgreen, D.F. (2005) The neural crest: basic biology and clinical relationships in the craniofacial and enteric nervous systems. *Birth Defects Res C Embryo Today.* 72(2):173-189.
- Feldstein, A.E., Miller, S.M., El-Youssef, M., Rodeberg, D., Lindor, N.M., Burgart, L.J., Szurszewski, J.H. and Farrugia, G. (2003). Chronic Intestinal Pseudoobstruction Associated with Altered Interstitial cells of Cajal Networks. *J. Pediatr. Gastroenterol. Nutr.* 36(4): 492-497.
- Fernandez, R.M., Boru, G., Peciña, A., Jones, K., López-Alonso, M., Antiñolo, G., Borrego, S and Eng, C. (2005). Ancestral RET haplotype associated with Hirschsprung's disease shows linkage disequilibrium breakpoint at -1249. *J. Med. Genet.* 42:322-327.
- Fitze, G., Schreiber, M., Kuhlisch, E., Schackert, H.K. and Roesner, D. (1999). Association of RET protooncogene codon 45 polymorphism with Hirschsprung disease. *Am. J. Hum. Genet.* 65, 1469-1473.
- Fitze, G., Cramer, J., Ziegler, A., Schierz, M., Schreiber, M., Kuhlisch, E., Roesner, D., and Schackert, H.K. (2002). Association between c135G/A genotype and RET proto-oncogene germline mutations and phenotype of Hirschsprung's disease. *Lancet.* 359: 1200-05.
- Fitze, G., Appelt, H., König, I.R., Gorgens, H., Stein, U., Walther, W., Gossen, M., Schreiber, M., Ziegler, A., Roesner, D., *et al.* (2003a). Functional haplotypes of the RET proto-oncogene promoter are associated with Hirschsprung disease (HSCR). *Hum. Mol. Genet.* 12:3207-14.
- Fitze, G., Schierz, M., Kuhlisch, E., Schreiber, M., Ziegler, A., Roesner, D., and Schackert H.K. (2003b). Novel intronic polymorphisms in the RET proto-oncogene and their association with Hirschsprung disease. *Hum. Mutat.* 22:177-9.

- Garcia-Barcelo, M., Ganster, R.W., Lui, V.C.H., Leon, T.Y.Y., Man-Ting, So., Lau, A.M.F., Fu, M., Sham, M.H., Knight, J., Zannini, M.S., Sham, P.C. and Tam, P.K.H. (2005). TTF-1 and RET promoter SNPs: regulation of RET transcription in Hirschsprung disease. *Hum. Mol. Genet.* 14(2):191-204.
- Garcia-Barcelo, M.M., Sham, M.H., Lui, V.C., Chen, B.L., Song, Y.Q., Lee, W.S., Yung, S.K., Romeo, G. and Tam, P.K. (2003) Chinese patients with sporadic Hirschsprung's disease are predominantly represented by a single RET haplotype. *J. Med. Genet.* 40, e122.
- Garipey, C.E. (2003). Genetic basis of Hirschsprung disease: implications in clinical practice. *Mol. Genet and Metab.* 80:66-73.
- Garipey, C.E., (2004). Developmental Disorders of the Enteric Nervous System: Genetic and Molecular Bases. *J. Pediatr. Gastroenterol. Nutr.* 39(1): 5-11.
- Gath, R., Goessling, A., Keller, K.M., Koletzko, S., Coerd, W., Muntefering, H., Wirth, S., Hofstra, R.M., Mulligan, L., and Eng, C. (2001) Analysis of the RET, GDNF, EDN3, and EDNRB genes in patients with intestinal neuronal dysplasia and Hirschsprung disease. *Gut.* 48:671-5.
- Gaultier, C., Trang, H.A., Dager, S., and Gallego, J. (2005). Pediatric Disorders with Autonomic Dysfunction: What Role for *PHOX2B*? *Pediatr. Research.* 58(1):1-6.
- Gershon, M.D. (1999). Endothelin and the Development of the Enteric Nervous System. *Clin. and Exp. Pharmacol and Physiol.* 26:985-988.
- Gershon, M.D. and Ratcliffe, E.M. (2004). Developmental biology of the enteric nervous system: Pathogenesis of Hirschsprung's disease and other congenital dysmotilities. *Seminars in Pediatric Surg.* 13: 224-235.
- Gianino, S., Grider, J. R., Cresswell, J., Enomoto, H. and Heuckeroth, R. O. (2003). GDNF availability determines enteric neuron number by controlling precursor proliferation. *Development.* 130:2187-2198.
- Goyal, R.K. and Hirano E. (1996) The enteric nervous system. *N. Engl. J. Med.* 334(17):1106-15.
- Griseri, P., Pesce, B., Patrone, G., Osinga, J., Puppo, F., Sancandi, M., Hofstra, R., Romeo, G., Ravazzolo, R., Devoto, M. and Ceccherini, I. (2002) A rare haplotype of the RET proto-oncogene is a risk-modifying alele in hirschsprung disease. *Am. J. Hum. Genet.* 71:969-974.
- Guan, T., Li, Jc., Li, MJ., and Tou, JF. (2005). Polymerase chain reaction-single strand conformational polymorphism analysis of rearranged during transfection proto-oncogene in Chinese familial hirschsprung's disease. *World J Gastroenterol.* 11(2): 275-279.

- Gujral, T.S. (2005). *Molecular Modelling of RET: Mutations and Mechanism*. PhD Thesis. Queen's University, Canada.
- Guttmacher, A.E. and Collins, FS. 2002. Genomic medicine- A Primer. *N. Engl. J. Med.* 347 (19): 1512-1520.
- Gimm, O., Neuberg, D.S., Marsh, D.J., Dahia., P.L., Hoang-Vu, C., Raue, F., Hinze, R. (1999). Over-representation of a germline *RET* sequence variant in patients with sporadic medullary thyroid carcinoma and somatic *RET* codon 918 mutation. *Oncogene* 18:1369–1373.
- Hansen, M.B. (2003). The Enteric Nervous System I: Organisation and Classification. *Pharmacol & Toxicol.* 92, 105–113.
- Hansford. J.R. and Mulligan, L.M. (2000) Multiple endocrine neoplasia type 2 and RET: from neoplasia to neurogenesis. *J. Med. Genet.* 37:817-27.
- Heanue, T.A. and Pachnis, V. (2007) Enteric nervous system development and Hirschsprung's disease: advances in genetic and stem cell studies. *Nature.* 8 :466-479.
- Hofstra, R.M., Elfferich, P., Osinga, J., Verlind, E., Fransen, E., Lopez-Pison, J., de Die-Smulders, C.E., Stolte-Dijkstra, I., and Buys, C.H. (2002) Hirschsprung disease and L1CAM: is the disturbed sex ratio caused by L1CAM mutations? *J. Med. Genet.* 39:E11.
- Hofstra, R.M., Osinga, J., Tan-Sindhunata, G., Wu, Y., Kamsteeg, E.J., Stulp, R.P., van Ravenswaaij-Arts, C., Majoor-Krakauer, D., Angrist, M., and Chakravarti, A. (1996) A homozygous mutation in the endothelin-3 gene associated with a combined Waardenburg type 2 and Hirschsprung phenotype (Shah- Waardenburg syndrome). *Nat. Genet.* 12:445-7.
- Hofstra, R.M., Wu, Y., Stulp, R.P., Elfferich, P., Osinga, J., Maas, S.M., Siderius, L., Brooks, A.S., vd Ende, J.J., and Heydendael, V.M. (2000). RET and GDNF gene scanning in Hirschsprung patients using two dual denaturing gel systems. *Hum. Mutat.* 2000. 15:418-29.
- Inoue, M., Hosoda, K., Imura, K., Kamata, S., Fukuzawa, M., Nakao, K. and Okada, A. (1998). Mutational Analysis of the Endothelin-B Receptor Gene in Japanese Hirschsprung's Disease. *J. of Pediatr. Surgery.* 133(8): 1206-1208.
- Ivanchuk, S.M., Myers, S.M., Eng, C. and Mulligan, L.M. (1996). De novo mutation of GDNF, ligand for the RET/GDNFR-a receptor complex, in Hirschsprung disease. *Hum. Mol. Genet.* 5(12): 2023–26.
- Kessmann, J. (2006). Hirschsprung's Disease: Diagnosis and Management. *Am. Fam. Physician.* 74:1319-22, 1327-8.

- Kurokawa, K., Kawai, K., Hashimoto, M., Ito, Y. and Takahashi, M. (2003). Cell signalling and gene expression mediated by RET tyrosine kinase. *J. Intern. Med.* 253: 627–633.
- Kusafuka, T., Wang, Y. and Puri, P. (1997). Mutation Analysis of the RET, the Endothelin-B Receptor, and the Endothelin-3 Genes in Sporadic Cases of Hirschsprung's Disease. *J. Pediatr. Surgery*, 32(3):501-504.
- Lantieri, F., Griseri, P., Puppo, F., Campus, R., Martucciello, G., Ravazzolo, R., Devoto, M. and Ceccherini, C. (2005) Haplotypes of the Human *RET* Proto-oncogene Associated with Hirschsprung Disease in the Italian Population Derive from a Single Ancestral Combination of Alleles. *Ann. Hum. Genet.* 70:12–26.
- Lantieri, F., Griseri, P. and Ceccherini, I. (2006) Molecular mechanisms of RET-induced Hirschsprung pathogenesis. *Annals of Medicine*, 38: 11–19.
- Lemeshow, S., Hosmer, D.W., Klar, J., dan Lwanga, S.K. (1997) Besar Sampel dalam Penelitian Kesehatan. Gadjah Mada University Press, Yogyakarta.
- Lesueur, F., Corbex, M., McKay, J.D., Lima, J., Soares, P., Griseri, P., Burgess, J., Ceccherini, I., Landolfi, S., Papotti, M., Amorim, A., Goldgar, D.E. and Romeo, G. (2002) Specific haplotypes of the RET proto-oncogene are over-represented in patients with sporadic papillary thyroid carcinoma. *J. Med. Genet.* 39:260-265.
- Levin, E.R. (1995) Endothelins. *N. Engl. J. Med.* 333(6):356-363.
- Lewis, R. (2005) *Human Genetics, Concepts and Applications*. 6th Ed. Mc Graw Hill, New York.
- Li, J.C., Ding, S.P., Song, Y., and Li, M.J., (2006). Mutation of RET gene in Chinese patients with Hirschsprung's disease. *World. J. Gastroenterol*, 8(6):1108-1111.
- Lin, Y.C., Lai, H.S., Hsu, W.M., Lee, P.I., Chen, H.L., and Chang, M.H., (2008). Mutation Analysis of Endothelin-B Receptor Gene in Patients With Hirschsprung Disease in Taiwan. *J. Pediatr. Gastroenterol. Nutr*, 46(1): 36-40.
- Lyonnet, S., Bolino, A., Pelet, A., Abel, L., Nihoul-Fékété, C., Briard, M., Mok, V., Siu, H., Kääriäinen, G., Martucciello, M. and Lerone (1993). A gene for Hirschsprung disease maps to the proximal long arm of chromosome 10. *Nat. Genet.* 4: 346-350.
- Matsuda, H., Hirato, J., Kuroiwa, M. and Nakazato, Y. (2006). Histopathological and immunohistochemical study of the enteric innervations among various types of aganglionoses including isolated and syndromic Hirschsprung disease. *Neuropathology*. 26:8–23.

- McCallion, A.S., Stames, E., Conlon, R.A., and Chakravarti, A. (2003). Phenotype variation in two-locus mouse models of Hirschsprung disease: Tissue-specific interaction between RET and EDNRB. *PNAS*, 100(4):1826–1831.
- Miller, S.A., Dykes, D.D., and Polesky, H.F. (1988). A simple salting out procedure for extracting DNA from human nucleated cells. *Nucleic Acids Research*, 16(3).
- Myers, S.M., Salomon, R., Goessling, A., Pelet, A., Eng, C., von Deimling, A., Lyonnet, S., Mulligan, L.M. (1999) Investigation of germline GFR alpha-1 mutations in Hirschsprung disease. *J. Med. Genet.* 36:217-20.
- Nussbaum, R.L., McInnes, R.R., and Willard, H.F. (2001) *Thompson-Thompson, Genetic In Medicine*, Sixth Edition. WB Saunders Company, Toronto.
- Owens, S.E., Broman, K.W., Wiltshire, T., Elmore, B., Bradley, K.M., Smith, J.R., and Southard-Smith, M.S. (2005) Genome-wide linkage identifies novel modifier loci of aganglionik in the Sox10 Dom model of Hirschsprung disease. *Hum. Mol. Genet.* 14(11):1549-1558.
- Pachnis, V., Durbec, P., Taraviras, S., Grigoriou, M. and Natarajan, D. (1998). Role Of the RET signal transduction pathway in development of the mammalian enteric nervous system. *Am. J. Physiol.* 275, G183–G186.
- Parisi, M.A. and Kapur, R.P. (2000). Genetics of Hirschsprung disease. *Curr Opin Pediatr.* 12:610-7.
- Pasini, B., Rossi, R., Ambrosio, MR., Zatelli, M.C., Gullo, M., Gobbo, M., Collini, P., Aiello, A., Pansini, G., Trasforini, G., and degli Uberti, E.C., (2002). RET mutation profile and variable clinical manifestations in a family with multiple endocrine neoplasia type 2A and Hirschsprung's disease. *Surgery*, 131: 373-381.
- Pingault, V., Bondurand, N., Lemort, N., Sancandi, M., Ceccherini, I., Hugot, J., Jouk, P., and Goossens, M. (2001). A heterozygous endothelin 3 mutation in Waardenburg-Hirschsprung disease: is there a dosage effect of *EDN3/EDNRB* gene mutations on neurocristopathy phenotypes? *J. Med. Genet.* 8:205-209.
- Plaza-Menacho, I., Burzynski, G.M., de Groot, J.W., Eggen, B.J.L. and Hofstra, R.M.W. (2005). Current concepts in RET-related genetics, signaling and therapeutics. *Genetics*. 22(11):627-636.
- Plaza-Menacho, I., Burzynski, G.M., Eggen, B.J.L., Hofstra, R.M.W. (2006) Current concepts in RET-related genetics and signalling. Dissertation, Groningen University.
- Puffenberger, E.G., Hosoda, K., Washington, S.S., Nakao, K., deWit, D., Yanagisawa, M. and Chakravarti, A. (1994) A missense mutation of the

- endothelin-B receptor gene in multigenic Hirschsprung's disease. *Cell*, 79, 1257–1266.
- Saarma, M. (2000). GDNF- a stranger in the TGF- β superfamily. *Eur. J. Biochem.* 267: 6968-6971.
- Sakai, T., Nirasawa, Y., Itoh, Y. and Wakizaka, A. (2000). Japanese patients with sporadic Hirschsprung: mutation analysis of the receptor tyrosine kinase proto-oncogene, endothelin-B receptor, endothelin-3, glial cell linederived neurotrophic factor and neurturin genes: a comparison with similar studies. *Eur. J. Pediatr.* 159: 160-167.
- Sakai, T., Wakizaka, A., and Nirasawa, Y. (2001). Congenital central hypoventilation syndrome associated with Hirschsprung's disease: mutation analysis of the RET and endothelin-signaling pathways. *Eur J Pediatr Surg.* 11: 335-337.
- Sancandi, M., Ceccherini, I., Costa, M., Fava, M., Chen, B., Wu, Y., Hofstra, R., Laurie, T., Griffiths, M., and Burge, D. (2000). Incidence of RET mutations in patients with Hirschsprung's disease. *J. Pediatr. Surg.* 35:139-43.
- Sancandi, M., Griseri, P., Pesce, B., Patrone, G., Puppo, F., Lerone, M., Martucciello, G., Romeo, G., Ravazzolo, R., Devoto, M. and Ceccherini, I. (2003). Single nucleotide polymorphic alleles in the 5' region of the RET proto-oncogene define a risk haplotype in Hirschsprung's disease. *J. Med. Genet.* 40: 714–718.
- Sangkhatat, S., Kusafuka, T., Chengkriwate, P., Patrapinyokul, S., Sangthong, B., and Fukuzawa, M. (2006). Mutations and polymorphisms of Hirschsprung disease candidate genes in Thai patients. *J. Hum. Genet.* 51: 1126–1132.
- Saryono, Rochadi, Lestariana W, Artama WT, dan Sadewa AH. 2008. Higher G Allele frequency of RET C23071>G polymorphism in female patients with Hirschsprung disease in Yogyakarta, Indonesia. *Paediatrica Indonesiana*; 48(2): 88-92.
- Smigiel, R., Lebioda, A., Patkowski, D., Czernik, J., Dobosz, T., Peszl, K., Kaczmarz, M., and Sasiadek, M.M. (2006). Single nucleotide polymorphisms in the RET gene and their correlations with Hirschsprung disease phenotype. *J. Appl. Genet.* 47(3): 261–267.
- Stanchina, L., Baral, V., Robert, F., Pingault, V., Lemort, N., Pachnis, V., Goossens, M. and Bondurand, N. (2006). Interactions between Sox10, Edn3 and EDNRB during enteric nervous system and melanocyte development. *Developmental Biology.* 295: 232–249.
- Svensson, P.J., AnvRET, M., Molander, M.L. and Nordenskjöld, A. (1998). Phenotypic variation in a family with mutations in two Hirschsprung-

- related genes (RET and endothelin receptor B). *Hum. Genet.* 103: 145–148.
- Tou, J.F., Li, M.J., Guan, T., Li, J.C., Zhu, X.K., and Feng, Z.G. (2006). Mutation of RET proto-oncogene in Hirschsprung's disease and intestinal neuronal dysplasia. *World. J. Gastroenterol.* 12(7): 1136-1139.
- Vanderwinden, J.M., and Rumessen, J.J., (1999). Interstitial cells of Cajal in human gut and gastrointestinal disease. *Microsc. Res. Tech.* 47: 344-60.
- Worley, D.S., Pisano, J.M., Choi, E.D., Walus, E., Hession, C.A., Cate, R.L., Sanicola, M. and Birren, S.J. (2000). Developmental regulation of GDNF response and receptor expression in the enteric nervous system. *Development*, 127: 4383-4393.
- Wu, T., Tsai, T., Chu, C., Lee, Z., Hung, C., Su, C., Li, S., Hsieh, M., and Li, C. (2005). Low RET mutation frequency and polymorphism analysis of the RET and EDNRB genes in patients with Hirschsprung disease in Taiwan. *J. Hum. Genet.* 50: 168–174.
- Zaahl, M.G., du Plessis, L., Warnich, L., Kotzeb, M.J., and Moored, S.W. (2003). Significance of novel endothelin-B receptor gene polymorphisms in Hirschsprung's disease: predominance of a novel variant (561C/T) in patients with co-existing Down's syndrome. *Molecular and Cellular Probes*, 17: 49–54.
- Zhang, X., Zhou, M., Qiu, Y., Ding, S., Qi, M., and Li, J. (2007). Genetic Analysis of RET, EDNRB, and EDN3 Genes and Three SNPs in MCS + 9.7 in Chinese Patients with Isolated Hirschsprung Disease. *Biochem. Genet.* DOI 10.1007/s10528-007-9093-y.
- Zipursky, A. (2001). Intestinal Motility Disorders and Development of the Enteric Nervous System. *Pediatr. Research*. 49: 605-613.