

DAFTAR PUSTAKA

- ACI (2013) *ACI Education Bulletin E3-13 Cementitious Materials for Concrete*.
- Allahverdi A. L. I., dan Skavara F. (2005) "Sulfuric Acid Attack on Hardened Paste of Geopolymer Cements Part 2 . Corrosion Mechanism at Mild and Relatively Low Concentrations," *Ceramics - Silikat*, 50(50), hal. 3–6.
- Alonso S., dan Palomo A. (2001) "Alkaline Activation of Metakaolin and Calcium Hydroxide Mixtures: Influence of Temperature, Activator Concentration and Solids Ratio," *Materials Letters*, 47(1–2), hal. 55–62. doi: 10.1016/S0167-577X(00)00212-3.
- Arjunan P., Silsbee M. R., dan Roy D. M. (2001) "Chemical Activation of Low Calcium Fly Ash Part II : Effect of Mineralogical Composition on Alkali Activation," *Center for Applied Energy Research*, hal. 1–8.
- ASTM C1012-04 (2007) "Standard Test Method for Length Change of Hydraulic-Cement Mortars Exposed to a," hal. 3–8.
- ASTM C143 (2007) "Slump of Hydraulic Cement Concrete," hal. 1–7.
- ASTM C1585-04 (2008) "Standard Test Method for Measurement of Rate of Absorption of Water by Hydraulic-," hal. 4–9.
- ASTM C187-04 (2008) "ASTM C187-04 Standard Test Method for Normal Consistency of Hydraulic Cement 1," hal. 1–3.
- ASTM C190-85 (1989) "Standard Test Method for Tensile Strength of Hydrolic Cement Mortars," hal. 1–8.
- ASTM C191-04 (2004) "Time of Setting of Hydraulic Cement by Vicat Needle."
- ASTM C267-97 (1998) "Standard Test Methods for Chemical Resistance of Mortars , Grouts , and Monolithic," hal. 1–6.
- ASTM C39-04a (2007) "Compressive Strength of Cylindrical Concrete Specimens," hal. 1–14.
- ASTM C469-02 (2002) "Standard Test Method for Static Modulus of Elasticity and Poisson ' s Ratio of Concrete," hal. 1–5.

- ASTM C496 (2007) "Standard Test Method for Splitting Tensile Strength of Cylindrical Concrete," hal. 1–5.
- ASTM C618-12a (2014) "Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use," hal. 5–9. doi: 10.1520/C0618.
- ASTM C642-06 (2008) "Standard Test Method for Density , Absorption , and Voids in Hardened Concrete," hal. 11–13.
- ASTM C78-02 (2007) "Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with," hal. 1–3.
- Bakharev T. (2005) "Resistance of Geopolymer Materials to Acid Attack," *Cement and Concrete Research*, 35(4), hal. 658–670.
- Bakharev T. (2006) "Thermal Behaviour of Geopolymers Prepared Using Class F Fly Ash and Elevated Temperature Curing," *Cement and Concrete Research*, 36, hal. 1134–1147. doi: 10.1016/j.cemconres.2006.03.022.
- Bakharev T., Sanjayan, G. J., Cheng, dan B. Y. (2000) "Effect of Admixtures on Properties of Alkali-Activated Slag Concrete," *Cement and Concrete Research*, 30(9), hal. 1367–1374. doi: 10.1016/S0008-8846(00)00349-5.
- Barbosa V. F. F., MacKenzie K. J. D., dan Thaumaturgo C. (2000) "Synthesis and Characterisation of Materials Based Inorganic," *International Journal of Inorganic Materials*, 2, hal. 309–317.
- Bernal A., Gutiérrez R., Pedraza A. L., Provis J. L., Rodriguez E. D., dan Delvasto S. (2011) "Effect of Binder Content on the Performance of Alkali-Activated Slag Concretes," *Cement and Concrete Research*, 41(1), hal. 1–8. doi: 10.1016/j.cemconres.2010.08.017.
- Buchwald a, Kaps C., dan Hohmann M. (2003) "Alkali-Activated Binders and Pozzolan Cement Binders – Compete Binder Reaction or Two Sides of the Same Story ?," *11th International Congress on the Chemistry of Cement.*, (May), hal. 1238–1247.
- Schilling P. J. ... C (1994) "Si and Al MAS-NMR of NaOH Activated Blast Furnace Slag," *J.Am.Ceram.*, 77(9), hal. 2363–2368.
- CAN/CSA A3001-03 (2012) "Cementitious Materials for Use in Concrete."
- Chindaprasirt P., dan Chareerat T. (2010) "High-Strength Geopolymer Using Fine High-Calcium Fly Ash," *Journal of Materials in Civil Engineering*, 23(March),

hal. 264–271. doi: 10.1061/(ASCE)MT.1943-5533.0000161.

Chindaprasirt P., Chareerat T., dan Sirivivatnanon V. (2007) “Workability and Strength of Coarse High Calcium Fly Ash Geopolymer,” *Cement and Concrete Composites*, 29, hal. 224–229.

Chindaprasirt P., De Silva P., Sagoe-Crentsil K., dan Hanjitsuwan S. (2012) “Effect of SiO₂ and Al₂O₃ on the Setting and Hardening of High Calcium Fly Ash-Based Geopolymer Systems,” *Journal of Materials Science*, 47(12), hal. 4876–4883.

Choi S.-C., dan Lee W.-K. (2012) “Effect of Fe₂O₃ on the Physical Property of Geopolymer Paste,” *Advanced Materials Research*, 586, hal. 126–129.

Cornelis R., Priyosulistyo H., Satyarno I., dan Rohmadi (2018) “The Investigation on Setting Time and Strength of High Calcium Fly Ash Based Geopolymer,” *Applied Mechanics and Materials*, 881, hal. 158–164. doi: 10.4028/www.scientific.net/AMM.881.158.

Cornelis R., Priyosulistyo H., Satyarno I., dan Rohmadi (2019) “Workability and Strength Properties of Class C Fly Ash-Based Geopolymer Mortar,” in *MATEC Web of Conference*.

Davidovits J. (1976) “Solid-Phase Synthesis of a Mineral Blockpolymer by Low Temperature Polycondensation of Alumino-Silicate Polymers: Na-poly(sialate) or Na-PS and Characteristics,” *IUPAC Symposium on Long-Term Properties of Polymers and Polymeric Materials*, hal. 2–14.

Davidovits J. (1991) “Geopolymers - Inorganic Polymeric New Materials,” *Journal of Thermal Analysis*, 37(8), hal. 1633–1656. doi: 10.1007/BF01912193.

Davidovits J. (1994) “Properties of Geopolymer Cements,” *First International Conference on Alkaline Cements and Concretes*, hal. 131–149.

Davidovits J. (2002) “30 Years of Successes and Failures in Geopolymer Applications . Market Trends and Potential Breakthroughs .,” in *Geopolymer 2002 Conference*, hal. 1–16. doi: 10.1017/CBO9781107415324.004.

Davidovits J. (2013) “Gopolymer Cement,” *Institute Geopolymer*, (0), hal. 1–11.

Diaz-Loya E., Allouche E. N., dan Vaidya S. (2011) “Mechanical Properties of Fly-Ash-Based Geopolymer Concrete,” *ACI Materials Journal*, 108(3), hal. 300–306. doi: 620.1u40492–dc22.

- Diaz E. I., Allouche E. N., dan Eklund S. (2010) "Factors Affecting the Suitability of Fly Ash as Source Material for Geopolymers," *Fuel*. Elsevier Ltd, 89(5), hal. 992–996. doi: 10.1016/j.fuel.2009.09.012.
- Dir R. ., Hubbard F. ., Munday J. G. ., Jones M. ., dan Duerden S. . (1988) "Contribution of PFA to Concrete Workability and Strength Development," *Cement and Concrete Research*, 18(c), hal. 277–289.
- Dirgantara R. (2016) *Development of Brown Coal Fly Ash Geopolymer Concrete*.
- Duxson P., Fernández-Jiménez A., Provis J. L., Lukey G. C., Palomo A., dan van Deventer J. S. J. (2007) "Geopolymer Technology : the Current State of the Art," *J Mater Sci*, (4), hal. 2917–2933. doi: 10.1007/s10853-006-0637-z.
- Duxson P., Provis J. L., Lukey G. C., Mallicoat S. W., Kriven W. M., dan Van Deventer J. S. J. (2005) "Understanding the Relationship between Geopolymer Composition, Microstructure and Mechanical Properties," *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 269(1–3), hal. 47–58. doi: 10.1016/j.colsurfa.2005.06.060.
- Esfahani M. R., dan Rangan B. V. (1999) "Bond between Normal Strength and High-Strength Concrete (HSC) and Reinforcing Bars in Splices in Beams," *ACI Structural Journal*, (95).
- Fan Y., Yin S., Wen Z., dan Zhong J. (1999) "Activation of Fly Ash and Its Effects on Cement Properties," *Cement and Concrete Research*, 29(4), hal. 467–472. doi: 10.1016/S0008-8846(98)00178-1.
- Fernández-jiménez A., García-lodeiro I., Donatello S., Maltseva O., dan Palomo Á. (2014) "Specific Examples of Hybrid Alkaline Cement," in *MATEC WEb of Conference*, hal. 2–4.
- Fernandez-Jimenez A., García-Lodeiro I., dan Palomo A. (2007) "Durability of Alkali-Activated Fly Ash Cementitious Materials," *Journal of Materials Science*, 42(9), hal. 3055–3065. doi: 10.1007/s10853-006-0584-8.
- Fernandez-Jimenez A., dan Palomo A. (2003) "Characterisation of Fly Ashes_Potential Reactivity as Alkaline Cements," *Fuel*, 82, hal. 2259–2263.
- Fernández-Jiménez A., Palomo A., Sobrados I., dan Sanz J. (2006) "The Role Played by the Reactive Alumina Content in the Alkaline Activation of Fly Ashes," *Microporous and Mesoporous Materials*, 91(1–3), hal. 111–119. doi: 10.1016/j.micromeso.2005.11.015.

- Fernández-jiménez, M A., Palomo, Angel, López-hombrados, dan Cecilio (2006) “Engineering Properties of Alkali-Activated Fly Ash Concrete,” (103), hal. 15–17.
- Fernandez-Jiminez A. M., Palomo A., dan Lopez-Hombrados C. (2006) “Engineering Properties of Alkali-Activated Fly Ash Concrete,” *ACI Mater J*, 103(M12), hal. 106–12.
- Cabrera J. G. ... Fox H. (1986) “Evaluation of the Properties of British Pulverized Fuel Ashes and Their Influence on the Strength of Concrete,” *ACI Mater J*, SP91-5, hal. 30.
- Fox J. M. (2017) “Fly Ash Classification – Old and New Ideas.”
- García-Lodeiro I., Fernández-Jiménez A., dan Palomo A. (2013) “Variation in Hybrid Cements Over Time. Alkaline Activation of Fly Ash-Portland Cement Blends,” *Cement and Concrete Research*. Elsevier Ltd, 52, hal. 112–122. doi: 10.1016/j.cemconres.2013.03.022.
- García-Lodeiro I., Fernández-Jiménez A., Palomo A., dan MacPhee D. E. (2010) “Effect of Calcium Additions on N-A-S-H Cementitious Gels,” *Journal of the American Ceramic Society*, 93(7), hal. 1934–1940. doi: 10.1111/j.1551-2916.2010.03668.x.
- Garcia-Lodeiro I., Maltseva O., Palomo A., dan Fernandez-Jimenez A. (2012) “Hybrid Alkaline Cements. Part I: Fundamentals,” *Revista Romana De Materiale-Romanian Journal of Materials*, 42(4), hal. 330–335.
- Guo X., Shi H., Chen L., dan Dick W. A. (2010) “Alkali-Activated Complex Binders from Class C Fly Ash and Ca-Containing Admixtures,” *Journal of Hazardous Materials*, 173(1–3), hal. 480–486. doi: 10.1016/j.jhazmat.2009.08.110.
- Guo X., Shi H., dan Dick W. A. (2010) “Compressive Strength and Microstructural Characteristics of Class C Fly Ash Geopolymer,” *Cement and Concrete Composites*. Elsevier Ltd, 32(2), hal. 142–147. doi: 10.1016/j.cemconcomp.2009.11.003.
- Sindhunata ... H. (2006) “Effect of Curing Temperature and Silicate Concentration on Fly-Ash-Based Geopolymerization,” *Industrial and Engineering Chemistry Research*, 45(10), hal. 3559–3568. doi: 10.1021/ie051251p.
- Haha M., Lothenbach B., Saout G., dan Winnefeld F. (2012) “Influence of Slag Chemistry on the Hydration of Alkali-Activated Blast-Furnace Slag — Part II Effect of Al₂O₃,” *Cement and Concrete Research*, 42, hal. 74–83.

- Hanjitsuwan S., Hunpratub S., Thongbai P., Maensiri S., Sata V., dan Chindaprasirt P. (2014) "Effects of NaOH Concentrations on Physical and Electrical Properties of High Calcium Fly Ash Geopolymer Paste," *Cement and Concrete Composites*. Elsevier Ltd, 45, hal. 9–14. doi: 10.1016/j.cemconcomp.2013.09.012.
- Hardjito, Wallah S. E., Sumajouw D. M. J., dan Rangan B. V. (2004) "Factors Influencing the Compressive Strength of Fly Ash-Based Geopolymer Concrete," *Civil Engineering Dimension*, 6(2), hal. 88–93. doi: 10.9744/ced.6.2.pp. 88-93.
- Hardjito D., dan Rangan B. V (2005) *Development and Properties of Low-Calcium Fly Ash Based Geopolymer Concrete*.
- Hardjito D., Wallah E., Sumajouw J., dan Rangan B. . (2004) "On the Development of Fly Ash-Based Geopolymer Concrete," *ACI Materials Journal*, 101(6), hal. 467–472.
- Van Jaarsveld J. G. ., van Deventer J. S. ., dan Lukey G. . (2002) "The Effect of Composition and Temperature on the Properties of Fly Ash- and Kaolinite-Based Geopolymers," *Chemical Engineering Journal*, 89(1–3), hal. 63–73. doi: 10.1016/S1385-8947(02)00025-6.
- Van Jaarsveld J. G. S., van Deventer J. S. J., dan Lorenzen L. (1997) "Potential Use of Geopolymeric Materials to Immobilize Toxic Metals: Part I. Theory and Applications," *Minerals Engineering*, 10(7), hal. 659–669. doi: 10.1016/S0892-6875(97)00046-0.
- Van Jaarsveld J. G. S., Van Deventer J. S. J., dan Lorenzen L. (1998) "Factors Affecting the Immobilization of Metals in Geopolymerized Fly Ash," *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 29(1), hal. 283–291. doi: 10.1007/s11663-998-0032-z.
- Januarti-Jaya E., Bahrul U. M., Triwulan, Bayuaji R., Eddy S. T., dan Abdullah M. M. A. B. (2015) "A Comprehensive Characterization and Determination of Fly Ashes In Indonesia using Different Methods," *Advanced Materials Research*, 755, hal. 320–325. doi: 10.4028/www.scientific.net/AMM.754-755.320.
- Joshi R. ., dan Nagaraj T. . (1991) "Generalization of Flow behavior of Cement Fly Ash Pastes and Mortars," *Journal of Materials in Civil Engineering*, 2(3), hal. 128–135.
- Juenger M. C. G., dan Jennings H. M. (2001) "Effects of Highly Alkalinity on Cement Pastes," *Materials Journal*, 98(3), hal. 251–255. doi: 10.14359/10280.

- Khale D., dan Chaudhary R. (2007)a “Mechanism of Geopolymerization and Factors Influencing Its Development: A Review,” *Journal of Materials Science*, 42(3), hal. 729–746. doi: 10.1007/s10853-006-0401-4.
- Khale D., dan Chaudhary R. (2007)b “Mechanism of Geopolymerization and Factors Influencing Its Development: A Review,” *Journal Material Science*, 42, hal. 729–746.
- Kim J., dan Park J. H. (2015) “An Experimental Investigation of Bond Properties of Reinforcements Embedded in Geopolymer Concrete,” *International Journal of Structural and construction Engineering*, 9(2), hal. 96–99.
- Kong D. L. Y., dan Sanjayan J. G. (2010) “Effect of Elevated Temperatures on Geopolymer Paste, Mortar and Concrete,” *Cement and Concrete Research*. Elsevier Ltd, 40(2), hal. 334–339. doi: 10.1016/j.cemconres.2009.10.017.
- Kumar S., Djobo Y., Kumar A., dan Kumar S. (2016) “Geopolymerization Behavior of Fine Iron-Rich Fraction of Brown Fly Ash,” *Journal of Building Engineering*. Elsevier, 8, hal. 172–178. doi: 10.1016/j.job.2016.08.005.
- Kumar S., dan Kumar R. (2010) “Influence of Granulated Blast Furnace Slag on the Reaction , Structure and Properties of Fly Ash Based Geopolymer,” *Journal Material Science*, 45, hal. 607–615. doi: 10.1007/s10853-009-3934-5.
- Lee W. K. W., dan Van Deventer J. S. J. (2002) “The Effect of Ionic Contaminants on the Early-Age Properties of Alkali-Activated Fly Ash-Based Cements,” *Cement and Concrete Research*, 32(4), hal. 577–584. doi: 10.1016/S0008-8846(01)00724-4.
- Lee W. K. W., dan Van Deventer J. S. J. (2004) “The Interface between Natural Siliceous Aggregates and Geopolymers,” *Cement and Concrete Research*, 34(2), hal. 195–206. doi: 10.1016/S0008-8846(03)00250-3.
- Lin K., Shiu H., Hwang C., Cheng A., dan Cheng T. (2013) “Effects of $\text{SiO}_2 / \text{Na}_2\text{O}$ Molar Ratio on Properties of TFT-LCD Waste Glass-Metakaolin-based Geopolymers,” *Environmental Institute and sustainable Energy*, 00(00), hal. 1–8. doi: 10.1002/ep.
- Loya E. I. D., Kinney F., dan Rios C. A. O. (2012) “Reactivity Indicators for Activated High-Calcium Fly Ash-Based Binders,” *Advances in Green Binder Systems 2012 at the ACI Spring 2012 Convention*, (294 SP), hal. 38–59.

- Majidi (2009) "Geopolymer Technology, from Fundamentals to Advanced Applications: a Review," *Materials Technology: Advanced Performance Materials*, 24(2), hal. 79–87. doi: 10.1179/175355509X449355.
- Mamlouk M. S., dan Zaniewski J. P. (2017) *Materials for Civil and Construction Engineers Fourth Edition*, Person.
- Martinez-Ramirez, dan Palomo A. (2001) "OPC Hydration with Highly Alkaline Solutions," *Advances in Cement Research*, 13(3), hal. 123–129.
- Mehta P. K. (2004) "High Performance, High Volume Fly Ash Concrete for Sustainable Development," in *International Workshop on sustainable development and concrete technology*, hal. 3–14.
- Mehta P. K., dan Monteiro P. J. M. (2006) *Concrete: Microstructure, Properties, and Materials*, McGraw-Hill. doi: 10.1036/0071462899.
- Meija J., Rodriguez E., Gutierrez R. M. De, dan Gallego N. (2015) "Preparation and Characterization of a Hybrid Alkaline Binder Based on a Fly Ash with no Commercial Value," *Journal of Cleaner Production*, (xxx), hal. 1–7.
- Moon J., Wang Z., Kim M. O., dan Chun S. C. (2016) "Strength Enhancement of Alkaline Activated Fly Ash Cured at Ambient Temperature by Delayed Activation of Substituted OPC," *Construction and Building Materials*. Elsevier Ltd, 122, hal. 659–666. doi: 10.1016/j.conbuildmat.2016.06.111.
- Nath P., dan Sarker P. K. (2015) "Use of OPC to Improve Setting and Early Strength Properties of Low Calcium Fly Ash Geopolymer Concrete Cured at Room Temperature," *Cement and Concrete Composites*, 55, hal. 205–214. doi: 10.1016/j.cemconcomp.2014.08.008.
- Nath S. K., Mukherjee S., Maitra S., dan Kumar S. (2014) "Ambient and Elevated Temperature Geopolymerization Behaviour of Class F Fly Ash," *Trans.Ind. Ceram.*, 73(2), hal. 126–132. doi: 10.1080/0371750X.2014.922428.
- Neville A. M. (2004) "Properties of concrete Fourth and Final Edition," in *Perason-Prentice Hall*, hal. 860.
- Palomo A., Blanco-Varela M. T., Granizo M. L., Puertas F., Vazquez T., dan Grutzeck M. W. (1999) "Chemical Stability of Cementitious Materials Based on Metakaolin," *Cement and Concrete Research*, 29(7), hal. 997–1004. doi: 10.1016/S0008-8846(99)00074-5.

- Palomo A., Jimenez A., Kovalchuck G., Ordonez L. M., dan Naranjo M. C. (2007) "Opc-Fly Ash Cementitious Systems : Study of Gel Binders Produced During Alkaline Hydration," *Journal Material Science*, 42, hal. 2958–2966. doi: 10.1007/s10853-006-0585-7.
- Palomo Á., Maltseva O., García-lodeiro I., dan Fernández-jiménez A. (2013) "Cimenturi Hibride Alcaline . Partea a II-a : Factorul Clincher Hybrid Alkaline Cements . Part II : The Clinker Factor," *Romanian Journal of materials*, 43(1), hal. 74–80.
- Palomo, Grutzeck M., dan Blanco M. (1999) "Alkali-Activated Fly Ashes: A Cement for the Future," *Cement and Concrete Research*, 29(8), hal. 1323–1329. doi: 10.1016/S0008-8846(98)00243-9.
- Pan Z., Sanjayan J. G., dan Rangan B. V. (2011) "Fracture Properties of Geopolymer Paste and Concrete," *Magazine of Concrete Research*, 63(10), hal. 763–771. doi: 10.1680/macr.2011.63.10.763.
- Pangdaeng S., Phoo-ngernkham T., Sata V., dan Chindaprasirt P. (2015) "Influence of Curing Conditions on Properties of High Calcium Fly Ash Geopolymer Containing Portland Cement as Additive," *Materials and Design*, 53(53). doi: 10.1016/j.matdes.2013.07.018.
- Panias D., Giannopoulou, P. I., Perraki, dan Theodora (2007) "Effect of Synthesis Parameters on the Mechanical Properties of Fly Ash-Based Geopolymers," *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, hal. 246–254. doi: 10.1016/j.colsurfa.2006.12.064.
- Phoo-ngernkham T., Sata V., Hanjitsuwan S., Ridditirud C., Hatanaka S., dan Chindaprasirt P. (2015) "Compressive Strength, Bending and Fracture Characteristics of High Calcium Fly Ash Geopolymer Mortar Containing Portland Cement Cured at Ambient Temperature," *Arabian Journal for Science and Engineering*, 41(4), hal. 1263–1271. doi: 10.1007/s13369-015-1906-4.
- Poon C., Azhar S., Anson M., dan Wong Y.-L. (2003) "Performance of Metakaolin Concrete at Elevated Temperatures," *Cement and Concrete Composites*, 25(1), hal. 83–89.
- Provis J. L., dan van Deventer J. S. J. (2009) *Geopolymers. Structures, Processing, Properties and Industrial Applications*, CRC Press, Woodhead Publishing, Great Abington, Cambridge, UK. doi: 10.1533/9781845696382.
- Puertas F., Palacios M., Manzano H., Dolado J. S., Rico A., dan Rodríguez J. (2011) "A Model for the C-A-S-H Gel Formed in Alkali-Activated Slag Cements,"

Journal of the European Ceramic Society, 31(12), hal. 2043–2056. doi: 10.1016/j.jeurceramsoc.2011.04.036.

Rangan B. V. (2009) *Engineering Properties of Geopolymer Concrete, Geopolymers: Structures, Processing, Properties and Industrial Applications*. Woodhead Publishing Limited. doi: 10.1533/9781845696382.2.211.

Ridzuan A. R. M., Khairulniza A. A., dan Arshad M. F. (2015) “Effect of Sodium Silicate Types on the High Calcium Geopolymer Concrete,” *Materials Science Forum*, 803, hal. 185–193. doi: 10.4028/www.scientific.net/MSF.803.185.

Risdanareni P., Puspitasari P., dan Jaya E. J. (2017) “Chemical and Physical Characterization of Fly Ash as Geopolymer Material,” *MATEC Web of Conference*, 01031. doi: 10.1051/mateconf/2017970131.

Rivera J. F., Group C. M., Gutierrez R. M. De, Mejia J. M., dan Gordillo M. (2013) “Hybrid Cement Based on the Alkali Activation of by-Products of Coal Cementos Híbridos Basados en la Activación Alcalina de Subproductos del Carbón,” *Journal of Construction*, 13(2), hal. 31–39.

Rowe M. C., dan Brewer B. J. (2017) “AMORPH: A Statistical Program for Characterizing Amorphous Materials by X-Ray Diffraction.”

Rowe M. C., dan Brewer B. J. (2018) “AMORPH: A Statistical Program for Characterizing Amorphous Materials by X-Ray Diffraction,” *Computer and Geoscience*, hal. 1–24.

Sathonsaowaphak A., Chindaprasirt P., dan Pimraksa K. (2009) “Workability and Strength of Lignite Bottom Ash Geopolymer Mortar,” *Journal of Hazardous Materials*, 168(1), hal. 44–50. doi: 10.1016/j.jhazmat.2009.01.120.

Satyarno I., Solehudin A. P., Meyarto C., Hadiyatmoko D., Muhammad P., dan Afnana R. (2014) “Practical Method for Mix Design of Cement-Based Grout,” *Procedia Engineering*, 95(Scescm), hal. 356–365. doi: 10.1016/j.proeng.2014.12.194.

Shi C., Jiménez, A., Fernández, Palomo, dan Angel (2011) “Cement and Concrete Research New Cements for the 21st Century : The Pursuit of an Alternative to Portland Cement,” *Cement and Concrete Research*. Elsevier B.V., 41(7), hal. 750–763. doi: 10.1016/j.cemconres.2011.03.016.

Shi C., Krivenko, Pavel, Roy, dan Della (2006) “Alkali-Activated Cements and Concretes,” in *Alkali-Activated Cements and Concretes*, hal. 1–370.

- Skavara F., Kopecky L., Nemecek J., dan Bittnar Z. (2006) "Microstructure of Geopolymer Materials Based on Fly Ash," *Ceramics*, 50(4), hal. 208–215.
- Sofi M., van Deventer J. S. J., Mendis P. A., dan Lukey G. C. (2007) "Engineering Properties of Inorganic Polymer Concretes (IPCs)," *Cement and Concrete Research*, 37(2), hal. 251–257. doi: 10.1016/j.cemconres.2006.10.008.
- Somna K., Jaturapitakkul C., Kajitvichyanukul P., dan Chindaprasirt P. (2011) "NaOH-Activated Ground Fly Ash Geopolymer Cured at Ambient Temperature," *Fuel*, 90(6), hal. 2118–2124. doi: 10.1016/j.fuel.2011.01.018.
- Swanepoel J. ., dan Strydom C. . (2002) "Utilisation of Fly Ash in a Geopolymeric Material," *Applied Geochemistry*, 17(17).
- Temuujin. J., van Riessen A., dan Williams R. (2009) "Influence of Calcium Compounds on the Mechanical Properties of Fly Ash Geopolymer Pastes," *Journal of Hazardous Materials*, 167(167), hal. 82–88. doi: 10.1016/j.jhazmat.2008.12.121.
- Temuujin J., Minjigmaa A., Rickard W., Lee M., Williams I., dan van Riessen A. (2010) "Fly ash Based Geopolymer Thin Coatings on Metal Substrates and Its Thermal Evaluation," *Journal of Hazardous Materials*, 180(1–3), hal. 748–752. doi: 10.1016/j.jhazmat.2010.04.121.
- Temuujin J., van Riessen A., dan Williams R. (2009) "Influence of Calcium Compounds on the Mechanical Properties of Fly Ash Geopolymer Pastes," *Journal of Hazardous Materials*, 167(1–3), hal. 82–88. doi: 10.1016/j.jhazmat.2008.12.121.
- Tennakoon C., Sagoe-Crentsil K., San Nicolas R., dan Sanjayan J. G. (2015) "Characteristics of Australian Brown Coal Fly Ash Blended Geopolymers," *Construction and Building Materials*. Elsevier Ltd, 101, hal. 396–409. doi: 10.1016/j.conbuildmat.2015.10.089.
- Topark-ngarm P., Chindaprasirt P., dan Sata V. (2014) "Setting Time , Strength , and Bond of High-Calcium Fly Ash Geopolymer Concrete," *The Journal of Materials in Civil Engineering*, 27(2011), hal. 1–7. doi: 10.1061/(ASCE)MT.1943-5533.0001157.
- Wallah S. E., dan Rangan B. V (2006) *Low Calcium Fly Ash Based Geopolymer Concrete : Long Term Properties*.
- Wang K., Shah S. P., dan Mishulovich A. (2004) "Effects of Curing Temperature and NaOH Addition on Hydration and Strength Development of Clinker-Free CKD-

- Fly Ash Binders,” *Cement and Concrete Research*, 34(2), hal. 299–309. doi: 10.1016/j.cemconres.2003.08.003.
- Wattimena O. K., Antoni, dan Hardjito D. (2017) “A Review on the Effect of Fly Ash Characteristics and Their Variations on the Synthesis of Fly Ash Based Geopolymer,” hal. 1–12. doi: 10.1063/1.5003524.
- Winnefeld F., Leemann A., Lucuk M., Svoboda P., dan Neuroth M. (2010) “Assessment of Phase Formation in Alkali Activated Low and High Calcium Fly Ashes in Building Materials,” *Construction and Building Materials*, 24(6), hal. 1086–1093. doi: 10.1016/j.conbuildmat.2009.11.007.
- Wongpa J., Kiattikomol K., Jaturapitakkul C., dan Chindaprasirt P. (2010) “Compressive Strength, Modulus of Elasticity, and Water Permeability of Inorganic Polymer Concrete,” *Materials and Design*, 31(10), hal. 4748–4754. doi: 10.1016/j.matdes.2010.05.012.
- Xu H., dan Van Deventer J. S. J. (2000) “The Geopolymerisation of Alumino-Silicate Minerals,” *International Journal of Mineral Processing*, 59(3), hal. 247–266. doi: 10.1016/S0301-7516(99)00074-5.
- Yip C. K., dan Van Deventer J. S. J. (2003) “Microanalysis of Calcium Silicate Hydrate Gel Formed within A Geopolymeric Binder,” *Journal of Materials Science*, 38(18), hal. 3851–3860. doi: 10.1023/A:1025904905176.
- Yip C. K., Lukey G. C., dan Van Deventer J. S. J. (2005) “The Coexistence of Geopolymeric Gel and Calcium Silicate Hydrate at the Early Stage of Alkaline Activation,” *Cement and Concrete Research*, 35(9), hal. 1688–1697. doi: 10.1016/j.cemconres.2004.10.042.
- Yip C. K., Lukey G. C., Provis J. L., dan van Deventer J. S. J. (2008) “Effect of Calcium Silicate Sources on Geopolymerisation,” *Cement and Concrete Research*, 38(4), hal. 554–564. doi: 10.1016/j.cemconres.2007.11.001.
- Zuda L., Pavlik Z., Rovnanikova P., Bayer P., dan Cerny R. (2006) “Properties of Alkali Activated Aluminosilicate Material after Thermal Load,” *International Journal of Thermophysics*, 27(4), hal. 1250–1251.