

DAFTAR PUSTAKA

- Abdulkarim, S.M., Long, K., Lai, O.M., Muhammad, S.K.S. & Ghazali, H.M. 2005. Some physico-chemical properties of *Moringa oleifera* seed oil extracted using solvent and aqueous enzymatic methods. *Food Chemistry*, 93: 253–263.
- Abiodun, O.A. & Adegbite, J.A. 2012. Chemical and Physicochemical Properties of *Moringa* Flours and Oil. 12(5): 12–18.
- Adejumo, B.A., Alakowe, A.T. & Obi, D.E. 2013. Effect of Heat Treatment on the Characteristics and Oil Yield of *Moringa Oleifera* Seeds. *The International Journal of Engineering And Science (IJES)*, 2(1): 232–239.
- Aji, H.S. 2015. *Penentuan Kadar Asam Lemak Bebas Minyak Biji Rambutan melalui Reaksi Esterifikasi pada Variasi Lama Waktu Reaksi*. Universitas Negeri Yogyakarta.
- Aly, A.A., Maraei, R.W. & Ali, H.G.M. 2016. Fatty Acids Profile and Chemical Composition of Egyptian *Moringa oleifera* Fatty Acids Profile and Chemical Composition of Egyptian *Moringa oleifera* Seed Oils. *Journal of the American Oil Chemists' Society*, 93(3): 397–404.
- Aminah, S., Ramdhan, T. & Yanis, M. 2015. Kandungan Nutrisi dan Sifat Fungsional Tanaman Kelor (*Moringa oleifera*). *Balai Pengkajian Teknologi Pertanian Jakarta*, 5(30): 35–44.
- Anonim 2002. *Moringa oleifera A multi-purpose tree. HDRA - the organic organisation*. HDRA - the organic organisation.
- Anwar, B.F., Zafar, S.N. & Rashid, U. 2006. Characterization of *Moringa oleifera* seed oil from drought and irrigated regions of Punjab , Pakistan. 57(2): 160–168.
- Anwar, F., Zafar, S.N. & Umer, R. 1999. Characterization of *Moringa oleifera* Variety Mbololo Seed Oil of. *J. Agric. Food Chem.* 47(2):4495–4499.
- Atinafu 2012. Estimation of total free fatty acid and cholesterol content in some commercial edible oils in Ethiopia, Bahir DAR. *Journal of Cereals and Oilseeds*. 2(6): 71-76
- Ayerza, R. 2011. Seed yield components , oil content , and fatty acid composition of two cultivars of moringa (*Moringa oleifera* Lam .) growing in the Arid Chaco of Argentina. *Industrial Crops & Products*, 33(2): 389–394. Tersedia di <http://dx.doi.org/10.1016/j.indcrop.2010.11.003>.
- BAPPEDA 2013. *Profil Daerah Kabupaten Kupang 2013*. Kupang: Pemerintah Daerah Kabupaten Kupang. Tersedia di <http://kab-kupang.go.id/>.
- Barakat, H. & Ghazal, G.A. 2016. Physicochemical Properties of *Moringa oleifera*

- Seeds and Their Edible Oil Cultivated at Different Regions in Egypt. *Food and Nutrition Sciences*, 7:472-484.
- Bhutada, P.R., Jadhav, A.J., Pinjari, D. V., Nemade, P.R. & Jain, R.D. 2016. Solvent assisted extraction of oil from *Moringa oleifera* Lam. seeds. *Industrial Crops and Products*, 82: 74–80.
- Bidima, I.M. 2016. *Production and processing of Moringa oleifera*.
- BPS Kabupaten Sigi 2014. Statistik Daerah Kabupaten Sigi 2014.
- BPS Kabupaten Sigi 2018a. *Kabupaten Sigi Dalam Angka*. Sigi: BPS Kabupaten Sigi.
- BPS Kabupaten Sigi 2018b. *Kecamatan Biromaru Dalam Angka*. Sigi: BPS Kabupaten Sigi.
- BPS Kota Kupang 2018. *Kecamatan Maulafa Dalam Angka*. Kupang: Badan Pusat Statistik Kota Kupang.
- Buckle, K.A., Edward, R.A., Fleet, G.H. & Wootton 2007a. *Ilmu Pangan*. Edisi ke-4 ed. Jakarta: UI-Press.
- Buckle, K.A., Edwards, R.A., Fleet, G.H. & Wotton, M. 2007b. *Ilmu Pangan*. Edisi ke 4 ed. Jakarta: UI-Press.
- Caponio, F., Pasqualone, A. & Gomes, T. 2003. Changes in the fatty acid composition of vegetable oils in model doughs submitted to conventional or microwave heating. *International Journal of Food Science and Technology*. 38: 481–486
- Chukwuebuka, E. 2015. *Moringa oleifera* “ The Mother ’ s Best Friend ”. *Journal of Nutrition and Food Sciences*. 4(6): 624–630.
- Dewi, M.S. 2012. *Pengaruh Kondisi Ekstraksi Terhadap Karakter Minyak dari Biji Kacang Merah (*Phaseolus vulgaris* L.)*. Universitas Negeri Yogyakarta.
- Efeovbokha, V.E., Hymore, F.K., Raji, D. & Sanni, S.E. 2015. Alternative Solvents for *Moringa oleifera* Seeds Extraction. *Journal of Applied Sciences*, 15(8): 1073–1082.
- Fahey, J.W. 2005. *Moringa oleifera*: A Review of the Medical Evidence for Its Nutritional, Therapeutic, and Prophylactic Properties. *Trees for Life Journal* Part 1. (January 2005): 157–164.
- Fakayode, O.A. & Ajav, E.A. 2016. Process optimization of mechanical oil expression from *Moringa* (*Moringa oleifera*) seeds. *Industrial Crops and Products*.90: 142-151
- Fessenden, R.J. & Fessenden, J.S. 1986. *Kimia Organik Dasar*. Edisi Ketidua ed.

Jakarta.

- Gardjito, M. & Supriyanto 1988. *Teknologi Pengolahan Pangan*. Yogyakarta: Universitas Pangan dan Gizi UGM.
- Ghazali, H.M. & Mohammed, A.S. 2011. Moringa (*Moringa oleifera*) Seed Oil. *Nuts and Seeds in Health and Disease Prevention*, 12: 787–793.
- Gunstone, F.. 1996. *Fatty Acid and Lipid Chemistry*. Springer Science + Business Media Dordrecht.
- Hamm, W., Hamilton, R.J. & Calliau, G. 2013. *Edible Oil Processing*. West Sussex: Wiley-Blackwell.
- Hariani, P.L., Riyanti, F. & Oktaviani, H. 2007. Analisis Mutu Minyak Biji Ketapang (*Terminalia catappa* Linn.) Hasil Sokletasi. *Jurnal penelitian Sains*, 10(3): 327–334.
- Isnan, W. & Nurhaedah, M. 2017. Ragam Manfaat Tanaman Kelor (*Moringa oleifera* Lamk.) Bagi Masyarakat. *Info Teknis EBONI*, 63–75.
- Kedang, M.Y.M. 2018. Uji Karakteristik Minyak Biji Kelor (*Moringa oleifera* L.). Politeknik Kesehatan Kemenkes Kupang.
- Ketaren, S. 1986. *Pengantar Teknologi Minyak dan Lemak Pangan*. Jakarta: UI-Press.
- Kindt, R., Dawson, I.K. & John, I. 2017. *Documentation of the Agroforestry Species Switchboard web database (version 1.4)*. Nairobi: World Agroforestry Centre (ICRAF).
- Kumalaningsih, S. 2014. *Pohon Industri Potensial*. UB Press.
- Lalas, S. & Tsaknis, J. 2002a. Characterization of *Moringa oleifera* seed oil variety “Periyakulam 1.” *Journal of Food Composition and Analysis*, 15(1): 65–77.
- Lalas, S. & Tsaknis, J. 2002b. Extraction and identification of natural antioxidant from the seeds of the *Moringa oleifera* tree variety of Malawi. *Journal of the American Oil Chemists’ Society*, 79(7): 677–683.
- LAziz, T., Sitorus, V.F. & Rumapea, B.A. 2009. Pengaruh Pelarut Heksana Dan Etanol, Waktu Ekstraksi Terhadap Hasil Ekstraksi Minyak Coklat. *Jurnal Teknik Kimia*, 16(2): 48–54.
- Lehninger, A.L. 1982. *Dasar-dasar Biokimia*. Jakarta: Erlangga.
- Maradesa, R.P., Fatimah, F. & Sangi, M.S. 2014. Kualitas Virgin Coconut Oil (VCO) Sebagai Minyak Goreng yang Dibuat dengan Metode Pengadukan dengan Adanya Penambahan Kemangi (*Ocimum sanctum* L.). *Jurnal MIPA UNSTRAT*, 3(1): 44–48.

- Mitariastini, N.L.G. 2016. *Pertumbuhan dan Produksi Beberapa Aksesori Kelor (Moringa oleifera Lam.) pada Interval Pemanenan Berbeda*. Institut Pertanian Bogor.
- Muyibi, S.A. & Evison, L.M. 1995. Moringa Oleifera Seeds For Softening. *Water Research*. 29(4): 1099–1105.
- Nel, A. 2001. *Determination of sunflower seed quality for processing*. University of Pretoria.
- Nurani, F.P. 2015. *Interesterifikasi Enzimatis Wijen dan Palm Stearin Menggunakan Lipase Candida antarctica untuk Sintesis Lemak Margarin*. Universitas Gadjah Mada.
- Odoom, W. & Edusei, V.O. 2015a. Evaluation of Saponification value , Iodine value and Insoluble impurities in Coconut Oils from Jomoro District in the Western Region of Ghana. *Asian Online Journal*. 03(05): 494–499.
- Odoom, W. & Edusei, V.O. 2015b. Evaluation of Saponification value , Iodine value and Insoluble impurities in Coconut Oils from Jomoro District in the Western Region of Ghana. *Asian Journal of Agriculture and Food Sciences*, 03(05): 494–499.
- Ogunsina, B.S., Indira, T.N., Bhatnagar, A.S., Radha, C., Debnath, S. & Gopala Krishna, A.G. 2011. Quality characteristics and stability of Moringa oleifera seed oil of Indian origin. *Journal of Food Science and Technology*, 51(3): 503–510.
- Ogunsina, B.S., Indira, T.N., Bhatnagar, A.S., Radha, C., Debnath, S. & Gopala Krishna, A.G. 2014. Quality characteristics and stability of Moringa oleifera seed oil of Indian origin. *Journal of Food Science and Technology*, 51(3): 503–510.
- Parrota, J.A. 2008. Moringa oleifera. *Journal of infection in developing countries*, 2(5): 379–383.
- Premi, M. & Sharma, H.K. 2013. Oil Extraction Optimization and Kinetics from Moringa Oleifera (PKM 1) Seeds. *International Journal of Agriculture and Food Science Technology*. 4(4): 371–378.
- Purwaningsih, I. 2015. Perbandingan Kadar Bilangan Asam Minyak Goreng Sawit Curah yang Ditambahkan Ekstrak Wortel dengan yang Tidak. *jurnal vokasi kesehatan*, 1: 59–63.
- Rachmaniah, O., R, E.Y. & W, D.H. 2017. *Ekstraksi Minyak Alga Spirulina Sp . menggunakan metode osmotik dan Perkolasi dan Pengaruhnya terhadap Komponen-komponen terekstrak*. Institut Teknologi Sepuluh Nopember Surabaya.

- Rahmawati, P.S. & Adi, A.C. 2018. Daya Terima Dan Zat Gizi Permen Jeli Dengan Penambahan Bubuk Daun Kelor (*Moringa Oleifera*). *Media Gizi Indonesia*, 11(1): 86.
- Rekha, G. & Rose, L. 2017. Physicochemical Properties of Moringa. *International Journal of Advanced Engineering Research and Technology (IJAERT)*, 5(10): 709–714.
- Rohman, A. & Sumantri 2007. *Analisis Makanan*. Yogyakarta: Gajah Mada University Press.
- Salaheldeen, M., Aroua, M.K., Mariod, A.A., Cheng, S.F. & Abdelrahman, M.A. 2014. An evaluation of Moringa peregrina seeds as a source for bio-fuel. *Industrial Crops and Products*. 61: 49-61
- Samsul Hidayat, S.. & Hutapea, J.. 1991. *Inventaris Tanaman Obat Indonesia*. Edisi Kedu ed. DKI Jakarta: Departemen Kesehatan RI.
- Sari, D.D.K. 2017. Ekstraksi Minyak dan Resin Nyamplung (*Calophyllum inophyllum*) Dengan Campuran Pelarut Heksan-Etanol. Institut Pertanian Bogor.
- Stahl, E. 1969. *Thin-Layer chromatography: a laboratory handbook*. 2nd ed. Tokyo: Springer International Student Editon.
- Supardan, M.D., Arpi, N., Moulana, R., Masbar, R., Mahlinda & Yani, C.S. 2017. *Proses Ekstraksi Minyak Biji Kelor (Moringa oleifera) menggunakan Hydraulic Press berbantuan Pelarut*. Universitas Syiah Kuala
- Supardan, M.D., Asnawi, T.M., Putri, Y. & Wahyuni, S. 2011. Metode ekstraksi pelarut berbentuk ultrasonik untuk recovery minyak dari limbah cair pabrik kelapa sawit. *Agritech*, 31(4): 368–373.
- Taslim, Agung, M.R. & Purwanto, S. 2016. Ekstraksi Minyak dari Biji Kurma (*Phoenix dactylifera* L.) dengan Metode Soxhlet Extraction dengan Menggunakan etil Asetat. *Jurnal Teknik Kimia*, V(1): 50–55.
- Tian, Y., Xu, Z., Zheng, B. & Martin Lo, Y. 2013. Optimization of ultrasonic-assisted extraction of pomegranate (*Punica granatum* L.) seed oil. *Ultrasonics Sonochemistry*. 2(5): 12-20
- Vaknin, Y. & Mishal, A. 2017. The potential of the tropical “miracle tree” Moringa oleifera and its desert relative Moringa peregrina as edible seed-oil and protein crops under Mediterranean conditions. *Scientia Horticulturae*. 12(5): 123-130
- Yan, J., Shen, Y.H., Wang, Y.Y., Luan, X., Guo, M.M. & Li, C. 2016. The effects of different extraction methods on the physicochemical properties and antioxidant activity of Amygdalus pedunculatus seed oil. *Journal of Applied Botany and Food Quality*, 89: 135–141.