

DAFTAR PUSTAKA

- [1] X. Zhang and Y. Gao, "Face recognition across pose: A review," *Pattern Recognit.*, vol. 42, no. 11, pp. 2876–2896, Nov. 2009.
- [2] A. Muntasa, *Pengenalan Pola: Aplikasi untuk Pengenalan Wajah, Analisis Tekstur Obyek, Pengenalan Plat Nomor Kendaraan dan Segmentasi Pembuluh Darah*, First Edit. Yogyakarta: GRAHA ILMU, 2015.
- [3] W.-Y. Zhao, R. Chellappa, P. J. Phillips, and A. Rosenfeld, *Face Recognition: A Literature Survey*, vol. 35. 2003.
- [4] R. Brunelli and T. Poggio, "Face Recognition: Features versus Templates," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 15, no. 10, pp. 1042–1052, 1993.
- [5] L. Wiskott, J.-M. Fellous, N. Krüger, and C. von der Malsburg, "Face recognition by elastic bunch graph matching BT - Computer Analysis of Images and Patterns," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 19, no. 7, pp. 456–463, 1997.
- [6] J. Yang and J. Yang, "From image vector to matrix: a straightforward image projection technique—IMPCA vs. PCA," *Pattern Recognit.*, vol. 35, no. 9, pp. 1997–1999, 2002.
- [7] H.-C. Kim, D. Kim, and S. Y. Bang, "Face recognition using LDA mixture model," *Pattern Recognit. Lett.*, vol. 24, no. 15, pp. 2815–2821, 2003.
- [8] M. Loog and R. P. W. Duin, "Linear dimensionality reduction via a heteroscedastic extension of LDA: The Chernoff criterion," *IEEE Trans.*

- Pattern Anal. Mach. Intell.*, vol. 26, no. 6, pp. 732–739, 2004.
- [9] G. S. Almasi and A. Gottlieb, *Highly Parallel Computing*. Redwood City, CA, USA: Benjamin-Cummings Publishing Co., Inc., 1989.
- [10] K. Asanovic, B. C. Catanzaro, D. Patterson, and K. Yelick, “The Landscape of Parallel Computing Research : A View from Berkeley,” *EECS Dep. Univ. Calif. Berkeley Tech Rep UCBECS2006183*, vol. 18, p. 19, 2006.
- [11] V. Selvaraj, “Gender classification for digital signage solutions using facial images,” in *2015 Third International Conference on Image Information Processing (ICIIP)*, 2015, pp. 502–505.
- [12] A. A. D. Ridwan, I. Setiawan, and I. K. Timotius, “Performance Comparison between Principal Component Analysis and Linear Discriminant Analysis in a Gender Recognition System,” *IEEE Conf. Control. Syst. Ind. Informatics*, vol. 2, pp. 1–4, 2013.
- [13] D. Wulansari, E. C. Djamal, and R. Ilyas, “Identifikasi Gender Berdasarkan Citra Wajah Menggunakan Deteksi Tepi dan Backpropagation,” *Semin. Nas. Apl. Inf.*, pp. 10–14, 2017.
- [14] M. Fujita, T. Yoshida, and S. Hangai, “A Study on the Effect of ROI Masks on Face Recognition System Using Digital Recorder,” *2006 IEEE Int. Conf. Acoust. Speech Signal Process. Proc.*, vol. 2, no. March 2015, pp. 365–368, 2006.
- [15] T. Bissoon and S. Viriri, “Gender Classification using Face Recognition,” *Int. Conf. Adapt. Sci. Technol. (ICAST)*, 2013, pp. 1–4, 2013.

- [16] A. Kadir and A. Susanto, “Pengolahan Citra Teori dan Aplikasi.” Andi Offset, Yogyakarta, 2013.
- [17] E. Vidyaningrum and P. Prihandoko, “Human Face Detection by using eigenface method for various pose of human face,” Universitas Gunadarma, 2010.
- [18] D. Putra, *Pengolahan Citra Digital*. Yogyakarta: Andi Offset, 2010.
- [19] P. Viola and M. J. Jones, “Robust Real-time Object Detection,” *Int. J. Comput. Vis.*, no. February, pp. 1–30, 2001.
- [20] P. Viola and M. J. Jones, “Rapid Object Detection using a Boosted Cascade of Simple Features,” *IEEE Conf. Comput. Vis. Pattern Recognition, kauai, Hawaii*, 2001.
- [21] A. Kadir and A. Susanto, *Teori dan Aplikasi Pengolahan Citra*. Yogyakarta: Penerbit Andi, 2013.
- [22] K. Zuiderveld, “Contrast limited adaptive histogram equalization,” *Acad. Press Prof. Inc.*, pp. 474–485, 1994.
- [23] A. M. Reza, “Realization of the Contrast Limited Adaptive Histogram Equalization (CLAHE) for Real-Time Image Enhancement,” *J. VLSI signal Process. Syst. signal, image video Technol.*, vol. 38, no. 1, pp. 35–44, 2004.
- [24] F. Kanditami, D. Saepudin, and A. Rizal, “Analisis Contrast Limited Adaptive Histogram Equalization (CLAHE) dan Region Growing dalam Deteksi Gejala Kanker Payudara pada Citra Mammogram,” *J. Elektro Itt Telkom*, vol. 7 No.1, pp. 15–28, 2014.

- [25] S. M. Pizer, E. P. Amburn, J. D. Austin, R. Cromartie, A. Geselowitz, T. Greer, B. ter Haar Romeny, J. B. Zimmerman, and K. Zuiderveld, "Adaptive histogram equalization and its variations," *Comput. Vision, Graph. Image Process.*, vol. 39, no. 3, pp. 355–368, Sep. 1987.
- [26] A. M. Martinez and A. C. Kak, "PCA versus LDA," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 23, no. 2, pp. 228–233, 2001.
- [27] K. Etemad and R. Chellappa, "Discriminant Analysis for Recognition of Human Face Images," *J. Opt. Soc. Am. A*, pp. pp. 1724–1733.
- [28] "MATLAB Multicore - MATLAB & Simulink." [Online]. Available: <https://www.mathworks.com/discovery/matlab-multicore.html>. [Accessed: 06-Nov-2017].
- [29] "How MATLAB divide the number of iterations of "parfor" on the workers of one computer? - MATLAB Answers - MATLAB Central." [Online]. Available: <https://www.mathworks.com/matlabcentral/answers/341778-how-matlab-divide-the-number-of-iterations-of-parfor-on-the-workers-of-one-computer>. [Accessed: 06-Nov-2017].
- [30] E. Prasetyo, *Data Mining Konsep dan Aplikasi menggunakan MATLAB*. Yogyakarta: Andi Offset, 2012.
- [31] Pratiwi, "Metode Ekstraksi Ciri 2DPCA Pada Pengenalan Citra Wajah Dengan Matlab," *J.Tekno*, vol. 7, pp. 1–5, 2014.
- [32] P. N. Wastu, "Pengenalan Aksara Jawa Menggunakan Metode Hidden Markov Models," Thesis, Universitas Sanata Dharma, 2009.

- [33] Stehman and S. V, “Selecting and interpreting measures of thematic classification accuracy,” *Remote Sens. Environ.*, pp. 77–89, 1997.
- [34] D. M. W. Powers, “Evaluation : From Precision , Recall and F-Factor to ROC , Informedness , Markedness & Correlation,” *Mach. Learn. Technol.*, no. December, 2008.
- [35] T. Fawcett, “An Introduction to ROC Analysis,” *Pattern Recogn. Lett.*, vol. 27, no. 8, pp. 861–874, 2006.
- [36] M. Sokolova and G. Lapalme, “A systematic analysis of performance measures for classification tasks,” *Inf. Process. Manag.*, vol. 45, no. 4, pp. 427–437, 2009.
- [37] “Information Technology Laboratory | NIST.” [Online]. Available: <https://www.nist.gov/itl>. [Accessed: 05-Nov-2017].
- [38] R. S. H. Putra, “Kombinasi Gabor Wavelet dan Singular Value Decomposition Untuk Ekstraksi Fitur Pada Pengenalan Wajah Menggunakan Tujuh State Hidden Markov Model,” Universitas Gadjah Mada, 2016.