



DAFTAR PUSTAKA

- Abdullah, E., Idris, A. and Saparon, A. (2017) ‘Papr reduction using scs-slm technique in stfbc mimo-ofdm’, *ARPN Journal of Engineering and Applied Sciences*, 12(10), pp. 3218–3221. doi: 10.1111/ijlh.12426.
- Achmad Syaiful Lud, Luki Agustina, Fetarayani D, Baskoro A, Gatot S, C. E. (2012) ‘Asosiasi Penyakit Alergi Atopi Anak Dengan Atopi Orang Tua dan Faktor Lingkungan’, *J Peny Dalam*, 13, p. 58.
- Alkazemi, D., Albeajan, M. and Kubow, S. (2018) ‘Early Infant Feeding Practices as Possible Risk Factors for Immunoglobulin E-Mediated Food Allergies in Kuwait’, *International Journal of Pediatrics*. Hindawi, 2018, pp. 1–12. doi: 10.1155/2018/1701903.
- Alvarez-Perea, A., Tanno, L. K. and Baeza, M. L. (2017) ‘How to manage anaphylaxis in primary care’, *Clinical and Translational Allergy*. BioMed Central, 7(1), pp. 1–10. doi: 10.1186/s13601-017-0182-7.
- Arasi, S. et al. (2018) ‘The future outlook on allergen immunotherapy in children: 2018 and beyond’, *Italian Jurnal of Pediatrics*. Italian Journal of Pediatrics, 44(1), pp. 1–9. doi: 10.1186/s13052-018-0519-4.
- Baatenburg De Jong, A., Dikkeschei, L. D. and Brand, P. L. P. (2011) ‘Sensitization patterns to food and inhalant allergens in childhood: A comparison of non-sensitized, monosensitized, and polysensitized children’, *Pediatric Allergy and Immunology*, 22(2), pp. 166–171. doi: 10.1111/j.1399-3038.2010.00993.x.
- Baldacara, R. P. de C. et al. (2013) ‘Prevalence of allergen sensitization, most important allergens and factors associated with atopy in children’, *Sao Paulo Medical Journal*, 131(5), pp. 301–308. doi: 10.1590/1516-3180.2013.1315502.
- Bannon, G. A. (2004) ‘What makes a food protein an allergen?’, *Current Allergy and Asthma Reports*, 4(1), pp. 43–46. doi: 10.1007/s11882-004-0042-0.
- Bollinger, M. E. et al. (2006) ‘The impact of food allergy on the daily activities of children and their families’. American College of Allergy, Asthma & Immunology, 96(3), pp. 415–421. doi: 10.1016/S1081-1206(10)60908-8.
- Boyce, J. A. et al. (2010) *Guidelines for the diagnosis and management of food allergy in the United States: Report of the NIAID-sponsored expert panel*, *Journal of Allergy and Clinical Immunology*. Elsevier Ltd. doi: 10.1016/j.jaci.2010.10.007.
- Brand, P. L. P. (2007) ‘Allergy diagnosis : pros and cons of different tests , indications and’, *Breathe*, 3(4), pp. 345–349.
- Branum, A. M. et al. (2012) ‘Among Children with Food Allergy, Do Sociodemographic Factors and Healthcare Use Differ by Severity? HHS Public Access’, *Matern Child Health J*, 16(1), pp. 44–50. doi: 10.1007/s10995-012-1009-8.
- Branum, A. M. and Lukacs, S. L. (2009) ‘Food Allergy Among Children in the United States’, *Pediatrics*, 124(6), pp. 1549–1555. doi: 10.1542/peds.2009-1210.



- Candra, Y., Setiarini, A. and Rengganis, I. (2011) ‘Gambaran Sensitivitas Terhadap Alergen Makanan’, *Makara, Kesehatan*, 15(1), pp. 44–50.
- Cantani, A. (2008) *Pediatrics, Allergy, Asthma and Immunology*. Edited by Ute Heilmann. Springer Science & Business Media.
- Center for Clinical Practice at NICE (2011) ‘Food allergy in children and young people. Diagnosis and assessment of food allergy in children and young people in primary care and community settings’, *National Institute for Health and Clinical Excellence*, (116), p. 88. Available at: <http://guidance.nice.org.uk/CG116>.
- Chan, E. S. et al. (2013) ‘Dietary exposures and allergy prevention in high-risk infants: A joint statement with the Canadian Society of Allergy and Clinical Immunology.’, *Paediatrics & child health*, 18(10), pp. 545–54. doi: 10.1186/1710-1492-10-45.
- Chen, W. et al. (2008) ‘Gender difference, sex hormones, and immediate type hypersensitivity reactions’, *Allergy: European Journal of Allergy and Clinical Immunology*, 63(11), pp. 1418–1427. doi: 10.1111/j.1398-9995.2008.01880.x.
- Chiu, C. Y. et al. (2014) ‘Sensitization to food and inhalant allergens in relation to atopic diseases in early childhood: A birth cohort study’, *PLoS ONE*, 9(7), pp. 3–9. doi: 10.1371/journal.pone.0102809.
- Faber, M. A. et al. (2017) ‘Shellfish allergens: tropomyosin and beyond’, *Allergy: European Journal of Allergy and Clinical Immunology*, 72(6), pp. 842–848. doi: 10.1111/all.13115.
- Fauziah, N., Swastawati, F. and Rianingsih, L. (2014) ‘Jurnal Pengolahan dan Bioteknologi Hasil Perikanan Online di : <http://www.ejournal-s1.undip.ac.id/index.php/jpbhp>) Penulis Penanggungjawab Jurnal Pengolahan dan Bioteknologi Hasil Perikanan Volume 3 , Nomer 4 , Tahun 2014 , Halaman 77-81’, 3, pp. 75–81.
- Ferraz, E. et al. (2011) ‘Atopy risk factors at birth and in adulthood.’, *Jornal de pediatria*, 87(4), pp. 336–342. doi: 10.2223/JPED.2114.
- Fiocchi, A. et al. (2015) ‘Sensitization pattern to inhalant and food allergens in symptomatic children at first evaluation’, *Italian Journal of Pediatrics. Italian Journal of Pediatrics*, pp. 1–9. doi: 10.1186/s13052-015-0204-9.
- Gabet, S. et al. (2016) ‘Allergic sensitisation in early childhood: Patterns and related factors in PARIS birth cohort’, *International Journal of Hygiene and Environmental Health*. Elsevier GmbH., 219(8), pp. 792–800. doi: 10.1016/j.ijheh.2016.09.001.
- Goldsmith, A. J. et al. (2016) ‘Formula and breast feeding in infant food allergy: A population-based study’, *Journal of Paediatrics and Child Health*, 52(4), pp. 377–384. doi: 10.1111/jpc.13109.
- Gonzales-González, V. A. et al. (2018) ‘Prevalence of food allergens sensitization and food allergies in a group of allergic Honduran children’, *Allergy, Asthma and Clinical Immunology*. BioMed Central, 14(1), pp. 1–7. doi: 10.1186/s13223-018-0245-x.
- Greer, F. R. et al. (2008) ‘Effects of Early Nutritional Interventions on the Development of Atopic Disease in Infants and Children: The Role of Maternal Dietary Restriction,



- Breastfeeding, Timing of Introduction of Complementary Foods, and Hydrolyzed Formulas', *PEDIATRICS*, 121(5), pp. 183–191. doi: 10.1542/peds.2007-3022.
- Guandalini, S. and Newland, C. (2011) 'Differentiating Food Allergies from Food Intolerances', (July), pp. 426–434. doi: 10.1007/s11894-011-0215-7.
- Han, Y. and Kim, J. (2012) 'Food allergy', 55(5), pp. 153–158.
- Hosseini, S. (2014) 'Skin Prick Test Reactivity to Common Aero and Food Allergens among Children with Allergy Children', 39(1), pp. 29–35.
- Hu, Y., Chen, J. and Li, H. (2010) 'Comparison of food allergy prevalence among Chinese infants in Chongqing, 2009 versus 1999', *Pediatrics International*, 52(5), pp. 820–824. doi: 10.1111/j.1442-200X.2010.03166.x.
- Inam, M. et al. (2016) 'Prevalence of sensitization to food allergens and challenge proven food allergy in patients visiting allergy centers in Rawalpindi and Islamabad , Pakistan', *SpringerPlus*. Springer International Publishing. doi: 10.1186/s40064-016-2980-0.
- Jin, J. (2017) 'Treatments for food allergies', *JAMA - Journal of the American Medical Association*, 318(19), p. 1945. doi: 10.1001/jama.2017.17306.
- Joseph, C. L. M. et al. (2011) 'Early complementary feeding and risk of food sensitization in a birth cohort', *Journal of Allergy and Clinical Immunology*. Elsevier Ltd, 127(5), pp. 1203–1210. doi: 10.1016/j.jaci.2011.02.018.
- Jutel, M. et al. (2013) *White Book on Allergy, WAO white book on allergy : update 2013*. doi: 10.1186/1939-4551-7-12.
- Karmaus, W. and Botezan, C. (2002) 'Does a higher number of siblings protect against the development of allergy and asthma? A review', pp. 209–217.
- Kim, J. S. et al. (no date) 'Dissociation between the prevalence of atopy and allergic disease in rural China among children and adults', *Journal of Allergy and Clinical Immunology*. Elsevier Ltd, 122(5), pp. 929–939. doi: 10.1016/j.jaci.2008.08.009.
- Konuk, S. and Coban, H. (2017) 'The effects of birth parameters on skin prick test results in adult patients .', 28(17), pp. 7679–7682.
- Kumar, V., Abbas, A. K. and Aster, J. C. (2015) *Robbins and Cotran Pathologic Basis of Disease*. Ninth. Edited by El Sevier. Philadelphia.
- Lanser, B. J. et al. (2015) 'Current Options for the Treatment of Food Allergy', *Pediatric Clinics of North America*, 62(6), pp. 1531–1549. doi: 10.1016/j.pcl.2015.07.015.
- Lee, A. J., Thalayasingam, M. and Lee, B. W. (2013) 'Food allergy in Asia: how does it compare?', *Asia Pacific Allergy*, 3(1), p. 3. doi: 10.5415/apallergy.2013.3.1.3.
- Lee, S. (2017) 'IgE-mediated food allergies in children: Prevalence, triggers, and management', *Korean Journal of Pediatrics*, 60(4), pp. 99–105. doi: 10.3345/kjp.2017.60.4.99.
- Leung, D. Y. M. et al. (2016) *Pediatric Allergy Principle and Practice Third Edition*.



Elsevier.

- Liem, J. J. *et al.* (2007) 'The risk of developing food allergy in premature or low-birth-weight children', *Journal of Allergy and Clinical Immunology*, 119(5), pp. 1203–1209. doi: 10.1016/j.jaci.2006.12.671.
- Loveren, J. E. H. Van (2010) 'Risk factors for food allergy'.
- Mangkat, O. and Mayulu, N. (2016) 'Gambaran pemberian makanan pendamping ASI anak usia 6-24 bulan di Desa Mopusi Kecamatan Lolayan Kabupaten Bolaang Mongondow Induk', 4.
- Martín-Muñoz, M. F. *et al.* (2016) 'Food allergy in breastfeeding babies. Hidden allergens in human milk', *European Annals of Allergy and Clinical Immunology*, 48(4), pp. 123–128.
- Misiak, R. T. *et al.* (2009) 'Specific allergic sensitization in parents and their 18-year-old offspring in the Suburban Detroit Childhood Allergy Study', *Journal of Allergy and Clinical Immunology*, 123(6), pp. 1–13. doi: 10.1016/j.jaci.2009.03.006.
- Morris, A. (2006) 'Allsa Position Statement : Allergen Skin - Prick Testing', *Allergy*, 19(1), pp. 22–25.
- Nelson, H. S. (2006) 'Efficacy and safety of allergen immunotherapy in children', *Ann Allergy Asthma Immunol*. American College of Allergy, Asthma & Immunology, 96(2 Suppl 1), pp. S2-5. doi: 10.1016/S1081-1206(10)60894-0.
- Nwaru, B. I. *et al.* (2010) 'Age at the Introduction of Solid Foods During the First Year and Allergic Sensitization at Age 5 Years', *Pediatrics*, 125(1), pp. 50–59. doi: 10.1542/peds.2009-0813.
- Ohn, J. *et al.* (2017) 'Allergen sensitization pattern by sex: A cluster analysis in Korea', *Annals of Dermatology*, 29(6), pp. 735–741. doi: 10.5021/ad.2017.29.6.735.
- Pajno, G. B. *et al.* (2017) 'Clinical practice recommendations for allergen-specific immunotherapy in children: the Italian consensus report', *Italian Journal of Pediatrics*. Italian Journal of Pediatrics, 43, pp. 1–18. doi: 10.1186/s13052-016-0315-y.
- Pia, N. (2010) 'Infant feeding and allergy', 63(4), pp. 388–393. doi: 10.1136/adc.63.4.388.
- Prescott, S. L., Pawankar, R., Allen, K. J., Campbell, D. E., Sinn, J. K. H., *et al.* (2013) 'A global survey of changing patterns of food allergy burden in children', pp. 1–12.
- Prescott, S. L., Pawankar, R., Allen, K. J., Campbell, D. E., Sinn, J. K., *et al.* (2013) 'A global survey of changing patterns of food allergy burden in children', *World Allergy Organization Journal*, 6(1), p. no pagination. doi: <http://dx.doi.org/10.1186/1939-4551-6-21>.
- Puspita, D. S. *et al.* (2014) 'Survei Konsumsi Makanan Individu Dalam Studi Diet Total Provinsi Dki Jakarta 2014'. doi: 10.1007/BF02736860.
- Pyrhönen, K. *et al.* (2011) 'Heredity of food allergies in an unselected child population: An epidemiological survey from Finland', *Pediatric Allergy and Immunology*, 22(1)



PART 2), pp. 124–132. doi: 10.1111/j.1399-3038.2010.01095.x.

S. Hasan Arshad, Wilfried Karmaus, Abid Raza, Ramesh J. Kurukulaaratchy, Sharon M. Matthews, John W Holloway, Alireza Sadeghnejad, Hongmei Zhang, Graham Roberts, S. L. E. (2012) ‘The Effect of Parental Allergy on Childhood Allergic Diseases Depends on the Sex of the Child’, 6(9), pp. 790–795. doi: 10.1016/j.pmrj.2014.02.014.Lumbar.

Sampson, H. A. (2016) ‘Food allergy: Past, present and future’, *Allergology International*. Elsevier B.V, 65(4), pp. 363–369. doi: 10.1016/j.alit.2016.08.006.

Sampson, H. A. et al. (2018) ‘Mechanisms of allergic diseases Mechanisms of food allergy’. Elsevier Inc., pp. 11–19. doi: 10.1016/j.jaci.2017.11.005.

Sastroasmoro, S. and Ismael, S. (2011) *Dasar-Dasar Metodologi Penelitian Klinis*. Ke-4.

Savilahti, E., Kuitunen, M. and Vaarala, O. (2008) ‘Pre and probiotics in the prevention and treatment of food allergy’, *Current Opinion in Allergy and Clinical Immunology*, 8(3), pp. 243–248. doi: 10.1097/ACI.0b013e3282ffb134.

Schmitz, R. et al. (2013) ‘Patterns of sensitization to inhalant and food allergens - Findings from the German health interview and examination survey for children and adolescents’, *International Archives of Allergy and Immunology*, 162(3), pp. 263–270. doi: 10.1159/000353344.

Shahrooei, M. et al. (2018) ‘Frequency and Pattern of IgE-mediated Sensitization to Aero and Food Allergens in Ahvaz, Province of Khuzestan in Southwestern Iran’, *Iranian Journal of Allergy Asthma and Immunology*, 17(August), pp. 393–397.

Statovci, D. et al. (2017) ‘The impact of western diet and nutrients on the microbiota and immune response at mucosal interfaces’, *Frontiers in Immunology*, 8(JUL). doi: 10.3389/fimmu.2017.00838.

Strachan, D. (2000) ‘Family size, infection and atopy: the first decade of the “hygiene hypothesis”’, *Thorax*, 55(90001), p. 2S–10. doi: 10.1136/thorax.55.suppl_1.S2.

Tang, M. L. K. and Mullins, R. J. (2017) ‘Food allergy : is prevalence increasing ?’ doi: 10.1111/imj.13245.

Trana, M. M. et al. (2017) ‘Timing of Food Introduction and Development of Food Sensitization in Prospective Birth Cohort’, 12(10), pp. 3218–3221. doi: 10.1111/ijlh.12426.

Turner, P. et al. (2011) ‘Seafood allergy in children : a descriptive study’, pp. 494–501. doi: 10.1016/j.anai.2011.02.001.

UKK Alergi Imunologi (2014) ‘Rekomendasi Pencegahan Primer Penyakit Alergi pada Anak’.

UNICEF Indonesia (2015) ‘Paket Konseling: Pemberian Makan Bayi Dan Anak’, *Booklet Pesan Utama*.

Valenta, R. et al. (2018) ‘Food Allergies : The Basics’, *Gastroenterology*. Elsevier, Inc, 148(6), p. 1120–1131.e4. doi: 10.1053/j.gastro.2015.02.006.



- Vasar, M., Julge, K. and Bjo, B. (2000) ‘Development of atopic sensitization and allergic diseases in early childhood’, (February 1994), pp. 523–527.
- Voloshin, S. *et al.* (2018) ‘Patterns of sensitization to inhalant and food allergens among pediatric patients from the Moscow region (Russian Federation)’, pp. 1–11. doi: 10.1371/journal.pone.0194775.
- Wright, B. L. *et al.* (2015) ‘Clinical Management of Food Allergy.’, *Pediatric clinics of North America*, 62(6), pp. 1409–24. doi: 10.1016/j.pcl.2015.07.012.
- Ya Ru Yan, Yan Hua Xu, Qing Zheng, Y. shi G. (2016) ‘Allergy and Immunology The prevalence and sex difference of allergen sensitization among adult patients with allergic diseases in Shanghai , China’. doi: 10.12932/AP-150118-0241.
- Yadav, A. and Naidu, R. (2015) ‘Clinical manifestation and sensitization of allergic children from Malaysia’, *Asia Pacific Allergy*, pp. 78–83.
- Yang, Z. *et al.* (2015) ‘Frequency of food group consumption and risk of allergic disease and sensitization in schoolchildren in urban and rural China’, *Clinical and Experimental Allergy*, 45(12), pp. 1823–1832. doi: 10.1111/cea.12532.
- Yong, S. *et al.* (2013) ‘Different profiles of allergen sensitization in different ages and geographic areas in’, *JMII*. Elsevier, 46(4), pp. 295–301. doi: 10.1016/j.jmii.2012.07.002.
- Yu, W., Freeland, D. M. H. and Nadeau, K. C. (2017) ‘Food allergy: immune mechanisms, diagnosis and immunotherapy’, 16(12), pp. 751–765. doi: 10.1038/nri.2016.111.Foo