

### Daftar Pustaka

- Aromaa, U., Lahdensuu, M. & Cozanitis, D. (1997). Severe complications associated with epidural and spinal anaesthesias in Finland 1987-1993. A study based on patient insurance claims. *Acta Anaesthesiologica Scandinavica*. 41. p.pp. 445–452.
- Begec, Z., Gulhas, N., Toprak, I. & Yetkin, G. (2007). Comparison of the Antibacterial Activity of Lidocaine 1% Versus Alkalinized Lidocaine In Vitro. *Current Therapeutic Research*. 68 (no.4).
- Butterworth (2013). *Morgan & Mikhail's Clinical Anesthesiology*. Fifth Edition. New York: McGraw Hill Professional.
- Christie, I.W. & McCabe, S. (2007). Major complications of epidural analgesia after surgery: results of a six-year survey. *Anaesthesia*. 62 (1). p.pp. 335–341.
- Civen, R., Vugia, D.J., Alexander, R., Brunner, W., Taylor, S., Parris, N., Wasserman, R., Abbott, S., Werner, S.B. & Rosenberg, J. (2006). Outbreak of *Serratia marcescens* Infections following Injection of Betamethasone Compounded at a Community Pharmacy. *Clinical Infectious Diseases*. 43 (7). p.pp. 831–837.
- Cook, T.M., James, P.A. & Stannard, C.F. (1998b). Diamorphine and bupivacaine mixtures: an in vitro study of microbiological safety: *Pain*. 76 (1). p.pp. 259–263.
- Guillier, M., Boselli, E., Bouvet, L., Freney, J., Renaud, F.N.R., Chassard, D. & Allaouchiche, B. (2007). Levobupivacaine hydrochloride and sufentanil have no antimicrobial effect at 25°C in vitro: *European Journal of Anaesthesiology*. 24 (7). p.pp. 634–639.
- Hebl, J.R. & Niesen, A.D. (2011). Infectious complications of regional anesthesia: *Current Opinion in Anaesthesiology*. 24 (5). p.pp. 573–580.
- Helin-Tanninen, M., Lehtonen, M., Naaranlahti, T., Ven?l?inen, T., Pentik?inen, J., Laatikainen, A. & Kokki, H. (2013). Stability of an epidural analgesic admixture of levobupivacaine, fentanyl and epinephrine. *Journal of Clinical Pharmacy and Therapeutics*. 38 (2). p.pp. 104–108.
- Hodson, M., Gajraj, R. & Scott, N.B. (1999). A comparison of the antibacterial activity of levobupivacaine vs. bupivacaine: an in vitro study with bacteria implicated in epidural infection: *Forum. Anaesthesia*. 54 (7). p.pp. 699–702.

- Jäppinen, A., Turpeinen, M., Kokki, H., Rasi, A., Ojanen, T., Pelkonen, O. & Naaranlahti, T. (2003). Stability of sufentanil and levobupivacaine solutions and a mixture in a 0.9% sodium chloride infusion stored in polypropylene syringes. *European journal of pharmaceutical sciences*. 19 (1). p.pp. 31–36.
- Johnson, S., John, B. & Dine, A. (2008). Local Anesthetics as Antimicrobial Agents: A Review. *Surgical Infection*. 9 (2). p.pp. 205–214.
- Lavery, I. (2011). Intravenous therapy: preparation and administration of IV medicines. *British Journal of Nursing*. 20.
- LAZDUNSKI, C., BATY, D. & others (1979). Procaine, a local anesthetic interacting with the cell membrane, inhibits the processing of precursor forms of periplasmic proteins in *Escherichia coli*. *The FEBS Journal*. 96 (1). p.pp. 49–57.
- S. Lemeshow & World Health Organization (eds.) (1990). *Adequacy of sample size in health studies*. Chichester [England] ; New York : New York, NY, USA: Published on behalf of the World Health Organization by Wiley ; Distributed in the U.S.A., Canada, and Japan by Liss.
- Levitz, S.M. (2012). Compounding drugs contaminated with fungi: a recipe for disaster. *Emerging Microbes & Infections*. 1 (1). p.pp. 1–2.
- Longnecker (2008). *Anesthesiology*. United States of America: The McGraw-Hill Companies.
- R. D. Miller (ed.) (2015). *Miller's anesthesia*. Eighth edition. Philadelphia, PA: Elsevier/Saunders.
- Morgan, G. (2010). Microbial growth in a mixture of hyperbaric bupivacaine and fentanyl prepared in a multi-dose syringe in the operating theatre environment. *Southern African Journal of Anaesthesia and Analgesia*. 16 (2). p.pp. 17–21.
- North, J.B. & Brophy, B.P. (1979). EPIDURAL ABSCESS: A HAZARD OF SPINAL EPIDURAL ANAESTHESIA. *ANZ Journal of Surgery*. 49 (4). p.pp. 484–485.
- Ohsuka, S., Ohta, M., Masuda, K., Arakawa, Y., Kaneda, T. & Kato, N. (1994). Lidocaine Hydrochloride and Acetylsalicylate Kill Bacteria by Disrupting the Bacterial Membrane Potential in Different Ways. *Microbiology and Immunology*. 38 (6). p.pp. 429–434.
- Pugsley, A.P., Conrard, D.J., Schnaitman, C.A. & Gregg, T.I. (1980). In vivo effects of local anesthetics on the production of major outer membrane

proteins by *Escherichia coli*. *Biochimica et Biophysica Acta (BBA)-Biomembranes*. 599 (1). p.pp. 1–12.

- Razavi, B.M. & Fazly Bazzaz, B.S. (2019). A review and new insights to antimicrobial action of local anesthetics. *European Journal of Clinical Microbiology & Infectious Diseases*. [Online]. Available from: <http://link.springer.com/10.1007/s10096-018-03460-4>. [Accessed: 30 April 2019].
- RSUP dr Sardjito (2017). *Standar Prosedur Operasional: Pembuatan Mix 1 Standar (Levobupivacain Dan Fentanyl Dalam NaCl 0.9% 10 mL) Di Instalasi Farmasi RSUP Dr. Sardjito*.
- Sjaugi, A., Somalinggi, B., Santoso, D. & Sukmawati, E. (2006). *Pedoman cara pembuatan obat yang baik*. 2nd Ed. Badan Pengawas Obat dan Makanan.
- Smitt, P.S., Tsafka, A., Zande, F.T. de, Holt, R. van der, Vries, I.E., Elfrink, E., Bent, M.J. & Vecht, C.J. (1998). Outcome and complications of epidural analgesia in patients with chronic cancer pain. *Cancer*. 83 (9). p.pp. 2015–2022.
- Solis, A., Flores, E. & Tore, Jose (2015). Local effect of lidocaine as an adjuvanted prophylactic factor of surgical site infection in cholecystectomy. *Clinical Congress*. 221 (4S2). p.p. e87.
- Stoelting, R.K., Shafer, S.L., Rathmell, J.P. & Flood, P. (2015). *Stoelting's handbook of pharmacology and physiology in anesthetic practice*. Third edition. Philadelphia: Wolters Kluwer.
- Suhadi (2015). *Kolonisasi kuman pada sediaan bupivakain 0,5% 20 ml dalam nacl 0,9% 60 ml untuk epidural intermitten setelah pembuatan dan penyimpanan*. Yogyakarta, Indonesia: Universitas Gadjah Mada.
- The United States Pharmacopeial Convention (2008). Pharmaceutical Compounding—Sterile Preparations. *The United States Pharmacopeial Convention*.
- Wang, L., Hauerberg, J. & Schmidt, J. (1999). Incidence of Spinal Epidural Abscess after Epidural Analgesia. *Anesthesiology*. 91. p.pp. 1928–36.
- Wibowo, L. (2014). *Kolonisasi bakteri ujung kateter epidural pada pasien pasca operasi elektif*. Yogyakarta, Indonesia: Universitas Gadjah Mada.
- Wulf, H., Gleim, M. & Mignat, C. (1994). The stability of mixtures of morphine hydrochloride, bupivacaine hydrochloride, and clonidine hydrochloride in portable pump reservoirs for the management of chronic pain syndromes. *Journal of pain and symptom management*. 9 (5). p.pp. 308–311.