

DAFTAR PUSTAKA

- Abdissa, R., Haile, W., Fite, A.T., Beyi, A.F. 2017. Prevalence of *Escherichia coli* O157:H7 in Beef Cattle at Slaughter and Beef Carcasses at Retail Shops in Ethiopia. *BMC Infec Dis.* 17:277. DOI 10.1186/s12879-017-2372-2
- Adams, M.R. dan Moss, M.O. 1995. *Food Microbiology*. Cambridge: The Royal Society of Chemistry.
- Albarri, O., Meral, M., dan Heshmati, B. (2017). Prevalence of *Escherichia coli* isolated from meat, chicken and vegetable samples in Turkey. *J. Biotechnol. Sci. Res (JBSR)*, 4(3):214–2022.
- Ateba, C.N. dan Mbewe, M. 2011. Detection of *Escherichia coli* O157:H7 Virulence Genes in Isolates from Beef, Pork, Water, Human and Animal Species in the Northwest Province, South Africa : Public Health Implications. *Res. Microbiol.* 162(3), 240–248.
<https://doi.org/10.1016/j.resmic.2010.11.008>
- Avery SM, Small A, Reid CA, Buncic S. 2002. Pulsid Field Gel Electrophoresis Characterization of *Shiga Toxin-Producing Escherichia coli* O157 from Hides of Cattle at Slaughter. *Research Note. J. Food Prot.* 65 (7) : 1172-1176
- Badan Pusat Statistik Provinsi Jawa Tengah. 2017. Jumlah Ternak yang Dipotong di Rumah Potong Hewan (RPH) dan Tempat Potong Hewan (TPH) yang Dilaporkan Menurut Periode Triwulan dan Jenis Ternak di Jawa Tengah 2012 – 2015 (Ekor). [<https://jateng.bps.go.id/statictable/2017/02/22/1433/jumlah-ternak-yang-dipotong-di-rumah-potong-hewan-rph-dan-tempat-potong-hewan-tph-yang-dilaporkan-menurut-periode-triwulan-dan-jenis-ternak-di-jawa-tengah-2012-2015-ekor-.html>] <diakses 1 September 2018>
- Bai, J., Shi, X. dan Nagaraja, T. G. 2010. A multiplex PCR procedure for the detection of six major virulence genes in *Escherichia coli* O157:H7. *J. Microbiol Meth* 82: 85–89.
- Bardasi, L., Taddei, R., Fiocchi, I., Pelliconi, M. F., dan Toschi, E. (2017). *Shiga toxin-producing Escherichia coli* in Slaughtered Pigs and Pork Products. *Ital J Food Safety*, 6, 79–82. <https://doi.org/10.4081/ijfs.2017.6584>
- Betz, J., Bielaszewska, M., Thies, A., Humpf, H.U., Dreisewerd, K., Karch, H. 2011. *Shiga Toxin* Glycosphingolipid Receptors in Microvascular and

Macrovascular Endothelial cells: Differential association with Membrane Lipid Raft Microdomins. *J. Lipid Res.* 52:618-634

Beutin L, Geier D, Zimmermann S, dan Karch H. 1995. Virulence markers of *shiga-like toxin-producing Escherichia coli* strains from healthy domestic animals of different species. *J Clin Microbiol* 33:631–635.

Borie, C., Z. Monreal, P. Guerrero, M. L. Sanchez, J. Martinez, C. Arellano, dan V. Prado. 1997. Prevalencia y caracterizacion de *Escherichia coli* enterohemorragica aisladas de bovinos y cerdos sanos faenados en Santiago, Chile. *Arch. Med. Vet.* 29:205–212.

Bouvet, J., Bavai, C., Rossel, R., LeRoux, A., Montel, M.P., Ray-Gueniot, S., Mazuy, C., Arquilliere, C., Vernozy-Rozand, C., 2001. Prevalence of verotoxin-producing *Escherichia coli* and *E. coli* O157:H7 in pig carcasses from three French slaughter houses. *Int. J. Food Microbiol.* 71:249-255.

Bouvet, J., Bavai, C., Rossel, R., Roux, A.L., Montet, M.P. 2002. Effects of Cutting Process on Pork Meat Contamination by Verotoxin-producing *Escherichia coli* (VTEC) and *E. coli* O157:H7. *Int. J. Food Microbiol* 77: 91-97

Boyce, T.G., Swerdlow, D.L., dan Griffin, P.M. 1995. *Escherichia coli* O157:H7 and the Hemolytic-Uremic Syndrome. *N. Engl.J.Med.* 333:364–368.

Brackett, R., Hao, Y. dan Doyle, M. 1994. Ineffectiveness of Hot Acid Sprays to Decontaminate *Escherichia coli* O157:H7 on Beef. *J. Food Prot.* 57:198-203

Bridson, E.Y. 1998. *The Oxoid Manual*. 8th Ed.

Brooks, H.J.L., Mollison, K.A., Bettelheim, K., Matejka, K.A., Paterson, dan Ward, V.K. 2001. Occurrence and Virulence Factors of Non-O157 Shiga Toxin-Producing *Escherichia coli* in Retail Meat in Dunedin, New Zealand. *Appl. Microbiol*, 32:118-122.

Campbell, G.R., Prosser, J., Glover, A. dan Killham, K. 2001. Detection of *Escherichia coli* O157:H7 in soil and water using multiplex PCR. *J. Appl Microbiol.* 91:1004–1010.

Caprioli,A., Morabito,S., Brugere, H., dan Oswald,E. 2005. *Enterohaemorrhagic Escherichia coli*: Emerging Issues on Virulence and Modes of Transmission. *Vet. Res.* 36:289–311.

Chang, W. S., Afsah-Hejri, L., Rukayadi, Y., Khatib, A., Lye, Y. L. Loo, Y. Y.,

- Mohd Shahril, N., Puspanadan, S., Kuan, C.H., G., & S.G., John, Y.H.T., Nakaguchi, Y., Nishibuchi, M. dan Son, R. 2013. Quantification of *Escherichia coli* O157 : H7 in organic vegetables and chickens, 20(2), 1023–1029.
- Cheeptham, N. 2012, Eosin Methylene blue agar. Thompson Rivers University, Canada. <http://www.microbelibrary.org/library/laboratory-test/2871>
- Cheville, A.M., Arnold, K.W., Buchrieser, C., Cheng, C.M. dan Kaspar C.W. 1996. *Appl Environ Microbiol* 62:1822-1824
- Cornick NA and Helgerson AF. 2004. Transmission dan Infectious Dose of *Escherichia coli* O157:H7 in Swine. *Appl Environ Microbiol* 70:5331–5335.
- Devinney, R., Stein, M., Reinscheid, D., Abe, A., Ruschkowski, S., dan Finlay, B.B. 1999. Enterohemorrhagic *Escherichiacoli* O157:H7 Produces Tir, which is Translocated to the Host Cell Membrane but is not Tyrosine Phosphorylated. *Infect. Immun.* 67:2389–2398.
- Difco. 2003. BD Difco™ *E.coli* Antisera. Becton, Dickinson and Company 7 Loventon Circle Sparks. Maryland 21152 USA.
- Drews, S. J., S. Poutanen, S.M., Mazzulli, T., McGeer, A.J.. 2005. Decreased Prevalence of Virulence Factors Among Ciprofloxacin-Resistant Uropathogenic *Escherichia coli* Isolates, *J. Clin. Microbiol*, 43:4218–4220.
- Doyle, M.P dan Beuchat, L.R. 2007. *Food Microbioogy 3rd Edition*. The University of Georgia. Washington.
- Elder, R.O., Keen, J.E., Siragusa, G.R., Barkocy-Gallagher, G.A., Koohmaraie, M., dan Laegreid, W.W. 2000. Correlation of Enterohemorrhagic *Escherichia coli* O157 Prevalence in Feces, Hides, and Carcasses of Beef Cattle During Processing. *Proc Nat Acad Sci USA* 97:2999–3003.
- Enabulele, S. A., dan Uraih, N. 2014. *Enterohaemorrhagic Escherichia coli* 0157 : H7 Prevalence in meat and vegetables sold in Benin City , Nigeria. *AFR J Microbiol Res*, 3(5) : 276–279.
- Erikkson, E., E. Nerbrink, E. Borch, A. Aspan, dan A. Gunnarsson. 2003. *Verocytotoxin-producing Escherichia coli* O157:H7 in the Swedish pig population. *Vet. Rec.* 152:712–717.

- Feder, I. E., M. Wallace, J. T. Gray, P. Fratamico, P. J. Fedorka-Cray, R. Pearce, J. E. Call, R. Perrine, dan J. B. Luchansky. 2003. Isolation of *Escherichia coli* O157:H7 from intact colon fecal samples of swine. *Emerg. Infect. Dis.* 9:380–383.
- Ferens, W.A., Hovde, C.J. 2011. *Escherichia coli* O157:H7: Animal Reservoir and Sources of Human Infection. *Foodborne Pathog Dis.*8(4):465–87.
- Fernandez, T.F. 2008. *E. coli* O157:H7. *Vet World.* 1(3):33-87
- Foley SL, Simjee S, Meng J, White DG, McDermott PF, Zhao S. 2004. Evaluation of Molecular Typing Methods for *Escherichia coli* O157:H7 Isolates from Cattle, Food and Humans. *J Food Prot.* 67(4): 651-657.
- Frank C, Werber D, Cramer JP, Askar M, Faber M, an der Heiden M, Bernard H, Fruth A, Prager R, Spode A, Wadl M, Zoufaly A, Jordan S, Kemper MJ, Follin P, Muller L, King LA, Rosner B, Buchholz U, Stark K, Krause G. 2011. Epidemic profile of *Shiga-toxin-producing Escherichia coli* O104:H4 outbreak in Germany. *N Engl J Med.* 365:1771–1780.
- Fremaux B., Delignette-Muller, M.L, Prigent-Combaret, C., Gleizal, A., and Vernozy-Rozand, C. 2007. Growth and Survival of non-O157:H7 Shiga-Toxin-Producing *Escherichia coli* in Cow Manure. *J Appl Microbiol* 102(1):89–99.
- Griffin, P.M., Ostroff, S.M., Tauxe, R.V., Greene, K.D., Wells, J. G., Lewis, J.H. 1988. Illnesses Associated with *Escherichia coli* O157:H7 Infections. Abroad clinical spectrum. *Ann.Intern.Med.* 109:705–712.
- Gupta, B., Ghatak , S., dan Gill, J.P.S. 2013. Incidence and virulence properties of *E. coli* isolated from fresh fish and ready-to-eat fish products. *Vet World.* 2013.5-9 doi:10.5455
- Haus-Cheymol R., Espie E., Che D., Vaillant V., DeValk H., dan Desenclos J.C. 2006. Association between Indicators of Cattle Density and Incidence of Paediatric Haemolyticuraemic Syndrome (HUS) in Children under 15 Years of Age in France between 1996 and 2001: An Ecological Study. *Epidemiol Infect.* 134:712–718.

- Heuvelink, A. E., J. T. M. Zwartkruis-Nahuis, F. L. A. M. van den Biggelaar, W. J. van Leeuwen, dan E. de Boer. 1999. Isolation and characterization of *verocytotoxin-producing Escherichia coli* O157 from slaughter pigs and poultry. *Int. J. Food Microbiol.* 52:67–75. 20.
- Heuvelink, A.E. 2000. *Verocytotoxin-Producing Escherichia coli in Humans and the Food Chain*. PhD Thesis. University of Nijmegen. Print Partners Ipskamp.
- HiMedia, 2011. Technical Data. India. <http://himedialabs.com/TD/M317.pdf>
- Hirs, C.D. dan Zee, Y.C. 1999. *Veterinary Microbiology*, Blackwell Science, USA.
- Hofmann, S.L. 1993. Southwestern Internal Medicine Conference: *Shiga-Like Toxins* in Hemolytic Uremic Syndrome and Thrombotic Thrombocytopenia Purpura. *Am. J. Med. Sci.* 306:398-406
- Hu, Y., Zhang, Q. dan Meitzler, J.C. 1999. Rapid and Sensitive Detection of *Escherichia coli* O157:H7 in Bovine Faeces by a Multiplex PCR. *J Appl Microbiol* 87:867–76.
- Jackson, M.P. 1990. Structure-Function Analyses of Shiga Toxin and Shiga Like Toxins. *Microb. Pathog.* 8:235-242.
- Jaykus, J.A. 2003. Challenges to Developing Real-time Methods to Detect Pathogens in Foods. *ASM News* 69:341–347.
- Johnsen, G., Y. Wasteson, E. Heir, O. I. Berget, dan H. Herikstad. 2001. *Escherichia coli* O157:H7 in faeces from cattle, sheep and pigs in the southwest part of Norway during 1998 and 1999. *Int. J. Food Microbiol.* 65:193– 200
- Kawano, K., Okada, M., Haga, T., Maeda, K., dan Goto, Y. 2008. Relationship between pathogenicity for humans and *stx* genotype in *Shiga toxin-producing Escherichia coli* serotype O157, 227–232. <https://doi.org/10.1007/s10096-007-0420-3>
- Kudva, I.T., Hatfield, P.G., dan Hovde, C.J. 1997. Characterization of *Escherichia coli* O157:H7 and Other Shiga Toxin-Producing *E. coli* Serotypes Isolated From Sheep. *J Clin Microbiol* 35:892–899.

- Kresse, A.U., Beltrametti, F., Muller, A., Ebel, F., and Guzman, C.A. 2000. Characterization of SepL of *Enterohemorrhagic Escherichia coli*. *J. Bacteriol.* 182:6490–6498.
- Laury-shaw, A., Echeverry, A., dan Brashears, M. M. (2009). Fate of *Escherichia coli* O157 : H7 in Meat, (February). <https://doi.org/10.1007/978-0-387-89026-5>
- Lawrie, R.A. 1998. *Lawrie's Meat Science*. 6th Edition. Woodhead Publishing Ltd., Cambridge.
- Livak, K.J. 2000. Quantitation of DNA/RNA Using Real-time PCR Detection. <http://www.appliedbiosystems.com/molecularbiology/about/pcr/sds/white.html>.
- March, S.B. dan Ratnam, S. 1986. Sorbitol-MacConkey Medium for Detection of *Escherichia coli* O157:H7 Associated with Haemorrhagic Colitis. *Journal of Clinical Microbiology* 23:869–872.
- Martin S.W, Meek A.H, Willeberg P. 1987. *Veterinary Epidemiology*. Principles and Methods. Iowa State University Press/ Ames.
- Mead, P.S., dan Griffin, P.M. 1998. *Escherichiacoli* O157:H7. *Lancet* 352:1207–1212.
- Melton-Celsa, A.R. (2014). *Shiga Toxin (Stx)* Classification, Structure, and Function. *Microbiol Spectr*, 2(2), 1–21. <https://doi.org/10.1128/microbiolspec.EHEC-0024-2013.Shiga>
- Meyers, K.E dan Kaplan, B.S. 2000. Many Cell Types are Shiga Toxin Targets. *Kidney Int.* 57:2650-2651.
- Moon, H.W. 1974, Pathogenesis of enteric disease caused by *Escherichia coli*, *Adv. Vet. Sci. Comp. Med.* 18 :179-211.
- Moon, G., Kim W.J, Shin, W.S. 2004. Optimization of Rapid Detection of *Escherichia coli* O157:H7 and *Listeria monocytogenes* by PCR and Application to Field Test. *J Food Prot.* 67 (8):1634-1640.
- Moustafa, N. Y., Kirrella, G. A., dan Sharf, M. M. 2017. Microbial Contamination of Raw Meat in Retail Shops. *Alex. J. Vet. Sci.* 52, 154–159. <https://doi.org/10.5455/ajvs.24895>.

- Nakazawa, M., M. Akiba, dan T. Sameshima. 1999. Swine as a potential reservoir of *Shiga toxin-producing Escherichia coli* O157:H7 in Japan. *Emerg. Infect. Dis.* 5:Nov.-Dec. [Online.] <http://www.cdc.org>
- Nauschuetz, W. 1998. Emerging Foodborne Pathogens: *Enterohemorrhagic Escherichiacoli*. *Clin. Lab. Sci.* 11:298–304.
- Newton, C.R. dan Graham, A. 1997. *PCR, 2nd edn*. Oxford: Bios Scientific.
- Nottingham, T., dan User, N. E. 2013. Wei , Shao-Hung. 2013. *Escherichia coli* contamination of pork carcasses in UK slaughterhouses . PhD thesis , University of Nottingham
- Ogierman, M.A., Paton, A.W., dan Paton, J.C. 2000. Up-regulation of Both Intimin and eae-Independent Adherence of Shiga Toxigenic of *Escherichia coli* O157 by ler and Phenotypic Impact of A Naturally Occuring ler Mutation. *Infect Immun.* 68:370-375.
- Park, Y.S., Lee, R.S. dan Kim, Y.G. 2006. Detection of *Escherichia coli* O157:H7, *Salmonella spp.*, *Staphylococcus aureus* and *Listeria monocytogenes* in Kimchi by Multiplex Polymerrase chain Reaction (mPCR). *J. Microbiol.* 44, 1:92-97
- Premarathne J. M. K. J. K., New, C. Y., Ubong, A., Nakaguchi, Y., Nishibuchi, M. and, dan Son, R. 2017. Risk of *Escherichia coli* O157 : H7 infection linked to the consumption of beef, *I*, 67–76.
- Qadri, S.M. dan Kayali, S. 1998. *Enterohemorrhagic Escherichia coli*. A Dangerous Food-Borne Pathogen. *Postgrad. Med.* 103: 179-180.
- Radu, S., Rusul, G., Ling, O.W., Purwati, E., Mustakim, M. dan Lihan, S. 2000. Rapid Isolation and Detection of *Escherichia coli* O157:H7 by Use of Rainbow Agar O157 and PCR Assay. *SE. Asian J Trop Med* 31:77–79.
- Rahal, E.A., Kazzi, N., Nassar, F.J. dan Matar GM. 2012. *Escherichia coli* O157 :H7 – Clinical Aspects and Novel Treatment Approaches. *Frontiers in Cellular and Infection Microbiology.* 2:138.
- Rowbury, R.I. 1995. *Letters in Applied Microbiology.* 20:333-337
- Sambrook J, Russel DW. 2001. *Molecular Cloning: A Laboratory Manual.* 3rd ED. Cold Spring Harbor Laboratory Press. New York.

- Sandvig, K. dan Van Deurs, B. 1996. Endocytosis, Intracellular Transport and Cytotoxic Action of Shiga Toxin of Shiga Toxin and Ricin. *Physiol. Rev.* 76:949-966.
- Sargeant, J. M., D. J. Hafer, J. R. Gillespie, R. D. Oberst, dan S. J. A. Flood. 1999. Prevalence of *Escherichia coli* O157:H7 in white-tailed deer sharing rangeland with cattle. *J. Am. Vet. Med. Assoc.* 215:792-794.
- Schroeder, C.M., Zhao, C., DebRoy, C., Torcolini, J., 2002. Antimicrobial Resistance of *Escherichia coli* O157 Isolated from Humans, Cattle, Swine and Food. *Appl. Environ. Microbiol.* 68:576-581.
- Shimizu, T., Ohta, Y., dan Noda, M. 2009. Shiga Toxin 2 is Specifically Released from Bacterial Cells by Two Different Mechanisms. *Infect. Immun.* 77:2813-2823.
- Silk, T.M. dan Donnelly, C.W. 1997. Increased Detection of Acid Injured *Escherichia coli* O157:H7 in Autoclaved Apple Cider by Using Non Selective Repair on Trypticase Soy Agar. *J. Food Prot* 60:1483-1486.
- Slutsker, L., Ries, A.A., Greene, K.D., Wells, J.G., Hutwagner, L. dan Griffin, P.M. 1997. *Escherichia coli* O157:H7 Diarrhea in the United States: *Clinical and Epidemiologic.*
- Soeparno. 2005. *Ilmu dan Teknologi Daging*. Cetakan keempat. Gajah Mada University Press, Yogyakarta.
- Suardana, I.W., Artama, W.T., Asmara, W., Daryono, B.S. 2010. Identifikasi *Escherichia coli* O157:H7 serta Deteksi Gen Shiga Like Toxin 1 dan 2 Asal Feses Hewan, Daging, dan Feses Manusia. *J. Vet.* 11(4) : 264-270.
- Sumiarta, B. dan Budiharta, S. 2018. *Epidemiologi Veteriner Analitik*. Cetakan pertama. Gadjah Mada University Press, Yogyakarta
- Suria, M.S., Adlin, A. A. K., Afendy, M.A.T. dan Zamri, I. 2013. Multiplex Polymerase Chain Reaction (PCR) efficiency in detection of pathogenic *Escherichia coli* O157:H7. *Int Food Res J* 20(6): 3307-3311
- Suwito, W. 2009. Dampak Verotoksigenik dan Enterohemoragik *Escherichia coli* (VTEC dan EHEC) pada Hewan, Manusia dan Makanan.

- Tesh, V.L., dan O'Brien, A.D. 1992. Adherence and Colonization Mechanisms of Enteropathogenic and enterohemorrhagic *Escherichiacoli*. *Microb.Pathog.* 12:245–254.
- Valcour J.E., Michel, P., McEwen, S.A., dan Wilson, J.B. 2002. Associations between Indicators of Livestock Farming Intensity and Incidence of Human Shiga Toxin-Producing *Escherichia coli* Infection. *Emerg Infect Dis* 8:252–257.
- Vallance, B.A., dan Finlay, B.B. 2000. Exploitation of Host Cells by Enteropathogenic *Escherichia coli*. *Proc. Natl. Acad. Sci.U.S.A.* 97:8799–8806.
- Winfield, M.D. dan Groisman, E.A. 2003. Role of Non-host Environments in the Lifestyles of *Salmonella* and *Escherichia coli*. *Appl Environ Microbiol* 69:3687–3694.
- Zheng, J., Cui, S., Teel, L.D., Zhao, S., Singh, R., O'Brien, A.D. 2008. Identification and Characterization of Shiga Toxin Type 2 Variants in *Escherichia coli* Isolates from Animals, Food and Humans. *Appl. Environ. Microbiol.* 74:5645-565.