



## REFERENCES

- Adi Putri, W. A. (2017). Hydraulic and Hydrologic Modeling of Steep Channel of Putih River, Magelang District, Central Java Province, Indonesia. Paper presented at the *Journal of the Civil Engineering Forum. Volume 3*, 125-134.
- Arcement, G. J., & Schneider, V. R. (1989). Guide for selecting Manning's roughness coefficients for natural channels and flood plains: US Government Printing Office Washington, DC.
- Barbalho, F. D., Silva, G. N. F. d., & Formiga, K. T. M. (2014). Average rainfall estimation: methods performance comparison in the Brazilian semi-arid.
- Barnes, H. H. (1967). *Roughness characteristics of natural channels*: US Government Printing Office.
- Cardwell, A. (2017). The effect of land use on infiltration in Taita Hills, Kenya.
- Celik, I. (2005). Land-use effects on organic matter and physical properties of soil in a southern Mediterranean highland of Turkey. *Soil and Tillage Research*, 83(2), 270-277.
- Chai, T., & Draxler, R. R. (2014). Root mean square error (RMSE) or mean absolute error (MAE)?—Arguments against avoiding RMSE in the literature. *Geoscientific model development*, 7(3), 1247-1250.
- Chow, V. (1959). *Open-channel hydraulics* (Vol. 1): McGraw-Hill New York.
- Chow, V. T., Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*. New York: McGraw-Hill, Inc.
- Engman, E. T. (1986). Roughness coefficients for routing surface runoff. *Journal of Irrigation and Drainage Engineering*, 112(1), 39-53.
- Forkuo, E. K., Fosu, C., & Asare, M. Y. (2014). GIS-based River Inundation and Flood Hazard Mapping.
- Gifford, G. F., & Hawkins, R. H. (1978). Hydrologic impact of grazing on infiltration: a critical review. *Water Resources Research*, 14(2), 305-313.
- Hadihardaja, I. K., & Vadiya, R. (2016). Identification of flash flood hazard zones in mountainous small watershed of Aceh Besar Regency, Aceh Province, Indonesia. *The Egyptian Journal of Remote Sensing and Space Science*, 19(1), 143-160.



- Henderson, F. M. (1966). *Open channel flow* (No. 532 H4).
- Jonkman, S. N. (2005). Global perspectives on loss of human life caused by floods. *Natural hazards*, 34(2), 151-175.
- Kalyanapu, A. J., Burian, S. J., & McPherson, T. N. (2010). Effect of land use-based surface roughness on hydrologic model output. *Journal of Spatial Hydrology*, 9(2).
- Khalid, K., Ali, M. F., Rahman, N. F. A., Zainuddin, M. R., Muhamad, N. S., Den, E. M., & Othman, Z. (2016). Surface runoff variation assessment using process-based hydrologic model. *Jurnal Teknologi*, 78(10-4).
- Kingma, N. C. (2002). Flood Hazard Assessment and Zonation. *Lecture Note, ITC, Enschede, the Netherlands*.
- Komsai, A., Liengcharernsit, W., & Kinouchi, T. (2015). Development of Flood Routing Models for Wang River Basin. *ASEAN Engineering Journal Part C*, 4, 14.
- Kusakabe, K., Shrestha, R., & Veena, N. (2015). *Gender and land tenure in the context of disaster in Asia*: Springer.
- Liu, J., Feng, J., & Otache, M. Y. (2009). A grid-based kinematic distributed hydrological model for digital river basin. *Advances in Water Resources and Hydraulic Engineering* (pp. 82-87): Springer.
- Mair, A., & Fares, A. (2010). Comparison of rainfall interpolation methods in a mountainous region of a tropical island. *Journal of Hydrologic Engineering*, 16(4), 371-383.
- Miyata, S. (2014). *Manuals of Simulation Program for GIS Based Rainfall-Runoff Model*. Kyoto: Kyoto University.
- Miyata, S., Fujita, M., Teratani, T., & Tsujimoto, H. (2014). Flash Flood due to Local and Intensive Rainfall in an Alpine Catchment. *INTERPRAEVENT 2014 in the Pacific Rim*, (hal. O-33).
- Moglen, G. E., & Maidment, D. R. (2005). Digital elevation model analysis and geographic information systems. *Encyclopedia of Hydrological Sciences*.
- Mustaffa, N., Ahmad, N., & Razi, M. (2016). *Variations of roughness coefficients with flow depth of grassed swale*. Paper presented at the IOP Conference Series: Materials Science and Engineering.



- Musy, A. (2001). *Hydrologie Générale*. Ecole Polytechnique Fédérale, Lausanne, Suisse. URL: [http://echo2.epfl.ch/VICAIRE/mod\\_1a/chapt\\_8/main.htm](http://echo2.epfl.ch/VICAIRE/mod_1a/chapt_8/main.htm).
- Primahessa, A. (2017). *Analisis Karakteristik Hujan Penyebab Banjir Pada Sistem Peringatan Dini di Sungai Dengan Kemiringan Curam*. Universitas Gadjah Mada.
- Rozalis, S., Morin, E., Yair, Y., & Price, C. (2010). Flash flood prediction using an uncalibrated hydrological model and radar rainfall data in a Mediterranean watershed under changing hydrological conditions. *Journal of hydrology*, 394(1-2), 245-255.
- Singh, J., Knapp, H. V., Arnold, J., & Demissie, M. (2005). Hydrological modeling of the Iroquois river watershed using HSPF and SWAT 1. *JAWRA Journal of the American Water Resources Association*, 41(2), 343-360.
- Streeter, V. L., & Wylie, E. B. (1983). *Fluid Mechanics; SI Metric Ed*: McGraw-Hill.
- Tatalovich, Z., Wilson, J. P., & Cockburn, M. (2006). A comparison of thiesen polygon, kriging, and spline models of potential UV exposure. *Cartography and Geographic Information Science*, 33(3), 217-231.
- Yao, Q., Xie, J., Guo, L., Zhang, X., & Liu, R. (2016). Analysis and Evaluation of Flash Flood Disasters: A Case of Lingbao County of Henan Province in China. *Procedia Engineering*, 154, 835-843.
- Yimer, F., Messing, I., Ledin, S., & ABdelkadir, A. (2008). Effects of different land use types on infiltration capacity in a catchment in the highlands of Ethiopia. *Soil use and management*, 24(4), 344-349.