UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adam, F., Abert-Vian, M., Peltier, G., and Chemat, F., (2012), "Solvent-free" ultrasound-assisted extraction of lipids from fresh microalgae cells: A green, clean and scalable process, *Bioresource Technology*, *114*, 457–465.

Ahmad, A. L., Yasin, N. H. M., Derek, C. J. C., and Lim, J. K., (2011), Microalgae as a sustainable energy source for biodiesel production: A review, *Renewable and Sustainable Energy Reviews*, *15*(1), 584–593.

Angles, E., Jaouen, P., Pruvost, J., and Marchal, L., (2017), Wet lipid extraction from the microalga Nannochloropsis sp.: Disruption, physiological effects and solvent screening, *Algal Research*, *21*, 27–34.

Badve, M., Gogate, P., Pandit, A., and Csoka, L., (2013), Hydrodynamic cavitation as a novel approach for wastewater treatment in wood finishing industry, *Separation and Purification Technology*, *106*, 15–21.

Beacham, T. A., Bradley, C., White, D. A., Bond, P., and Ali, S. T., (2014), Lipid productivity and cell wall ultrastructure of six strains of Nannochloropsis: Implications for biofuel production and downstream processing, *Algal Research*, *6*(PA), 64–69.

Boutesteijn, C., Drabik, D., and Venus, T. J., (2017), The interaction between EU biofuel policy and first- and second-generation biodiesel production, *Industrial Crops and Products*, *106*, 124–129.

BPPT, (2018), *Outlook Energi Indonesia 2018* (Yudiartono, Anindhita, A. Sugiyono, L. M. A. Wahid, & Adiarso, Eds.). Pusat Pengkajian Industri Proses dan Energi BPPT.

Byreddy, A. R., Gupta, A., Barrow, C. J., and Puri, M., (2015), Comparison of cell disruption methods for improving lipid extraction from thraustochytrid strains, *Marine Drugs*, *13*(8), 5111–5127.

Campbell, P. K., Beer, T., and Batten, D., (2011), Life cycle assessment of biodiesel production from microalgae in ponds.,*Bioresource Technology*, *102*(1), 50–56.

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, C. Y., Chen, Y. C., Huang, H. C., Ho, S. H., and Chang, J. S., (2015), Enhancing the production of eicosapentaenoic acid (EPA) from Nannochloropsis oceanica CY2 using innovative photobioreactors with optimal light source arrangements. *Bioresource Technology*, *191*, 407–413.

Chen, T., Huang, B., Wang, G., and Zhao, X., (2016), Numerical study of cavitating flows in a wide range of water temperatures with special emphasis on two typical cavitation dynamics, *International Journal of Heat and Mass Transfer*, *101*, 886–900.

Cheng, J., Huang, R., Yu, T., Li, T., Zhou, J., and Cen, K., (2014), Biodiesel production from lipids in wet microalgae with microwave irradiation and bio-crude production from algal residue through hydrothermal liquefaction, *Bioresource Technology*, *151*, 415–418.

Cheng, J., Sun, J., Huang, Y., Feng, J., Zhou, J., and Cen, K., (2013), Dynamic microstructures and fractal characterization of cell wall disruption for microwave irradiation-assisted lipid extraction from wet microalgae, *Bioresource Technology*, *150*, 67–72.

Chisti, Y., (2007), Biodiesel from microalgae, *Biotechnology Advances*, *25*(3), 294–306.

Collet, P., Lardon, L., Hélias, A., Bricout, S., Lombaert-Valot, I., Perrier, B., Bernard, O., (2014), Biodiesel from microalgae–Life cycle assessment and recommendations for potential improvements, *Renewable Energy*, *71*, 525–533.

Cui, J., Lai, H., Feng, K., and Ma, Y., (2018), Quantitative analysis of the minor deviations in nozzle internal geometry effect on the cavitating flow, *Exparimental Thermal and Fluid Science*, *94*, 89–98.

Dagostin, J. L. A., Carpiné, D., and Corazza, M. L., (2015), Extraction of soybean oil using ethanol and mixtures with alkyl esters (biodiesel) as co-solvent: Kinetics and thermodynamics, *Industrial Crops and Products*, *74*, 69–75.

Doucha, J., and Lívanský, K., (2008), Influence of processing parameters on disintegration of Chlorella cells in various types of homogenizers Influence of

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

processing parameters on disintegration of Chlorella cells in various types of homogenizers, *Applied Microbiology and Biotechnology*, *81*, 431–440.

Franc, J.-P., and Michel, J.-M., (2005), *Fundamentals of Cavitation*, New York: Kluwer Academic Publishers.

Gerde, J. A., Montalbo-Lomboy, M., Yao, L., Grewell, D., and Wang, T., (2012), Evaluation of microalgae cell disruption by ultrasonic treatment, *Bioresource Technology*, *125*, 175–181.

Gerken, H. G., Donohoe, B., and Knoshaug, E. P., (2013), Enzymatic cell wall degradation of Chlorella vulgaris and other microalgae for biofuels production, *Planta*, *237*(1), 239–253.

Giakoumis, E. G., and Sarakatsanis, C. K., (2018), Estimation of biodiesel cetane number, density, kinematic viscosity and heating values from its fatty acid weight composition, *Fuel*, *222*(March), 574–585.

Gogate, P. R., and Pandit, A. B., (2005), A review and assessment of hydrodynamic cavitation as a technology for the future, *Ultrasonics Sonochemistry*, *12*(1–2 SPEC. ISS.), 21–27.

Gong, Y., and Jiang, M., (2011), Biodiesel production with microalgae as feedstock: From strains to biodiesel, *Biotechnology Letters*, *33*(7), 1269–1284.

Grimi, N., Dubois, A., Marchal, L., Jubeau, S., Lebovka, N. I., and Vorobiev, E., (2014), Selective extraction from microalgae Nannochloropsis sp. using different methods of cell disruption, *Bioresource Technology*, *153*, 254–259.

Günerken, E., D'Hondt, E., Eppink, M. H. M., Garcia-Gonzalez, L., Elst, K., and Wijffels, R. H., (2015), Cell disruption for microalgae biorefineries. *Biotechnology Advances*, *33*(2), 243–260.

Halim, R., Danquah, M. K., and Webley, P. A., (2012a), Extraction of oil from microalgae for biodiesel production: A review, *Biotechnology Advances*, *30*(3), 709–732.

Halim, R., Harun, R., Danquah, M. K., and Webley, P. A., (2012b), Microalgal cell

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

disruption for biofuel development, *Applied Energy*, *91*(1), 116–121.

He, Y., Peng, T., Guo, Y., Li, S., Guo, Y., Tang, L., and Chen, F., (2017), Nontoxic oil preparation from Jatropha curcas L. seeds by an optimized methanol/n-hexane sequential extraction method, *Industrial Crops and Products*, *97*, 308–315.

Hidalgo, P., Ciudad, G., and Navia, R., (2016), Evaluation of different solvent mixtures in esterifiable lipids extraction from microalgae Botryococcus braunii for biodiesel production, *Bioresource Technology*, *201*, 360–364.

Hielscher, (2011), Biodiesel from Algae using Ultrasonication. Retrieved February 4, 2018, from https://www.hielscher.com/algae_extraction_01.htm

Huang, W. C., Park, C. W., and Kim, J. D., (2017), A novel microalgal lipid extraction method using biodiesel (fatty acid methyl esters) as an extractant, *Bioresource Technology*, *226*, 94–98.

Ibemesi, J. A., & Attah, J. C., (1990), Temperature effects on the extraction of rubber and melon seed oils, *Journal of the American Oil Chemists' Society*, *67*(7), 443–445.

Islam, M. A., Brown, R. J., O'Hara, I., Kent, M., and Heimann, K., (2014), Effect of temperature and moisture on high pressure lipid/oil extraction from microalgae, *Energy Conversion and Management*, *88*, 307–316.

Jorquera, O., Kiperstok, A., Sales, E. A., Embiruçu, M., and Ghirardi, M. L., (2010), Comparative energy life-cycle analyses of microalgal biomass production in open ponds and photobioreactors, *Bioresource Technology*, *101*(4), 1406–1413.

Kawentar, W. A., and Budiman, A., (2013), Synthesis of biodiesel from second-used cooking oil, *Energy Procedia*, *32*, 190–199.

Kelkar, M. A., Gogate, P. R., and Pandit, A. B., (2008), Intensification of esterification of acids for synthesis of biodiesel using acoustic and hydrodynamic cavitation, *Ultrasonics Sonochemistry*, *15*(3), 188–194.

KemenESDM., (2018), *Handbook of Energy & Economic Statistic of Indonesia*.

Kim, S. M., and Bang, I. C., (2016), Hydrodynamic cavitation characteristics of an

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

orifice system and its effects on CRUD-like SiC deposition, *Annals of Nuclear Energy*, *96*, 12–18.

Knothe, G., and Steidley, K. R., (2005), Kinematic viscosity of biodiesel fuel components and related compounds. Influence of compound structure and comparison to petrodiesel fuel components, *Fuel*, *84*(9), 1059–1065.

Kuldeep, and Saharan, V. K., (2016), Computational study of different venturi and orifice type hydrodynamic cavitating devices, *Journal of Hydrodynamics*, *28*(2), 293–305.

Kumar, J., Kumar, V., Dash, A., Scholz, P., and Banerjee, R., (2017), Sustainable green solvents and techniques for lipid extraction from microalgae : A review, *ALGAL*, *21*, 138–147.

Kumar, S., Singh, J., Nanoti, S. M., and Garg, M. O., (2012), A comprehensive life cycle assessment (LCA) of Jatropha biodiesel production in India, *Bioresource Technology*, *110*, 723–729.

Lee, A. K., Lewis, D. M., and Ashman, P. J., (2012), Disruption of microalgal cells for the extraction of lipids for biofuels: Processes and specific energy requirements, *Biomass and Bioenergy*, *46*, 89–101.

Lee, A. K., Lewis, D. M., and Ashman, P. J., (2013), Force and energy requirement for microalgal cell disruption: An atomic force microscope evaluation, *Bioresource Technology*, *128*, 199–206.

Lee, A. K., Lewis, D. M., and Ashman, P. J., (2015), Microalgal cell disruption by hydrodynamic cavitation for the production of biofuels, *Journal of Applied Phycology*, *27*(5), 1881–1889.

Lee, I., and Han, J. I., (2015), Simultaneous treatment (cell disruption and lipid extraction) of wet microalgae using hydrodynamic cavitation for enhancing the lipid *yield*, *Bioresource Technology*, *186*, 246–251.

Lee, K.M., and Inaba, A., (2004), *Life Cycle Assessment Best Practices of ISO 14040 Series*, Asia-Pacific Economic Cooperation Ministry of Commerce, Industry and

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Energy Republic of Korea, Committee on Trade and Investment.

Lv, X., Zou, L., Sun, B., Wang, J., and Sun, M. Y., (2010), Variations in lipid *yield*s and compositions of marine microalgae during cell growth and respiration, and within intracellular structures, *Journal of Experimental Marine Biology and Ecology*, *391*(1–2), 73–83.

Maity, J. P., Bundschuh, J., Chen, C. Y., and Bhattacharya, P., (2014), Microalgae for third generation biofuel production, mitigation of greenhouse gas emissions and wastewater treatment: Present andfuture perspectives - A mini review, *Energy*, *78*, 104–113.

Malekzadeh, M., Abedini Najafabadi, H., Hakim, M., Feilizadeh, M., Vossoughi, M., and Rashtchian, D., (2016), Experimental study and thermodynamic modeling for determining the effect of non-polar solvent (hexane)/polar solvent (methanol) ratio and moisture content on the lipid extraction efficiency from Chlorella vulgaris, *Bioresource Technology*, *201*, 304–311.

Martinez-Guerra, E., Gude, V. G., Mondala, A., Holmes, W., and Hernandez, R., (2014), Microwave and ultrasound enhanced extractive-transesterification of algal lipids, *Applied Energy*, *129*, 354–363.

Mata, T. M., Martins, A. A., and Caetano, N. S., (2010), Microalgae for biodiesel production and other applications: A review, *Renewable and Sustainable Energy Reviews*, *14*(1), 217–232.

Melo, M. M. R. De, Barbosa, H. M. A., Passos, C. P., and Silva, C. M., (2014), Supercritical fluid extraction of spent coffee grounds : Measurement of extraction curves, oil characterization and economic analysis. *The Journal of Supercritical Fluids*, *86*, 150–159.

Meullemiestre, A., Breil, C., Abert-Vian, M., and Chemat, F., (2016), Microwave, ultrasound, thermal treatments, and bead milling as intensification techniques for extraction of lipids from oleaginous Yarrowia lipolytica yeast for a biojetfuel application, *Bioresource Technology*, *211*, 190–199.

Park, C. W., Huang, W. C., Gim, S., Lee, K. S., and Kim, J. D., (2014), New type of

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

extraction solvent for algal oils: Fatty acid methyl esters, *ACS Sustainable Chemistry and Engineering*, *2*(12), 2653–2657.

Passell, H., Dhaliwal, H., Reno, M., Wu, B., Ben Amotz, A., Ivry, E., and Ayer, N., (2013), Algae biodiesel life cycle assessment using current commercial data, *Journal of Environmental Management*, *129*, 103–111.

Perry, R. H., and Green, D. W., (2008), Section 10 : Transport and storage of fluids, In *Perry's Chemical Engineers' Handbook* (p. 2400).

Piasecka, A., Krzemińska, I., and Tys, J., (2014), Physical Methods of Microalgal Biomass Pretreatment, *INTERNATIONAL Agrophysic*, *28*(July), 341–348.

Poling, B. E., Thomson, G. H., Friend, D. G., Rowley, R. L., and Wilding, W. V. (2007), Section 2: Physical and Chemical Data, In *Perry's Chemical Engineers' Handbook* (pp. 1–517).

Postma, P. R., Miron, T. L., Olivieri, G., Barbosa, M. J., Wijffels, R. H., and Eppink, M. H. M., (2015), Mild disintegration of the green microalgae Chlorella vulgaris using bead milling, *Bioresource Technology*, *184*, 297–304.

Postma, P. R., Suarez-Garcia, E., Safi, C., Olivieri, G., Olivieri, G., Wijffels, R. H., and Wijffels, R. H., (2017), Energy efficient bead milling of microalgae: Effect of bead size on disintegration and release of proteins and carbohydrates, *Bioresource Technology*, *224*, 670–679.

Raghuvanshi, S., Bhakar, V., Chava, R., and Sangwan, K. S., (2018), Comparative Study Using Life Cycle Approach for the Biodiesel Production from Microalgae Grown in Wastewater and Fresh Water, *Procedia CIRP*, *69*(May), 568–572.

Safi, C., Ursu, A. V., Laroche, C., Zebib, B., Merah, O., Pontalier, P. Y., and Vaca-Garcia, C., (2014), Aqueous extraction of proteins from microalgae: Effect of different cell disruption methods, *Algal Research*, *3*(1), 61–65.

Saharan, V. K., Rizwani, M. A., Malani, A. A., and Pandit, A. B., (2013), Effect of geometry of hydrodynamically cavitating device on degradation of orange-G, *Ultrasonics Sonochemistry*, *20*(1), 345–353.

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Sakulcha, N., & Srinophakun, T. (2013). *Life Cycle Assessment of Biodiesel Production from Microalgae Oil : Simulation Approach*, Kasetsart University, 84, 9–16.

Santana, A., Jesus, S., Larrayoz, M. A., and Filho, R. M., (2012), Supercritical carbon dioxide extraction of algal lipids for the biodiesel production, *Procedia Engineering*, *42* (October 2015), 1755–1761.

Šarc, A., Stepišnik-perdih, T., and Petkovšek, M., (2017), The issue of cavitation number value in studies of water treatment by hydrodynamic cavitation, *Ultrasonics Sonochemistry*, *34*, 51–59.

Sivaramakrishnan, K., and Ravikumar, P., (2011), Determination of Higher Heating Value of Biodiesels, *International Journal of Engineering Science and Technology*, *3*(11), 7981–7987.

Sovová, H., (2005), Mathematical model for supercritical fluid extraction of natural products and extraction curve evaluation, *Journal of Supercritical Fluids*, *33*(1), 35–52.

Suali, E., and Sarbatly, R., (2012), Conversion of microalgae to biofuel, *Renewable and Sustainable Energy Reviews*, *16*(6), 4316–4342.

Suganya, T., Varman, M., Masjuki, H. H., and Renganathan, S., (2016), Macroalgae and microalgae as a potential source for commercial applications along with biofuels production: A biorefinery approach, *Renewable and Sustainable Energy Reviews*, *55*, 909–941.

Taher, H., Al-zuhair, S., Al-marzouqi, A. H., Haik, Y., and Farid, M., (2014), Mass transfer modeling of Scenedesmus sp . lipids extracted by supercritical CO2, *Biomass and Bioenergy*, *70*, 530–541.

Teo, C. L., and Idris, A., (2014), Enhancing the various solvent extraction method via microwave irradiation for extraction of lipids from marine microalgae in biodiesel production, *Bioresource Technology*, *171*, 477–481.

Thomas, W.H., Tornabene, T.G., and Weissman, J., (1984), Screening for lipid

UNIVERSITAS
GADJAH MADA
STUDI EKSTRAKSI LIPID DARI MIKROALGA DENGAN KAVITASI HIDRODINAMIKA UNTUK PRODUKSI BIODIESEL
MARTOMO SETYAWAN, Prof. Ir. Arief Budiman, M.S., D.Eng.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng.; Ir. Sutijan, M
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

yielding microalgae: activities for 1983, *Seri/Str-231-2207*, (April), 54.

Topallar, H., and Geçgel, Ü., (2000), Kinetics and Thermodynamics of Oil Extraction from Sun Flower Seeds in the Presence of Aqueous Acidic, *Turkish Journal of Chemistry*, *24*, 247–253.

Turconi, R., Boldrin, A., and Astrup, T., (2013), Life cycle assessment (LCA) of electricity generation technologies: Overview, comparability and limitations, *Renewable and Sustainable Energy Reviews*, *28*, 555–565.

Yamamoto, K., King, P. M., Wu, X., Mason, T. J., and Joyce, E. M., (2015), Effect of ultrasonic frequency and power on the disruption of algal cells, *Ultrasonics Sonochemistry*, *24*, 165–171.

Yang, F., Xiang, W., Sun, X., Wu, H., Li, T., and Long, L., (2014), A novel lipid extraction method from wet microalga Picochlorum sp. at room temperature, *Marine Drugs*, *12*(3), 1258–1270.

Yao, L., Gerde, J. A., and Wang, T., (2012), Oil extraction from microalga Nannochloropsis sp. with isopropyl alcohol, *JAOCS, Journal of the American Oil Chemists' Society*, *89*(12), 2279–2287.

Yen, H., Hu, I., Chen, C., Ho, S., Lee, D., and Chang, J., (2013), Microalgae-based biorefinery – From biofuels to natural products, *Bioresource Technology*, *135*, 166–174.

Yuan, W., Hansen, A. C., and Zhang, Q., (2005), Vapor pressure and normal boiling point predictions for pure methyl esters and biodiesel fuels, *Fuel*, *84*(7–8), 943–950.

Zhang, H., Ren, X., Luo, C., Tong, Y., Larson, E. A., Lu, Z., and Gu, J., (2019), Study on transient characteristics and influencing of temperature on cavitation bubbles in various environments, *Optik - International Journal for Light and Electron Optics*. https://doi.org/10.1016/j.ijleo.2019.01.076