VI. DAFTAR PUSTAKA

Adiwiganda, R., H.H. Siregar, and E.S. Sutarta. 1999. Agroclimatic zones for oil palm (*Elaeis guineensis* Jacq.) plantation in Indonesia. In Proceedings 1999 PORIM International Palm Oil Congress, “Emerging technologies dan opportunities in next millennium”. Palm Oil Research Institute of Malaysia, Kuala Lumpur. 387- 401.

Adiwiganda,R. 2007. Manajemen tanah dan pemupukan perkebunan kelapa sawit. Gadjah Mada University Press.Yogyakarta.116 p.

Akram, H. M., A. Ali, A. Sattar, H.S.U. Rehman, and A. Bibi. 2013. Impact of water deficit stress on various physiological and agronomic traits of three basmati rice oryza sativa L. cultivar. The Journal Animal and Sciences. 23(5):1415-1423.

Ali, M., J. Bakht, and G.D. Khan. 2014. Effect of water deficiency and potassium application on plant growth, osmolytes and grain yield of Brassica napus cultivars. Acta Bot. Croat. 73 (2): 299–314.

Arora, A., R.K. Sairam, and G.C. Srivastava. 2002. Oxidative stress and antioxidative system in plants. Curr. Sci. 82: 1227-1238.

Asada, K. 2006. Production and scavenging of reactive oxygen species in chloroplasts and their functions. Plant Physiology. 141: 391–396.

Asada, K. 1999. The water-water cycle in chloroplasts: scavenging of active oxygens and dissipation of excess photons. Annual Review of Plant Biology. 50 : 601–639.

Asemota, O and B. Conaire. 2010. Identification of moisture stress tolerant oil palm genotypes. African Journal of Agricultural Research. 5 (22): 3116-3121.

Ashraf, M, and M. R. Foolad. 2007. Roles of glycine betaine and proline in improving plant abiotic stress resistance. Environmental and Experimental Botany. 59: 206–216.

Ashraf, M and P.J.C. Harris. 2013. Photosynthesis under stressful environments: An overview. Photosynthetica. 51 (2): 163-190.

Aslam,M., M.S.I. Zamir., I. Afzal, and M. Amin. 2014. Role of potassium in physiology function of spring maize grown under drought stress. The Journal of Animal & Plant Sciences. 24(5): 1425-1465.

Azzeme, A.M., S.N.A. Abdullah., M.A.Aziz, and P.E.M. Wahab. 2016. Oil palm leaves and roots differ in physiological response, antioxidant enzyme activities and expression of stress-responsive genes upon exposure to drought stress. Acta Physiol Plant. 38: 52.

Badan Pusat Statistik. 2017. Statistik Kelapa Sawit Indonesia 2016. BPS. Jakarta.

Bakoume, C., N. Shahbudin, S.Yacob .,C.S Siang, and M. N. A Thambi. 2013. Improved method for estimating soil moisture deficit in oil palm (Elaeis

guineensis Jacq.) Areas With Limited Climatic Data. Journal of Agricultural Science 5(8) : 57 – 65.

Bano, A., H.Hansen., K. Dorffling, and H. Hahn H. 1994. Changes in the contents of free and conjugated abscisic acid, phaseic acid and cytokinins in xylem sap of drought stressed sunflower plants. Phytochemistry. 37:345–347

Basiron, Y. 2007. Palm oil production through sustainable plantations. *Eur. J. Lipid Sci. Technol.* 109: 289-295.

Benlloch-Gonzalez, M., J. Romera., S. Cristescu., F. Harren., J.M. Fournier, and M. Benlloch. 2010. K^+ starvation inhibits water-stress-induced stomatal closure via ethylene synthesis in sunflower plants. J. Exp. Bot. 61: 1139–1145.

Bertell, G, and L. Eliasson. 1992. Cytokinin effects on root growth and possible interactions with ethylene and indole-3-acetic acid. Physiologia Plantarum 84(2):255 – 261.

Blokhina, O., E. Virolainen, and K.V. Fagerstedt. 2003. Antioxidants, oxidative damage and oxygen deprivation stress: a review. Ann Bot Lond. 91:179–194.

Brady, N. 1990. The nature and properties of soils. 10th Edition, Macmillan Publishing Company, Cranbury.

Bray, E. A. 2001. Plant response to water-deficit stress. Encyclopedia Of Life Sciences 2001. Nature Publishing Group: 1-5.

Cakmak, I. 2005. The role of potassium in alleviating detrimental effects of abiotic stresses in plants. Plant Nutrition and Soil Science. 168: 521–530.

Caliman, J. P., and A, Southworth.1998.Effect of drought dan haze on the performance of oil palm. International Oil Palm Conference-Proceeding September 23-25, Nusa Dua, Bali-Indonesia.

Cattivelli L.,F. Rizza., F.W Badeck., E Mazzucotelli., A.N. Mastrangelo.,E. Francia.,C. Marè., A.Tondelli., and A.M. Stanca. 2008. Drought tolerance improvement in crop plants: An integrated view from breeding to genomics. Field Crop Res. 105:1-14.

Cha-um,S., T.Takabe, and C.Kirdmanee. 2010. Osmotic potential, photosynthetic abilities and growth characters of oil palm (*Elaeis guineensis* Jacq.) seedlings in responses to polyethylene glycolinduced water deficit. Afr J Biotechnol. 9:6509–6516.

Cha-um, S., N. Yamada.,T.Takabe., and C. Kirdmanee. 2011. Mannitol-induced water deficit stress in oil palm (*Elaeis guineensis* Jacq.) seedlings. J Oil Palm Res. 23:1194-1202.

Cha-um, S., N. Yamada.,T.Takabe., and C. Kirdmanee. 2013. Physiological feature dan growth characters of oil palm (*Elaeis guineensis* Jacq.) in response to reduced water deficit dan rewatering. Australian Journal of Crop Science. 7 (3): 432-439.

Chaves, M.M., and M.M. Oliveira. 2004. Mechanisms underlying plant resilience to water deficits: prospects for water-saving agriculture. J Exp Bot. 55:2365-2384

Chaves, M. M., P. J. Maroco, dan J. S. Pereira. 2003. Understanding plant responses to drought — from genes to the whole plant. Functional Plant Biology. 30: 239–264.

Chen, T.H.H., and N.Murata. 2002. Enhancement of tolerance of abiotic strees ny metabolic engineering of betaines dan other compatible solutes. Curr. Opin. Plant Biol. 5:250–257.

Chun, O. Y, D-O. Kim & C. Y. Lee. 2003. Superoxide radical scavenging activity of the major polyphenols in fresh plums. J. Agric. Food Chem. 51: 8067-8072.

Corley, R.H.V, and B.S. Gray. 1976. Yield and yield components. R.H.V. Corley, J.J. Hardon, B.J. Wood (Eds.) , Oil Palm Research, Elsevier Amsterdam (1976). 77-86.

Cvikrová, M., L. Gemperlová, O. Martincova, and R. Vankova. 2013. Effect of drought and combined drought and heat stress on polyamine metabolism in prolineover-producing tobacco plants. Plant Physiology and Biochemistry. 73: 7-15.

Darlan, N.H., I. Pradiko, Winarna and H.H. Siregar. 2015. Dampak *el nino* 2015 terhadap performa tanaman kelapa sawit di Sumatera bagian tengah dan selatan. Jurnal Tanah dan Iklim. 40(2): 113-120.

Darmosarkoro, W., I.Y. Harahap, and E. Syamsuddin. 2001. Pengaruh kekeringan pada tanaman kelapa sawit dan upaya penanggulangannya. Warta PPKS. 9 (3) : 83-96.

Direktorat Jenderal Perkebunan. 2018. Statistik Perkebunan Indonesia. Kelapa Sawit 2017-2018. Kementerian Pertanian. Jakarta.

Dixon, J.B. 1991. Roles of Clays in Soils. Applied Clay Science. (5): 489-503.

Egilla, J.N., F.T Davies., and T.W. Boutton. 2005. Drought stress influences leaf water content, photosynthesis, and water-use efficiency of hibiscus rosa-sinensis at three potassium concentrations. Photosynthetica. 43:135 - 140.

Fairhurst, T and R.Hardter. 2010. Oil Palm - Management for Large and Sustainable Yields. Potash & Phosphate Institute Press. Berlin. 382p.

Farooq, M., A. Wahid, N. Kobayashi, D. Fujita, and S. M. A. Basra. 2009. Plant drought stress: effects, mechanisms and management. Agron. Sustain. Dev. 29: 185–212.

Farooq, M., M. Hussain, A. Wahid, and K. H. M. Siddique. 2012. Drought stress in plants: an overview. In: R. Aroca (Ed.) Plant Responses to Drought Stress From Morphological to Molecular Features. Springer-Heidelberg New York Dordecht. London. 1-33.

Fauzi, Y., Y.E.Widyastuti., I.Satyawibawa, and R.H. Paeru. 2006. Kelapa Sawit: Budidaya Pemanfaatan Hasil dan Limbah Analisis Usaha dan Pemasaran. Ed revisi. Jakarta (ID). Penebar Swadaya. 168p.

Fauzi, Y., E.W.Yustina., S.Iman, and H. Rudi. 2008. Kelapa Sawit : Budi daya, pemanfaatan hasil dan limbah, analisis usaha dan pemasaran. Edisi Revisi. Penebar Swadaya, Jakarta. 169p.

Ferwerda, J.D. 1977. Oil Palm. In: Ecophysiology of Tropical Crops. P. T. Alvim dan T. T. Kozlowski. Academic press, New York. 351-380

Foyer, C.H and G. Noctor. 2000. Oxygen processing in photosynthesis: regulation and signaling. New Phytologist. 146 (3) : 59 - 388.

GAPKI. 2018. Siaran Pers Gabungan Pengusaha Kelapa Sawit Indonesia : Kinerja Ekspor Minyak Kelapa Sawit Kuartal I 2018. https://gapki.id/news/4984/ kinerja-ekspor-minyak-sawit-indonesia-kuartal-i-2018. Diakses tanggal 28 Oktober 2018.

Ghanem, M.E., A. Albacete., A.C. Smigocki., I. Frebort., H. Posvisilova., C. Martinez-Andujar., J. Sanchez-Bravo., S. Lutts., I.C. Dodd, and F. Perez-Alfocea. 2011. Root-synthesized cytokinins improve shoot growth and fruit yield in salinized tomato (*Solanum lycopersicum* L.) plants J Exp Bot. 62(1): 125 - 140.

Gill, S.S, and N. Tuteja. 2010. Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. Plant Physiol. Biochem. 48: 909-930.

Golldack, D., D. Li., H. Mohan, and N.Probst0. 2013. Gibberellins and abscisic acid signal crosstalk: living and developing under unfavorable conditions. Plant Cell Rep. 32: 1007-1016.

Gomathi, R and P. Rakkiyapan. 2011. Comparative lipid peroxidation, leaf membran thermostability, and antioxidant system in four sugarcane genotypes differing in salt tolerance. International Journal of Plant Physiology and Biochemistry. 3 (4): 67–74.

Grace, S.G and B. A. Logan. 2000. Energy dissipation and radical scavenging by the plant phenylpropanoid pathway. Philosophical Transactions of the Royal Society B. 355 (1402): 1499–1510.

Green, J.F and R.M.Muir. 1978. The Effect of Potassium on Cotyledon Expansion Induced by Cytokinins. Physiologia Plantarum. 43(3): 213-218

Hamim, K. Ashri., Miftahudin, and Triadiati. 2008. Analisis status air, prolin dan aktivitas enzim antioksidan beberapa kedelai toleran dan peka kekeringan serta kedelai liar. Agrivita. 30 (30): 201 - 210.

Harahap, I.Y., E.S. Sutarta., R.Y. Purba., and N.H. Darlan. 2005. Peran pemupukan terhadap pertumbuhan dan kesehatan bibit kelapa sawit. Dalam: Susanto A., Erningpraja L., Sutarta E.S., Utomo C., Harahap I.Y., Prasetyo A.E., Dongoran A.P. dan Lubis A.F., (Eds). Prosiding Pertemuan Teknis Kelapa Sawit 2005. Yogyakarta; 13-14 September 2005.

Hardjowigeno, S. 2007. Ilmu Tanah. Akademika Pressindo. Jakarta. 288p.

Hare, P. D., W. A. Cress and V. J. Staden. 1999. Proline synthesis and degradation: a model system for elucidating stress-related signal transduction. Journal of Experimental Botany. 50 : 413 - 34

Hartley, C. W. S. 1977. The Oil Palm. Longman Group Limited. London. 704 p

Havlin, J.L., S.L. Tisdale, J.D. Beaton, and W.L. Nelson. 2005. Soil Fertility and Fertilizers. Pearson Education, Inc., Upper Saddle River, NJ. 528p.

Hayat, E.S, and S. Andayani. 2014. Pengelolaan limbah tandan kosong kelapa sawit dan aplikasi biomassa chromolaena odorata terhadap pertumbuhan dan hasil tanaman padi serta sifat tanah sulfaquent. Jurnal Teknologi Pengelolaan Limbah (Journal of Waste Management Technology), ISSN 1410-9565 Volume 17 Nomor 2, Desember. Pusat Teknologi Limbah Radioaktif (Centerfor Radioactive Waste Technology)

Hidayat, T.C., I.Y. Harahap., Y. Pangaribuan., S. Rahutomo., W.A. Harsanto, and W.R. Fauzi. 2013. Air dan kelapa sawit. Buku Seri Populer Kelapa Sawit No.12. Pusat Penelitian Kelapa Sawit. 78p

Hong-Bo, S., Li-Ye, C., Ming-An, S. 2008. Calcium as a Versatile Plant Signal Transducer Under Soil Water Stress. BioEssays. 30: 634-641

Intara, Y.S., A. Sapei, Erizal, N. Sembiring and M.H.B. Djoefrie. 2011. Pengaruh pemberian bahan organik pada tanah liat dan lempung berliat terhadap kemampuan mengikat air. Jurnal Ilmu Pertanian Indonesia. 16(2): 130-135.

Islam, M.S., M.M. Haque., M.M. Khan., T. Hindaka, and M.A. Karim. 2004. Effect of fertilizer pottasium on growth, yield, water relations of bushben (phaseolus vulgaris L.) under water sress condition. Jpn.Trop, Agr. 48:1-9.

Kahkonen, M. P., A. I. Hopia., H. J. Vuorela., J. P. Rauha., K. Pihlaja., T. S. Kujala and M. Heinonen. 1999. Antioxidant activity of extracts containing phenolic compounds. J. Agric. Food Chem. 47: 3954-3962

Kanai, S., R.E. Moghaieb., H.A. El-Shemy., R. Panigrahi., P.K. Mohapatra., J. Ito., N.T Nguyen., H. Saneoka, and K. Fujita. 2011. Potassium deficiency affects water status and photosynthetic rate of the vegetative sink in green house tomato prior to its effects on source activity. Plant Sci. 180 : 368–374.

Kant, S., and U.Kafkafi. 2002. Potassium and Abiotic Stresses in Plants. In Potassium for Sustainable Crop Production; Pasricha, N.S., Bansal, S.K., Eds.; Potash Institute of India: Gurgaon, India. 233–251.

Kar, R.K. 2011. Plant responses to water stress Role of reactive oxygen species. Plant Signaling & Behavior 6:11, 1741-1745.

Lakitan, B. 1993. Dasar-dasar fisiologi tumbuhan. Jakarta : PT Raja Grafindo Persada. 203 p.

Leiwakabessy, F.M., U.M. Wahjudin, and Suwarno. 2003. Kesuburan Tanah. Jurusan Tanah, Fakultas Pertanian, IPB. Bogor. 252 p.

Lestari, E. G. 2006. Mekanisme Toleransi dan Metode Seleksi Tumbuhan yang Tahan Terhadap Cekaman Kekeringan. Berita Biologi. 8(3) :215 – 222

Levitt, J. 1980. Respon of Plants to Environmental Stress. 2nd Edition (Vol. 2). Academic Press Inc. New York.

Li, H., Z. Hao, X. Wang, L. Huang, and J. Li. 2009. Antioxidant activities of extracts and fractions from Lysimachia foenum-graecum Hance. Bioresearch Technology. 100:970–4.

Lindhauer, M. G. 1985. Influence of K nutrition and drought on water relations and growth of sunflower (Helianthus annuus L.). Zeitschrift fur Pflanzenernahrung und Bodenkunde. 148: 654–669.

Listia, E., D. Indradewa, and E.T. Susila. 2015. Pertumbuhan, produktivitas dan rendemen minyak kelapa sawit di beberapa Ketinggian tempat. Jurnal Penelitian Kelapa Sawit. 23(1): 9-15.

Liu, X, and X, Hou. 2018. Antagonistic regulation of ABA and GA in metabolism and signaling pathways. Frontiers in Plant Science. 9:251.

Loong, S.G., M. Nazeeb, and A. Letchumanan. 1987. Optimising the use of FFB much on Oil Palms on Two Different Soils. Proc. Of the 1987 Int. Oil Palm/Oil Palm Conf. 605-639.

Lubis, A. U. 2011. Oil Palm. IOPRI-Press, Medan-Indonesia.

Lubis, A. U. 2008. Kelapa Sawit (Elaeis guineensis Jacq.) di Indonesia Edisi 2. Pusat Penelitian Kelapa Sawit, Medan

Mafakheri, A., A. Siosemardeh, B. Bahramnejad, P.C. Struik and Y. Sohrabi. 2011. Effect of drought stress and subsequent recovery on protein, carbohydrate contents, catalase, and peroxidase activities in three chickpea cultivars. Australian Journal of Crop Science. 5: 1255-1260.

Mafakheri, A., Siosemardeh, A., Bahramnejad, B., Struik, P.C. and Y. Sohrabi. 2010. Effect of drought stress on yield, proline, and chlorophyll contents in three chickpea cultivars. Australian Journal of Crop Science. 4: 580-585.

Mangoensoekarjo, S dan H. Semangun, 2008. Pengantar ilmu penyakit tumbuhan. Yogyakarta. Gadjah Mada University Press. 754 p.

Mariay, I.F. 2012. Hubungan aktivitas nitrat reduktase dan kadar klorofil kultivar kedelai tahan kekeringan. Jurnal Agrotek. 3(1).

McCord, J.M. 2000. The evolution of free radicals and oxidative stress. Am. J. Med. 108: 652–659

Marschner, H. 1995. Mineral Nutrition of Higher Plants. Second Edition. Acad. Press. London. 651 p.

Malecka, A., A. Piechalak., B. Zielinska., A. Kutrowska, and B. Tomaszweska. 2014. Response of the pea roots defense systems to the two-element combinations of metals (Cu, Zn, Cd, Pb). Acta Biochimica Polonica. 61(1): 23-28.

Marklund, S., and G. Marklund. 1974. Involvement of the superoxyde anion radical in the auto oxidation of pyrogallol and a convenient assay for superoxyde dismutase. Europian Journal of Biochemistry. 47:469-474.

Maryani, A. T. 2012. Pengaruh Volume Pemberian Air Terhadap Pertumbuhan Bibit Kelapa Sawit Di Pembibitan Utama. J. Online Agroekoteknologi. 1(2): 64-75

Mathius, N.T., G. Wijana, E. Guharja, H. Aswindinnoor, Y. Sudirman, dan Subronto. 2001. Respon tanaman kelapa sawit (*Elaeis guineensis* Jacq.) terhadap cekaman kekeringan. Menara Perkebunan. 69 : 29 - 45.

Men, Y., D. Wang., B. Li., Y. Su, and G. Chen. 2018. Effects of drought stress on the antioxidant system, osmolytes and secondary metabolites of Saposhnikovia divaricata seedlings. Acta Physiologiae Plantarum. 40:191.

Mengel, K and E.A. Kirkby. 1980. Pottasium in crop production. Advances in Agronomy. 33: 59-110.

Mengel, K., and W. W. Arneke. 1982. Effect of potassium on the water potential, pressure potential,osmotic potential and cell elongation in leaves of Phaseolus vulgaris L. Plant Physiology. 54: 402 - 408.

Mishra, A.,B. Jha, and R. S. Dubey, 2011. Arsenite treatment induces oxidative stress, upregulates antioxidant system, and causes phytochelatin synthesis in rice seedlings. Protoplasma. 248 (3):565–577.

Mittler, R. 2002. Oxidative stress, antioxidants and stress tolerance. Trends in Plant Science. 7:405-10.

Mittler, R. & E. Blumwald. 2015. The roles of ROS and ABA in systemic Acquired acclimation. Review. The Plant Cell. 27: 64-70.

Moussa,R and S. M Abdel-Aziz. 2008. Comparative response of drought tolerant and drought sensitive maize genotypes to water stress. Australian Journal of Crop Sciences. 1(1): 31–36.

Muchow, R.C and T.R.Sinclair. 1991. Water deficits effects on maize yields modeled under current and “greenhouse” climates. Agronomy Journal. 83: 1052-1059.

Muiz, A. 2016. Perubahan Aktivitas Biokimiawi Dan Fisiologis Empat Progeni Kelapa Sawit (Elaeis Guineensis Jacq.) Pada Berbagai Aras Lengas Tanah. Tesis Program Pascasarjana Fakultas Pertanian Universitas Gadjah Mada Yogyakarta.

Mwadzingeni, L., H. Shimelis., S. Tesfay, and T.J. Tsilo, 2016. Screening of bread wheat genotypes for drought tolerance using phenotypic and proline analyses. Frontiers in Plant Science. 7:1276

Mu'nisa, A., T. Wresdiyati, N. Kusumorini and W. Manalu. 2012. Aktivitas antioksidan ekstrak daun cengkeh. Jurnal Veteriner.13: 272-277.

Ng, S.K., 1972. The Oil Palm, Its Culture, Manuring dan Utilisation. International Potash Institute, Switzerldan. 142 p.

Noctor, G and C. H. Foyer. 1998. Ascorbate and glutathione: keeping active oxygen under control. Annual Review of Plant Biology. 49: 249–279.

Oil World. 2015. Oil World Statistic. ISTA Mielke GmBh. Hamburg

Pahan, I. 2006. Panduan Lengkap Kelapa Sawit. Penebar Swadaya. Jakarta. 412 p.

Pangaribuan, Y. 2001. Studi karakter morfofisiologi tanaman kelapa sawit di pembibitan terhadap cekaman kekeringan. Tesis. Institut Pertanian Bogor. Bogor.

Paterson, R. R. M. 2007. Ganoderma disease of oil palm : A white rot perspective necessary for integrated control.Crop Protection.26: 1369-1376.

Paul, H. Y. 2005. Organic osmolytes as compatible, metabolic and counteracting cytoprotectants in high osmolarity and other stresses. The Journal of Experimental Biology. 208: 2819-2830.

Putra E.T.S., Issukindarsyah, Taryono and B.H. Purwanto. 2015. Physiological Responses of Oil Palm Seedlings to the Drought Stress Using Boron and Silicon Applications. Journal of Agronomy. 14(2): 49-61

Prajapati,K.N and H.A. Modi. 2012. Isolation and Characterization of Potassium Solubilizing Bacteria From Ceramic Industry Soil CIB Tech Journal of Microbiology. 1 (2): 8-14.

Ray, J.D and T.R. Sinclair. 1998. The effect of pot size on growth and transpiration of maize and soybean during water deficit stress. J.Exp.Bot. 49 (325): 1381-1386.

Raza, M.A.S., M.F. Saleem.,G.M.Shah., M.Jamil, and I.H.Khan. 2013.Potassium applied under drought improves physiological and nutrient uptake performances of wheat (*Triticum aestivum* L.). J. Soil Sci. Plant Nutr. 13: 175–185.

Reguera, M., Z. Peleg., Y.M. Abdel-Tawab., E.B. Tumimbang., C.A. Delatorre, and E. Blumwald. 2013. Stress-Induced Cytokinin Synthesis Increases Drought Tolerance through the Coordinated Regulation of Carbon and Nitrogen Assimilation in Rice. Plant Physiol.163(4): 1609–1622.

Ringel P, J. Krausze, J. van den Heuve, U. Curth, A. J. Pierik, S. Herzog, R. R. Mendel, dan T. Kruse. 2013. Biochemical characterization of molybdenum cofactor-free nitrate reductase from Neurospora crassa. Journal of Biology Chemistry. 288 (20) : 14657-14671.

Rivero, R.M., J. Gimeno., A. Van Deynze., H. Walia, and E. Blumwald. 2010. Enhanced cytokinin synthesis in tobacco plants expressing PSARK IPT prevents the degradation of photosynthetic protein complexes during drought. Plant Cell Physiol. 51(11):1929-41.

Rohman, A., S. Riyanto & N. K. Hidayati. 2007. Aktivitas antioksidan, kandungan fenolik total, dan flavonoid total daun mengkudu (*Morinda citrifolia* L.). AGRITECH 27: 147-151.

Salisbury, F. B. and C. W. Ross. 1995. Fisiologi Tumbuhan (diterjemahkan oleh Lukman dan Sumaryono). Institut Teknologi Bandung. Bandung.

Samarappuli, L., N. Yogaratnam., P.Karunadasa., U.Mitrasena and R. Hettiarachchi. 1993. Role of potassium on growth and water relations of rubber plants. Rubber Research Institute of Sri Langka. 73:37-57.

Sarker, U, and S. Oba. Drought Stress Effects on Growth, ROS Markers, Compatible Solutes, Phenolics, Flavonoids, and Antioxidant Activity in Amaranthus tricolor. Appl Biochem Biotechnol. 186:999–1016

Saruhan, N., A. Saglam, and A. Kadioglu. 2012. Salicylic acid pretreatment induces drought tolerance and delays leaf rolling by inducing antioxidant systems in maize genotypes. Acta Physiol Plant. 34:97–106.

Shashidhar, V.R., T.G. Prasad, and L. Sudharshan. 1996. Hormone signals from roots to shoots of sunflower (*Helianthus annuus* L.). Moderate soil drying increases delivery of abscisic acid and depresses delivery of cytokinins in xylem sap. Ann. Bot. 78:151–155

Siregar, H. H., W. Darmosarkoro, dan Z. Poeloengan. 1998. Oil Palm yield simulation using drought characteristic. p 585-594. Proceedings 1998 International Oil Palm Conference. Nusa Dua Bali, September 23-25.

Siregar, H.H., A. Purba, E. Syamsuddin and Z. Poeloengan. 1995. Penanggulangan kekeringan pada tanaman kelapa sawit. Warta PPKS. 3(1) : 9-13.

Siregar, H.H., R. Adiwiganda, and Z. Poeloengan. 1997. Pedoman pewilayahan agroklimat komoditas kelapa sawit. WARTA PPKS. 5 (3) : 109-113.

Soepardi, G. 1983. Sifat dan Ciri Tanah. Departemen Ilmu Tanah Fakultas Pertanian IPB. Bogor.

Subronto, Nurita, T.Mathius and G.Wijana, 2002. Adaptasi beberapa persilangan kelapa sawit terhadap cekaman kekeringan di pembibitan. Jurnal Penelitian Kelapa Sawit. 10 (2).

Sujinah and Jamil. 2016. Mekanisme respon tanaman padi terhadap cekaman kekeringan dan varietas toleran. Iptek Tanaman Pangan. Vol 11 (1). Badan Litbang Pertanian Kementrian Pertanian Indonesia.

Sukamto. 2008. Kiat Meningkatkan Produktivitas dan Mutu Kelapa Sawit. Jakarta. Penebar Swadaya. 83 p.

Supriyanto, E., H.H. Siregar, and A.R. Purba. 2015. Sejarah Kelapa Sawit. Pusat Penelitian Kelapa Sawit. Medan.

Sun C., H. Cao., H. Shao., X. Lei, and Y. Xiao. 2011. Growth and physiological responses to water and nutrient stress in oil palm. Afr J Biotechnol. 10:10465–10471.

Tavakkoli, E., P. Rengasamy, and G.K. McDonald. 2010. High concentrations of Na+ and Cl- ions in soil solution have simultaneous detrimental effects on growth of faba bean under salinity stress. J. Exp. Bot. 61:4449-4459.

Thuc, L. V., N. Sarpan., H.K., S.Napis., C.L. Ho., M.Ong-Abdullah., C.F.Chin, and P.Namasivayam. 2010. A Novel Transcript of Oil Palm (*Elaeis guineensis* Jacq.) Eg707, is Specifically Upregulated in Tissues Related to Totipotency. Molecular Biotechnology. 48(2):156-64

Tisdale, S. L. and W. L. Nelson. 1975. Soil Fertility and Fertilizers. Macmillan Publishing Co, New York.

Toh S., A. Imamura., A. Watanabe., K. Nakabayashi., M. Okamoto, and Y. Jikumaru. 2008. High temperature-induced abscisic acid biosynthesis and its role in the inhibition of gibberellin action in Arabidopsis seeds. *Plant Physiol.* 146. p1368–1385.

Tyerman, S.D., C.M. Niemietz, and H. Bramley. 2002. Plant aquaporins: Multifunctional water and solute channels with expanding roles. Plant Cell Environ. 25 :173 –194.

Uzilday, B., A.H. Turkan., R. Sekmen., H.C. Ozgur, and C. Karakaya. 2012. Comparaison of ROS formation and antioxidant enzymes in Cleome gynandra (C4) and Cleome spinosa (C3) under drought stress. Plant Sci.182: 59-70.

United States Department of Agriculture, 2017. *United States Department of Agriculture PSD database*. USDA

Valentovic, P., M. Luxova, L. Kolarovic and O. Gasparikova. 2006. Effect of osmotic stress on compatible solutes content, membran stability and water relations in two maize cultivars. Plant Soil Environ. 52(4): 186-191.

von Uexkull, H.R. and T.H. Fairhurst. 1991. Fertilizing for High Yield and Quality. The Oil Palm. IPI, Bern, 79 p.

Yang, L., J. Zhang, J. He, Y. Qin, D. Hua, Y. Duan, Z. Chen, and Z. Gong. 2014. ABA mediated ROS in mitochondria regulate root meristem activity by controlling PLETHORA expression in arabidopsis. PLOS Genetics. 10: 1-18.

Wang, M., Q.Zheng., Q.Shen, and S.Guo. 2013. The critical role of potassium in plant stress response. International Journal of Molecular Sciences. 14 :7370-7390.

Wang, C., A. Yang., H. Ying, and J. Zhang. 2012. Influence of Water Stress on Endogenous Hormone Contents and Cell Damage of Maize Seedlings. Journal of Intergrative Plant Biology. 50 (4): 427-434.

Wei, J., C. Li., Y. Li., G. Jiang, and G. 2013. Effects of external potassium (k) supply on drought tolerances of two contrasting winter wheat cultivars. PLoS ONE 8(7): e69737.

Wilkinson, S., and W. J. Davies. 2002. ABA-based chemical signalling: the co-ordination of responses to stress in plants. Plant, Cell Environ. 25: 195–210.

Wilkinson. S and W.J. Davies WJ. 2010. Drought, ozone, ABA and ethylene: new insights from cell to plant to community. Plant Cell Environ. 33: 510–525.

Wu, G.Q.,L.N. Zhang, and Y.Y. Wang. 2012. Response of growth and antioxidant enzymes to osmotic stress in two different wheat (*Triticum aestivum* L.) cultivars seedlings. Plant Soil Environ. 58 : 534-539.

Xu, Y.W., Y.T. Zou., A.M. Husaini., J.W. Zeng, and L.L. Guan. 2011. Optimization of potassium for proper growth and physiological response of *Houttuynia cordata* Thunb. Environ Exp Bot. 71: 292–297.

Zeevart, J.A.D dan R.A. Crellman. 1988. Metabolism and Physiology of Absisic Acid. Annual Review Plant Physiology. 39: 43-50.

Zheng, Y.H., A.J. Jia., T.Y. Ning., J.L. Xu, and Z.J. Li. 2008. Potassium nitrate application alleviates sodium chloride stress in winter wheat cultivars differing in salt tolerance. J Plant Physiol. 165: 1455-1465.

Zorov D.B.,M.Juhaszova, and S.J. Sollott SJ.2014.Mitochondrial reactive oxygen species (ROS) and ROS-induced ROS release. Physiol Rev. 94: 909-950.