

DAFTAR PUSTAKA

- AOAC. 1975. Official Methods of Analysis. Association of Official Analytical Chemist, Washington, D.C.
- Arora, S.P. 1982. Pencernaan Mikroba Pada Ruminansia. Gadjah Mada University Press, Yogyakarta.
- Askar, S. 1997. Nilai gizi daun lamtoro dan pemanfaatannya sebagai pakan ternak ruminansia. Lokakarya fungsional non peneliti. Balai Penelitian Ternak Ciawi. Bulletin. 2(10): 110-111.
- Askar, S. dan N. Marlina. 1997. Komposisi kimia beberapa hijauan pakan. Bulletin Teknik Pertanian. 2(10): 7-11.
- Astuti, M. 1981. Rancangan Percobaan Dan Analisis Statistik. Bagian I. Pemuliaan Ternak, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Backer, C.A. 1906. Flora of Java 1. Noordholff, Groningen. The Netherland. Pp. 596.
- Barry, T. N. 1988. Condensed Tannins : Their role in ruminant protein and carbohydrate digestion and possible effects upon the rumen ecosystem. In : J. V. Nolon, R. A., and Leng, D. I. Demeyer (Eds). The Role of Protozoa and Fungi in Ruminant Digestion Proceedings of International Seminar Held at The University of New England, Armidale. Penambul Book Armidale. NSW. Australia.
- Baumgardt, B. R. 1969. Voluntary feed intake, In: E.S.E. Hajez and I. A. Dyer, (Eds). Animal Growth and Nutrition. Lea and Febiger, Philadelphia. Pp. 121-137.
- Bogdan, A. V. 1977. Tropical Pasture and Fodder Plants. 1st ed Logmans. Inc. New York.
- Budhi, S. P. S., E. R. Orskov, B. P. Widyobroto dan M. Soejono. 2000. Konsep baru sistem evaluasi pakan serat di daerah tropis. Laporan Penelitian URGE III, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.

- Chuzaemi, S. 1994. Potensi jerami padi sebagai pakan ternak ditinjau dari kinetika degradasi dan potensi jerami di dalam rumen. Disertasi Program Pascasarjana, UGM, Yogyakarta.
- Crowder, L.V. and H.R. Chheda. 1982. Tropical Grassland Husbandry. 1st edition. Published Longman Inc, United States Of America, New York.
- Cullison, A.E. 1979. Feeds and Feeding. 2nd Ed. Reston Publ., co. LTD. A Prentice Hall. Company reston. Virginia.
- D'Mellon, F. J. P, A. G. Walker, and T. Acamovie. 1988. Concentrations of total amino acids including canavanine during germination of *Canavalia ensiformis*. Trop. Agric. 65 : 376-377.
- Deinum, B. 1973. structural Inhibitors of Quality in Foraher Vaxtodling. Departen of Field and Grassland. Husbandry of The Agricultural University Wageningen. The Netherlands.
- Djajanegara, A 1983. Tinjauan ulang mengenai evaluasi suplemen pada jerami padi. Dalam :Kumpulan Makalah Seminar Pemanfaatan Limbah Pangan dan Limbah Pertanian untuk Makanan Ternak. Lembaga Kimia Nasional, LIPI, Yogyakarta. 10-12 Januari 1983. Pp 320-330.
- Duke, J.A. 1981. Handbook of Legumes of The World Economic Importance. Plenum Press. London. Pp.216-218, 332-339.
- Flint, H.J. and C. W. Fosberg. 1995. Polysacharida degradation in the rumen : Biocemistry and genetis. In : W.V. Engelhardt, S. Leonhard Merek, G. Braves, DGiesecke (Eds.), Ruminant Physiology : Digestion Metabolism, Growth and Reproduction. Proceedings Of The Eight International Symposium on Ruminant Physiology. Ferdinant Enke Verlag Stuttgart. Pp:43-63.
- Forbes, J. M. 1995. Physial limitation of feed intake in ruminant interaction with othe factor affecting intake. In : W.V. Englehard, S. Leonard Marek, G. braves and D. Giesecke (Eds.), Ruminat Physiology

: Digestion Metabolim, Growth and Reproduction
Proceeding of the eight International Symposium
ruminant Phisiology. Pp: 217-230.

Foulkes, D. 1986. Maximizing the effective measurement
of digestibility *In sacco*. In : Forages in
Southeast Asia and South Pacific Agriculture.
ACIAR. Proceeding Series No. 12. Canberra. 124-127.

Goering, H. K. and P. J., Van Soest. 1970. Forage Fibre
Analysis. USDA. Handbook. No. 379, Washington,
D.C.

Hartadi, H., S. Reksohadiprojo, S. Lebdosoekojo dan
A.D. Tillman. 1980. Tabel dari Komposisi Bahan
Makanan Ternak untuk Indonesia. Fakultas
Peternakan. Universitas Gadjah Mada dan Yayasan
Rockefeller, Yogyakarta, Indonesia.

Hartutik, 1993. Nilai degradasi *In Sacco* Beberapa
Spesies Ilijauan Sumber Protein Di Daerah
pengunungan Kapur dan Bukan Kapur Kabupaten
Malang. Tesis S₂. Universitas Gadjah Mada,
Yogyakarta.

Haryanto, B. dan A. Djajanegara. 1993. Pemenuhan
Kebutuhan Za-Zat Makanan Ternak Ruminansia Kecil.
Sebelas Maret University Press. Hal. 192-194.

Hasanah, H. 2000. Degradasi nutrisi glirisidia, kaliandra
dan jerami jagung serta anti nutrisi dan kumarin
dalam rumen sapi peranakan ongole dan kerbau.
Tesis S₂. Program Pascasarjana. Universitas Gadjah
Mada, Yogyakarta.

Hegarty, M. P., R. D. Court, G.S. Christie and C.P.
Lee, 1976. Mimosine in *leucaena leucocephala* is
metabolized to Agostrogen in ruminants. *J. Aust.
Vet.* 52:490.

Hylin, J.W. 1969. Toxic Peptides and Amino Acids in
Food And Feeds. *J. Agric. Food chem.* 17 : 492-496.

Jones, R.J. 1979. The value of *Leucaena leucepahala* as
a feed for ruminants in tropics. *World Anim. Rev.*,
No. 31. hal 13-23.

- Kempton, T. J., J. V. Nolan and J. J. Leng. 1978. Principles for use protein nitrogen and by pass protein in diet of ruminant. In : Ruminant Nutrition. The World Anim Rev. FAO. Rome.
- Lechtenberg, V. L. and R. W. Hemkem. 1985. Hay Quality. In : Forages. Ed. By M.E. Heat, Robert F. Baenes and and Darrel S. Metcalfe. The Science of Grassland agriculture. Fourth Ed. Iowa State University Press.
- Lowrey, J.B., R.J. Peteram dan B. Tangendjaja, 1992. Plants Fed to Village Ruminants in Indonesia. Australian Centre For International Agricultural Research (ACIAR) Canberra.
- Mathius, I.W., M. Rangkuti, dan A. Djajanegara. 1981. Daya konsumsi dan daya cerna glirisidia (*Gllricidia maculata*). Lembaran LPP. No. 2-4 (XI).
- Matsumoto, H., e.G. Smith and G.D. Sherman, 1951. The Effect of Elevated Temperatur or the Mimosine Content and Toxicity of Koa Haole (*L.glauca*). Archs. Bichen. Biophys. 32:201-211.
- Me Clear, M. N. 1974. Plant tannins : Their Role in forage quality Nutr. Abstr. Rev. 44: 803-815.
- Me Donald, P., R. A. Edwards, J. F. D. Greenhalgh. 1982. Animal Nutrition. Third Edition. English Language Book Society, Longman Group Ltd, England.
- McDonald, P., R.A. Edwars and J.F.D. Greenhalgh. 1982. Animal Nutrition. 3th edition. Longman, London.
- McDonald. P., R.A. Edward and J. F. O. Greenhalgh. 1995. animal Nutrition. 5th.ed. Longman, London.
- Mehrez, A.Z., and E.R. Orskov, 1977. A Study of the artificial fibre bag teegnique for determining of feed in the rumen. J. Agric. Sci. Camb. 88; 645-650.
- Mehrez, A.Z., E.R. Orskov and I. McDonald. 1977. Rates of rumen fermentation in relation to ammonia concentration. Br. J. Nutr. 38 : 437-448.

- Meulan, U., S. Struck, E. Schulke and E. A. El Harith. 1979. A Review on the nutritive value and toxic Aspects of *Leucaena leucocephala*. Trop. Anim. Prod. 4: 113-126.
- Michalet-Doreav, B. and M. Y. Ould-bah. 1992. *In vitro* and in sacco methods for estimation of dietary nitrogen degradability in rumen : a review. Anim, Feed. Sci. and Technol. 40 :57-86.
- Nitis, I. M., K. Lanang., M. Suarna., W. Sukanten., S. Putra, dan W. Arga. 1989. Three Strata System for Cattle Feeds and feeding in Dry Land Area in Bali. Udayana University, Denpasar.
- NRC, 1988. Nutrient Requirement of Dairy Cattle. 6th Edition. Revised Edition National Academy of Science, Washinton. D.C.
- Orskov, E. R. 1982. Protein Nutrition in Ruminant. Academic Press. New York.
- Orskov, E. R., F. D. De B. Novell, and F. Mould. 1980. The use of nylon bag technique for the evaluation of feedstuff. Trop. Anim. Product 5 ; 195-213.
- Orskov, E. R., and I. McDonald. 1979. The estimation of protein degradability in the rumen from incubation measurements weighted according to the of passage. J. Agric. Sci. Cambr. 92. 449-503.
- Orskov, E.D. 1986. Protein Nutrition In Ruminants. 3rded. United State Academic Press Ltd., London.
- Orskov, E.R. and I. McDonald, 1979. The estimation of protein degradability in the rumen from incubation measurements weighted according to rate of passage. J. Agric. Sci Cambridge 92 : 499-503.
- Orskov, E.R. 2001. Trail and Trials In Livestock Research. United State Academic Press Ltd., London.
- Perera, A.N.F., V.M.K. Yaparathne and J. Van Bruchheim. 1991. Characteristic of protein in some Sri Lanka tree fodders and Agro Industrial by products by nilon bag degradation studies. Departement of

Animal Science, University of Peradeniya, Sri Lanka pp. 1-7.

- Preston, T. R. 1992. The role of multi purpose trees in integrated farming system for the wet tropics. In; A. S. Peedy and L. P. Pregliese (Eds). Legum trees and other fodder tree as protein sources for livestock. Pub. FAO. Animal Production and Health.
- Reksohadiprodja, S. 1985. Produksi Tanaman Hijauan Makanan Ternak Tropik. Edisi Revisi. BPFE. Universitas Gadjah Mada, Yogyakarta.
- Reksohadiprodjo, S. 1994. Produksi Tanaman Hijauam Makanan Ternak Tropik, Edisi 3 BPFE. Gadjah Mada University Press, Yogyakarta.
- Reksohadiprodjo, S., H. Hartadi, D. Soetrisno, S. Padmowijoto and B Suhartanto. 1995. The potency of fiber feeds and their needs by ruminant in Indonesia. Bulletin of Animal Science. Special Edition. Fakultas Peternakan. Unversitas Gadjah Mada, Yoyyakarla. Hal : 21-26.
- Rhoades, D.F. 1979. Evaluation of plant chemical defence againts herbivore, In; G.A Resonthal and D.H. Jansen. (Eds). Their Interaction with secondary Plant metabolites. Academic Press, New york, London, Toronto, Sydney and San Fransisco. Pp. 4-54.
- Setala, J. 1983. The nylon bag technique in the determination of ruminal feed protein degradation. J. Sci. Agric. Society of Finland. Vol.55; 1-78.
- Silitonga, S. S. P. Sitorus., B. Setiadi dan A. Semali. 1988. Penggunaan rumput setaria dengan dan tanpa suplementasi daun singkong dan glirisidia untuk pertumbuhan. Dalam: Sunarso, B. Dwiloka, Soepadi, Widiyanto, Soelisyono(Eds.). Proc. Seminar Program Penyediaan Pakan dalam Upaya Mendukung Industri Peternakan Menynsong Pelita V. Fakultas Peternakan Universitas Diponegoro Semarang. Pp. 84-87.
- Siregar, H. 1981. Budidaya Tanaman Padi di Indonesia. PT. Sastra Hudaya, Jakarta.

- Siregar, M. E. dan B.R. Prawiradipura. 1982. Pengaruh tinggi pemotongan terhadap produksi hijauan lamtoro CV. Peru. Proceeding Seminar Penelitian. Cisarva, Bogor.
- Soebiantoro, 1986. Evaluasi beberapa hijauan leguminosa pohon sebagai sumber protein bagi ternak. Disertasi. Fakultas Pascasarjana Institut Pertanian Bogor, Bogor.
- Soejono, M. 1983. Manfaat lamtoro gung sebagai makanan ternak. Pada: Panitia kurikuler latihan hijauan makanan ternak (HMT) (Eds). Fodder Seed and Forage Develoment. Laporan Pelaksanaan HMT. Fakultas Peternakan Universitas Gadjah Mada dan I. F.A.D., Yogyakarta. Hal.3-4
- Soewandi, B. 1975. Gizi Ruminasia. Dept. Ilmu Makanan Ternak. Fakultas Peternakan Institut Pertanian Bogor, Bogor.
- Sollman, T. 1957. A manual of Pharmacologi and Its Application to Therapeutics and Toxicology. 8th edition. W.B. Saunders Company. Philandelfia, London Pp. 574-575, 667-668.
- Sumiati, 1996. Penggunaan *Gliricidia sepium* dalam ransum terhadap pertumbuhan kambing lokal. Tesis. Program Pascasarjana. Universitas Gadjah Mada. Yogyakarta.
- Sunarti, S. 1999. Dadap. Lembaran Informasi Prosea. Prosea Indonesia- Yayasan Prosea Pusat Penelitian dan Pengembangan Biologi- LIPI.
- Suprayitno, 1981. Lamtoro dan Manfaatnya. Barta Karya Aksara, Jakarta.
- Sutarna, H., dan H.M. Siregar, 1997. Turi. Lembaga Impormasi Prosea, Prosea Indonesia. Pusat penelitain dan pengembangan biologi. LIPI. Balai metodologi impormasi pertanian Ciawi DEPTAU, Lembaga pengabdian pada masyarakat UGM, Vol 1 No. 17 ; Hal. 103-104.
- Sutikno, A. I., B. Tangenjaja, dan D. Suherman. 1991. Kandungan oksalat pada beberapa hijauan tropis.

Proses pengolahan dan komusikasi hasil-hasil penelitian teknologi pakan dan tanaraan pakan. Balai Penelitian Ternak Bogor. Hal: 28-34.

Sutikno, A.I. 1999. Pengolahan biji turi (*Sesbania glandiflora*). Balai Penelitian Ternak Ciawi, Bogor.

Tangendjaja, B. dan J.B. Lowry. 1984. Peranan enzim di dalam daun lamtoro pada pemecahan mimosin oleh ternak ruminansia. Proc. Pertemuan Ilmiah Penelitian Ruminansia kecil. Puslitbangnak. Bogor. Hal : 12-15.

Tillman, A. D., H. Hartadi., S. Reksohadiprodjo., R. Prawirokusumo, S. Lebdosoekojo. 1991. Ilmu Makanan ternak dasar. Fakultas Peternakan UGM. Gadjah Mada University press, Yogyakarta.

Uden, P.R. Parra, and P.J. Van Soest. 1974. factors affecting reliability of the nylon bag technique. J. Dairy. Sci. 57 : 622 (abstract).

Van soest, P.J. 1982. Nutritional Ecologi of the Ruminants. Cornell University. O and B Book inc. Corvaliss Oregon U.S.A.

Van Soest, P.J. 1994. Nutritional Ecologi of the Ruminant. 2nded. Costock publishing associates A division of Cornell University Press. Ithalia and London, pp: 290-311.

Van soest, P.J., 1982. Nutritional Ecologi of Ruminant. Comstock Publ. Associated, Cornel University Press, London.

Waldo, D.R. dan H.K. Goering. 1979. Insolubility of protein in ruminal feeds by four methods. J. Anim. Sci., 49: 1560-1568.

Wardhani. N.K., A. Musofie dan Y.P. Achmanto. 1989. Pemanfaatan daun glirisidia maculata dalam ransum sapi laktasi. Proceeding Pertemuan Ilmiah Ruminansia. Jilid I : Ruminansia Besar.

- Whyte, R.O., R.N. Leissner and H.G. Thumble, 1969. Legume in Agriculture. 3thedition. FAO. Rome-P.273.
- Widyobroto, B.P. 1998. Pengukuran Degradasi *In Sacco*. Review Methodology. Makalah Lokakarya Standarisasi Pengukuran degradasi *In sacco* di Indonesia. Fakultas peternakan Universitas Gadjah mada, Yogyakarta.
- Widyobroto, B.P., S. Padmowijoto dan R. Utomo. 1995. Pendugaan kualitas protein bahan pakan (Hijauan, limbah pertanian dan konsentrat) untuk ternak ruminansia. Laporan Penelitian Hibah Bersaing II/2 perguruan Tinggi. Fakultas Peternakan UGM, Yogyakarta.
- Widyobroto, B.P., S. Padmowijoto, dan R. Utomo. 1994. Pendugaan Kualitas Protein Bahan Pakan. Laporan Penelitian. Fakultas Peternakan. Fakultas Peternakan Universitas Gadjah Mada.
- Widyobroto, B.P., M. Soejono, R. Utomo, KusLantimah dan A. Agus. 1998. Pengukuran degradasi *in sacco*. Review Metodologi. Lokakarya Standarisasi Pengukuran Degradasi *In sacco* di Indonesia. Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.