

## DAFTAR PUSTAKA

- Albillos, A., Lario, M., Álvarez-Mon, M., 2014. Cirrhosis-associated immune dysfunction: distinctive features and clinical relevance. *J. Hepatol.* 61: 1385–1396.
- Al-Jumaily, E.F. & Khaleel, F.M. 2012. The Effect of Chronic Liver Diseases on Some Biochemical Parameters in Patients Serum. *Curr. Res. J. Biol. Sci*, 4(5): 638–642.
- Amir A, Qamar MD, Norman D, Grace MD, 2009. Abnormal Hematological Indices in Cirrhosis. *Can J Gastroenterol*; 23(6): 441-445.
- Anonim. 2018. *Sysmex XN-5000*, Hematology System.
- Arif, S.K., Rukka, A. B. S., Wahyuni, S., 2017. Comparison of Neutrophils-lymphocytes Ratio and Procalcitonin Parameters in Sepsis Patient Treated in Intensive Care Unit Dr. Wahidin Hospital, Makassar, Indonesia. *J Med Sci* 17: 17–21.
- Arroyo, V., García-Martinez, R., Salvatella, X., 2014. Human serum albumin, systemic inflammation, and cirrhosis. *J. Hepatol.* 61: 396–407.
- Bansal, Meena B dan Friedman Scott L.2011. Hepatic Fibrogenesis. Dalam: Dooley,J.S., Lok, Anna S.F., Burroughs,Andrew K.,dan Heathcote, E. Jenny (editor). *Sherlock’s Disease of the Liver and Billiary System* 12<sup>th</sup> ed.United Kingdom: Blackwell Publishing Ltd : 94-100.
- Bedreli S, Sowa JP, Gerken G, et al. 2016. Management of acute-on chronic liver failure: rotational thrombo elastometry may reduce substitution of coagulation factors in liver cirrhosis. *Gut.* ;65:357–358.
- Bernardi, M., Gitto, S. & Biselli, M. 2011. The MELD score in patients awaiting liver transplant: Strengths and weaknesses. *J Hepatol*, 54(6): 1297–1306.
- Biyik M, Ucar R, Solak Y, Yalcin Solak, Gokhan Gungor, Ilker Polar, Ozlem O. Cakir, 2012. Blood neutrophil-to-lymphocyte ratio independently predicts survival in patients with liver cirrhosis of Internal Medicine, Division of

- Gastroenterology, Meram School of Medicine, *Eur J Gastroenterol Hepatol.* ;25(4):435-41.
- Bonis dan chopra. 2010. Chirrosis Hepatis. Dalam: Up to date 19.2. <http://www.uptodate.com>.
- Botta F, Giannini E, Romagnoli P, Fasoli A, Malfatti F, Chiarbonello B, Testa E, Risso D, Colla G, Testa R, 2003. MELD scoring system is useful for predicting prognosis in patients with liver cirrhosis and is correlated with residual liver function: a European study, *Gut*; 52: 134–139.
- Byong Sun Oh, Jeong Won Jang, Jung Hyun Kwon, 2013. Prognostic value of C-reactive protein and neutrophil-to-lymphocyte ratio in patients with hepatocellular carcinoma, *BMC Cancer*, 13:78.
- Cárdenas, A. & Ginès, P. 2009. A Patient With Cirrhosis and Increasing Creatinine Level: What Is It and What to Do? *CGH*, 7(12): 1287–1291.
- Carmen Fluza, Magdalena Salcedo, Gerardo Clemente and Jose M. Tellado, 2000, In Vivo Neutrophil Dysfunction in Cirrhotic patients with Advanced Liver Disease, *J Infect Dis* 182: 526-533.
- Coombes, J.M. & Trotter, J.F. 2005. Development of the allocation system for deceased donor liver transplantation. *Clin Med Res*, 3(2): 87–92.
- Coussens, L.M., Werb, Z., 2002. Inflammation and cancer. *Nature* 420: (860–867).
- D’Amico, G., Garcia-Tsao, G. & Pagliaro, L. 2006. Natural history and prognostic indicators of survival in cirrhosis: A systematic review of 118 studies. *J Hepatol*, 44(1): 217–231.
- Dahlan S, 2011. Statistika Untuk Kedokteran dan Kesehatan, edisi 5, Salemba Medika, Jakarta: 167-174.
- Dirchwolf, M., Ruf, A.E., 2015. Role of systemic inflammation in cirrhosis: From pathogenesis to prognosis. *World J Hepatol* 7, : 1974–1981.
- Dultz G, Seelhof M, Herrmann E, Welker MW, Rust MF, Teuber G, Kronenberger B, Von Magner M, Vermehren J, Sarrazin C, Zeuzem S, Hoffman WP, 2013. Baseline MELD Score Predicts Hepatic Decompensation during Antiviral Therapy in Patients with Chronic Hepatitis C and Advanced Cirrhosis, *PLOS ONE*; 8(8): 1-6.

- Eu Chang, P., Wee Wong, G., Li, J.W., Foong Lui, H., Cheng Chow, W., Kiat Tan, C. & Chang Pik Eu, J. 2015. Epidemiology and Clinical Evolution of Liver Cirrhosis in Singapore. *Ann Acad Med*, 44(6): 218–225.
- Fan, Z., EnQiang, C., Yao, D.L., LiBo, Y., Hong, L., Lang, B., Ping, F., Hong, T., 2017. Neutrophil–lymphocyte ratio predicts short term mortality in patients with hepatitis B virus-related acute-on-chronic liver failure treated with an artificial liver support system. *PLOS ONE* 12 (8): 1-6.
- Flores-Rendon, A.R., Gonzalez-Gonzalez, J.A., Garcia-Compean, D., Maldonado-Garza, H.J. & Garza-Galindo, A. 2008. Model for end stage of liver disease (MELD) is better than the Child-Pugh score for predicting in-hospital mortality related to esophageal variceal bleeding. *Ann Hepatol*, 7: 230–234.
- Fock RA, BlattSL, Beutler B, Pereira J, Tsucita M., De Barros FE, 2010, Study of Lymphocyte subpopulation in bone marrow in a model of protein energy malnutrition, *J Hepatol*: 26: 1021-1028.
- Ghadir, M.R., Riahin, A.A., Havaspour, A., Nooranipour, M. & Habibinejad, A.A. 2010. The relationship between lipid profile and severity of liver damage in cirrhotic patients. *Hepat Mon*, 10(4): 285–288.
- Gheorghe L, Iacob S, Iacob R, Gheorghe C, Popescu I, 2007. Variation of the MELD Score as a Predictor of Death on the Waiting List for Liver Transplantation. *J Gastrointestin Liver Dis*; 16 (3): 267-272.
- Giannini, E.G., Testa, R., Savarino, V., 2005. Liver enzyme alteration: a guide for clinicians. *CMAJ* 172 : 367–379.
- Giron Gonzales JA, Martinez Sierra C., Rodriguez-Ramos C, Marcioas MA, Rendon P, Diaz F, 2004, Implication of Inflammation related cytokines in The Natural History of Liver Cirrhosis, *Liver Int*: 24:473- 445.
- Gressner, O.A., Weiskirchen, R. & Gressner, A.M. 2007. Evolving concepts of liver fibrogenesis provide new diagnostic and therapeutic options. *Comp Hepatol*, 6(7): 1–13.
- Guo, X., Zhang, S., Zhang, Q., Liu, L., Wu, H., Du, H., Shi, H., Wang, C., Xia, Y., Liu, X., Li, C., Sun, S., Wang, X., Zhou, M., Huang, G., Jia, Q., Zhao, H., Song, K., Niu, K., 2015. Neutrophil:lymphocyte ratio is positively related to

- type 2 diabetes in a large-scale adult population: a Tianjin Chronic Low-Grade Systemic Inflammation and Health cohort study. *Eur. J. Endocrinol.* 173: 217–225.
- Halazun, Ming Te Kuo, Tsung Hui Hu, Sheng Nan Lu, 2013, Neutrophil to Lymphocyte Ratio as a Predictor of Response to Peginterferon plus Ribavirin Therapy for Chronic Hepatitis C, *Disease Markers* 2:534-540.
- Jeffrey I. Zwicker, Reed E. Drews, 2007, Hematologic Disorders and the Liver, Schiff's Diseases of the Liver, 10<sup>th</sup> Edition, Chapter 12: 295-315.
- Kamath, P.S. & Kim, W.R. 2007. The model for end-stage liver disease (MELD). *Hepatology*, 45(3): 797–805.
- Kamath PS, Wiesner RH, Malinchoc M, Kremers W, Therneau TM, Kosberg CL, D Amico G, Dickson ER, Kim WR. 2001. A model to predict survival in patients with end-stage liver disease. *Hepatology*: 33(2) : 464-70.
- Khalili, H, Martinez Sierra C., Rodriguez-Ramos C, Marcioas MA, Rendon P, Diaz F 2011, Assessment of Liver Function in Clinical Practice dalam Clinical Gastroenterology: Chronic Liver Failure, editor: P. Gines et al, Humana Press, New York : 47-76.
- Klavan, H.L. & Fortune, B.E. 2016. Elevated Creatinine in a Patient With Cirrhosis. *Clin Liver Dis*, 7(3): 48–52.
- Kolios, G., Valatas, V., Kouroumalis, E., 2006. Role of Kupffer cells in the pathogenesis of liver disease. *World J Gastroenterol* 12 : 7413–7420.
- Kraja, B., Sina, M., Mone, I., Pupuleku, F., Babameto, A., Prifti, S. & Burazeri, G. 2012. Predictive Value of the Model of End-Stage Liver Disease in Cirrhotic Patients with and without Spontaneous Bacterial Peritonitis. *Hindawi*: 1–5.
- Kumar, V., Abbas, A.K., dan Aster, J.C. 2015. Robbins and Cotran Pathologic Basis of Disease 9<sup>th</sup> ed. Philadelphia : Elsevier Saunders. : 69-100.
- Kwon, J.W. Jang, Y.W. Kim, M.J., 2013, Diagnostic performance of c-reactive protein and neutrophil to lymphocyte ratio for infection in patients with decompensated cirrhosis Department of Laboratory Medicine, Incheon St. Mary's Hospital, The Catholic University of Korea, Incheon, Republic. *J Hepatol* 15:25-35.

- Kwon, J.H., Jang, J.W., Kim, Y.W., Lee, S.W., Nam, S.W., Jaegal, D., Lee, S., Bae, S.H., 2015. The usefulness of C-reactive protein and neutrophil-to-lymphocyte ratio for predicting the outcome in hospitalized patients with liver cirrhosis. *BMC Gastroenterol* 15, 146.
- Lee, J.W. 2009. Renal dysfunction in patients with chronic liver disease. *Electrolyte Blood Press*, 7(2): 42–50.
- Lee, Y.-Y., Choi, C.H., Kim, H.-J., Kim, T.-J., Lee, J.-W., Lee, J.-H., Bae, D.-S., Kim, B.-G., 2012. Pretreatment Neutrophil: Lymphocyte Ratio as a Prognostic Factor in Cervical Carcinoma. *Anticancer Res* 32, : 1555–1561.
- Lehner, J., Greve, B. & Cassens, U. 2007. Automation in Hematology. *Transfus Med Hemother*, 34: 328–339.
- Londoño, M.C., Cárdenas, A., Guevara, M., Quintó, L., De Las Heras, D., Navasa, M., Rimola, A., Garcia-Valdecasas, J.C., Arroyo, V. & Ginès, P., 2007. MELD score and serum sodium in the prediction of survival of patients with cirrhosis awaiting liver transplantation. *Gut*, 56(9) : 1283–1290.
- Lou, M., Luo, P., Tang, R., Peng, Y., Yu, S., Huang, W., He, L., 2015. Relationship between neutrophil-lymphocyte ratio and insulin resistance in newly diagnosed type 2 diabetes mellitus patients. *BMC Endocr Disord* 15.
- MacAulay, J., Thompson, K., Kiberd, B.A., Barnes, D.C. & Peltekian, K.M. 2006. Serum creatinine in patients with advanced liver disease is of limited value for identification of moderate renal dysfunction: Are the equations for estimating renal function better? *Can J Gastroenterol*, 20(8): 521–526.
- Marra, F. 1999. Hepatic stellate cells and the regulation of liver inflammation. *J Hepatol*, 31(6): 1106–1119.
- McCormick, P. 2011. Hepatic Cirrhosis. In: *Sherlock's Diseases Of The Liver And Biliary System* 12Th Ed., A John Wiley & Sons, Ltd., Publication, 103-117.
- McPhee & Papadakis. 2010. *Current Medical Diagnosis & Treatment*. McGraw Hill, Lange. Chapter 16: 186-204.
- Minemura, M., 2009, Systemic Abnormalities in Liver Disease, *World J Gastroenterol*, 2009;15(24): 2960-2974.
- Mistry, P.K. & Jain., D., 2011, Haematological disorders of the Liver in *Sherlock's*

Disease of the Liver and Biliary system, Editor: Dooky, J. S., *Blackwell Publishing Ltd*: 48-69.

Moore CM, George M, Lateef O, Van Thiel DH, 2012. The MELD Score: Limitations and Consequences, *Wseas Transactions on Biology and Biomedicine*; 2 (9): 55-65.

Moore, C.M., George, M., Lateef, O. & Van Thiel, D.H. 2012. The MELD score: Limitations and consequences. *WSEAS*, 9(2) : 55–65.

Morimoto, N., Okada, K. & Okita, Y. 2013. The model for end-stage liver disease (MELD) predicts early and late outcomes of cardiovascular operations in patients with liver cirrhosis. *Ann Thorac Surg*, 96(5): 1672–1678.

Muir, A.J. 2015. Understanding the Complexities of Cirrhosis. *Clin Ther*, 37(8): 1822–1836.

NaimAlkhouri, Gareth Morris-Stiff, Carla Campbell, 2012, Neutrophil to Lymphocyte Ratio: A New Marker for Predicting Steatohepatitis and Fibrosis in Patients with Nonalcoholic Fatty Liver Disease, *Liver International* ;32(2):297-302.

Nurdjanah, S. 2014. Jilid II. Sirosis hati. In: A.W., Sudoyo, B., Setiyohadi, I., Alwi, M., Simadibrata, S., Setiati (eds). *Buku Ajar Ilmu Penyakit Dalam Edisi 6*. Interna Publishing, Jakarta : 668-673.

Ohkubo, A. 1994. Bilirubin metabolism in liver cirrhosis. *J clin med*, 52(1): 138–44.

Oyama, J., Nagatomo, D., Yoshioka, G., Yamasaki, A., Kodama, K., Sato, M., Komoda, H., Nishikido, T., Shiraki, A., Node, K., 2016. The relationship between neutrophil to lymphocyte ratio, endothelial function, and severity in patients with obstructive sleep apnea. *J Cardiol* 67 : 295–302.

Papadopoulos, V., Filippou, D., Manolis, E. & Mimidis, K. 2007. Haemostasis impairment in patients with obstructive jaundice. *J Gastrointestin liver dis*, 16(2): 177–186.

Pleli, T., Martin, D., Kronenberger, B., Brunner, F., Köberle, V., Grammatikos, G., Farnik, H., Martinez, Y., Finkelmeier, F., Labocha, S., Ferreirós, N., Zeuzem, S., Piiper, A. & Waidmann, O. 2014. Serum autotaxin is a parameter for the

- severity of liver cirrhosis and overall survival in patients with liver cirrhosis - A prospective cohort study. *PLOS ONE*, 9(7): 1–9.
- Powers, Alvin C. 2015. Diabetes Mellitus: Diagnosis, Classification, and Pathophysiology. Dalam Kasper, D.L., Fauci, A., Hauser, S., Longo, D., Jameson, J.L., dan Loscalzo, J. (editor) *Harrison's Principles of Internal Medicine* 19<sup>th</sup> ed. New York : The McGraw-Hill Companies, Inc. : 2399-2407.
- Probowati, W., Bayupurnama, P., dan Ratnasari, N. 2015. Korelasi Antara Rasio Neutrofil Limfosit dengan skor Child Tucotte Pugh pada pasien sirosis hati dekompensata. Tesis. Fakultas Kedokteran Universitas Gadjah Mada/Program pendidikan dokter ilmu spesialis penyakit dalam.
- Rajeswar P Mookerjee, Vanessa Stadbauer, Sukwinderjit Lidder, Gavin A.K., Stephen J. Hodges, Nathan A. Davies, 2007, Neutrophile Dysfunction in Alcoholic Hepatitis superimposed on Cirrhosis is reversible and predicts the outcome, *J Hepatol* :831-839.
- Ramadori, G. & Saile, B. 2004. Inflammation, damage repair, immune cells, and liver fibrosis: Specific or nonspecific, this is the question. *Gastroenterol*, 127(3): 997–1000.
- Ramón Bataller and David A. Brenner. 2008. Liver fibrosis. *Biochem J*, 411: 1–18.
- Rendon A, Gonzalez Z, Compean D, Garza H, Galindo A, 2008. Model for end stage of liver disease (MELD) is better than the Child-Pugh score for predicting in hospital mortality related to esophageal variceal bleeding. *Annals of Hepatol*; 7 (3): 230-234.
- Rognant, N. & Lemoine, S. 2014. Evaluation of renal function in patients with cirrhosis: Where are we now? *WJG*, 20(10): 2533–2541.
- Sastroasmoro dan Ismael. 2011. *Dasar-dasar Metodologi Penelitian Klinis* edisi 4. Jakarta: Sagung Seto: 58-60.
- Sebastiani, G., 2009. Non-invasive assessment of liver fibrosis in chronic liver disease: Implementation in clinical practice and decisional algorithms. *World J Gastroenterol*, 15(18): 2190-2203.
- Shaikh, S., Ghani, H., Memon, S., Baloch, G.H., Jaffery, M. & Shaikh, K. 2010.

- MELD era: Is this time to replace the original child-pugh score in patients with decompensated cirrhosis of liver. *JCPSP*, 20(7): 432–435.
- Starr S.P & Raines, D., 2011, Cirrhosis: Diagnosis, Management, and Prevention, *American Family Physician* 84 (12) :1353-9.
- Šumskienė, J., Kupčinskis, L., Pundzius, J. & Šumskas, L. 2005. Prognostic factors for short and long-term survival in patients selected for liver transplantation. *Med (Kaunas)*, 41(1): 39–46.
- Surendar, J., Indulekha, K., Mohan, V., Pradeepa, R., 2016. Association of neutrophil- lymphocyte ratio with metabolic syndrome and its components in Asian Indians (CURES-143). *J. Diabetes Complicat.* 30 : 1525–1529.
- Tamhane UU, Aneja S. Montgomery, Rogers EK, Eagle KA, 2008. Association between admission neutrophil to lymphocyte ratio and outcome in patients with acute coronary syndrome, *Am J cardiol*, 15; 102(6): 653-657.
- Thapa, B. & Walia, A. 2007. Liver Function Tests and their Interpretation. *Indian J Pediatr*, 74(7): 663–671.
- Trotter JF, Olson J, Lefkowitz J, et al., 2007. Changes in international normalized ratio (INR) and model for endstage liver disease (MELD) based on selection of clinical laboratory. *Am J Transplant.* ;7:1624–1628.
- Wang GY, Yang Y, Li H. Zang, Li MR et al., D., 2011. A Scoring Model base on neutrophil to lymphocyte ratio predicts recurrence of HBV associated hepatocellular carcinoma after liver transplantation. *PLOS ONE* 2011;6.
- Wei Kai Xiao, Dong Chen, Shao Chiang Li, Shun Jun, 2014. Prognostic significance of neutrophile-lymphocyte ratio in hepatocellular carcinoma: a metaanalysis, *BMJ Cancer* 14:117.
- Wynn, T.A. 2004. Fibrotic Disease And The Th 1/Th 2 Paradigm. *Nat Rev Immunol*, 4(8): 583–594.
- Ying Peng, Xingshun Qi, and Xiaozhong Guo, 2016. Child–Pugh Versus MELD Score for the Assessment of Prognosis in Liver Cirrhosis : A Systematic Review and Meta-Analysis of Observational Studies, *Med J* 95: 8.
- Zahorec R., 2001. Ratio of neutrophil to lymphocyte counts - rapid and simple

parameter of systemic inflammation and stress in critically ill. *Bratisl Lek Listy*; 102(1):5-14.

Zhang, H., Sun, Q., Mao, W., Fan, J., Ye, B., 2016. Neutrophil-to-Lymphocyte Ratio Predicts Early Mortality in Patients with HBV-Related Decompensated Cirrhosis. *Gastroenterol Res Pract* 16: 2200-2205

Zimmermann HW, Li KK, Stamakhi Z, Lalor PF, Shaw J, Liaskou, Oo YH, 2010, Monocyte Subsets in Human Liver Disease Show Distinct phenotypic and Functional Characteristic, *Hepatol* 57(1): 385-398.