

DAFTAR PUSTAKA

- Adams, H.P., Davis, P.H., Leira, E.C. 1999. Baseline NIH Stroke Scale score strongly predicts outcome after stroke: A report of the Trial of Org 10172 in Acute Stroke Treatment (TOAST). *Neurology*, 53126-131.
- Al-Weshahy, A., El-Sherif, R., Selim, K. A. A.-W., Heikal, A., 2017. Short term outcome of patients with hyperglycemia and acute stroke. *The Egyptian Journal of Critical Care Medicine*, 5(3), 93–98. <https://doi.org/10.1016/j.ejccm.2017.11.003>
- Alexander, L. D., Pettersen, J. A., Hopyan, J. J., Sahlas, D. J., & Black, S. E. 2012. Long-term prediction of functional outcome after stroke using the Alberta Stroke Program Early Computed Tomography Score in the subacute stage. *Journal of Stroke and Cerebrovascular Diseases*, 21(8), 737–744. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2011.03.010>
- Alia, C., Spalletti, C., Lai, S., Panarese, A., Lamola, G., Bertolucci, F., Caleo, M., 2017. Neuroplastic Changes Following Brain Ischemia and their Contribution to Stroke Recovery: Novel Approaches in Neurorehabilitation. *Frontiers in Cellular Neuroscience*, 11(March), 1–22. <https://doi.org/10.3389/fncel.2017.00076>
- Amaral, C. H. do, Amaral, A. R., Nagel, V., Venancio, V., Garcia, A. C., Magalhaes, P. S., *et al.*, 2017. Incidence and functional outcome of atrial fibrillation and non-atrial fibrillation- related cardioembolic stroke in Joinville, Brazil: a population-based study. *Arquivos de Neuro-Psiquiatria*, 75(5), 288–294. <https://doi.org/10.1590/0004-282x20170039>
- Appelros, P., Nydevik, I., & Viitanen, M., 2003. Poor Outcome After First-Ever Stroke; Predictors for Death, Dependency, and Recurrent Stroke Within the First Year. *Stroke*, 34, 122–127. <https://doi.org/10.1161/01.STR.0000047852.05842.3C>
- Astuti. (2018). Kadar *Vascular Endothelial Growth Factor* dan *Brain Derived Nerve Factor* yang Tinggi Sebagai Faktor Protektif dari Kejadian *Vascular Cognitive Impairment non Dementia* pada Pasien Stroke Iskemik (Proposal Desertasi Doktorat). Universitas Gadjah Mada.
- Bagg, S., Pombo, A. P., & Hopman, W., 2002. After Stroke Rehabilitation. *Stroke*, 33, 179–185.
- Bang, O. Y., Park, H. Y., Yoon, J. H., Yeo, S. H., Kim, J. W., Lee, M. A., *et al.*, 2005. Predicting the Long-Term Outcome after Subacute Stroke within the Middle Cerebral Artery Territory. *Journal of Clinical Neurology (Seoul, Korea)*, 1(2), 148–158. <https://doi.org/10.3988/jcn.2005.1.2.148>
- Bouziana, S. D., & Tziomalos, K., 2011. Malnutrition in Patients with Acute Stroke, 2011. <https://doi.org/10.1155/2011/167898>
- Chen, A., Xiong, L. J., Tong, Y., Mao, M., 2013. Neuroprotective effect of brain-derived neurotrophic factor mediated by autophagy through the PI3K/Akt/mTOR pathway. *Molecular Medicine Reports*, 8(4), 1011–1016. <https://doi.org/10.3892/mmr.2013.1628>
- Cho, S. Y., Oh, C. W., Bae, H.-J., Han, M.-K., Park, H., & Bang, J. S., 2011. The prognostic factors that influence long-term survival in acute large cerebral infarction. *Journal of Korean Neurosurgical Society*, 49(2), 92–96. <https://doi.org/10.3340/jkns.2011.49.2.92>
- Davis, J. P., Wong, A. A., Schluter, P. J., Henderson, R. D., O'Sullivan, J. D., & Read, S. J., 2004. Impact of premorbid undernutrition on outcome in stroke patients. *Stroke*,

- 35(8), 1930–1934. <https://doi.org/10.1161/01.STR.0000135227.10451.c9>
- Deb, P., Sharma, S., & Hassan, K. M., 2010. Pathophysiologic mechanisms of acute ischemic stroke: An overview with emphasis on therapeutic significance beyond thrombolysis. *Pathophysiology*, 17(3), 197–218. <https://doi.org/10.1016/j.pathophys.2009.12.001>
- Dimyan, M. A., Cohen, L. G., 2016. HHS Public Access. *Nat Rev Neurol*, 7(2), 76–85. <https://doi.org/10.1038/nrneurol.2010.200.Neuroplasticity>
- Dion, F., Saudeau, D., Bonnaud, I., Friocourt, P., Bonneau, A., Poret, P., *et al.*, 2010. Unexpected low prevalence of atrial fibrillation in cryptogenic ischemic stroke: A prospective study. *Journal of Interventional Cardiac Electrophysiology*, 28(2), 101–107. <https://doi.org/10.1007/s10840-010-9485-5>
- Dostovic, Z., Dostovic, E., Smajlovic, D., & Avdic, O., 2016. Brain Edema After Ischaemic Stroke. *Medical Archives*, 70(5), 339. <https://doi.org/10.5455/medarh.2016.70.339-341>
- Dvorak, H. F., Brown, L. F., Detmar, M., & Dvorak, A. M., 1999. Vascular permeability factor/vascular endothelial growth factor and the significance of microvascular hyperpermeability in angiogenesis. *American Journal of Pathology*, 149(5), 1029–1039. <https://doi.org/10.1152/ajpgi.00048.2011>
- Ferrara, N., Gerber, H.-P., & LeCouter, J., 2003. The biology of VEGF and its receptors. *Nature Medicine*, 9(6), 669–676. <https://doi.org/10.1038/nm0603-669>
- Fuentes, B., Castillo, J., San José, B., Leira, R., Serena, J., Vivancos, J., *et al.*, 2008. The Prognostic Value of Capillary Glucose Levels in Acute Stroke. *Stroke*, 40(2), 562–568. <https://doi.org/10.1161/strokeaha.108.519926>
- Gofir, A., Mulyono B., Sutarni, S., 2017. Hyperglycemia as a prognosis predictor of length of stay and functional outcomes in patients with acute ischemic stroke. *International Journal of Neuroscience*. Taylor & Francis, 127(10), pp.923-929. Available from DOI: 10.1080/00207454.2017.1280793.
- Greenberg, D. A., & Jin, K., 2013. Vascular endothelial growth factors (VEGFs) and stroke. *Cellular and Molecular Life Sciences*. <https://doi.org/10.1007/s00018-013-1282-8>
- Grube, M. M., Koennecke, H., Walter, G., Meisel, A., Sobesky, J., Nolte, C. H., *et al.*, 2013. Influence of Acute Complications on Outcome 3 Months after Ischemic Stroke. *PLOS*, 8(9), 1–8. <https://doi.org/10.1371/journal.pone.0075719>
- Gunsilius, E., Petzer, A. L., Stockhammer, G., Kähler, C. M., & Gastl, G., 2001. Serial measurement of vascular endothelial growth factor and transforming growth factor-beta1 in serum of patients with acute ischemic stroke. *Stroke; a Journal of Cerebral Circulation*, 32(1), 275–278.
- Hankey, G. J., 2003. Long-term outcome after ischaemic stroke/transient ischaemic attack. *Cerebrovascular Diseases*, 16(SUPPL. 1), 14–19. <https://doi.org/10.1159/000069936>
- Hara, Y., 2015. Brain Plasticity and Rehabilitation in Stroke Patients. *Journal of Nippon Medical School*, 82(1), 4–13. <https://doi.org/10.1272/jnms.82.4>
- Heuschmann, P. U., Wiedmann, S., Wellwood, I., Rudd, A., Di Carlo, A., Bejot, Y., *et al.*, 2011. Three-month stroke outcome: The European Registers of Stroke (EROS) Investigators. *Neurology*, 76(2), 159–165. <https://doi.org/10.1212/WNL.0b013e318206ca1e>
- Hidayat, A., Arief, M., Wijaya, A., & As'ad, S., 2016. Vascular Endothelial Growth Factor and Brain-Derived Neurotrophic Factor Levels in Ischemic Stroke Subject. *The Indonesian Biomedical Journal*, 8(2), 115–118. <https://doi.org/10.18585/inabj.v8i2.206>

- Hill, M. D., Demchuk, A. M., Goyal, M., Jovin, T. G., Foster, L. D., Tomsick, T. A., *et al.*, 2013. Alberta Stroke Program Early Computed Tomography Score to Select Patients for Endovascular Treatment. *Stroke*, 45(2), 444–449. <https://doi.org/10.1161/strokeaha.113.003580>
- Hjalmarsson, C., Bokemark, L., Manhem, K., Mehlig, K., Andersson, B. 2012. The effect of statins on acute and long-term outcome after ischemic stroke in the elderly. *Am J Geriatr Pharmacother*, 10(5), 313–322. <https://doi.org/10.1016/j.amjopharm.2012.09.001>
- Holmes, D. I. R., & Zachary, I. 2005. The vascular endothelial growth factor (VEGF) family: angiogenic factors in health and disease. *Genome Biology*, 6(2), 209. <https://doi.org/10.1186/gb-2005-6-2-209>
- Hong, S., Kim, C., Kim, E., Joa, K., Kim, T. 2017. Effect of a Caregiver ' s Education Program on Stroke Rehabilitation. *Annals of Rehabilitation Medicine*, 41(1), 16–24.
- Huang, L., Jia, J., Liu, R. 2013. Decreased serum levels of the angiogenic factors VEGF and TGF- β 1 in Alzheimer's disease and amnesic mild cognitive impairment. *Neuroscience Letters*, 550(August 2011), 60–63. <https://doi.org/10.1016/j.neulet.2013.06.031>
- Jacobsen, C. F. 1935. Functions Of Frontal Association Area In Primates. *Archives of Neurology And Psychiatry*, 33(3), 558. <https://doi.org/10.1001/archneurpsyc.1935.02250150108009>
- Janelidze, S., Lindqvist, D., Francardo, V., Hall, S., Zetterberg, H., Blennow, K., 2015. Increased CSF biomarkers of angiogenesis in Parkinson disease. *Neurology*, 85(21), 1834–1842. <https://doi.org/10.1212/WNL.0000000000002151>
- Ke, Q., & Costa, M. 2006. Hypoxia-Inducible Factor-1 (HIF-1), 70(5), 1469–1480. <https://doi.org/10.1124/mol.106.027029>. ABBREVIATIONS
- Khan, M., Baird, G. L., Goddeau, R. P., Silver, B., & Henninger, N. 2017. Alberta stroke program early CT score infarct location predicts outcome following M2 occlusion. *Frontiers in Neurology*, 8(MAR), 1–6. <https://doi.org/10.3389/fneur.2017.00098>
- Kim, J., Lee, H. S., Nam, C. M., & Heo, J. H. 2017. Effects of Statin Intensity and Adherence on the Long-Term Prognosis After Acute Ischemic Stroke. *Stroke*, 48(10), 2723–2730. <https://doi.org/10.1161/STROKEAHA.117.018140>
- König, I. R., Ziegler, A., Bluhmki, E., Hacke, W., Bath, P. M. W., Sacco, R. L., *et al.*, 2008. Predicting long-term outcome after acute ischemic stroke: A simple index works in patients from controlled clinical trials. *Stroke*, 39(6), 1821–1826. <https://doi.org/10.1161/STROKEAHA.107.505867>
- Kwakkel, G., Kollen, B. J., & Krakauer, J. W. 2014. Predicting activities after stroke. In *Textbook of Neural Repair and Rehabilitation* (2nd ed., pp. 585–600). Cambridge University Press.
- Lange, C., Storkebaum, E., De Almodóvar, C. R., Dewerchin, M., & Carmeliet, P. 2016. Vascular endothelial growth factor: A neurovascular target in neurological diseases. *Nature Reviews Neurology*, 12(8), 439–454. <https://doi.org/10.1038/nrneurol.2016.88>
- Lee, S. C., Lee, K. Y., Kim, Y. J., Kim, S. H., Koh, S. H., & Lee, Y. J. 2010. Serum VEGF levels in acute ischaemic strokes are correlated with long-term prognosis. *European Journal of Neurology*, 17(1), 45–51. <https://doi.org/10.1111/j.1468-1331.2009.02731.x>
- Licht, T., Goshen, I., Avital, A., Kreisel, T., Zubedat, S., Eavri, R., *et al.*, 2011. Reversible modulations of neuronal plasticity by VEGF. *Proceedings of the National Academy of Sciences of the United States of America*, 108(12), 5081–5086. <https://doi.org/10.1073/pnas.1007640108>

- López-Cancio, E., Ricciardi, A. C., Sobrino, T., Cortés, J., Pérez De La Ossa, N., Millán, M., *et al.*, 2016. Reported Prestroke Physical Activity Is Associated with Vascular Endothelial Growth Factor Expression and Good Outcomes after Stroke. *Journal of Stroke and Cerebrovascular Diseases*, 1–6. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2016.10.004>
- Manabe, Y., Kono, S., Tanaka, T., Narai, H., Omori, N. 2009. High blood pressure in acute ischemic stroke and clinical outcome. *Neurology International*, 1(1), 1. <https://doi.org/10.4081/ni.2009.e1>
- Matsuo, R., Ago, T., Kamouchi, M., Kuroda, J., Kuwashiro, T., Hata, J., *et al.*, 2013. Clinical significance of plasma VEGF value in ischemic stroke - research for biomarkers in ischemic stroke (REBIOS) study. *BMC Neurology*, 13(1), 32. <https://doi.org/10.1186/1471-2377-13-32>
- McManus, M., & Liebeskind, D. S. 2016. Blood Pressure in Acute Ischemic Stroke. *Journal of Clinical Neurology*, 12(2), 137–146. <https://doi.org/10.3988/jcn.2016.12.2.137>
- Md, Edward & Stettler, Brian, Al Kasab, Sami. 2016. Ischemic Stroke-Medscape.
- Melgaard, L., Rasmussen, L. H., Skjøth, F., Lip, G. Y. H., Larsen, T. B. (2014). Age dependence of risk factors for stroke and death in young patients with atrial fibrillation: A nationwide study. *Stroke*, 45(5), 1331–1337. <https://doi.org/10.1161/STROKEAHA.114.004903>
- Mushtaq, M. 2018. Gaining ground but facing challenges. *Digital Textile*. <https://doi.org/10.3238/arztebl.2011.0600>
- Nagy, J. A., Dvorak, A. M., Dvorak, H. F. 2007. VEGF-A and the Induction of Pathological Angiogenesis. *Annual Review of Pathology: Mechanisms of Disease*, 2(1), 251–275. <https://doi.org/10.1146/annurev.pathol.2.010506.134925>
- Nakayama, H., Jørgensen, H. S., Raaschou, H. O., Olsen, T. S. 2014. The Influence of Age on Stroke Outcome. *Stroke*, 25, 808–813. <https://doi.org/10.1161/01.STR.25.4.808>
- Navaratna, D., Guo, S., Arai, K., Lo, E. H. 2009. Cell Adhesion & Migration Mechanisms and targets for angiogenic therapy after stroke. *Migration*, 3(2), 216–223. <https://doi.org/10.4161/cam.3.2.8396>
- Ninds. 2012. National Institutes of Health Stroke Scale. *SpringerReference*, 2010(12/15/2010), 1–9. https://doi.org/10.1007/springerreference_184482
- Nudo, R. J. 2013. Recovery after brain injury: mechanisms and principles. *Frontiers in Human Neuroscience*, 7(December), 1–14. <https://doi.org/10.3389/fnhum.2013.00887>
- Okazaki, H., Beppu, H., Mizutani, K., Okamoto, S., Sonoda, S. 2014. Changes in serum growth factors in stroke rehabilitation patients and their relation to hemiparesis improvement. *Journal of Stroke and Cerebrovascular Diseases*, 23(6), 1703–1708. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2014.01.015>
- Ovbiagele, B., Nguyen-Huynh, M. N. 2011. Stroke Epidemiology: Advancing Our Understanding of Disease Mechanism and Therapy. *Neurotherapeutics*. <https://doi.org/10.1007/s13311-011-0053-1>
- Pag, S., Counsell, C., Ej, K. 2015. Anticoagulants for acute ischaemic stroke (Review), (3). <https://doi.org/10.1002/14651858.CD000024.pub4.www.cochranelibrary.com>
- Pohjasvaara, T., Vataja, R., Leppävuori, a, Kaste, M., & Erkinjuntti, T. 2001. Depression is an independent predictor of poor long-term functional outcome post-stroke. *European Journal of Neurology: The Official Journal of the European Federation of Neurological Societies*, 8(4), 315–319. <https://doi.org/10.1046/j.1468-1331.2001.00182.x>

- Powers, W. J., Rabinstein, A. A., Ackerson, T., Adeoye, O. M., Bambakidis, N. C., Becker, K. et al., 2018. *2018 Guidelines for the Early Management of Patients With Acute Ischemic Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association*. *Stroke*. <https://doi.org/10.1161/STR.0000000000000158>
- Puspitasari, V., Wahid, S., Aliah, A., Suhadi, B., Kaelan, C., As'ad, S., et al., 2015. Serum vascular endothelial growth factor as a predictor of clinical outcomes in anterior circulation ischemic stroke. *Medical Journal of Indonesia*, 24(2), 109–114. <https://doi.org/10.13181/mji.v24i2.1196>
- Quinn, T., Harrison, & McArthur. 2013. Assessment scales in stroke: clinimetric and clinical considerations. *Clinical Interventions in Aging*, 201. <https://doi.org/10.2147/cia.s32405>
- Rocío Calvo1, 2 and Summer Sherburne Hawkins. 2017. Disparities in Quality of Healthcare of Children from Immigrant Families in the US. *Matern Child Health J.*, 35(5), 857–859. <https://doi.org/10.1002/jmri.23741>
- Sartor, E. A., Albright, K., Boehme, A. K., Morales, M. M., Shaban, A., Grotta, J. C., et al., 2013. The NIHSS Score and its Components can Predict Cortical Stroke. *Journal of Neurological Disorders & Stroke*, 2(1), 1026. <https://doi.org/10.1017/S1368980009991996>
- Setyopranoto, I. S., Wibowo, S. 2013. The influence of VEGF-A in brain edema on acute ischemic stroke. *Journal of the Neurological Sciences*, 333(2013), e173. <https://doi.org/10.1016/j.jns.2013.07.714>
- Setyopranoto, I. 2012. Pengaruh Penurunan Kadar Vascular Endothelial Growth Factor-A (VEGF-A) terhadap Kejadian Odem Otak pada Pasien Stroke Iskemik Akut. (Disertasi Doktorat). Universitas Gadjah Mada . DIS 106-H-2012.
- Shen, H.-C., Chen, H.-F., Peng, L.-N., Lin, M.-H., Chen, L.-K., Liang, C.-K., et al., 2011. Impact of nutritional status on long-term functional outcomes of post-acute stroke patients in Taiwan. *Archives of Gerontology and Geriatrics*, 53(2), e149–e152. <https://doi.org/10.1016/j.archger.2010.08.001>
- Sobrinho, T., Millán, M., Castellanos, M., Blanco, M., Brea, D., Dorado, L., et al., 2011. Association of growth factors with arterial recanalization and clinical outcome in patients with ischemic stroke treated with tPA. *Journal of Thrombosis and Haemostasis*, 8(7), 1567–1574. <https://doi.org/10.1111/j.1538-7836.2010.03897.x>
- Sohail, A., Khatri, I. A., Mehboob, N. 2013. Effect of dyslipidemia on severity and outcome of stroke using mRS scores in Northern Pakistani population. *Rawal Medical Journal*, 38(4), 345–350.
- Srivastava, M. V., Talwar, T. 2014. Role of vascular endothelial growth factor and other growth factors in post-stroke recovery. *Annals of Indian Academy of Neurology*, 17(1), 1. <https://doi.org/10.4103/0972-2327.128519>
- Stavem, K., Lossius, M., Rønning, O. M. 2003. Reliability and validity of the Canadian Neurological Scale in retrospective assessment of initial stroke severity. *Cerebrovascular Diseases*, 16(3), 286–291. <https://doi.org/10.1159/000071129>
- Stefanovic Budimkic, M., Pekmezovic, T., Beslac-Bumbasirevic, L., Ercegovic, M., Berisavac, I., Stanarcevic, P., et al., 2016. Long-Term Prognosis in Ischemic Stroke Patients Treated with Intravenous Thrombolytic Therapy. *Journal of Stroke and Cerebrovascular Diseases*, [Epub ahead of print]. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2016.09.009>
- Sugimoto, S., Kanda, T., Sakai, F. 2005. Predicting Long-term Functional Outcome of Stroke Using Multivariate Analysis. *Journal of Physical Therapy Science*, 16(2), 129–135. <https://doi.org/10.1589/jpts.16.129>

- Teasell, R., Pereira, S., Cotoi, A. 2016. The Rehabilitation of Severe Stroke Survivors, 1–6.
- Tian Xu, 2014. Dyslipidemia and outcome in patients with acute ischemic stroke. *Biomedical and Environmental Sciences : BES*, 27(2), 106–110. <https://doi.org/10.3967/bes2014.023>
- Tu, H. T. H., Campbell, B. C. V., Christensen, S., Desmond, P. M., De Silva, D. A., Parsons, M. W., *et al.*, 2015. Worse stroke outcome in atrial fibrillation is explained by more severe hypoperfusion, infarct growth, and hemorrhagic transformation. *International Journal of Stroke*, 10(4), 534–540. <https://doi.org/10.1111/ijss.12007>
- Tziomalos, K. 2014. Type 2 diabetes is associated with a worse functional outcome of ischemic stroke. *World Journal of Diabetes*, 5(6), 939. <https://doi.org/10.4239/wjd.v5.i6.939>
- Vemmos, K. N., Tsivgoulis, G., Spengos, K., Manios, E., Toumanidis, S., Zakopoulos, N., Mouloupoulos, S. D. 2004. Anticoagulation influences long-term outcome in patients with nonvalvular atrial fibrillation and severe ischemic stroke. *The American Journal Of Geriatric Pharmacotherapy*, 2(4), 265–273. <https://doi.org/10.1016/j.amjopharm.2004.12.001>
- Venketasubramanian, N., Yoon, B. W., Pandian, J., Navarro, J. C. 2017. Stroke Epidemiology in South, East, and South-East Asia: A Review. *Journal of Stroke*, 19(3), 286–294. <https://doi.org/10.5853/jos.2017.00234>
- WHO. 2013. World Congress of Neurology 2013 : Updating the Definition of Stroke. *World Neurology*, 28(4).
- Willey, J. Z., Disla, N., Moon, Y. P., Paik, M. C., Sacco, R. L., Boden-Albala, B., *et al.*, . 2010. Early depressed mood after stroke predicts long-term disability: The Northern Manhattan Stroke Study (NOMASS). *Stroke*, 41(9), 1896–1900. <https://doi.org/10.1161/STROKEAHA.110.583997>
- Willmot, M., Leonardi-bee, J., Bath, P. M. W. 2003. High Blood Pressure in Acute Stroke and Subsequent Outcome A Systematic Review, 18–24. <https://doi.org/10.1161/01.HYP.0000105052.65787.35>
- Xie, W., Zheng, F., Zhong, B., Song, X. 2015. Long-Term Antiplatelet Mono- and Dual Therapies After Ischemic Stroke or Transient Ischemic Attack: Network Meta-Analysis. *Journal of the American Heart Association*, 4(8), e002259. <https://doi.org/10.1161/JAHA.115.002259>
- Yang, J., Liu, H.-J., Liu, X.-F. 2010. VEGF promotes angiogenesis and functional recovery in stroke rats. *Journal of Investigative Surgery : The Official Journal of the Academy of Surgical Research*, 23(3), 149–155. <https://doi.org/10.3109/08941930903469482>
- Yoo, S. H., Kim, J. S., Kwon, S. U., Yun, S.-C., Koh, J.-Y., & Kang, D.-W. 2008. Undernutrition as a predictor of poor clinical outcomes in acute ischemic stroke patients. *Archives of Neurology*, 65(1), 39–43. Retrieved from <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L351119484%5Cnhttp://archneur.ama-assn.org/cgi/reprint/65/1/39%5Cnhttp://dx.doi.org/10.1001/archneur.2007.12%5Cnhttp://sfxhosted.exlibrisgroup.com/medtronic?sid=EMBASE&issn=0003994>
- Ziello, J. E., Jovin, I. S., & Huang, Y. 2007. Hypoxia-Inducible Factor (HIF)-1 regulatory pathway and its potential for therapeutic intervention in malignancy and ischemia. *Yale Journal of Biology and Medicine*, 80(2), 51–60.