



## DAFTAR PUSTAKA

- Agarwal, S., Agarwal, A., Agarwal, K.N., Agarwal, D.K. & Bansal, A. (2001) Physical Activity and pregnancy outcome in rural undernourished woman. *Ind. Pediatr*, 38,1017-1022.
- Almatsier, S. (2002) *Prinsip dasar ilmu gizi*. Jakarta: Gramedia Pustaka Utama.
- Asjari, S.H. (1987) *Penambahan aktivitas fisik terendah untuk menaikkan kadar kolesterol HDL pada orang-orang dengan aktivitas fisik ringan sampai sedang*. Disertasi. Yogyakarta: Universitas Gadjah Mada.
- Andersson, T., Hogberg, U., Bergstrom, S. (2000) Community-based prevention of perinatal deaths: lessons from nineteenth-century Sweden. *Int JEpidemiol*, 29, 542-548.
- Banarjee, B., Chattarjee, P., Dey, T.K. (2003) Perinatal mortality in employed woman. *Indian J Comm Med*, 28(3).
- Biro Pusat Statistik (BPS) & ORC Macro. (2003) *Survei demografi dan kesehatan Indonesia 2002-2003*. Calverton, Maryland, USA: ORC Macro.
- Ceesay, S.M., Prentice, A.M., Cole, T.J., Foord, F., Poskitt, E.M.E., Weaver, L.T., Whitehead, R.G. (1997) Effect on birth weight and perinatal mortality of maternal dietary supplements in rural Gambia: 5 year randomized controlled. *BMJ*, 315, 786-790.
- Christian, J.L., Greger, J.L. (1984) *Nutrition for living*. California: Cummings Publising, inc.
- Depkes RI – Badan Penelitian dan Pengembangan Kesehatan. (2004) *Kajian kematian ibu dan anak di Indonesia*. Jakarta.
- Depkes RI (2002) *Pedoman teknis audit maternal-perinatal di tingkat kabupaten/kota*, Jakarta.
- Departemen Tenaga Kerja & Transmigrasi. (2007) *Ragam Data, Informasi dan Publikasi Ketenagakerjaan*. Pusdatinaker–Balitfo [Internet]. Jakarta. Tersedia dalam: <http://www.nakertrans.go.id>



- Del Rosario, G.R., Lewis, T. & Irons, B. (2004) Assesment of risk factor for stillbirth among pregnant woman in Jamaica. *J Obstet Gynecol*, 24(7):750-55.
- Di Mario, S., Say, L. & Lincetto, O. (2007) Risk factors for stillbirth in developing countries: a systematic review of the literature. *American Sexually Transmitted Diseases Association*, 34(7):S11-S21.
- Fretts, R.C., Schmittdiel, J., McLean, F.H., Usher, R.H. & Goldman, M.B. (1995) Increased maternal age and the risk of fetal death. *N Engl J Med*, 333(15):953-957.
- Gaizauskiene, A., Padaiga, Z., Basys, V., Grigorcev, G. & Mizeriene, R. (2003) Risk factors of perinatal mortality in Lithuania, 1997–1998. *Scand J Public Health*, 31, 137-142.
- Gogate, S. (2001) Intra-uterine growth restriction – obstetrician’s perspective *Int. J. Diab. Dev – Countries* vol 21, 51-55.
- Haksari, E.L. & Surjono, A. (2001) *Risiko kematian perinatal pada primipara di lima Rumah Sakit Daerah Tingkat II Yogyakarta, Berkala Ilmu Kedokteran*, 33(4):199-205.
- Huang, L., Sauve, R., Birkett, N., Fergusson, D., Van Walraven, C. (2008) Maternal age and risk of stillbirth: a systematic review. *CMAJ*, 178(20):165-172.
- Jones, D.L. (2001) *Dasar-dasar obstetric dan ginekologi*, E/6; alih bahasa Hadyanto; editor edisi bahasa Indonesia, Y. Joko Suyono, Jakarta.
- King, J.C. (2003) The risk of maternal nutritional depletion and poor outcomes increases I early or closely spaced pregnancies. *J.Nut*, 133, 1732S-1736S.
- Kramer, M.S. (2003) The epidemiology of adverse pregnancy outcome: an overview. *J Nutr*, 1592S-1596S.
- Lemeshow, S., Hosmer Jr, D.W., Klar, J & Lwanga, S.K. (1997) *Adequasy of sampel size in health studies. World Health Organization. Alih bahasa Besar sampel* Pramono, D. Yogyakarta: Gadjah Mada Press.
- Lawn, J., McCarthy, B.J. & Rae Ross, S. (2000) *The healthy newborn ; a reference manual for program managers*. Center for Diseases Control and Prevention.



- Lawn, J., Shibuya, K. & Stein, C. (2005) No cry at birth: global estimate of intrapartum stillbirth and intrapartum-related neonatal deaths, *Bulletin of the World Health Organization*, 83(6): 409-416.
- Lima, M., Ismael, S., Ashworth, A. & Morris, S.S. (1999) Influence of heavy agricultural work during pregnancy on birthweight in Northeast Brazil. *Int J Epidemiol*, 28, 469-474.
- Mohsin, M., Bauman, A.E., Jalaludin, B. (2006) The influence of antenatal and maternal factors on stillbirths and neonatal deaths in New South Wales, Australia. *J. biosoc.Sci.* 38, 643-657.
- Montgomery. (1983). *Biochemistry a case oriented approach*. 2 nd. St. Louis: Mosby.
- Mozurkewich, M.D., Luke, B., Avni, M., Wolf, F.M. (2000) Working conditions and adverse pregnancy outcome: A meta-analysis, *The American of Obstetricians and Gynecologists*. Published by Elsevier Science Inc. 95(4) pp : 623-635.
- Monintja, H.E. (2002) Kematian perinatal, Dalam *Ilmu kebidanan*. Jakarta : Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Merchant. K.M. Maternal Nutritional Depletion. Available at <Http://www.unsystem.org/SCN/archives/scnnews11/ch12htm>.
- Rahima, S. (2001) *Gender perempuan bekerja, dilema tak berujung?* Kementrian Pemberdayaan Perempuan.
- Rao, S., Kanade, A., Margetts, BM., Yajnik, CS., Lubree, H., Desai, B., Jackson, A. & Fall, CHD. (2003) Maternal activity in relation to birth size in rural India. The pune maternal nutrition study. *Europ J Clin Nutr*, 57, 531-542.
- Schlesselman, J.J. & Stolley, P.D. (1982) *Case-control studies, design, conduct, analysis*. New York: Oxford University Press.
- Scheider, W.L. (1985) *Nutrition basic concept and applications*. New York: McGraw-Hill Book company.
- Senturia, K.D. (1997) A woman's work is never done: Woman's work and pregnancy outcome in Albania, *Medical Anthropology Quarterly*, 11/3, 375-395
- Smith, G.C.S. & Fretts, R.C. *Stillbirth* (Seminar). *Lancet*, 370, 1715-25



- Soejoenoes, A. (2003) Audit maternal perinatal. Dalam Martaadisoebrata D (eds) *Bunga Rampai Obstetri dan Ginekologi Sosial*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Stephansson, O., Dickman, P.W., Johansson, A. & Cnattingius, S. (2000) Maternal hemoglobin concentration during pregnancy and risk of stillbirth, *JAMA*, 284(20): 2611-17.
- Sulistiyowati, N., Ronoatmojo, S. & Tarigan, L.H. (2003) Kematian perinatal hubungannya dengan praktek kesehatan ibu selama kehamilan di kota Bekasi tahun 2001. *Jurnal Ekologi Kesehatan*, 2(1): 192-199.
- Wignjosoebroto, S. (2000) *Ergonomi studi gerak dan waktu*. teknik analisis untuk peningkatan produktivitas kerja. Surabaya: Guna Widya.
- Winbo, I., Serenius, F., Dahlquist, G. & Kallen. (2001) Maternal risk factors for cause-specific stillbirth and neonatal death. *Acta Obstet Scand*, 80:235-244.
- World Health Organization (WHO). (2000) *Making pregnancy safer report by the secretariat*, EB107/26:1-6.
- Yuliva. (2007) *Hubungan status pekerjaan ibu dengan berat lahir bayi di RSUP DR. M Djamil Padang*. Tesis. Yogyakarta: Sekolah Pasca Sarjana Universitas Gadjah Mada.
- Zavitz, D.A., Elizabeth, A., Whelan, Rowland, A.S., Kleckner, R.C. (1990) Maternal employment and reproductive risk factors. *Am J Epidemiol*, 132(5): 933-945.
- Zavitz, D.A., Olshan, A.F., Gallagher, K. (1996) Maternal occupation and pregnancy outcome. *Am J Epidemiol*, 7(3): 269-274.