

DAFTAR PUSTAKA

- Aaberg, K.M., Gunnes, N., Bakken, I.J., Lund Søråas, C., Berntsen, A., Magnus, P., et al. 2017. Incidence and Prevalence of Childhood Epilepsy: A Nationwide Cohort Study. *Pediatrics*, 139(5): 1–11.
- Altunbasak, S., Artar, O., Burgut, R. and Yildiztas, D. 1999. Relapse risk analysis after drug withdrawal in epileptic children with uncomplicated seizures. *Seizure*, 8(7): 384–389.
- Arts, W.F.M., Visser, L.H., Loonen, M.C.B., Tjiam, A.T., Stroink, H., Stuurman, P.M., et al. 1988. Follow-Up of 146 Children with Epilepsy after Withdrawal of Antiepileptic Therapy. *Epilepsia*, 29(3): 244–250.
- Beghi, E., Giussani, G., Grosso, S., Iudice, A., Neve, A. La, Pisani, F., Specchio, L.M., et al. 2013. Withdrawal of antiepileptic drugs: Guidelines of the Italian League Against Epilepsy. *Epilepsia*, 54(SUPPL.7): 2–12.
- Berg, a T. and Shinnar, S. 1994. Relapse following discontinuation of antiepileptic drugs: a meta-analysis. *Neurology*, 44(4): 601–608.
- Browne, T. and GL, H. 2008. Hand book of epilepsy. In L. McMillan, ed. Philadelphia: Lippincot Williams & Wilkins: 260–2.
- Callaghan, B., Schlesinger, M., Rodemer, W., Pollard, J., Hesdorffer, D., Hauser, W.A., et al. 2011. Remission and relapse in a drug-resistant epilepsy population followed prospectively. *Epilepsia*, 52(3): 619–626.
- Chadwick, D.W. 1991. A randomized study of antiepileptic drug withdrawal in patients in remission of epilepsy. In *Bollettino - Lega Italiana contro l'Epilessia*. 29–36.
- Commission on Classification and Terminology of the International League Against Epilepsy. 1989. Proposal for Revised Classification of Epilepsies and Epileptic Syndromes. *Epilepsia*, 30(4): 389–399.

- Del Felice, A., Beghi, E., Boero, G., La Neve, A., Bogliun, G., De Palo, A., et al. 2010. Early versus late remission in a cohort of patients with newly diagnosed epilepsy. *Epilepsia*, 51(1): 37–42.
- Fisher, R.S., Acevedo, C., Arzimanoglou, A., Bogacz, A., Cross, J.H., Elger, C.E., et al. 2014. ILAE Official Report: A practical clinical definition of epilepsy. *Epilepsia*, 55(4): 475–482.
- Gibson, K.L., Gipson, D.S., Massengill, S.A., Dooley, M.A., Primack, W.A., Ferris, M.A., et al. 2009. Predictors of Relapse and End Stage Kidney Disease in Proliferative Lupus Nephritis : Focus on Children , Adolescents , and Young Adults. *Clin J Am Soc Nephrol* 4, 4: 1962–1967.
- Guerrini, R. 2006. Epilepsy in children. *Lancet*, 367(9509): 499–524.
- Hawani, D. 2014. Epilepsi. In H. Garna & Heda Melinda Nataprawira, eds. *Pedoman Diagnosis Dan Terapi Ilmu Kesehatan Anak*. Bandung: Departemen/SMF Ilmu Kesehatan Anak Fakultas Kedokteran Universitas Padjajaran/RSUP Dr. Hasan Sadikin: 795–800.
- Mangunatmadja, I., Handryastuti, S. and Amalia Risan, N. 2016. *Epilepsi pada anak*. Badan Penerbit Ikatan Dokter Anak Indonesia.
- Mangungatmaja, I. 2012. *Prediksi luaran klinis pasien epilepsi fokal berusia kurang dari 3 tahun: peran evolusi klinis dan elektroensefalografi serta magnetic resonance imaging*. Jakarta: Fakultas Kedokteran Universitas Indonesia, Program Studi Doktor Ilmu Kedokteran.
- Mastropaolo, C., Tondi, M., Carboni, F., Manca, S. and Zoroddu, F. 1992. Prognosis after therapy discontinuation in children with epilepsy. *Eur. Neurol.*, 32(3): 141–145.
- Neligan, A., Hauser, W.A. and Sander, J.W. 1997. The Epidemiology of the Epilepsies: Future Directions. *Epilepsia*, 38(5): 614–618.

- Olmez, A., Arslan, U., Turanli, G. and Aysun, S. 2009. Risk of recurrence after drug withdrawal in childhood epilepsy. *Seizure*, 18(4): 251–256.
- Passat, J. 1999. Epidemiologi Epilepsi. In T. S. Soetomenggolo & S. Ismael, eds. *Buku ajar neurologi anak*. Jakarta: PB IDAI: 190–7.
- Ramos-Lizana, J., Aguirre-Rodríguez, J., Aguilera-López, P. and Cassinello-García, E. 2010. Recurrence risk after withdrawal of antiepileptic drugs in children with epilepsy: A prospective study. *Eur. J. Paediatr. Neurol.*, 14(2): 116–124.
- Review, N. and Treatment, S.A.E.D. 2016. When to Start and Stop Anticonvulsant Therapy in Children. , 56: 1073–1077.
- Reynolds, E.H. 2000a. The ILAE/IBE/WHO Global Campaign against Epilepsy: Bringing Epilepsy “Out of the Shadows”. *Epilepsy Behav.*, 1(4): S3–S8.
- Reynolds, E.H. 2000b. The ILAE/IBE/WHO Global Campaign against Epilepsy: Bringing Epilepsy ‘Out of the Shadows’. *Epilepsy Behav.*, 1(4): S3–S8.
- Schiller, Y. 2009. Seizure relapse and development of drug resistance following long-term seizure remission. *Arch. Neurol.*, 66(10): 1233–1239.
- Sillanpää, M. 1993. Remission of Seizures and Predictors of Intractability in Long-Term Follow-Up. *Epilepsia*, 34(5): 930–936.
- Sillanpää, M. and Schmidt, D. 2006. Natural history of treated childhood-onset epilepsy: Prospective, long-term population-based study. *Brain*, 129(3): 617–624.
- Smith, D. 2001. The {Management} of {Epilepsy}. *J. Neurol. Neurosurg. Psychiatry*, 70(90002): 15ii--21.
- Specchio, L.M. and Beghi, E. 2004. Should antiepileptic drugs be withdrawn in seizure-free patients? *CNS Drugs*, 18(4): 201–212.

- Strozzi, I., Nolan, S.J., Sperling, M.R., Wingerchuk, D.M. and Sirven, J. 2015. Early versus late antiepileptic drug withdrawal for people with epilepsy in remission. *Cochrane Database Syst. Rev.*, 2015(2)
- Su, L., Di, Q., Yu, N. and Zhang, Y. 2013. Predictors for relapse after antiepileptic drug withdrawal in seizure-free patients with epilepsy. *J. Clin. Neurosci.*, 20(6): 790–794.
- Thurston, J.H., Thurston, D.L., Hixon, B.B. and Keller, A.J. 1982. Prognosis in childhood epilepsy: additional follow-up of 148 children 15 to 23 years after withdrawal of anticonvulsant therapy. *N. Engl. J. Med.*, 306(14): 831–836.
- Tjandrajani, A., Widjaja, J.A., Dewanti, A. and Burhany, A. a. 2012. Karakteristik Kasus Epilepsi di Rumah Sakit Anak dan Bunda Harapan Kita pada Tahun 2008- 2010. *Sari Pediatr.*, 14(4): 143–146.
- Triono, A. 2017. *Predictors or relapse and outcomes in children with controlled epilepsy and after antiepileptic drug withdrawl: case control study*. Naskah lengkap, Ujian terbuka. Jakarta: Fakultas Kedokteran Universitas Indonesia, Program pendidikan dokter spesialis konsultan ilmu kesehatan anak.
- Verrotti, A., D'Egidio, C., Agostinelli, S., Parisi, P., Spalice, A., Chiarelli, F., et al. 2012. Antiepileptic drug withdrawal in childhood epilepsy: What are the risk factors associated with seizure relapse? *Eur. J. Paediatr. Neurol.*, 16(6): 599–604.