

## DAFTAR PUSTAKA

- Arieli, A. S. 1998. In vitro and in sacco digestibility of wheat straw treated with calcium oxide and sodium hydroxide alone or with hydrogen peroxide. *Anim. Feed. Sci.* 74:301-313.
- Astuti, M. 1981. Rancangan Percobaan dan Analisa Statistik. Bagian Pemuliaan Ternak. Fakultas Peternakan. Universitas Gadjah Mada, Yogyakarta.
- Bowman, J. G. P. and J. L. Firkins. 1993. Effects of forage spesies and particle size on bacterial cellulolytic activity and colonization in situ. *J. Anim. Sci.* 71:1623-1633.
- Cahyono, E. W. 1994. Pengaruh Pakan Serat Kasar Dari Jerami Padi Terhadap Karakteristik Biokimia Cairan Rumen Ternak Ruminansia. Tesis. Program Pasca Sarjana. UGM
- Cherney, D. J. R. J. A. Paterson and R. P. Lemenager. 1990. Influence of in situ bag rinsing technique on determination of dry matter disappearance. *J. Dairy Sci.* 73:391-397.
- Church, D. C. 1988. The Ruminant Digestive Physiology and Nutrition. A reston Book. Prentice Hall, Engewood Cliffs. New Jersey.
- Crawford, R. S., Jr. Hoover, W. H. Sniffer and C. J. Crooker. 1978. Degradation of feedstuff nitrogen in the rumen vs nitrogen solubility in three solvent. *J. Anim. Sci.* 46:1768-1775.
- Cuong, P. K., V. C. Cuong., L. V. Ly., and J. Berg. 2001. Straw yield, in sacco degradability and in vitro gas production of several rice varieties in the red river delta of Vietnam. *Proceeding-*

Workshop on Improved Utilization of By Products for Animal Feeding in Vietnam-NUFU project-3/2001.

- Dariseh, S. 1996. Pengaruh Aras Amoniasi Urea dan Penambahan *Trichoderma Reesei* Pada Jerami padi Terhadap Degradasi *In Sacco* dan Kecernaan *In Vitro*. Tesis. Program pasca Sarjana. UGM. Yogyakarta.
- De Boer, G., J.J. Murphy, and J. J. Kennely. 1986. A rapid and reliable method for measurement of in situ dry matter and protein disappearance of feedstuff. Univ. Alberta Agric. Forestry Bull. 9:18.
- Dehority, B. A., and C. G. Orpin. 1988. Development of, and natural fluctuations in, rumen microbial population. In: P. N. Hopson (Ed.) The Rumen Microbial Ecosystem. Elsevier Science Publishing, New York, pp 151-184.
- Emanuelle, S. M. and C.R. Staples. 1988. Production technical notes: Effect of forage particle size on in situ digestion kinetics. J. Dairy Sci 71:1947-1954.
- Foster, R. J., D. G. Grieve, J. G. B. Smith, and G. K. Me Cheud. 1983. Effect of dietary protein degradability on cows in early lactation. J. Dairy Sci. 66:1653-1658.
- Ffoulkes, D. 1986. Maximising the effective measurement of digestibility in sacco. In: Forages in South East Asian and South Pacific Agriculture. ACIAR proceedings Series No. 12 Canberra. 124-127.
- Haryanto, B; Yulistiyani, D; Kuswandi. 1998. Variasi Degradasi In Sacco : Pengaruh kantong dan proses inkubasi. Lokakarya Standardisasi Pengukuran Degradasi In Sacco di Indonesia. 9 Desember 1998. Yogyakarta.

- Huntington, J. A. and D. I. Givens. 1995. The in situ technique for studying the rumen degradation of feed : a review of procedure. Nutrition abstracts and reviews (series B) 65,2:63-78.
- Ichinole, T., T. Tamura, T. Ngwe, T. Marooka, M. Ikubo and Y. Asahida. 1989. Change in particle size distribution of rumen digesta with time after feeding in sheep given hay once daily asiatiwue. J. Anim. Sci 2:370-371.
- Indriati, V. 2001. Transit Partikel Pakan Tunggal Glirisidia, Kaliandra Dan Jerami Jagung Di Saluran Pencernaan Sapi Peranakan Ongole Dan Kerbau. Tesis. UGM
- INRA, 1988. Alimentation des Bovins, Ovins et Caprins. Ed. R. Jarrige. Paris. 417p.
- Istingaroh, M. 2001. Pengaruh Kadar Air dan Lama Peram Dalam Fermentasi Jerami Jagung Dengan Aditif Probiotik-Urea Terhadap Degradasi *In Sacco* Bahan Kering Dan Bahan Organik Pada Sapi Peranakan Ongole. Skripsi. Fakultas peternakan. UGM. Yogyakarta.
- Komar, A. 1984. Teknologi Pengolahan Jerami Sebagai Makanan Ternak. Yayasan Dhian Grahita, Bandung.
- Kuntarti, J. S, 1995. Nilai Degradasi In Sacco jerami padi Amoniasi Dengan Aras Urea Yang Berbeda. Skripsi. Fakultas peternakan, UGM. Yogyakarta.
- Kustantinah, Z. Bahrudin dan H. Hartadi. 1993. Evaluasi pakan berserat pada ruminansia. Forum Komunikasi Hasil Penelitian Bidang Peternakan. Direktorat Pembinaan Penelitian dan Pengabdian pada Masyarakat. Dept. Pendidikan dan Kebudayaan, Yogyakarta. 1-24.

- Kustantinah., M. Soejono., dan H.Hartadi. 1994. Efek Modifikasi Fraksi Nitrogen Karena Pemanasan Terhadap Degradasinya di Dalam Rumen. Laporan Penelitian. Lembaga Penelitian UGM.
- Lindberg, J. E. 1985. Estimation of rumen degradability of feed proteins with the *in sacco* technique and various *in vitro* methods: A review. *Acta Agric. Scand. Suppl.* 25:64-97.
- Makkar, H. P. S. (tanpa tahun). Recommendation for quality control of *in sacco* nylon bag technique. Animal Production and Health Section IAEA. Vienna. <http://www.iaea.or.at/progammes/nafa/d3/crp/pubd31022nylonbags.pdf>.
- Matsumoto, M., T. Kobayashi., H. Itabashi., E. R. Orskov. 1995. Investigation of protection of soybean meal and amino acids from rumen degradation with whole blood treatment. *J. Anim. Feed. Sci. Tech.* 56:37-43.
- Me. Leod, M. N and D. J. Minson. 1988. Large particle breakdown by cattle eating ryegrass and alfalfa. *J. Anim. Sci.* 66:992-999
- Mehrez, A.Z. and E. R. Orskov. 1977. The use of dracon bag technique to determine rate of degradation of protein and in rumen. *J. Agric. Sci. Camb.* 88:645.
- Meyer, J. H., and R. I. Mackie. 1986. Microbiological evaluation of the intraruminal *in sacco* digestion technique. *Appl. Environ. Microbiol.* 51:622-929.
- Michalet-Doreau, B., and P. Cerneau. 1991. Influence of feedstuff particle size on *in situ* degradation of nitrogen in the rumen. *Anim. Feed Sci.* 35:69-81.
- Michalet-doreau.B., and Ould-Bah. 1992. *In vitro* and *in sacco* methods for estimation of dietary nitrogen

degradability in rumen . a review. Anim. Feed. Sci. 40:57-86.

Olubobokum, J. A., W. M. Craig., and K. R. Pond. 1990. Effects of mastication and microbial contamination on ruminal in situ forage disappearance. J. Anim. Sci. 68:3371-3381.

Orskov, E. R. 1986. Protein Nutrition in Ruminants. 3<sup>rd</sup> Ed. United State Academic Press Ltd., London.

Orskov, E. R., M. H. Jones, and I. McDonald. 1981. Degradability of protein supplement and utilization of undegraded protein by high producing dairy cows. In : Wheresign, Cole, D. J. A. (Ed), Recent Development in ruminant nutrition. Butterworths. P :17-23.

Osuji, P. O., Nsahlai, I. V., and Khalili, H. 1993. Feed Evaluation. ILCA Manual. ILCA International Livestock Centre for Africa Addis Ababa, Ethiopia. 40pp.<http://www.cgiar.org/ilri/training/span/feedman.pdf>

Robles, A. Y., R. L. Belyea., F. A. Martz and M. F. Weiss. 1980. Effect of particle size upon digestible cell wall and rate of in vitro digestion of alfalfa and orchardgrass forages. J. Anim. Sci. 51:783.

Soejono, M. 1992. Aplikasi Bioteknologi di Bidang Pakan dan Nutrisi Ternak. Buletin Peternakan, Edisi Khusus.

Soejono, M., B.P. Widyobroto., R. Utomo dan A. Agus. 1998. Pengukuran Degradasi In Sacco di Indonesia. Lokakarya Standarisasi Pengukuran Degradasi In Sacco di Indonesia. 9 Desember 1998. Yogyakarta.

Soejono, M., B. P. Widyobroto., R. Utomo dan A. Agus. 2000. Judul : Standardisasi Pengukuran Degradasi

*In Sacco* untuk Perbaikan Sistem Evaluasi Protein Ternak Ruminansia di Indonesia : 2. Aplikasi Standar Pengukuran Degradasi In Sacco di Indonesia. Laporan Hibah Bersaing.

Stern, M. D., A. Bach and S. Calsagmilia. 1997. Alternative technique for measuring nutrient digestion on ruminant. J. Anim. Sci. 75:2256-2276.

Stern, M. D., Satter, L. D. 1984. Evaluation of nitrogen solubility and dacron bag technique as method for estimating protein degradation in the rumen. J. Anim. Sci. 58:714-724.

Stritzler, N. P., T. A. Hvelplund and J. Woelstrup. 1990. The influence of the position in the rumen on dry matter disappearance from nylon bags. Acta Agric. Scand. 40:363-366.

Tampubolon, B. I. M. dan Z. Bachrudin. 1977. Pengaruh suhu dan pH terhadap aktivitas enzim selulase mikrobial selulolitik rumen kerbau terseleksi. Dalam : Buletin Peternakan. Edisi Tambahan. Fakultas peternakan UGM. Yogyakarta.

Utomo, R. 2001. Penggunaan Jerami Padi Sebagai Pakan Basal. Suplementasi Sumber Energi Dan Protein Terhadap Tansit Partikel Pakan, Sintesis Protein Mikrobial, Kecernaan dan Kinerja Sapi Potong. Disertasi. UGM

Van Soest, P. J. 1994. Nutrition Ecology of The Ruminant. 2<sup>nd</sup> Cornell University Press, USA.

Vanzant, E. S., R. C. Cochran and E. C. Titgemeyer. 1998. Standardization of in situ technique for ruminant feedstuff evaluation. J. Anim. Sci. 76:2717-2729.

- Walker, L. P., and D. B. Wilson. 1991. Enzymatic hydrolysis of cellulose: An overview. *Bioresour. Technol.* 36:3.
- Weakley, D. C., M. D. Stern and L. D. Satter. 1983. Factors affecting disappearance of feedstuffs from bags suspended in the rumen. *J. Anim. Sci.* 56 (2):493-507.
- Weakley, D. C., F. N Owens., D. G Healh and B. J.Shockey. 1977. Particle size and soya bean meal value for ruminants. *J. Anim. Sci.* 45(1):268 (Abstrack).
- Widiyati, M. 1999. Degradasi *In Sacco* Jerami Padi Fermentasi pada Kondisi Pemeraman DanAras Probiotik Berbeda. Skripsi. Fakultas Peternakan. UGM. Yogyakarta.
- Widyobroto, B. P., M. Soejono., R. Utomo., Kustantinah dan A. Agus. 1998. Pengukuran Degradasi In Sacco : Review Metodologi. Lokakarya Standardisasi Pengukuran Degradasi In Sacco di Indonesia. 9 Desember 1998. Yogyakarta.
- Widyobroto, B. P., S. Padmowijoto dan R. Utomo. 1995. Pendugaan Kualitas protein Bahan pakan (Hijauan, Limbah Pertanian dan Konsentrat) Untuk Ruminansia. Laporan Penelitian Hibah Bersaing II/2. Perguruan Tinggi Tahun Anggaran 1994/1995. Fakultas Peternakan, UGM, Yogyakarta.
- Wilkerson, V. A., T. J. Klopfenstein, and W. W. Stroup. 1995. A collaborative study of in situ forage protein degradation. *J. Anim Sci.* 73:583-588.
- Yammuen, M. S. 1993. Evaluation of Net Energy and Digestibility of Rice Straw in Dairy Cattle and Sheep. Thesis. <http://www.chiangmai.ac.th/abstract1993/Abstract/agi/abstract/agi980149htm>.