

DAFTAR PUSTAKA

- Adan, A., Alizada, G., Kiraz, Y., Baran, Y., Nalbant, A., Baran, Y. & Nalbant, A. 2017. Flow cytometry: basic principles and applications. *Crit Rev Biotechnol*, 37(2): 163–176.
- Ahmed, R., Antia, R., Murali-Krishna, K., Becker, T.C., Ma, A. & Boone, D. 2002. Interleukin 15 Is Required for Proliferative Renewal of Virus-specific Memory CD8 T Cells. *J. Exp. Med.*, 195(12): 1541–1548.
- Annison, L. & Dompree, A. 2013. The Immunological Response of HIV-Positive Patients Initiating HAART at the Komfo Anokye Teaching Hospital, Kumasi, Ghana. *Ghana Med J*, 47(4).
- Asfaw, A., Ali, D., Eticha, T., Alemayehu, A., Alemayehu, M. & Kindeya, F. 2015. CD4 cell count trends after commencement of antiretroviral therapy among HIV-infected patients in Tigray, Northern Ethiopia: A retrospective cross-sectional study. *PLoS One*, 10(3): 1–9.
- Baggaley, R.F., White, R.G. & Boily, M.C. 2010. HIV transmission risk through anal intercourse: Systematic review, meta-analysis and implications for HIV prevention. *Int J Epidemiol*, 39(4): 1048–1063.
- Bernal, E., Serrano, J., Perez, A., Valero, S., Garcia, E. & Marín, I. 2014. The CD4:CD8 ratio is associated with IMT progression in HIV-infected patients on antiretroviral treatment. *J Int AIDS Soc*, 17(November): 19723. <http://doi.wiley.com/10.7448/IAS.17.4.19723>.
- Calles, N.R., Desiree, E. & Terlonge, D. 2010. Pathophysiology of the human immunodeficiency virus. *Baylor Pediatr. Int. AIDS Initiat.*, (Jan 28): 7–14. <http://www.bipai.org/Curriculums/HIV-Curriculum/Pathophysiology-of-HIV.aspx>.
- Cao, W., Mehraj, V., Kaufmann, D.E., Li, T. & Routy, J.P. 2016. Elevation and persistence of CD8 T-cells in HIV infection: The Achilles heel in the ART era. *J Int AIDS Soc*, 19(1): 1–9.
- Corbeau, P. & Reynes, J. 2018. Immune reconstitution under antiretroviral therapy: the new challenge in HIV-1 infection. *Blood*, 117(21): 5582–5591.
- Corbeau, P. & Reynes, J. 2011. Immune reconstitution under antiretroviral therapy: The new challenge in HIV-1 infection. *Blood*, 117(21): 5582–5590.
- Cummins, N.W. & Badley, A.D. 2010. Mechanisms of HIV-associated lymphocyte apoptosis: 2010. *Cell Death Dis*, 1(11): e99-9. <http://dx.doi.org/10.1038/cddis.2010.77>.
- Engelman, A. & Cherepanov, P. 2013. The structural biology of HIV-1: mechanistic and therapeutic insights. *Nat Rev Microbiol*, 10(4): 279–290.
- Fanale-Belasio, E., Raimondo, M., Suligoi, B. & Butto, S. 2010. HIV virology and pathogenetic mechanisms of infection: a brief overview. *Ann Ist Super Sanità*, 46(1): 5–14.
- Fettig, J., Swaminathan, M., Murrill, C.S., Kaplan, J.E., Branch, S.I. & Branch, T. 2016. Global Epidemiology of HIV. *Infect Dis Clin North Am*, 28(3): 323–337.
- Froebel, K., Raab, G.M., Alessandro, C.D., Armitage, M.P., Mackenzie, K.M., Struthers, M., Whitelaw, J.M. & Yang, S. 2000. A single measurement of

- CD38CD8 cells in HIV 1 , long-term surviving injecting drug users distinguishes those who will progress to AIDS from those who will remain stable. *Clin Exp Immunol*, 122: 72–78.
- German Advisory Committee Blood. 2016. Human Immunodeficiency Virus (HIV). *Transfus Med Hemother*, 43: 203–222.
- Gojak, R., Had'iosmanovic, V., Baljic, R., Zecevic, L., Coric, J. & Mijailovic, Z. 2019. CD4/CD8 Ratio as a Predictor for the Occurrence of Metabolic Syndrome in HIV/AIDS Patients during 6 Months of cART Therapy. *J Med Biochem*, 38: 1–7.
- Grivel, J., Iglehart, S.J., Vanpouille, C., Lisco, A., Sieg, S.F. & Debernardo, R. 2007. Abnormal activation and cytokine spectra in lymph nodes of people chronically infected with HIV-1. *Blood*, 109(10): 4272–4279.
- Han, W.M., Apornpong, T., Kerr, S.J., Hiransuthikul, A., Gatechompol, S. & Do, T. 2018. CD4 / CD8 ratio normalization rates and low ratio as prognostic marker for non - AIDS defining events among long - term virologically suppressed people living with HIV. *AIDS Res Ther*: 1–9. <https://doi.org/10.1186/s12981-018-0200-4>.
- Hattab, S., Guihot, A., Guiguet, M., Fourati, S., Carcelain, G., Caby, F., Marcelin, A.-G., Autran, B., Costagliola, D. & Katlama, C. 2014. Comparative impact of antiretroviral drugs on markers of inflammation and immune activation during the first two years of effective therapy for HIV-1 infection: an observational study. *BMC Infect Dis*, 14(122).
- Ilovi, C.S. 2011. Correlation of WHO clinical staging with CD4 counts in adult HIV/AIDS patients at KNH. *East African Med j*, 88(2): 65–70.
- Intansari, U.S., Dewi, Y.P., Juffrie, M., Soesatyo, M.H., Subronto, Y.W. & Mulyono, B. 2016. Virological and Immunological Response to Anti-Retroviral Treatment in HIV-Infected Patients. *IJCPLM*, 23(1): 67–73.
- Jiang, W., Kang, L., Lu, H., Pan, X., Lin, Q., Pan, Q., Xue, Y. & Weng, X. 2004. Normal Values for CD4 and CD8 Lymphocyte Subsets in Healthy Chinese Adults from Shanghai. *Clin Diagn Lab Immunol*, 11(4): 811–813.
- Kementrian Kesehatan RI. 2017. *Estimasi dan Proyeksi HIV/AIDS di Indonesia Tahun 2015-2020*.
- Kementrian Kesehatan RI. 2018. *Laporan Perkembangan HIV-AIDS & Penyakit Infeksi Menular Seksual (IMS) Triwulan IV tahun 2017*.
- Kementrian Kesehatan RI. 2014. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 87 Tahun 2014 tentang Pedoman Pengobatan Antiretroviral*.
- Khaitan, A. & Unutmaz, D. 2011. Revisiting Immune Exhaustion During HIV Infection. *Curr HIV/AIDS Rep*, 8(December 2010): 4–11.
- Kun, L., Xiao, H. & Michael F., S. 2012. Structural Determinants and Mechanism of HIV-1 Genome Packaging. *J Mol Biol*, 410(4). <http://spiedigitallibrary.org/proceeding.aspx?doi=10.1117/12.656518>.
- Lawn, S.D., Butera, S.T. & Folks, T.M. 2001. Contribution of Immune Activation to the Pathogenesis and Transmission of Human Immunodeficiency Virus Type 1 Infection. *Clin Microbiol Rev*, 14(4): 753–777.
- Lee, S.S., Wong, N.S., Wong, B.C.K., Wong, K.H. & Chan, K.C.W. 2017.

- Combining CD4 recovery and CD4: CD8 ratio restoration as an indicator for evaluating the outcome of continued antiretroviral therapy: an observational cohort study. *BMJ Open*, 7(9): e016886. <http://www.ncbi.nlm.nih.gov/pubmed/28918411>.
- Leung, V., Gillis, J., Raboud, J., Cooper, C., Hogg, R.S. & Loutfy, M.R. 2013. Predictors of CD4:CD8 ratio normalization and its effect on health outcomes in the era of combination antiretroviral therapy. *PLoS One*, 8(10).
- Lu, W., Mehraj, V., Vyboh, K., Cao, W., Li, T. & Routy, J.P. 2015. CD4:CD8 ratio as a frontier marker for clinical outcome, immune dysfunction and viral reservoir size in virologically suppressed HIV-positive patients. *J Int AIDS Soc*, 18(1).
- Maartens, G., Celum, C. & Lewin, S.R. 2014. HIV infection: Epidemiology, pathogenesis, treatment, and prevention. *Lancet*, 384(9939): 258–271. [http://dx.doi.org/10.1016/S0140-6736\(14\)60164-1](http://dx.doi.org/10.1016/S0140-6736(14)60164-1).
- Madiyono, B., Moeslichan, S.M., Sastroasmoro, S., Budiman, I. & Purwanto, S.H. 2014. Perkiraan Besar Sampel. In *Dasar-dasar Metodologi Penelitian Klinis Edisi ke-5*. 363–381.
- Mehandru, S., Poles, M.A., Tenner-Racz, K., Jean-Pierre, P., Manuelli, V. & Lopez, P. 2006. Lack of mucosal immune reconstitution during prolonged treatment of acute and early HIV-1 infection. *PLoS Med.*, 3(12): 2335–2348.
- Menzio, M., Zona, S., Santoro, A., Carli, F., Stentarelli, C., Mussini, C. & Guaraldi, G. 2014. CD4/CD8 ratio is not predictive of multi-morbidity prevalence in HIV-infected patients but identify patients with higher CVD risk. *J Int AIDS Soc*, 17(November): 19709. <http://doi.wiley.com/10.7448/IAS.17.4.19709>.
- Merci, N.M., Emerence, U., Augustin, N., Habtu, M., Julie, I., Angelique, T., Jessica, B., Cynthia, A. & Penda, A.T. 2017. CD4+ cells recovery in HIV positive patients with severe immunosuppression at HAART initiation at Centre Medico-Social Cor-Unum, Kigali. , 8688: 1–10.
- Misgena, D.K. 2011. The pattern of immunologic and virologic responses to Highly Active Antiretroviral Treatment (HAART): Does success bring further challenges ? *Ethiop. J. Heal. Dev*, 25(1): 61–70.
- Morgan, G.A., Gliner, J.A. & Harmon, R.J. 2000. Quasi-Experimental Designs. *J Am Acad Child Adolesc*, 39(6): 794–796. <http://dx.doi.org/10.1097/00004583-200006000-00020>.
- Mudd, J.C. & Lederman, M.M. 2014. CD8 T cell persistence in treated HIV infection. *Curr Opin HIV AIDS*, 9(5): 500–505.
- Munier, M.L. & Kelleher, A.D. 2007. Acutely dysregulated, chronically disabled by the enemy within: T-cell responses to HIV-1 infection. *Immunol Cell Biol*, 85(1): 6–15.
- Musumeci, D., Riccardi, C. & Montesarchio, D. 2015. G-Quadruplex forming oligonucleotides as Anti-HIV agents. *Molecules*, 20(9): 17511–17532.
- Naif, H.M. 2013. Pathogenesis of HIV infection HIV primary infection. *Infect Dis Rep*, 5.
- Ostrowski, S.R. 2010. Immune activation in chronic HIV infection. *Dan Med Bull*, 57(3).

- Paranjape, R.S. 2005. Immunopathogenesis of HIV infection. *Indian J Med Res*, 121: 240–255.
- Pilch-Cooper, H.A., Asaad, R., Debernardo, R., Mudd, J., Sieg, S. & Rabin, R.L. 2013. Interferon- α Is the Primary Plasma Type-I IFN in HIV-1 Infection and Correlates with Immune Activation and Disease Markers. *PLoS One*, 8(2): e56527.
- Plunkett, F.J., Franzese, O., Finney, H.M., Fletcher, M., Belaramani, L.L. & Salmon, M. 2007. The Loss of Telomerase Activity in Highly Differentiated CD8 + CD28 – CD27 – T Cells Is Associated with Decreased Akt (Ser 473) Phosphorylation. *J Immunol*, 178: 7710–7719.
- Ramana, K. V. 2014. Effect of Highly Active Antiretroviral Therapy (HAART) on Human Immunodeficiency Virus Disease Pathogenesis and Progression. *Am J Public Heal Res*, 2(3): 68–74. <http://pubs.sciepub.com/ajphr/2/3/1/index.html>.
- Ray, K., Gupta, S.M., Bala, M., Muralidhar, S. & Kumar, J. 2006. CD4 / CD8 lymphocyte counts in healthy , HIV-positive individuals & AIDS patients. *Indian J Med Res*, 124(October).
- Rehr, M., Cahenzli, J., Haas, A., Price, D.A., Gostick, E., Huber, M., Karrer, U. & Oxenius, A. 2008. Emergence of Polyfunctional CD8+ T Cells after Prolonged Suppression of Human Immunodeficiency Virus Replication by Antiretroviral Therapy. *J Virol*, 82(7): 3391–3404. <http://jvi.asm.org/cgi/doi/10.1128/JVI.02383-07>.
- Salvador-Guillouët, D.F., Sakarovitch, C., Durant, J., Risso, K., Demonchy, E. & Roger, P.M. 2015. Antiretroviral regimens and CD4/CD8 ratio normalization in HIV-infected patients during the initial year of treatment: A cohort study. *PLoS One*, 10(10): 1–12.
- Saracino, A., Bruno, G., Scudeller, L., Volpe, A., Caricato, P. & Ladisa, N. 2014. Chronic Inflammation in a Long-Term Cohort of HIV-Infected Patients According to the Normalization of the CD4:CD8 Ratio. *AIDS Res Hum Retroviruses*, 30(12): 1178–1184. <http://online.liebertpub.com/doi/abs/10.1089/aid.2014.0080>.
- Sereti, I. & Altfeld, M. 2016. Immune activation and HIV: An enduring relationship. *Curr. Opin. HIV AIDS*, 11(2): 129–130.
- Serrano-Villar, S., Gutiérrez, C., Vallejo, A., Hernández-Novoa, B., Díaz, L. & Abad Fernández, M. 2013. The CD4/CD8 ratio in HIV-infected subjects is independently associated with T-cell activation despite long-term viral suppression. *J Infect*, 66(1): 57–66.
- Serrano-Villar, S., Moreno, S., Fuentes-Ferrer, M., Sánchez-Marcos, C., Ávila, M. & Sainz, T. 2014. The CD4: CD8 ratio is associated with markers of age-associated disease in virally suppressed HIV-infected patients with immunological recovery. *HIV Med.*, 15(1): 40–49.
- Serrano-Villar, S., Perez-Elias, M.J., Dronda, F., Casado, J.L., Moreno, A. & Royuela, A. 2014. Increased risk of serious non-AIDS-related events in HIV-infected subjects on antiretroviral therapy associated with a low CD4/CD8 ratio. *PLoS One*, 9(1).
- Serrano-Villar, S., Sainz, T., Lee, S.A., Hunt, P.W., Sinclair, E. & Shacklett, B.L.

2014. HIV-Infected Individuals with Low CD4/CD8 Ratio despite Effective Antiretroviral Therapy Exhibit Altered T Cell Subsets, Heightened CD8+ T Cell Activation, and Increased Risk of Non-AIDS Morbidity and Mortality. *PLoS Pathog.*, 10(5).
- Shive, C.L., Mudd, J.C., Funderburg, N.T., Sieg, S.F., Kyi, B. & Bazdar, D.A. 2014. Inflammatory cytokines drive CD4+ t-cell cycling and impaired responsiveness to interleukin 7: Implications for immune failure in HIV disease. *J. Infect. Dis.*, 210(4): 619–629.
- Thornhill, J., Inshaw, J., Kaleebu, P., Cooper, D., Ramjee, G. & Schechter, M. 2016. Enhanced Normalization of CD4/CD8 Ratio with Earlier Antiretroviral Therapy at Primary HIV Infection. *J Acquir Immune Defic Syndr*, 73(1): 69–73.
- UNAIDS. 2016. Global AIDS Update 2016. *World Heal. Organ.*, (March): 422. http://www.unaids.org/sites/default/files/media_asset/UNAIDS_Gap_report_en.pdf.
- Valiathan, R., Deeb, K., Diamante, M., Ashman, M., Sachdeva, N. & Asthana, D. 2014. Immunobiology Reference ranges of lymphocyte subsets in healthy adults and adolescents with special mention of T cell maturation subsets in adults of South Florida. *J Immunobiol*, 219(7): 487–496. <http://dx.doi.org/10.1016/j.imbio.2014.02.010>.
- Vijayan, K.K.V., Karthigeyan, K.P., Tripathi, S.P. & Hanna, L.E. 2017. Pathophysiology of CD4 + T-Cell Depletion in Hiv-1 and Hiv-2 infections. *Front Immunol*, 8(580): 1–8.
- WHO. 2018. *WHO HIV Update: Global Epidemic Progress in Scale Up and Policy Uptake*. https://www.who.int/hiv/data/2017_global_summary_web_v11.pptx?ua=1.
- Yan, H., Yang, H., Li, J., Wei, C., Xu, J., Liu, X., Xu, X. & McFarland, W. 2014. Emerging Disparity in HIV/AIDS Disease Progression and Mortality for Men Who Have Sex with Men, Jiangsu Province, China. *AIDS Behav*, 18(01): 1–14.