

## DAFTAR PUSTAKA

- Abbasi, A., Verma, S. & Jm, K. 2014. Anemia of Chronic Kidney Disease. *Austin J Clin Med*, 1(2): 1–8.
- Afshar, R., Sanavi, S., Salimi, J. & Ahmadzadeh, M. 2010. Hematological Profile of Chronic Kidney Disease ( CKD ) Patients in Iran , in Pre-dialysis Stages and after Initiation of Hemodialysis. *Saudi J Kidney Dis Transpl*, 21(2): 368–371.
- Agarwal, R. 2017. Iron deficiency anemia in chronic kidney disease: Uncertainties and cautions. *Hemodial Int*, 21: S78–S82.
- Akchurin, O.M. & Kaskel, F. 2015. Update on Inflammation in Chronic Kidney Disease. *Blood purif*, 39: 84–92.
- Alves, M.T., Vilaça, S.S., Carvalho, M. das G., Fernandes, A.P., Dusse, L.M.S. & Gomes, K.B. 2015. Resistance of dialyzed patients to erythropoietin. *Rev bras hematol hemoter*, 37(3): 190–197.
- Anders, H.-J., Andersen, K. & Stecher, B. 2013. The intestinal microbiota, a leaky gut, and abnormal immunity in kidney disease. *Kidney Int*, 83(6): 1010–1016.
- Andrews, N.C. 1999. Disorders of Iron Metabolism. *N Engl J Med*, 341(26): 1986–1995.
- Babitt, J.L. & Lin, H.Y. 2012. Mechanisms of Anemia in CKD. *J Am Soc Nephrol*, 23(3): 1631–1634.
- Bailie, G.R., Larkina, M., Goodkin, D.A., Li, Y., Pisoni, R.L., Bieber, B., Mason, N., Tong, L., Locatelli, F., Marshall, M.R., Inaba, M. & Robinson, B.M. 2014. Data from the Dialysis Outcomes and Practice Patterns Study validate an association between high intravenous iron doses and mortality. *Kidney Int*: 1–7.
- Balitbankes RI. 2013. *Riset Kesehatan Dasar*. Jakarta.
- Barbieri, J., Fontela, P.C., Winkelmann, E.R., Eloise, C., Zimmermann, P., Sandri, Y.P., Kerber, E., Mallet, V. & Frizzo, M.N. 2015. Anemia in Patients with Type 2 Diabetes Mellitus. *Anemia*: 1–7.
- Bermejo, F. & García-López, S. 2009. A guide to diagnosis of iron deficiency and iron deficiency anemia in digestive diseases. *World J Gastroenterol*, 15(37): 4638–4643.
- Besarab, A., Horl, W.H. & Silverberg, D. 2009. Iron Metabolism, Iron Deficiency, Thrombocytosis, and the Cardiorenal Anemia Syndrome. *Oncologist*, 14(1): 22–33.
- Boccardo, P., Remuzzi, G. & Galbusera, M. 2004. Platelet dysfunction in renal failure. *Semin Thromb Hemost*, 30(5): 579–589.
- Bovy, C., Gothot, A., Delanaye, P., Warling, X., Krzesinski, J.M. & Beguin, Y. 2007. Mature erythrocyte parameters as new markers of functional iron deficiency in haemodialysis: Sensitivity and specificity. *Nephrol Dial Transplant*, 22(4): 1156–1162.
- Braun, J., Lindner, K., Schreiber, M., Heidler, R.A. & Ho, W.H. 1997. Percentage of hypochromic red blood cells as predictor of erythropoietic and iron response after i.v. iron supplementation in maintenance haemodialysis

- patients. *Nephrol Dial Transplant*, 12: 1173–1181.
- Brugnara, C. 2003. Iron Deficiency and Erythropoiesis: New Diagnostic Approaches. *Clin Chem*, 49(10): 1573–1578.
- Buffet, L. 2012. Chronic Kidney Disease and Hypertension: A Destructive Combination. *Nephrol*, 37(6): 26–29.
- Buhlin, K., Bárány, P., Heimbürger, O., Stenvinkel, P. & Gustafsson, A. 2007. Oral health and pro-inflammatory status in end-stage renal disease patients. *Oral Health Prev Dent*, 5(3): 235–44.
- Buren, P.N. Van & Inrig, J.K. 2012. Hypertension and hemodialysis: pathophysiology and outcomes in adult and pediatric populations. *Pediatr Nephrol*, 27(3): 339–350.
- Burmeister, J.E., Mosmann, C.B., Bau, R. & Rosito, G.A. 2012. Prevalence of diabetes mellitus in chronic kidney patients on hemodialysis in Porto Alegre, Brazil. *J Bras Nefrol*, 34(2): 117–121.
- Buttarelo, M., Pajola, R., Novello, E., Rebeschini, M., Cantaro, S., Oliosi, F., Naso, A. & Plebani, M. 2010. Diagnosis of iron deficiency in patients undergoing hemodialysis. *Am J Clin Pathol*, 133(6): 949–954.
- Chung, M., Moorthy, D., Hadar, N., Ratichek, S.J., Salvi, P., Lovin, R.C. & Lau, J. 2012. Biomarkers for Assessing and Managing Iron Deficiency Anemia in Late-Stage Chronic Kidney Disease. *AHQOR*, 33(83): 1–72.
- Chutia, H., Ruram, A.A., Bhattacharyya, H., Boruah, P. & Nath, C. 2013. Association of Secondary Hyperparathyroidism with Hemoglobin Level in Patients with Chronic Kidney Disease. *J Lab Physicians*, 5(1): 51–54.
- Coyne, D.W., Goldsmith, D. & Macdougall, I.C. 2017. New options for the anemia of chronic kidney disease. *Kidney Int Suppl*, 7(3): 157–163.
- Dahlan, S. 2010. *Besar Sampel Dan Cara Pengambilan Sampel*. 3rd ed. Jakarta: Salemba Medika.
- Dignass, A., Farrag, K. & Stein, J. 2018. Limitations of Serum Ferritin in Diagnosing Iron Deficiency in Inflammatory Conditions. *Int J Chronic Dis*: 1–11.
- Eckardt, K.U. 2010. Chronic kidney disease: Are elevated doses of ESAs associated with adverse outcomes? *Nat Rev Nephrol*, 6(10): 566–568.
- Fernandez, Y.M. 2015. *Reticulocyte Hemoglobin Equivalent (Ret He) sebagai Uji Skrining Defisiensi Besi Pada Pasien Hemodialisis*. FK UGM.
- Fervers, B., Carretier, J. & Bataillard, A. 2002. Clinical Practice Guidelines For Chronic Kidney Disease: Evaluation, Classification and Stratification. *Am J Kidney*, 39(1): S1–S266.
- Fishbane, S., Galgano, C., Langley, R.C., Canfield, W. & Majsic, J.K. 1997. Reticulocyte hemoglobin content in the evaluation of iron status of hemodialysis patients. *Kidney Int*, 52: 217–222.
- Fishbane, S., Mathew, A. & Vaziri, N.D. 2013. Iron toxicity: relevance for dialysis patients. *Nephrol Dial Transplant*: 1–6.
- Fishbane, S., Pollack, S., Feldman, H.I. & Joffe, M.M. 2009. Iron Indices in Chronic Kidney Disease in the National Health and Nutritional Examination Survey 1988–2004. *Clin J Am Soc Nephrol*, 4(1): 57–61.
- Francisco, A.L.M., Stenvinkel, P. & Vaulont, S. 2009. Inflammation and its

- impact on anaemia in chronic kidney disease: from haemoglobin variability to hyporesponsiveness. *NDT Plus*, 2(1): i18–i26.
- G Patil, R., G Bhosle, D. & Hakim Malik, R.A. 2016. Vitamin B12 Deficiency In Chronic Kidney Disease. *IOSR-JDMS*, 15(9): 22–25.
- Haryani, I.E. 2013. *Analisis Biaya Rawat Jalan Hemodialisis Dan Peritoneal Dialisis Mandiri Berkesinambungan Pada Peserta Askes di PT ASKES (PERSERO) Divisi Regional VI*. FK UGM.
- Hayat, A. 2010. Safety Issues With Intravenous Iron Products in the Management of Anemia in Chronic Kidney Disease. *Clin Med Res*, 6(3): 93–102.
- Hill, N.R., Fatoba, S.T., Oke, J.L., Hirst, J.A., O’Callaghan, C.A., Lasserson, D.S. & Hobbs, F.D.R. 2016. Global Prevalence of Chronic Kidney Disease - A Systematic Review and Meta-Analysis. *PloS one*, 11(7): 1–18.
- Hsu, C.-Y., Bates, D.W., Kuperman, G.J. & Curhan, G.C. 2001. Relationship between hematocrit and renal function in men and women. *Kidney Int*, 59(2): 725–731.
- Ingale, S. V., Ullewar, M.P., Ingale, V.C. & Upadhye, J.J. 2017. Evaluation of Anaemia. *Int J Med Sci*, 5(10): 4481–4485.
- IRR. 2017. *10th Report Of Indonesian Renal Registry*. Jakarta.
- Jelkmann, W. 2011. Regulation of erythropoietin production. *J Physiol*, 6: 1251–1258.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., Saran, R., Wang, A.Y.M. & Yang, C.W. 2013. Chronic kidney disease: Global dimension and perspectives. *The Lancet*, 382(9888): 260–272.
- Kaze, F.F., Kengne, A., Mambap, A.T., Halle, M., Mbanya, D. & Ashuntantang, G. 2015. Anemia in patients on chronic hemodialysis in Cameroon: prevalence , characteristics and management in low resources setting. *Afr Health Sci*, 15(1): 253–260.
- KDIGO. 2012. KDIGO clinical practice guidelines for anemia chronic kidney injury. *J Int Soc Nephrol*, 2(4): 279–335.
- KDIGO. 2006. Updates Clinical Practice Guidelines and Recommendations. *Am J Kidney*, 6: 11–117.
- KDOQI. 2007. KDOQI Clinical Practice Guideline and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease: 2007 Update of Hemoglobin Target. *Am J Kidney Dis*, 50(3): 471–530.
- KDOQI. 2006. KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease. *Am J Kidney Dis*, 47(5): S11–S81.
- Kelly, A.U., McSorley, S.T., Patel, P. & Talwar, D. 2017. Interpreting iron studies. *BMJ*, 2513: 1–6.
- Kovesdy, C. 2018. Pathogenesis, consequences, and treatment of metabolic acidosis in chronic kidney disease. *Uptodate*, 19: 1–16.
- Kumar, S., Dubey, N. & Khare, R. 2017. Study of serum transferrin and serum ferritin during pregnancy and their correlation with pregnancy outcome. *Int J Med Sci Pub Health*, 6(1): 118–122.
- Kuo, K., Hung, S., Tseng, W., Tsai, M., Liu, J., Lin, M., Hsu, C., Tarng, D., Ou, S., Yang, C., Lin, Y., Lin, Y., Hung, S. & Hung, T. 2018. Association of

- Anemia and Iron Parameters With Mortality Among Patients Undergoing Prevalent Hemodialysis in Taiwan: The AIM- HD Study. *J Am Heart Assoc*, 7(15): 1–14.
- Lankhorst, C.E. & Wish, J.B. 2010. Anemia in renal disease : Diagnosis and management. *Blood Rev*, 24: 39–47.
- Lehner, J., Greve, B. & Cassens, U. 2007. Automation in Hematology. *Transfus Med Hemother*, 34: 328–339.
- Liu, M., Li, X.-C., Lu, L., Cao, Y., Sun, R.-R., Chen, S. & Zhang, P.-Y. 2014. Cardiovascular disease and its relationship with chronic kidney disease. *Eu rev med pharmacol sci*, 18(19): 2918–26.
- Locatelli, F., Aljama, P. & Barany, P. 2004. Revised European In Best Practice Guidelines for the Management of Anaemia in Patients with Chronic Renal Failure. *Nephrol Dial Transplant*, 19(2): ii39-ii41.
- Lopez, A., Cacoub, P., Macdougall, I.C. & Peyrin-Biroulet, L. 2016. Iron deficiency anaemia. *The Lancet*, 387: 907–916.
- MacDougall, I.C. 2001. Role of uremic toxins in exacerbating anemia in renal failure. *Kidney Int*, 59(78): S67–S72.
- MacDougall, I.C., Cavill, I., Hulme, B., Bain, B., McGregor, E., McKay, P., Sanders, E., Coles, G.A. & Williams, J.D. 1992. Detection of functional iron deficiency during erythropoietin treatment: a new approach. *Br Med J*, 304: 225–226.
- Macdougall, I.C., Malyszko, J., Hider, R.C. & Bansal, S.S. 2010. Current status of the measurement of blood hepcidin levels in chronic kidney disease. *Clin J Am Soc Nephrol*, 5(9): 1681–1689.
- Malyszko, J. & Mysliwiec, M. 2007. Heparin in anemia and inflammation in chronic kidney disease. *Kidney Blood Press Res*, 30(1): 15–30.
- McKie, A.T., Barrow, D., Latunde-Dada, G.O., Rolfs, A., Sager, G., Mudaly, E., Mudaly, M., Richardson, C., Barlow, D., Bomford, A., Peters, T.J., Raja, K.B., Shirali, S., Hediger, M.A., Farzaneh, F. & Simpson, R.J. 2001. An iron-regulated ferric reductase associated with the absorption of dietary iron. *Science*, 291(5509): 1755–1759.
- Mills, K.T., Xu, Y., Zhang, W., Bundy, J.D., Chen, C.S., Kelly, T.N., Chen, J. & He, J. 2015. A systematic analysis of worldwide population-based data on the global burden of chronic kidney disease in 2010. *Kidney Int*, 88(5): 950–957.
- Mudi, A., Paed, C.N., Levy, C., Bch, M.B. & Paed, C.N. 2018. Traditional red cell indices are not suggestive of iron deficiency in children with chronic kidney disease. *SAJCH*, 12(3): 121–126.
- Nareddy, V.A., Varun, M.S. & Nagabushana, M. V. 2018. Incidence of iron deficiency anaemia and it ' s early detection in patients with hypoproliferative anaemia presentation in a tertiary care hospital. *Int J Adv Med*, 5(4): 828–831.
- Nassar, G.M. 2013. Preventing and Treating Inflammation: Role of Dialysis Access Management. *Semin Dialysis*, 26(1): 28–30.
- Neugarten, J. & Golestaneh, L. 2013. Gender and the Prevalence and Progression of Renal Disease. *Adv Chronic Kidney Dis*, 20(5): 390–395.

- NICE. 2015. Anaemia Management in Chronic Kidney Disease. *NCGC*: 19–21.
- NKF. 2002. KDOQI Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification. *Am J Kidney Dis*, 39(2): S1-266.
- Nurko, S. 2006. Anemia in chronic kidney disease: causes, diagnosis, treatment. *Cleve Clin J Med*, 73(3): 289–297.
- PERNEFRI. 2011. *Konsensus manajemen anemia pada penyakit ginjal kronik*. Jakarta.
- Peters, N.O., Jay, N., Cridlig, J., Rostoker, G. & Frimat, L. 2017. Targets for adapting intravenous iron dose in hemodialysis : a proof of concept study. *BMC Nephrol*, 18(97): 1–8.
- Prodjosudjadi, W., Suhardjono, Suwitra, K., Pranawa, Widiana, I.G.R., Loekman, J.S., Nainggolan, G., Prasanto, H., Wijayanti, Y., Dharmeizar, Sja'Bani, M., Nasution, M.Y., Basuki, W., Aditiawardana, Harris, D.C. & Pugsley, D.J. 2009. Detection and prevention of chronic kidney disease in Indonesia: Initial community screening. *NEP*, 14(7): 669–674.
- Pujara, K., Bhalara, R. & Dhruva, G. 2014. A study of bone marrow iron storage in hematological disorder. *Int J Health Allied Sci*, 3(4): 221.
- Rafi, A., Karkar, A. & Abdelrahman, M. 2007. Monitoring Iron status in End-Stage Renal Disease Patients on Hemodialysis. *Saudi J Kidney Dis Transplant*, 18(1): 73–78.
- Ramanathan, G., Olynyk, J.K. & Ferrari, P. 2017. Diagnosing and preventing iron overload. *Hemodial Int*, 21: S58–S67.
- Rocco, M. V, Bedinger, M.R., Milam, R., Greer, J.W., McClellan, W.M. & Frankenfield, D.L. 2001. Duration of Dialysis and Its Relationship to Dialysis Adequacy, Anemia Management, and Serum Albumin Level. *Am J Kidney Dis*, 38(4): 813–823.
- Rostoker, G., Vaziri, N.D. & Fishbane, S. 2016. Iatrogenic Iron Overload in Dialysis Patients at the Beginning of the 21st Century. *Drugs*, 76(7): 741–757.
- Ruospo, M., Palmer, S.C., Craig, J.C., Gentile, G., Johnson, D.W., Ford, P.J., Tonelli, M., Petruzzi, M., De Benedittis, M. & Strippoli, G.F.M. 2014. Prevalence and severity of oral disease in adults with chronic kidney disease: a systematic review of observational studies. *Nephrol Dial Transplant*, 29(2): 364–375.
- Safari, S., Baratloo, A., Elfil, M. & Negida, A. 2016. Evidence Based Emergency Medicine ; Part 5 Receiver Op- erating Curve and Area under the Curve. *Emergency*, 4(2): 111–113.
- Sastroasmoro, S. & Ismael, S. 2014. *Dasar-dasar Metodologi Penelitian Klinis*. 5th ed. Sagung seto.
- Sathyan, S., George, S. & Vijayan, P. 2017. Prevalence of anemia and cardiovascular diseases in chronic kidney disease patients : a single tertiary care centre study. *Int J Adv Med*, 4(1): 247–251.
- Schaefer, R.M. 1995. The hypochromic red cell: a new parameter for monitoring of iron supplementation during rhEPO therapy. *J Perinat Med*, 23(1–2): 83–88.



- Shi, K., Wang, F., Jiang, H., Liu, H., Wei, M., Wang, Z. & Xie, L. 2014. Gut Bacterial Translocation May Aggravate Microinflammation in Hemodialysis Patients. *Dig Dis Sci*, 59(9): 2109–2117.
- Siemens. 2011. *ADVIA® 120 hematology systems operator's guide*. New York: Siemens Healthcare Diagnostics Inc.
- Sikole, A. 2000. Pathogenesis of anaemia in hyperparathyroidism. *Med Hypotheses*, 54(2): 236–238.
- Silaban, B.J., Sugeng, C. & Waleleng, B.J. 2016. Gambaran status besi pada pasien penyakit ginjal kronik stadium 5 dengan anemia yang menjalani hemodialisis reguler. *eCil*, 4(2): 1–7.
- Stauffer, M.E. & Fan, T. 2014. Prevalence of anemia in chronic kidney disease in the United States. *PLoS ONE*, 9(1): 2–5.
- Suega, K., Bakta, M., Dharmayudha, T.G., Lukman, J.S. & Suwitra, K. 2005. Profile of anemia in chronic renal failure patients: comparison between predialyzed and dialyzed patients at the Division of Nephrology, Department of Internal Medicine, Sanglah Hospital, Denpasar, Bali, Indonesia. *Acta Medi Indones*, 37(4): 190–194.
- Tessitore, N., Solero, G. Pietro, Lippi, G., Bassi, A., Faccini, G.B., Bedogna, V., Gammara, L., Brocco, G., Restivo, G., Bernich, P., Lupo, A. & Maschio, G. 2001. The role of iron status markers in predicting response to intravenous iron in haemodialysis patients on maintenance erythropoietin. *Nephrol Dial Transplant*, 16: 1416–1423.
- Thomas, D.W., Hinchliffe, R.F., Briggs, C., Macdougall, I.C., Littlewood, T. & Cavill, I. 2013. Guideline for the laboratory diagnosis of functional iron deficiency. *Br J Haematol*, 161(5): 639–648.
- Tsagalidis, G. 2011. Renal anemia : a nephrologist's view. *HIPPOKRATIA*, 15(1): 39–43.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2013. Biomarkers of Hypochromia: The Contemporary Assessment of Iron Status and Erythropoiesis. *Biomed Res Int*: 1–8.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2010. Erythrocyte and Reticulocyte Indices on the LH 750 as Potential Markers of Functional Iron Deficiency. *Anemia*, 2010: 1–7.
- Vogelsang, G.B. 2018. Iron Deficiency Anemia. *ASH*: 1–8.
- Vos, F., Schollum, J.B., Coulter, C. V, Doyle, T.C., Duffull, S.B. & Walker, R.J. 2011. Red Blood Cell Survival in Long-term Dialysis Patients. *Am J Kidney Dis*, 58(4): 591–598.
- Wallace, D.F. 2016. The Regulation of Iron Absorption and Homeostasis. *Clin Biochem Rev*, 37(2): 51–62.
- Weiner, D.E. & Summary, T.D. 2015. Stroke and Chronic Kidney Disease: Epidemiology, Pathogenesis, and Management Across Kidney Disease Stages Daniel. *Semin Nephrol*, 35(4): 311–322.
- WHO. 2015. Indonesia : WHO statistical profile. In *Country statistics and global health estimates by WHO and UN partners*.
- Wimbley, T.D.J. & Graham, D.Y. 2011. Diagnosis and management of iron deficiency anemia in the 21st century. *Ther Adv Gastroenterol*, 4(3): 177–

184.

- Wollmann, M., Gerzson, B.M.C., Schwert, V., Figuera, R.W. & de Oliveira Ritzel, G. 2014. Reticulocyte maturity indices in iron deficiency anemia. *Rev Bras Hematol Hemoter*, 36(1): 25–28.
- Young, B. & Zaritsky, J. 2009. Heparidin for clinicians. *Clin J Am Soc Nephrol.*, 4(8): 1384–1387.