

## DAFTAR PUSTAKA

- ASM Metals Handbook Volume 8, Mechanical Testing and Evaluation, 2000.
- ASM Metals Handbook Volume 9, Metallography and Microstructures, 2004.
- ASM Metals Handbook Volume 13, Corrosion, 2004.
- ASM Metals Handbook Volume 20, Materials Selection and Design, 1997.
- ASTM E-466 *Standard Practice for Conducting Force Controlled Constant Amplitude Axial Fatigue Tests of Metallic Materials*
- ASTM G 102-89, *Standard Practice for Calculation of Corrosion Rates and Related Information from Electrochemical Measurements.*
- Ahmed, A. A., Mhaede, Aymen A. Ahmed, Mansour Mhaede, M Basha, Wollmann, M., Wagner, L., 2015, The effect of shot peening parameters and hydroxyapatite coating on surface properties and corrosion behavior of medical grade AISI 316L stainless steel, *Surface & Coatings Technology*, 280, 347–358.
- Ahmed, A. A., Mhaede, M., Wollmann, M., Wagner, L., 2016., Effect of micro shot peening on the mechanical properties and corrosion behavior of two microstructure Ti–6Al–4V alloy, *Applied Surface Science*, 363, 50–58.
- Anhar, W., 2014, *Optimasi parameter proses pelapisan Diamond-Like Carbon terhadap kekerasan, keausan dan korosi pada baja AISI 410*, Tesis UGM.
- Aperador, W., Caicedo, J. C., Espan, C., Cabrera, G., Amaya, C., 2010, Bilayer period effect on corrosion–erosion resistance for [TiN/AlTiN]<sub>n</sub> multilayered growth on AISI 1045 steel, *Journal of Physics and Chemistry of Solids* 71, 1754–1759.
- Arifvianto, B., Suyitno, Wibisono, K. A., Mahardika, M., 2012, Influence of grit blasting treatment using steel slag balls on the subsurface microhardness, surface characteristics and chemical composition of medical grade 316L stainless steel, *Surface & Coatings Technology* 210, 176–182.
- Ba, D., and Lin, Z., 2008, *Amorphous Hydrogenated Carbon Nanofilm*, Handbook of Performability Engineering, pp 967-984, Springer, London.
- Bagherifard, S., Pariente, F., Ghelichi, R., Guagliano, M., 2014, Effect of severe shot peening on microstructure and fatigue strength of cast iron, *Materials and Design* 57, 103–113.

- Bao, Morrison Jr, P.W., Woyczynski, W.A., 2005, Parametric optimization of microhardness of diamond-like carbon films prepared by plasma enhanced chemical vapor deposition - *Thin Solid Films* 485, 27 – 41 - T.
- Bard, A.J., dan Faulkner, L.R., 2001, *Electrochemical Methods Fundamentals and Applications*, John Wiley and Sons Inc.
- BATAN., 2014, Aplikasi Plasma Sputtering, *Pusdiklat – Yogyakarta.*,
- Bewilogua, K., dan Hofmann, D., 2014, History of diamond-like carbon films from first experiments to world wide applications, *Surface and Coatings Technology* 242, 214-225.
- Biehler, J., Hoche, H., Oechsner, M., 2017., Corrosion properties of polished and shot-peened austenitic stainless steel 304L and 316L with and without plasma nitriding, *Surface and Coatings Technology*, 313, 40–46 .
- Cabrera, E., Staia, M., Ochoa-Pérez, E., Teer, D., 2010, Fatigue behavior of a 316L stainless steel coated with a DLC film deposited by PVD magnetron sputter ion plating, *Materials Science and Engineering A* 527, 498–508.
- Caicedo, J. C., Amaya, C., Cabrera, G., Esteve, J., 2011, Corrosion surface protection by using titanium carbon nitride/titanium–niobium carbon nitride multilayered system, *Thin Solid Films* 519, 6362–6368.
- Cangel, Y.A. dan Boles, M.A., 1989, *Thermodynamics: an engineering approach*, International Edition, McGraw-Hill Book Co, Singapura.
- Callister, Jr.W.D., 2001, *Fundamentals of Materials Science and Engineering*, edisi kelima, John Wiley and Sons Inc., Amerika.
- Champaign, J., 2001, *Shot Peening Overview*, Electronics Inc 1428 W.6<sup>th</sup> Street Mishakawa, In 46544.
- Dalibón, E. L., Escalada, L., Simison, S., Forsich, C., Heim, D., Brühl, S. P., 2017, Mechanical and corrosion behavior of thick and soft DLC coatings, *Surface & Coatings Technology* 312, 101–109.
- Dieter, G. E., 1961, *Metallurgy and metallurgical engineering*, *Mc Graw Hill Book*.
- DIN 4768 Roughness Measurement Methodology.
- Du, D., Liu, D., Ye, Z., Zhang, X., Li, B., Zhou, Z., Yu, L., 2014, Fretting wear and fretting fatigue behaviors of diamond-like carbon and graphite-like carbon films deposited on Ti-6Al-4V alloy, *Applied Surface Science* 313, 462–469.

- Fontana, M. G., Greene, N. D., 1984, *Corrosion Engineering*, McGraw Hill, Singapore.
- Fujimoto, S., Ohtake, N., Takai, O., 2011, Mechanical properties of silicon-doped diamond-like carbon films prepared by pulse-plasma chemical vapor deposition, *Surface and Coatings Technology* 206, 1011-1015.
- Gan, J., Sun, D., Wang, Z., Luo, P., Wu, W., 2016., The effect of shot peening on fatigue life of Q345D T-welded joint, *Journal of Constructional Steel Research*, 126, 74–82.
- Golsefatan, H. R., Fazeli, M., Mehrabadi, A. R., Ghomi, H., 2017, Enhancement of corrosion resistance in thermal desalination plants by diamond like carbon coating, *Desalination*, 409, 183–188.
- Guillén J.C., Gutiérrez.V, Gutiérrez G., 2013, Surface Properties of Fe<sub>4</sub>N Compounds Layer on AISI 4340 Steel Modified, *J. Mater. Sci. Technol.*, 29(3), 287-290.
- Hadinata S, S., Lee, M. T., Pan, S. J., Tsai, W. T., Tai, C. Y., Shih, C. F., 2013, Electrochemical performances of diamond-like carbon coatings on carbon steel, stainless steel, and brass, *Thin Solid Films*, 529, 412–416.
- Hanim, A., Mulyani, E., Sujitno, T., 2013, Simulasi kurva Paschen pada plasma enhance chemically vapour deposition (CVD) untuk aplikasi deposisi diamond-like carbon (DLC) coating, ISSN 1411-1349, 95-99.
- Harigai, T., Yasuoka, Y., Nitta, N., Furuta, H., Hatta, A., 2013, X-ray reflectivity analysis on initial stage of diamond-like carbon film deposition on Si substrate by RF plasma CVD and on removal of the sub-surface layer by oxygen plasma etching, *Diamond and Related Materials* 38, 36–40.
- Hassanpour, H., Sadeghi, M. H., Rasti, A., Shajari, S., 2015, Investigation of Surface Roughness, Microhardness and White Layer Thickness in Hard Milling of AISI 4340 Using Minimum Quantity Lubrication, *Journal of Cleaner Production*.
- Hatada, R., Flege, S., Bobrich, A., Ensinger, W., Baba, K., 2014, Surface modification and corrosion properties of implanted and DLC coated stainless steel by plasma based ion implantation and deposition, *Surface and Coatings Technology* 256, 23–29.
- Hazan, E., Sadia, Y., Gelbstein, Y., 2013, Characterization of AISI 4340 corrosion products using Raman spectroscopy, *Corrosion Science* 74, 414–418.

- Hosseini, S.I., Shokri, B., Firouzjah, M. A., Kooshki, S., Shariflan, M., 2011, Investigation of the properties of diamond-like carbon thin films deposited by single and dual-mode plasma enhanced chemical vapor deposition, *Thin Solid Films* 519, 3090–3094.
- Jones, D. A., 1992, *Principles and Prevention of Corrosion*, MacMillan Publishing Company, New York.
- Kakiuchi, T., Uematsu, Y., Teratani, T., Harada, Y., 2011, Effect of Film Elastic Modulus on Fatigue Behaviour of DLC Coated Wrought Magnesium Alloy AZ61, *Procedia Engineering* 10, 1087–1090.
- Khun, N. W., Liu, E., 2010, Enhancement of adhesion strength and corrosion resistance of nitrogen or platinum/ruthenium/nitrogen doped diamond like-carbon thin films by platinum/ruthenium underlayer, *Diamond and Related Materials* 19, 1065-1072.
- Kikuchi, S., Nakamura, Y., Nambu, K., Ando, M., 2016, Effect of shot peening using ultra-fine particles on fatigue properties of 5056 aluminum alloy under rotating bending, *Materials Science and Engineering A652*, 279–286.
- Li, X., Wu, W., Dong, H., 2011, Microstructural characterisation of carbon doped CrAlTiN nanoscale multilayer coatings, *Surface and Coatings Technology* 205, 3251–3259.
- Llaneza V., Belzunce F.J., 2015., Study of the effect produced by shot peening on the surface of quenched and tempered steels: roughness, residual stresses and work hardening, *Applied Surface Science*, 356, 475-485.
- Lim, H., Kim, P., Jeong, H., Jeong, J., 2012., Enhancement of abrasion and corrosion resistance of duplex stainless steel by laser shock peening., *Journal of Materials Processing Technology* 212, 1347– 1354.
- Malau V., Luppia N. S., 2011., Peningkatan variasi waktu dan konsentrasi larutan NaCl terhadap kekerasan dan laju korosi dari lapisan Nikel elektroplating pada permukaan baja karbon sedang., *Prosiding Seminar Nasional Sains dan Teknologi ke-2 Universitas Wahid Hasyim Semarang*.
- Mandal, N., Doloi, B., Mondal, B., 2013, Predictive modeling of surface roughness in high speed machining of AISI 4340 steel using yttria stabilized zirconia

toughened alumina turning insert, *Int. Journal of Refractory Metals and Hard Materials* 38, 40–46.

- Mangour, A. B., Yang, J. M., 2016, Improving the surface quality and mechanical properties by shot-peening of 17-4 stainless steel fabricated by additive manufacturing, *Materials and Design*, 110, 914–924.
- Markwitz, A., Mohr, B., 2014, Room temperature diamond-like carbon coatings produced by low energy ion implantation, *Nuclear Instruments and Methods in Physics Research Section B* 331, 144–148.
- Menezes, M. R., Godoy, C., Buono, V. T. L., Schvartzman, M. M. Wilson, A. B., 2017., Effect of shot peening and treatment temperature on wear and corrosion resistance of sequentially plasma treated AISI 316L steel, *Surface and Coatings Technology*, 309, 651–662.
- Morita, T., Hirano, Y., Asakura, K., Kumakiri, T., MasaruIkenaga, Kagaya, C., 2012, Effects of plasma carburizing and DLC coating on friction-wear characteristics, mechanical properties and fatigue strength of stainless steel, *Materials Science and Engineering A* 558, 349–355.
- Nash., Potter., 1999, Strength of Materials, *Schaums*.
- Navas, V. G., Gonzalo, O., Bengoetxea, I., 2012, Effect of cutting parameters in the surface residual stresses generated by turning in AISI 4340 steel, *International Journal of Machine Tools and Manufacture* 61, 48–57.
- Oberg., Jones, Horton, Ryffel., 1996, *Edition Machinery's Handbook*.
- Okada, H., Uematsu, Y., Tokaji, K., 2010, Fatigue behaviour in AZ80A magnesium alloy with DLC/thermally splayed WC-12Co hybrid coating, *Procedia Engineering* 2, 283-290.
- Oliveira, C.A.G.S., Stein, M. F., Saito, E., Zanin, H., Vieira, L. S., Raniero, L., Trava-Airoldi, V. J., Lobo, A. O., Marciano, F. R., 2015, Effect of gold oxide incorporation on electrochemical corrosion resistance of diamond-like carbon, *Diamond and Related Materials* 53, 40 – 44.
- Oohira, Kouya., 2009, Characteristics and Applications of DLC films, *Technical Review* No.77.

- Purohit, R., Verma, C. S., Rana, R. S., Dwivedi, R. K., Dwivedi, R., Banoriya, D., 2017, Optimization of Process Parameters of Shot Peening Using ABQUS., *Materials Today: Proceedings* 4 : 2119–2128.
- Purnama, E., Santjojo, D. H., Masruroh, 2013, Studi Pengaruh Penambahan PVAc (Polyvinyl Acetate) dan Ukuran Butir Terhadap Kuat Tekan Bahan Target Karbon untuk Deposisi Lapisan Tipis Diamond-Like Carbon (DLC), *Physics Student Journal* No. 1.
- Roberge, P. R., 1999., Handbook of Corrosion Engineering, *McGraw-Hill*.
- Salah, F., Harzallah, B., Lee, A., Angleraud, B., 2013, X-ray reflectometry study of diamond-like carbon films prepared by plasma enhanced chemical vapor deposition in a low pressure inductively coupled plasma, *Thin Solid Films* 537, 102-107.
- Santos, A. M. M., Batista, R. J. C., Martins, L. A. M., Ilha, M., Vieira, M. Q., Miquita, D. R., Guma, F. C. R., Müller, I. L., Manhabosco, T. M., 2014, Corrosion and cell viability studies of graphite-like hydrogenated amorphous carbon films deposited on bare and nitrated titanium alloy, *Corrosion Science* 82, 297–303.
- Shackelford, J. F dan Alexander, W., (2001) *Materials Science and Engineering Handbook*.
- Shen, L. R., Wang, K., Tie, J., Tong, H. H., Chen, Q. C., Tang, D. L., Fu, R. K. Y., Chu, P. K., 2005, Modification of high-chromium cast iron alloy by N and Ti ion implantation, *Surface and Coatings Technology* 196, 349– 352.
- Sines., Waisman., 1959, *Metal Fatigue*, McGraw-Hill Book Company, Inc.
- Smallman., 1991, *Metalurgie fisik modern*.
- Smith, W. F., Hashemi, J., 2010, *Foundations of Materials Science and Engineering*, McGraw-Hill Book Company, Inc.
- Sugiarto, T., Zulhanif, Sugiyanto., 2013, Analisis uji ketahanan fatik baja karbon sedang AISI 1045 dengan heat treatment (quenching) dengan menggunakan alat rotary bending, *Jurnal FEMA* Vol. 1. No. 3.
- Sun, S. D., Liu, Q., Brandt, M., Luzin, V., 2014, Effect of laser clad repair on the fatigue behaviour of ultra-high strength AISI 4340 steel, *Materials Science and Engineering A* 606, 46–57.

- Sunardi, 2013, *Pengaruh variasi waktu shot peening dan elektroplating Ni-Cr terhadap kekasaran permukaan, kekerasan dan laju korosi dalam media SBF pada stainless steel 304*, Tesis UGM.
- Surdia, Saito., 1999, *Pengetahuan Bahan Teknik*, PT. Pradnya Paramita, Cetakan Keempat, Jakarta.
- Timoshenco. S., 1948, *Strength of Materials*, D. Van Nostrand Company, Inc. London.
- Torres, M. A. S., Voorwald, H. J. C., 2002, “An evaluation of shot peening, residual stress relaxation on the fatigue life of AISI 4340 steel”, *International Journal of Fatigue* 24, 877-886.
- Tretheway, Chamberlain., 1991, *Korosi untuk Mahasiswa Sains dan Rekayasa*, Terjemahan. PT Gramedia Pustaka Utama, Jakarta.
- Trško, L., Boku, O., Novy, F., Guagliano, M., 2014, Effect of severe shot peening on ultra-high-cycle fatigue of a low-alloy steel, *Materials and Design* 57, 103–113.
- Tzeng, Y-J Wu, J-S Hsu. 2009. The effects of plasma pre-treatment and post-treatment on diamond-like carbon films synthesized by RF plasma enhanced chemical vapor deposition, *Vacuum* 83, 618–621.
- Umemoto, M., Todaka, Y., Tsuchiya, K., 2003, Formation of Nanocrystalline Structure in Steels by Air Blast Shot Peening, *Materials Transactions* 44, 1488-1493.
- Uematsu, Y., Kakiuchi, T., Teratani, T., Harada, Y., Tokaji, K., 2011, Improvement of corrosion fatigue strength of magnesium alloy by multilayer diamond-like carbon coatings, *Surface and Coatings Technology* 205, 2778–2784.
- Vaghri, E., Khalaj, Z., Ghoranneviss. M., Borghei, M., 2011, Characterization of Diamond-Like Carbon Films Synthesized by DC Plasma Enhanced Chemical Vapor Deposition, *Journal Fusion Energy*, 30:447-452.
- Wibowo, S. A., Setianingrum E., 2015, Pengaruh perlakuan shot peening dan elektroplating Ni-Cr pada AISI 304 terhadap laju korosi dalam larutan synthetic body fluid (SBF), *Prosiding SEMNASTEK Fakultas Teknik Universitas Muhammadiyah Jakarta*. ISSN : 2407 – 1846.
- Yu, S., Liu, D., Zhang, X., Du, D., 2015, Effects of combined plasma chromizing and shot peening on the fatigue properties of a Ti6Al4V alloy, *Applied Surface Science* 353, 995–1002.

- Závodská, D., Guagliano, M., Bokůvka, O., Trško, L., 2016., Fatigue resistance of low alloy steel after shot peening, *Materials Today: Proceedings* 3, 1220 – 1225.
- Zhang, T. F., Deng, Q.Y., Liu, B., Wu, B.J., Jing, F.J., Leng, Y.X., Huang, N., 2015, Wear and corrosion properties of diamond like carbon (DLC) coating on stainless steel, CoCrMo and Ti6Al4V substrates, *Surface & Coatings Technology*, 273, 12–19.
- Zhou, Y., Rao, G. B., Wang, J. Q., Zhang, B., Yu, Z. M., 2011, Influence of Ti/TiN bilayered and multilayered films on the axial fatigue performance of Ti46Al8Nb alloy, *Thin Solid Films* 519, 2207–2212.
- Zhu, L., Guan, Y., Wang, Y., Xie, Z., Lin, J., Zhai, J., 2017, Influence of process parameters of ultrasonic shot peening on surface roughness and hydrophilicity of pure titanium, *Surface and Coatings Technology*, 317, 38–53.