

## DAFTAR PUSTAKA

- Acatay, K., Gulgun, M.A., and Menciloglu, Y.Z., 2007, Process for preparing superhydrophobic surface compositions, surfaces obtained by said process and use of them. *Patents*, US 2007/0166464 A1.
- Alharbi, A.R., Alarifi, I.M., Khan, W.S., and Asmatulu, R., 2016, Highly hydrophobic electrospun polyacrylonitrile/ polyvinylpyrrolidone nanofibers incorporated with gentamicin as filter medium for dam water and wastewater treatment. *J. Memb. Separ. Tech.* 5, 38-56.
- Atthauda, T.J. and Ozer, R.R., 2012, Investigation of the effect of dual-size coatings on the hydrophobicity of cotton surface. *Cellulose*, 19, 1031-1040.
- Bernards, T.N.M., van Bommel, M.J., and Boonstra, A.H., 1991, Hydrolysis-condensation processes of tetra-alkoxysilanes TPOS, TEOS, and TMOS in some alcohol solvents. *J. Non-Cryst. Solids*, 134, 1-13.
- Boudot, M., Cerrati, D.R., Faustini, M., Boissière, C., and Grosso, D., 2014, Alcohol-assisted water condensation and stabilization into hydrophobic mesoporosity. *J. Phys. Chem. C*, 118, 23907-23917.
- Brown, P.S. and Bhushan, B., 2015, Mechanically durable, superoleophobic coatings prepared by layer-by layer technique for anti-smudge and oil-water separation. *Sci. Rep.*, 5, 8701-8709.
- Cedillo-Gonzalez, E.I., Montorsi, M., Mugoni, C., Montorsi, M., and Siligardi, C., 2013, Improvement of the adhesion between TiO<sub>2</sub> nanofilm and glass substrate by rough modifications. *Phys. Procedia*, 40, 19-29.
- Chun, H., Park, S., You, S., Kang, G., Bae, W., Kim, K., Park, J., Ozturk, A., and Shin, D., 2009, Preparation of a transparent hydrophilic TiO<sub>2</sub> thin film photocatalyst. *J. Ceram. Process. Res.*, 10(2), 219-223.
- D'Elia, S., Barna, V., Scaramuzza, N., Strangi, G., and Bartolino, R., 2009, The influence of drying temperature on the close packed structure of silanized monolayers deposited on indium tin oxide (ITO) substrates. *J. Mater. Res.*, 24(9), 2784-2794.
- Dhere, S.L., Latthe, S.S., Kappenstein, C., Pajonk, G.M., Ganesan, V., Rao, A.V., Wagh, P., and Gupta, S.C., 2010, Transparent water-repellent silica films by sol-gel process. *Appl. Surf. Sci.*, 256, 3624-3629.
- Dong, S., Wang, Z., Wang, Y., Bai, X., Fu, Y., Guo, B., Tan, C., Zhang, J., and Hu, P., 2018, Roll-to-roll manufacturing of robust superhydrophobic coating on metallic engineering materials, *Appl. Mater. Interfaces*, 10, 2174-2184.
- Farzaneh, M., Kulinich, S.A., and Volat, C., 2005, Hydrophobicity of fluoroalkylsilane and alkylsilane-grafted surfaces. IWAIS XI, Montreal, Juni 2005.

- Ganbavle, V.V., Bangi, U.K.H., Latthe, S.S., Mahadik, S.A., and Rao, A.V., 2011, Self-cleaning silica coatings on glass by single step sol-gel route. *Surf. Coat. Tech.*, 205, 5338-5344.
- Gobara, M., 2015, Effect of TiO<sub>2</sub>/SiO<sub>2</sub> reinforced nanoparticles on the mechanical properties of green hybrid coating. *Int. Lett. Chem. Phys. Astron.*, 47, 56-66.
- He, Z., Ma, M., Zu, X., Wang, J., Chen, F., Deng, H., Wang, K., Zhang, Q., and Fu, Q., 2012, Fabrication of superhydrophobic coating via a facile and versatile method based on nanoparticle aggregates. *Appl. Surf. Sci.*, 258, 2544-2550.
- Hsu, C., Lee, P., Tsai, M., and Chen, P., 2011, Fabrication of semi-transparent superhydrophobic surface based on silica hierarchical structures. *J. Mech. Sci. Technol.*, 25(1), 43-47.
- Huang, J., Wang, S., and Lyu, S., 2017, Facile preparation of a robust and durable superhydrophobic coating using biodegradable lignin-coated cellulose nanocrystal particles. *Materials*, 10, 1080, 1-13.
- Huang, J., Lin, Y., Lu, L., and Li, L., 2012, The photocatalytic properties of amorphous TiO<sub>2</sub> composite films deposited by magnetron sputtering. *Res. Chem. Intermediat.*, 38, 487-498.
- Hwang, J. and Ahn, Y., 2015, Fabrication of superhydrophobic silica nanoparticles and nanocomposite coating on glass surfaces. *Bull. Korean. Chem. Soc.*, 36, 391-394.
- Kartini, I., Santosa, S.J., Febriyanti, E., Nugroho, O.R., Yu, H., and Wang, L., 2014, Hybrid assembly of nanosol titania and dodecylamine for superhydrophobic self cleaning glass. *J. Nanopart. Res.*, 16, 2514.
- Kavale, M.S., Mahadik, D.B., Parale, V.G., Wagh, P.B., Gupta, S.C., Rao, A.V., and Barshita, H.C., 2011, Optically transparent, superhydrophobic methyltrimethoxysilane based silica coatings without silylating reagent. *Appl. Surf. Sci.*, 258, 158-162.
- Karunakaran, R.G., Lu, Cheng-Hsin, Zhang, Z., and Yang, S., 2011, Highly transparent superhydrophobic surfaces from the coassembly of nanoparticles (≤100 nm). *Langmuir*, 27, 4594-4602.
- Kesmez, O., Camurlu, H., Burunkaya, E., and Arpac. E., 2009, Sol-gel preparation and characterization of anti-reflective and self-cleaning SiO<sub>2</sub>-TiO<sub>2</sub> double layer nanometric films. *Sol. Energy. Mater. Sol. Cells*, 93, 1833-1839.
- Kiraly, S., Oktay, E., and Gunay, V., 2006., Glass strengthening by SiO<sub>2</sub>-TiO<sub>2</sub> organically modified silica coating. *Thin Solid Films*, 515, 2145-2152.
- Kumar, D., Wu, X., Fu, Q., Ho, J.W.C., Kanhere, P.D., Li, L., and Chen, Z., 2015a, Development of durable self cleaning coating using organic-inorganic hybrid sol-gel method. *Appl. Surf. Sci.*, 344, 205-212.

- Kumar, D., Wu, X., Fu, Q., Ho, J.W.C., Kanhere, P.D., Li, L., and Chen, Z., 2015b, Hydrophobic sol-gel coatings based on polydimethylsiloxane for self-cleaning applications. *Mater. Des.*, 86, 855-862.
- Latthe, S.S., Gurav, A.B., Maruti, C.S., and Vhatkar, R.S., 2012, Recent progress in preparation of superhydrophobic surfaces : a review. *J. Surf. Eng. Mater. Adv. Technol.*, 2, 76-94.
- Latthe, S.S., Liu, S., Terashima, C., Nakata, K., and Fujishima, A., 2014, Transparent, adherent, and photocatalytic SiO<sub>2</sub>-TiO<sub>2</sub> coatings on polycarbonate for self-cleaning applications. *Coatings*, 4, 497-507.
- Li, X., He, J., and Liu, W., 2013, Broadband anti-reflective and water-repellent coatings on glass substrates for self-cleaning photovoltaic cells. *Mater. Res. Bull.*, 48, 2522-2528.
- Lin, J., Chen, H., Fei, T., and Zhang, J., 2013, Highly transparent superhydrophobic organic-inorganic nanocoating from the aggregation of silica nanoparticles. *Colloids Surf. A*, 421, 51-62.
- Liu, H., Gao, S., Cai, J., He, C., Mao, J., Zhu, T., Chen, Z., Huang, J., Meng, K., Zhang, K., Al-Deyab, S.S., and Lai, Y., 2016, Recent progress in fabrication and applications of superhydrophobic coating on cellulose-based substrates. *Materials*, 9, 124-160.
- Lu, Y., Sathasivan, S., Song, J., Crick, C.R., Carmalt, C.J., and Parkin, I.P., 2015, Robust self-cleaning surfaces that function when exposed to either air or oil. *Science*, 347(6226), 1132-1135.
- Mahyar, A. and Amani-Ghadim, A.R., 2011, Influence of solvent type on the characteristics and photocatalytic activity of TiO<sub>2</sub> nanoparticles prepared by the sol-gel method. *Micro Nano Lett.*, 6(4), 244-248.
- Mao, Q., Zeng, D., Xu, K., and Xie, C., 2014, Fabrication of porous TiO<sub>2</sub>-SiO<sub>2</sub> multifunctional anti reflection coating by sol-gel spin coating method. *Rsc. Adv.*, 4, 58101-58107.
- Mo, C., Zheng, Y., Wang, F., and Mo, Q., 2015, A simple process for fabricating organic/TiO<sub>2</sub> superhydrophobic and anti-corrosion coating. *Int. J. Electrochem. Sci.*, 10, 7380-7391.
- Nakajima, A., Hashimoto, K., and Watanabe, T., 2000, Transparent superhydrophobic thin films with self-cleaning properties. *Langmuir*, 16, 7044-7047.
- Nimitrakoolchai, O. and Supothina, S., 2010, Deposition of transparent, hydrophobic polydimethylsiloxane-nanocrystalline TiO<sub>2</sub> hybrid films on glass substrate. *Songklanakarin J. Sci. Technol.*, 3(2), 157-162.
- Norgaard, A.W., Hansen, J.S., Serli, J.B., Levin, M., Wolkoff, P., Nielsen, G.D., and Larsen, S.T., 2013, Pulmonary toxicity of perfluorinated silane-based

- nanofilm spray products: solvent dependency. *Toxicol. Sci.*, 137(1), 179-188.
- Pan, G., Zhou, Q., Luan, X., and Fu, Q.S., 2014, Distribution of perfluorinated compounds in Lake Taihu (China): Impact to human health and water standards. *Sci. Total Environ.*, 487, 778-784.
- Pan, H., Wang, X., Xiao, S., Yu, L., and Zhang, Z., 2013, Preparation and characterization of TiO<sub>2</sub> nanoparticles surface modified by octadecyltrimethoxysilane. *Indian J. Eng. Mater. Sci.*, 20, 561-567.
- Petcu, C., Purcar, V., Spataru, C., Aexandrescu, E., Somoghi, R., Trica, B., Nitu, S.G., Panaitescu, D. M, Donescu, D., and Jecu M., 2017, The influence of new hydrophobic silica nanoparticles on the surface properties of the films obtained from bilayer hybrids. *Nanomaterials*, 7(47), 1-10.
- Prakash, P., Satheesh, U., and Devaprakasam, D., 2014, Study of high temperature thermal behavior of alkyl and perfluoroalkylsilane molecules self-assembled on titanium oxide nanoparticles. *arXiv*, 1409(6823), 1-8.
- Purcar, V., Cinteza, O., Ghiurea, M., Balan, A., Caparescu, S., and Donescu, D., 2014, Influence of hydrophobic characteristic of organo-modified precursor on wettability of silica film. *Bull. Mater. Sci.*, 37(1), 107-115.
- Su, F. and Yao, P., 2014, Facile fabrication of superhydrophobic surface with excellent. *ACS Appl. Mater. Interfaces*, 6(11), 8762-8770.
- Quan, Y. and Zhang, L., 2017, Experimenal investigation of the anti-dust effect of transparent hydrophobic coatings applied for solar cell covering glass. *Sol. Energy Mater. Sol. Cells*, 160, 382-389.
- Ramírez-García, R.E., González-Rodríguez, J.A., Arroyo-Ortega, M., Pérez-García, S.A., and Licea-Jiménez, L., 2016, Engineered TiO<sub>2</sub> and SiO<sub>2</sub>-TiO<sub>2</sub> films on silica coated glass for increased thin film durability under abrasive conditions. *Int. J. Appl. Ceram. Technol.*, 14(1), 39-49.
- Rios, P.F., Dodiuk, H., Kenig, S., McCarthy, S., and Dotan, A., 2007, Transparent ultra-hydrophobic surfaces. *J. Adhes. Sci. Technol.*, 21(5-6), 399-408.
- Sahoo, B.N., Kandasubramanian, B., and Thomas, A., 2013, Effect of TiO<sub>2</sub> powder on the surface morphology of micro/nanoporous structured hydrophobic fluoropolymer based composite material. *J. Polym.*, 615045, 1-4.
- Song, J. and Rojas, O.J., 2013, Approaching super-hydrophobicity from cellulosic materials: A review. *Nord. Pulp Pap. Res. J.*, 28(2), 216-238.
- Spataru, C.T., Purca, V., Donescu, D., Ghiurea, M., Cinteza, O., and Miclaus, T., 2013, Preparation of hydrophobic surface based on hybrid silica films by sol-gel process. *U.P.B. Sci. Bull. Series B*, 75(4), 117-128.
- Tang, E., 2018, Superhydrophobic coating synthesis via silane modifiers. *Thesis*, Department of Chemical Engineering, University of Florida.

- Tang, Z., Li, H., Hess, D.W., and Breedveld, V., 2016, Effect of chain length on the wetting properties of alkyltrichlorosilane coated cellulose. *Cellulose*, 23, 1401-1413.
- Topcu, A.S.K., Erdogan, E., and Cengiz, U., 2018, Preparation of stable, transparent superhydrophobic film via one step one pot sol-gel method. *Colloid Polym. Sci.*, 296, 1523-1532.
- Wagh, P.B., Kumar, R., Pate, R.P., Singh, I.K., Ingae, S.V., Gupta, S.C., Mahadik, D.B., and Rao, A.V., 2015, Hydrophobicity measurement studies of silica aerogels using FTIR Spectroscopy, weight difference method, contact angle method, and K-F titration method. *J. Chem. Biol. Phys. Sci.*, 5(3), 2350-2359.
- Wang, H., Ding, J. Lin, T., and Wang, X., 2010, Super water repellent fabrics produced by silica nanoparticle-containing coating. *Res. J. Text. Apparel*, 14(2), 30-37.
- Wang, J., Chen, J., Jin, Z., Xiaoli, G., Zhang, R., Huang, J., and Luo, G., 2015, Fabrication and performances of MTMS/TMCS bilayer transparent superhydrophobic coating. *Proceedings of the 2<sup>nd</sup> International Conference on Civil, Materials and Environmental Sciences (CMES 2015)*, 13-14 Maret 2015, London.
- Wang, X., Chai, Y., and Liu, J., 2013, Formation of highly hydrophobic wood surfaces using silica nanoparticles modified with long-chain alkylsilane. *Holzforschung*, 67(6), 667-672.
- Wang, Y., Li, B., Liu, T., Xu, C., and Ge, Z., 2014, Controllable fabrication of superhydrophobic TiO<sub>2</sub> coating with improved transparency and thermostability. *Colloids Surf. A*, 441, 298-305.
- Xiu, Y., 2008, Fabrication of surface micro and nanostructures for superhydrophobic surfaces in electric and electronic applications. *Thesis*, School of Chemical and Biomolecular Engineering, Georgia Institute of Technology.
- Xiu, Y., Hess, D.W., and Wong, C.P., 2008, UV and thermally stable superhydrophobic coatings from sol-gel processing. *J. Colloid Interface. Sci.*, 326, 465-470.
- Xiu, Y., Xiao, F., Hess, D.W., and Wong, C.P., 2009, Superhydrophobic optically transparent silica films formed with a eutectic liquid. *Thin Solid Films*, 517, 1610-1615.
- Xu, B., Ding, J., Feng, L., Ding, Y., Ge, F., and Cai, Z., 2015, Self-cleaning cotton fabrics via combination of photocatalytic TiO<sub>2</sub> and superhydrophobic SiO<sub>2</sub>. *Surf. Coat. Technol.*, 262, 70-76.

- Xu, F.Q., Wang, J.N., and Sanderson, K.D., 2010, A general approach of superhydrophobic coating with strong adhesion strength. *J. Mater. Chem.*, 20, 5961-5966.
- Yan, H., Yuanhao, W., and Hongxing, Y., 2015, TEOS/silane coupling agent composed double layers structure: A novel superhydrophilic surface. *Energy Procedia*, 75, 349-354.
- Yang, Y., Bittner, A.M., Baldelli, S., and Kern, K., 2008, Study of self-assembles triethoxysilane thin films made by casting neat reagents in ambient atmosphere. *Thin Solid films*, 516, 3948-3956.
- Zhang, Y., Dong, B., Wang, S., Zhao, L., Wan, L., and Wang, E., 2017, Mechanically robust, thermally stable, highly transparent superhydrophobic coating with low-temperature sol-gel process. *RSC Adv.*, 7, 47357-47365.
- Zhang, Z., Wang, H., Liang, Y., Li, X., Ren, L., Cui, Z., and Luo, C., 2018, One-step fabrication of robust superhydrophobic and superoleophilic surfaces with self-cleaning and oil/water separation function. *Sci. Rep.*, 8(3869), 1-12.
- Zheng, S., Li, C., Fu, Q., Hu, W., Xiang, T., Wang, Q., Du, M., Liu, X., and Chen, Z., 2016, Development of stable superhydrophobic coatings on aluminum surface for corrosion-resistant, self-cleaning, and anti-icing applications. *Mater. Des.*, 93, 261-270.
- Zhuravlev, L. T., 2000, The surface chemistry of amorphous silica. Zhuravlev model. *Colloids Surf. A*, 173, 1-38.



UNIVERSITAS  
GADJAH MADA

**PEMBUATAN LAPISAN HIDROFOBİK SILIKA-TITANIA-ALKILSILAN PADA PERMUKAAN KACA  
MELALUI PROSES SOL-GEL**

ALFA AKUSTIA WIDATI, Prof.Dr.rer.nat.Nuryono, M.S.

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>