

DAFTAR PUSTAKA

- Abdulahi, A., Shab-bidar, S., Rezaei, S., & Djafarian, K. (2017). Nutritional Status of Under Five Children in Ethiopia : A Systematic Review and Meta-Analysis. *Ethiopian Journal Health Sciences*, 27(2), 175–188.
- Achary, A., & Paunio, M. K. (2008). *Enviromental Health and Child Survival*. Washington, DC: The International Bank for Reconstruction and Development/The World Bank.
- Adair, L. S. (1989). Growth of Filipino infants who differ in body proportions at birth. *American Journal of Human Biology*, 1(6), 673–682. <https://doi.org/10.1002/ajhb.1310010605>
- Addo, O. Y., Stein, A. D., Fall, C. H., Gigante, D. P., Guntupalli, A. M., Horta, B. L., ... Martorell, R. (2013). Maternal Height and Child Growth Patterns. *The Journal of Pediatrics*, 163(2), 549–554.e1.
- Adriani, M., & Wirjatmadi, B. (2012). *Peranan Gizi dalam Siklus Kehidupan (Pertama)*. Jakarta: Kencana.
- Afriyani, R., Malahayati, N., & Hartati. (2016). Faktor – Faktor Yang Mempengaruhi Kejadian Wasting Pada Balita Usia 1-5 Tahun Di Puskesmas Talang Betutu Kota Palembang. *Jurnal Kesehatan*, VII, 66–72.
- Ahmed, A. S., Ahmed, T., Roy, S., Alam, N., & Hossain, M. I. (2012). Determinants of Undernutrition in Children Under 2 years of Age From Rural Bangladesh. *Indian Pediatrics*, 49, 821–824.
- Amaliah, N., Sari, K., & Suryaputri, I. Y. (2016). Panjang Badan Lahir Pendek Sebagai Salah Satu Faktor Determinan Keterlambatan Tumbuh Kembang Anak Umur 6-23 Bulan di Kelurahan Jaticempaka, Kecamatan Pondok Gede, Kota Bekasi. *Ekologi Kesehatan*, 15, 43–55.
- Anisa, P. (2012). *Faktor-faktor yang Berhubungan dengan Kejadian Stunting Pada Balita Usia 25-60 Bulan di Kelurahan Kalibaru Depok Tahun 2012*. Universitas Indonesia.
- Anwar, K., Juffrie, M., & Julia, M. (2006). Faktor Risiko Kejadian Gizi Buruk di Kabupaten Lombok Timur, Provinsi Nusa Tenggara Barat. *Gizi Klinik Indonesia*, 2, 108–116.
- Arifeen, S. E., Black, R. E., Caulfield, L. E., Antelman, G., Baqui, A. H., Nahar, Q., ... Mahmud, H. (2000). Infant growth patterns in the slums of Dhaka in relation to birth weight, intrauterine growth retardation, and prematurity1–3. *American Journal of Clinical Nutrition*, 1010–1017.
- Assefa, H., Belachew, T., & Negash, L. (2013). Socioeconomic Factors Associated with Underweight and Stunting among Adolescents of Jimma Zone , South West Ethiopia : A Cross-Sectional Study, 2013.
- BKKBN, BPS, & Kemenkes. (2013). *Survei Demografi dan Kesehatan Indonesia 2012*. Jakarta: Direktorat Statistik Kependudukan dan Ketenagakerjaan BPS, Puslitbang Kependudukan, Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN),Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan.
- Black, R. E., Allen, L. H., Bhutta, Z. A., Caulfield, L. E., Onis, M. De, Ezzati, M., ... Rivera, J. (2008). Maternal and child undernutrition : global and regional

- exposures and health consequences. *Lancet*, 371, 243–260. [https://doi.org/10.1016/S0140-6736\(07\)61690-0](https://doi.org/10.1016/S0140-6736(07)61690-0)
- Bloss, E., Wainaina, F., & Bailey, R. C. (2004). Prevalence and Predictors of Underweight, Stunting, and Wasting among Children Aged 5 and Under in Western Kenya. *Journal of Tropical Pediatrics*, 50(5), 250–270.
- BPS. (2013). *Proyeksi Penduduk Indonesia Indonesia Population Projection 2010-2035*. Jakarta: Badan Perencanaan Pembangunan Nasional Badan Pusat Statistik United Nations Population Fund.
- BPS. (2014). *Data dan Informasi Kemiskinan Kabupaten/Kota Tahun 2014*. Jakarta: Badan Pusat Statistik.
- Briend, A., Khara, T., & Dolan, C. (2015). Wasting and stunting-similarities and differences: Policy and programmatic implications. *Food and Nutrition Bulletin*, 36(1), S15–S23. <https://doi.org/10.1177/15648265150361S103>
- Byberg, K. K., Oymar, K., Eide, G. E., R. Forman, M., & Juliusson, P. B. (2017). Exposure to preeclampsia in utero affects growth from birth to late childhood dependent on child's sex and severity of exposure: Follow-up of a nested case-control study. *Plos One*, 1–15.
- Chen, X., Wen, S. W., Fleming, N., Demissie, K., Rhoads, G. G., & Walker, M. (2007). Teenage pregnancy and adverse birth outcomes: a large population based retrospective cohort study. *International Journal of Epidemiology*, 368–373. <https://doi.org/10.1093/ije/dyl284>
- Christian, P. (2009). Prenatal origins of undernutrition. *Nestle Nutrition Workshop Series. Paediatric Programme*, 63, 57-59, 259-268.
- Darawati, M. (2016). *Ilmu Gizi: Gizi Ibu Hamil*. (Hardinsyah & I. D. N. Supriasa, Eds.). Jakarta: Penerbit Buku Kedokteran, EGC.
- Deboer, M. D., Scharf, R. J., Leite, A. M., Ferrer, A., Havt, A., Pinkerton, R., ... Guerrant, R. L. (2017). Systemic inflammation, growth factors, and linear growth in the setting of infection and malnutrition. *Journal Nutrition*, 33, 248–253.
- Demelash, H., Motbainor, A., Nigatu, D., Gashaw, K., & Melese, A. (2015). Risk factors for low birth weight in Bale zone hospitals, South-East Ethiopia: a case-control study. *BMC Pregnancy and Childbirth*, 1–10.
- Derso, T., Tariku, A., Biks, G. A., & Wassie, M. M. (2017). Stunting, wasting and associated factors among children aged 6 – 24 months in Dabat health and demographic surveillance system site: A community based cross-sectional study in Ethiopia. *BMC Pediatrics*, 1–9. <https://doi.org/10.1186/s12887-017-0848-2>
- Elyana, M., & Candra, A. (2009). Hubungan Frekuensi ISPA dengan Status Gizi Balita. *Journal of Nutrition and Health*, 1–12.
- Envuladu, E. A., Agbo, H. A., Ohize, V. A., & Zoakah, A. I. (2014). Determinants and Outcome of Teenage Pregnancy in a Rural Community in Jos, Plateau State, Nigeria. *Journal of Medicine*, 1(1), 48–52.
- Fekadu, Y., Mesfin, A., Haile, D., & Stoecker, B. J. (2015). Factors associated with nutritional status of infants and young children in Somali Region, Ethiopia: a cross-sectional study. *BMC Public Health*, 1–9.
- Ferreira, H. S., Moura, F. A., Ju, C. R. C., Vieira, R. C., & Assunc, M. L. De.

- (2009). Short stature of mothers from an area endemic for undernutrition is associated with obesity , hypertension and stunted children : a population-based study in the semi-arid region of Alagoas , Northeast Brazil. *British Journal of Nutrition*, 1239–1245.
- Fikadu, T., Assegid, S., & Dube, L. (2014). Factors associated with stunting among children of age 24 to 59 months in Meskan district, Gurage Zone, South Ethiopia: A case-control study. *BMC Public Health*, 14(1), 1–7. <https://doi.org/10.1186/1471-2458-14-800>
- Hambidge, K. M., Mazariegos, M., Kindem, M., Wright, L. L., Cristobal-Perez, C., Lucrecia Juárez-García, ... Krebs, N. F. (2012). Infant Stunting Is Associated With Short Maternal Stature. *Journal of Pediatric Gastroenterology and Nutrition*, 54(1), 117–119.
- Hanum, F., Khomsan, A., & Heryatno, Y. (2014). Hubungan asupan gizi dan tinggi badan ibu dengan status gizi anak balita. *Jurnal Gizi Dan Pangan*, 9(1), 1–6.
- Hien, N. N., & Hoa, N. N. (2009). Nutritional Status and Determinants of Malnutrition in Children under Three Years of Age in Nghean , Vietnam. *Pakistan Journal of Nutrition*, 958–964.
- Kementerian Kesehatan. (2011). Standar Antropometri Penilaian Status Gizi Anak. Jakarta: Direktorat Jenderal Bina Gizi dan Kesehatan Ibu dan Anak Kementerian Kesehatan RI.
- Kementerian Kesehatan. (2016a). *InfoDATIN Pusat Data dan Informasi Kementerian Kesehatan RI: Situasi Balita Pendek*. Jakarta Selatan: Kementerian Kesehatan RI.
- Kementerian Kesehatan. (2016b). *infoDATIN Pusat Data dan Informasi Kemeterian Kesehatan RI: Situasi Kesehatan Reproduksi Remaja*. Jakarta Selatan: Pusat Data dan Informasi Kementerian Kesehatan RI.
- Kementerian Kesehatan. (2017). *Profil Kesehatan Indonesia Tahun 2017*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan. (2018). *Hasil Utama Riskesdas 2018*. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2013). *Riset Kesehatan Dasar 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Khan, N., Rahman, M., Shariff, A. A., & Rahman, M. (2017). Maternal undernutrition and excessive body weight and risk of birth and health outcomes. *Archives of Public Health*, 1–10. <https://doi.org/10.1186/s13690-017-0181-0>
- Khara, T., & Dolan, C. (2014). *Technical Briefing Paper: The relationship between wasting and stunting, policy, programming and research implications*. Emergency Nutrition Network. Emergency Nutrition Network. [https://doi.org/10.1016/S0306-3747\(96\)90467-4](https://doi.org/10.1016/S0306-3747(96)90467-4)
- Kizilyildiz, B. S., Sönmez, B., Karaman, K., Beger, B., Mercen, A., Alloglu, S., & Cesur, Y. (2016). Prevalence , demographic characteristics and associated risk factors of malnutrition among 0-5 aged children : a cross-sectional study from Van , Eastern Turkey. *Pediatric Reports*, 8.
- Lawn, J. E., Cousens, S., & Zupan, J. (2005). 4 million neonatal deaths : When ?

- Where ? Why ? *The Lancet*, 891–900.
- Martorell, R., & Zongrone, A. (2012). Intergenerational influences on child growth and undernutrition. *Paediatric and Perinatal Epidemiology*, 26(SUPPL. 1), 302–314.
- Masibo, P. K., & Makoka, D. (2012). Trends and determinants of undernutrition among young Kenyan children : Kenya Demographic and Health Survey ; 1993 , 1998 , 2003 and 2008 – 2009. *Public Health Nutrition*, 15(9), 1715–1727. <https://doi.org/10.1017/S1368980012002856>
- Mayor, S. (2004). Pregnancy and childbirth are leading causes of death in teenage girls in developing countries. *British Medical Journal*, 328. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC411126/>
- Mcdonald, C. M., Kupka, R., Manji, K. P., Bosch, R. J., Aboud, S., & Kisenge, R. (2013). Predictors of stunting, wasting, and underweight among Tanzanian children born to HIV-infected women. *European Journal of Clinical Nutrition*, 66(11), 1265–1276.
- Mishra, K., Kumar, P., & Basu, S. (2013). Risk Factors for Severe Acute Malnutrition in Children below 5 y of Age in India : A Case-Control Study. *India Journal Pediatrics*, (April 2010). <https://doi.org/10.1007/s12098-013-1127-3>
- More, J. (2013). *Gizi Bayi, Anak dan Remaja*. S. M. Soetjipto (Penerjemah). 2014. Yogyakarta: Pustaka Pelajar.
- Nasikhah, R., & Margawati, A. (2012). Faktor Risiko Kejadian Stunting pada Balita Usia 24-36 bulan di Kecamatan Semarang Timur. *Journal of Nutrition College*, 1, 176–184.
- Negash, C., Whiting, S. J., Henry, C. J., & Belachew, T. (2015). Association between Maternal and Child Nutritional Status in Hula , Rural Southern Ethiopia : A Cross Sectional Study. *Plos One*, 1–8. <https://doi.org/10.1371/journal.pone.0142301>
- Ngure, F. M., Reid, B. M., Humphrey, J. H., Mbuya, M. N., Peltó, G., & Stoltzfus, R. J. (2014). Water, sanitation, and hygiene (WASH), environmental enteropathy, nutrition, and early child development: making the links. *New York Academy of Sciences*, 118–128. <https://doi.org/10.1111/nyas.12330>
- Ni'mah, C., & Muniroh, L. (2015). Hubungan Tingkat Pendidikan, Tingkat Pengetahuan dan Pola Asuh Ibu dengan Wasting dan Stunting Pada Balita Keluarga Miskin. *Media Gizi Indonesia*, 10, 84–90.
- Onis, M. de, Blossner, M., & Borghi, E. (2011). Prevalence and trends of stunting among pre-school children , 1990 – 2020. *Public Health Nutrition*, 142–148. <https://doi.org/10.1017/S1368980011001315>
- Özaltın, E., Hill, K., & Subramanian, S. V. (2010). Association of Maternal Stature With Offspring Mortality, Underweight, and Stunting in Low- to Middle-Income Countries. *Journal of the American Medical Association*, 303(15), 1507–1516. <https://doi.org/10.1001/jama.2010.450>
- Packer, L., & Fenwick, R. (2018). *The Biology Of The First 1.000 Days*. (C. D. Karakochuk, K. C. Whitfield, T. J. Green, & K. Kraemer, Eds.). Los Angeles, California: Taylor & Francis Group.

- Patra, S. (2016). Motherhood in childhood: addressing reproductive health hazards among adolescent married women in India. *Reproductive Health*, 1–9. <https://doi.org/10.1186/s12978-016-0171-7>
- Prakash, R., Singh, A., Pathak, P. K., & Parasuraman, S. (2011). Early marriage, poor reproductive health status of mother and child well-being in India. *Journal of Family Planning and Reproductive Health Care*, 136–145.
- Pravana, N. K., Piryani, S., Chaurasiya, S. P., Kawan, R., Thapa, R. K., & Shrestha, S. (2017). Determinants of severe acute malnutrition among children under 5 years of age in Nepal: a community-based case-control study. *BMJ Open*, 1–7. <https://doi.org/10.1136/bmjopen-2017-017084>
- Putri, R. F., Sulastri, D., & Lestari, Y. (2015). Faktor-Faktor yang Berhubungan dengan Status Gizi Anak Balita di Wilayah Kerja Puskesmas Nanggalo Padang. *Jurnal Kesehatan Andalas*, 254–261.
- Rahman, M. S., Howlader, T., & Masud, M. S. (2016). Association of Low-Birth Weight with Malnutrition in Children under Five Years in Bangladesh: Do Mother's Education, Socio-Economic Status, and Birth Interval Matter? *Journal Pone*. <https://doi.org/10.1371/journal.pone.0157814>
- Republik Indonesia. (2003). *Undang-Undang Republik Indonesia Nomor 20 Tahun 2003 Tentang Sistem Pendidikan Nasional*. Jakarta: Sekretaris Negara RI.
- Ricci, J. A., & Becker, S. (1996). Risk factors for wasting and stunting among children in Metro Cebu, Philippines. *Am J Clin Nutr*, 966–974.
- Rosari, A., Rini, E. A., & Masrul. (2013). Hubungan Diare dengan Status Gizi Balita di Kelurahan Lubuk Buaya Kecamatan Koto Tangah Kota Padang. *Jurnal Kesehatan Andalas*, 2(3), 111–115.
- Salam, R. A., Das, J. K., & Bhutta, Z. A. (2015). Current Issues and Priorities in Childhood. *Journal of Nutrition*, 1116s–1122s.
- Save the Children. (2012). *Nutrition in the First 1000 Days*. London, United Kingdom: Johnson & Johnson, Mattel, inc. and Brookstone.
- Senbanjo, I. O., Olayiwola, I. O., & Afolabi, W. A. O. (2016). Dietary practices and nutritional status of under-five children in rural and urban communities of Lagos State, Nigeria. *Nigeria Medical Journal*, 307–313. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5126741/?report=printable>
- Shahjada, A., Sharma, B., Sharma, S., Mahashabde, P., & Bachhotiya, A. (2014). Effects of Birth Interval On Nutritional Status Of Under Five Children In Periurban Area Of Madhya Pradesh, India. *International Journal of Medical Science and Public Health*, 3(6), 723–726.
- Singh, L., Rai, R. K., & Singh, P. K. (2012). Assessing The Utilization Of Maternal and Child Health Care Among Married Adolescent Women: Evidence From India. *Journal of Biosocial Science*, (May 2019), 1–26.
- Srinivasan, C. S., Zanello, G., & Shankar, B. (2013). Rural-urban disparities in child nutrition in Bangladesh and Nepal. *BMC Public Health*, 13(1), 1.
- Strauss, J., Witoelar, F., & Sikoki, B. (2016). *The Fifth Wave of the Indonesia Family Life Survey: Overview and Field Report*. Santa Monica, California: RAND Cooperation.
- Strauss, J., Witoelar, F., Sikoki, B., & Wattie, A. M. (2009). *The Fourth Wave of*

- the Indonesia Family Life Survey : Overview and Field Report Volume 1.*
Santa Monica, California: RAND Cooperation.
- Subramanian, D. S. V., Ackerson, D. L. K., Smith, D. G. D., & John, M. N. A. (2009). Association of Maternal Height With Child Mortality, Anthropometric Failure, and Anemia in India. *NIH Public Access*, 1691–1701. <https://doi.org/10.1001/jama.2009.548>. Association
- Tjahjono, H., Aditiawati, Pulungan, A., Marzuki, A., Himawan, I., & Batubara, J. (2017). *Panduan Praktik Klinis Ikatan Dokter Anak Indonesia: Perawakan Pendek pada Anak dan Remaja di Indonesia.* (I. Mutmainah, Ed.) (I). Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia.
- UNICEF. (1990). *The State of The Worlds Children 1990.* New York, USA: UNICEF and Oxford University.
- UNICEF. (2006). *Progress For Children : A Report Card On Nutrition.* New York, USA: UNICEF.
- UNICEF. (2007). *Progress For Children: A World Fit for Children Statistical Review.* New York, USA: UNICEF.
- UNICEF. (2012). *The State Of The World's Children 2012: Children in an Urban World.* Caracas, Bolivarian Republic of Venezuela: United Nations.
- UNICEF. (2013). *Improving Child Nutrition - The achievable imperative for global progress.* United Nations Children's fund. New York, USA: Division Of Communication, UNICEF. <https://doi.org/978-92-806-4686-3>
- UNICEF, WHO, & World Bank Group. (2016). *Levels and Trends in Child malnutrition.* Washington, DC: the United Nations Children's Fund, the World Health Organization and World Bank Group.
- Utomo, I. D., & Utomo, A. (2013). Adolescent Pregnancy in Indonesia : A Literature Review. *Australian Demographic and Social Research Institute*, 1–11.
- Victora, C. G., Onis, M. De, Hallal, P. C., Blössner, M., Cesar, A., & Victora, G. (2010). Worldwide Timing of Growth Faltering : Revisiting Implications for Interventions. *Pediatrics*, 125. <https://doi.org/10.1542/peds.2009-1519>
- Vienne, C. M. De, Creveuil, C., & Dreyfus, M. (2009). European Journal of Obstetrics & Gynecology and Reproductive Biology Does young maternal age increase the risk of adverse obstetric , fetal and neonatal outcomes : A cohort study §. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 147, 151–156.
- Wasihun, A. G., Dejene, T. A., Teferi, M., Negash, L., Yemane, D., & Mcguigan, K. G. (2018). Risk factors for diarrhoea and malnutrition among children under the age of 5 years in the Tigray Region of Northern Ethiopia. *Plos One*, 32–39.
- Webb, A. L., Manji, K., Fawzi, W. W., & Villamor, E. (2008). Time-independent Maternal and Infant Factors and Time-dependent Infant Morbidities including HIV Infection , Contribute to Infant Growth Faltering during the First 2 Years of Life. *Tropical Pediatrics*, 55.
- Wemakor, A., Garti, H., Azongo, T., Garti, H., & Atosona, A. (2018). Young maternal age is a risk factor for child undernutrition in Tamale Metropolis , Ghana. *BMC Research Notes*, 1–5.

- WHO. (2001). *The Optimal Duration Of Exclusife Breastfeeding*. Geneva, Switzerland: Department of Nutrition for Health and Development, Department of Child and Adolescent Health and Development.
- WHO. (2004). *Adolescent Pregnancy: Issues in Adolescent Health and Development*. Geneva: Department of Reproductive Health and Research World Health Organization.
- WHO. (2006). *WHO child growth standards. Length, height for-age, weight-for-age, weight-for-length and body mass index-for age. Methods and development*. World Health Organization. Geneva: Department of Nutrition for Health and Development World Health Organization.
- WHO. (2012). World Health Assembly Global Nutrition Targets 2025. *World Health Organization*.
- WHO. (2013). *Childhood Stunting: Challenges and opportunities*. Geneva: World Health Organization.
- WHO. (2014a). *Adolescent pregnancy fact sheet*. Geneva: Department of Reproductive Health and Research World Health Organization.
- WHO. (2014b). WHA Global Nutrition Targets 2025: Wasting Policy Brief. *World Health Organization*.
- Win, K. M., Putten, M. Van Der, Vajanapoom, N., & Amnatsatsue, K. (2013). Early Pregnancy and Maternal Malnutrition as Precursors of Stunting in Children under Two Years of Age among Bhutanese Refugees , in Nepal Maternal Precursors in Stunting of Children. *Thammasat International Journal of Science and Technology*, 18(1), 35–42.
- Yu, S. H., Mason, J., Crum, J., Cappa, C., & Hotchkiss, D. R. (2016). Differential effects of young maternal age on child growth. *Global Health Action*, 1, 1–13.
- Zottarelli, L. K., Sunil, T. S., & Rajaram, S. (2007). Influence of parenteral and socio economic factors on stunting in children under 5 years in Egypt. *La Revue de Sante de La Mediterranee Orientale*, 13(6), 1330–1342.