UNIVERSITAS
GADJAH MADA
PLATINA/NANOZIRKONIA TERSULFATASI: PREPARASI, KARAKTERISASI DAN APLIKASINYA UNTUK KONVERSI LIMBAH PLASTIK LDPE MENJADI BAHAN BAKAR CAIR
MAISARI UTAMI, Prof. Dr.rer.nat. Karna Wijaya, M.Eng.; Prof. Wega Trisunaryanti, M.S., Ph.D.Eng.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aboul-Gheit, A.K., Gad, F.K., Abdel-Aleem, G.M., El-Desouki, D.S., Abdel-Hamid, S.M., Ghoneim, S.A., and Ibrahim, A.H., 2014, Pt, Re and Pt-Re Incorporation in Sulfated Zirconia as Catalysts for *n*-Pentane Isomerization, *Egypt. J. Pet*., 23, 303–314.

Aguado, J., Serrano, D.P., Miguel, G.S., Castro, M.C., and Madrid S., 2007, Feedstock Recycling of Polyethylene in a Two-step Thermo-catalytic Reaction System, *J. Anal. Appl. Pyrolysis*, 79, 415–423.

Aguila, G., Valenzuela, A., Guerrero, S., and Araya, P., 2013, WGS Activity of a Novel Cu-ZrO_2 Catalyst Prepared by a Reflux Method. Comparison with a Conventional Impregnation Method, *Catal. Commun*., 39, 82–85.

Alenazey, F., Cooper, C.G., Dave, C.B., Elnashaie, S.S.E.H., Susu, A.A., and Adesina, A.A., 2009, Coke Removal from Deactivated Co-Ni Steam Reforming Catalyst using Different Gasifying Agents: An Analysis of the Gas-solid Reaction Kinetics, *Catal. Commun*., 10, 406–411.

Al-Hazmi, M.H., 2005, Synthesis, Characterization and Application of Zirconia and Sulfated Zirconia Derived from Single Source Precursors, *Dissertation*, Faculty of the Graduate College of the Oklahoma State University, Oklahoma.

Al-Salem, S.M., Lettieri, P., and Baeyens, J., 2009, Recycling and Recovery Routes of Plastic Solid Waste (PSW): A Review, *Waste Management*, 29, 2625–2643.

Aramide, F.O., Alaneme, K.K., Olubambi, P.A., and Borode, J.O., 2015, In-situ Synthesis of Mullite Fibers Reinforced Zircon-zirconia Refractory Ceramic Composite from Clay Based Materials, *Int. J. Mater. Chem*., 5, 127–139.

Arata, K., 1990, Solid Superacids, *Adv. Catal.*, 37, 165–211.

Ardizzone, S., Bianchi, C.L., Cattagni, W., and Ragaini, V., 1997, Effects of the Precursor Features and Treatments on the Catalytic Performance of SO_4/ZrO_2, *Catal. Lett*., 49, 193–198.

Aritonang, H.F., Onggo, D., Ciptati, C., and Radiman, C.L., 2014, Synthesis of Platinum Nanoparticles from K_2PtCl_4 Solution Using Bacterial Cellulose Matrix, *J. Nanopart*., 2014, 1–6.

Ashby, M.F., and Jones, D.R.H., 1986, *Engineering Materials 2: An Introduction to Microstructures, Processing and Design*, Pergamon Press, Oxford.

UNIVERSITAS
GADJAH MADA
PLATINA/NANOZIRKONIA TERSULFATASI: PREPARASI, KARAKTERISASI DAN APLIKASINYA UNTUK KONVERSI LIMBAH PLASTIK LDPE MENJADI BAHAN BAKAR CAIR
MAISARI UTAMI, Prof. Dr.rer.nat. Karna Wijaya, M.Eng.; Prof. Wega Trisunaryanti, M.S., Ph.D.Eng.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Augustine, R.L., 1996, *Heterogeneous Catalysis for the Synthetic Chemist*, Marcel Dekker Inc., New York.

Babou, F., Coudurier, G., and Vedrine, J.C., 1995, Acidic Properties of Sulfated Zirconia: An Infrared Spectroscopic Study, *J. Catal*., 152, 341–349.

Bartholomew, C.H., and Farrauto, R.J., 2006, *Fundamental of Industrial Catalytic Process*, Jhon Wiley and Son Inc, New Jersey.

Berner, G.M., and East, A.L.L., 2009, Catalyzed *β*-scission of A Carbenium Ion III-scission Observed in Ab Initio Molecular Dynamics Simulations, *Can. J. Chem.*, 87, 1512–1520.

Billmeyer, F.W., 1971, *Textbook of Polymer Science*, John Wiley & Sons, New York.

Bocanegra-Bernal, M.H., and Díaz de la Torre, S., 2002, Phase Transitions in Zirconium Dioxide and Related materials for High Performance Engineering Ceramics, *J. Mater. Sci*., 37, 4947–4971.

Buekens, A.G., and Huang, H., 1998, Catalytic Plastics Cracking for Recovery of Gasoline-range Hydrocarbons from Municipal Plastic Wastes, *Resour. Conserv. Recycl.*, 23, 163–181.

Busto, M., Vera, C.R., and Grau, J.M., 2011, Optimal Process Conditions for the Isomerization-Cracking of Long-Chain *n*-paraffins to High Octane Isomerizate Gasoline over Pt/SO_4^{2-}-ZrO_2 Catalysts, *Fuel Process. Technol.*, 92, 1675–1684.

Davis, B.H., Keogh, R.A., and Srinivasan, R., 1994, Sulfated Zirconia as a Hydrocarbon Conversion Catalyst, *Catal. Today*, 20, 219–256.

Demirci, U.B., and Garin, F., 2002, Kinetic Study of *n*-Heptane Conversion on Sulfated Zirconia-supported Platinum Catalyst: the Metal-proton Adduct is the Active Site, *J. Mol. Catal. A: Chem*., 188, 233–243.

Ebitani, K., Konishi, J., and Hattori, H., 1991, Skeletal Isomerization of Hydrocarbons over Zirconium Oxide Promoted by Platinum and Sulfate Ion, *J. Catal*., 130, 257–267.

Emeis, C.A., 1993, Determination of Integrated Molar Extinction Coefficients for Infrared Absorption Bands of Pyridine Absorbed on Solid Acid Catalysts, *J. Catal*., 141, 347–354.

UNIVERSITAS GADJAH MADA
PLATINA/NANOZIRKONIA TERSULFATASI: PREPARASI, KARAKTERISASI DAN APLIKASINYA UNTUK KONVERSI LIMBAH PLASTIK LDPE MENJADI BAHAN BAKAR CAIR
MAISARI UTAMI, Prof. Dr.rer.nat. Karna Wijaya, M.Eng.; Prof. Wega Trisunaryanti, M.S., Ph.D.Eng.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Fernandez, A., Rubio, F., Rubio, J., and Oteo, J.L., 1994, Effect of Alcohol/Alkoxide Ratio on the Porosity of Zirconia Gels, *Stud. Surf. Sci. Catal*., 87, 419–427.

Fessenden, R.J., dan Fessenden, J.S., 1986, *Kimia Organik Jilid I*, Erlangga, Jakarta.

Föttinger, K., Halwax, E., and Vinek, H., 2006, Deactivation and Regeneration of Pt Containing Sulfated Zirconia and Sulfated Zirconia, *Appl. Catal. A: Gen.*, 301, 115–122.

Föttinger, K., Zorn, K., and Vinek, H., 2005, Influence of the Sulfate Content on the Activity of Pt Containing Sulfated Zirconia, *Appl. Catal. A: Gen*., 284, 69–75.

Fu, B., Gao, L., Niu, L., Wei, R., and Xiao, G., 2009, Biodiesel from Waste Cooking Oil via Heterogeneous Superacid Catalyst SO_4^{2-}/ZrO_2, *Energy Fuels*, 23, 569–572.

Gautam, C., Joyner, J., Gautam, A., Rao, J., and Vajtai, R., 2016, Zirconia Based Dental Ceramics: Structure, Mechanical Properties, Biocompatibility and Applications, *Dalton Trans*., 45, 19194–19215.

Gates, B.C., Katzer, J.R., and Schuit, G.C.A., 1979, *Chemistry of Catalytic Processes 1st Edition*, McGraw-Hill Book Company, New York.

Grau, J.M., and Parera, J.M., 1997, Single and Composite Bifunctional Catalysts of H-MOR or SO_4^{2-}-ZrO_2 for *n*-octane Hydroisomerization-cracking. Influence of the Porosity of the Acid Component., *Appl. Catal. A: Gen*., 162, 17–27.

Haase, F., and Sauer, J., 1998, The Surface Structure of Sulfated Zirconia: Periodic Ab Initio Study of Sulfuric Acid Adsorbed on ZrO_2 (101) and ZrO_2 (001), *J. Am. Chem. Soc.*, 120, 13503–13512.

Hattori, H., 1993, Molecular Hydrogen-originated Solid Acid Catalysts, *Stud. Surf. Sci. Catal*., 77, 69–76.

Heshmatpour, F., and Aghakhanpour, R.B., 2012, Synthesis and Characterization of Superfine Pure Tetragonal Nanocrystalline Sulfated Zirconia Powder by a Non-alkoxide Sol-gel Route, *Adv. Powder Technol*., 23, 80–87.

Hesse, N.D., and White, R.L., 2004, Polyethylene Catalytic Hydrocracking by PtHZSM-5, PtHY, and PtHMCM-41, *J. Appl. Polym. Sci*., 92, 1293–1301.

Hino, M., and Arata, K., 1980, Synthesis of Solid Superacid Catalyst with Acid Strength of $H_0 \leq -16.04$[1], *J. Chem. Soc. Chem. Commun.*, 573, 851–852.

UNIVERSITAS
GADJAH MADA
PLATINA/NANOZIRKONIA TERSULFATASI: PREPARASI, KARAKTERISASI DAN APLIKASINYA UNTUK KONVERSI LIMBAH PLASTIK LDPE MENJADI BAHAN BAKAR CAIR
MAISARI UTAMI, Prof. Dr.rer.nat. Karna Wijaya, M.Eng.; Prof. Wega Trisunaryanti, M.S., Ph.D.Eng.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Hu, M.Z.C., Harris, M.T., and Byers, C.H., 1998, Nucleation and Growth for Synthesis of Nanometric Zirconia Particles by Forced Hydrolysis, *J. Colloid Interface Sci*., 198, 87–89.

Inaba, M., Mineshige, A., Maeda, T., Nakanishi, S., Ioroi, T., Takahashi, T., Tasaka, A., Kikuchi, K., and Ogumi, Z., 1997, Growth Rate of Yttria-stabilized Zirconia Thin Films Formed by Electrochemical Vapour-deposition Using NiO as an Oxygen Source: II. Effect of the Porosity of NiO Substrate, *Solid State Ionics,* 104, 303–310.

Jung, M.R., Horgen, F.D., Orski, S.V., Rodriguez, C.V., Beers, K.L., Balazs, G.H., Jones, T.T., Work, T.M., Brignac, K.C., Royer, S.J., Hyrenbach, K.D., Jensen, B.A., and Lynch, J.M., 2018, Validation of ATR FT-IR to Identify Polymers of Plastic Marine Debris, Including Those Ingested by Marine Organisms, *Mar. Pollut. Bull*., 127, 704–716.

Kamoun, N., Younes, M.K., Ghorbel, A., Mamede, A.S., and Rives, A., 2015, Comparative Study of Aerogels Nanostructured Catalysts: Ni/ZrO_2-SO_4^{2-} and Ni/ZrO_2-Al_2O_3-SO_4^{2-}, *Ionics*, *21*, 221–229.

Kaur, N., and Ali, A., 2015, Preparation and Application of Ce/ZrO_2-TiO_2/SO_4^{2-} as Solid Catalyst for the Esterification of Fatty Acids, *Renew. Energy*, 81, 421–431.

Keogh, R.A., Sparks, D., Hu, J., Wender, I., Tierney, J.W., Wang, W., and Davis, B.H., 1994, Hydroisomerization and Hydrocracking of *n*-hexadecane over a Platinum-promoted Sulfated Zirconia Catalyst, *Energy & Fuels*, 8, 755–762.

Kunwar, B., Cheng, H.N., Chandrashekaran, S.R., and Sharma, B.K., 2016, Plastics to Fuel: A Review, *Renew. Sustain. Energy Rev.*, 54, 421–428.

Li, X., Nagaoka, K., Simon, L.J., Olindo, R., Lercher, J.A., Hofmann, A., and Sauer, J., 2005, Oxidative Activation of *n*-butane on Sulfated Zirconia, *J. Am. Chem. Soc*., 127, 16159–16166.

Lin, R., and White, R.L., 1997, Acid-catalyzed Cracking of Polystyrene, *J. Appl. Polym. Sci., 63, 1287*–1298.

Liu, Y., Chen, J., and Sun, Y., 2005, Preparation of Tailored Pore Size Mesoporous Zirconia with Enhanced Thermal Stability via Controlled Sol-gel Process, *Stud. Surf. Sci. Catal*., 156, 249–256.

Miao, C.X., and Gao, Z., 1997, Preparation and Properties of Ultrafine SO_4^{2-}/ZrO_2 Superacid Catalysts, *Mater. Chem. Phys*., 50, 15–19.

UNIVERSITAS
GADJAH MADA
PLATINA/NANOZIRKONIA TERSULFATASI: PREPARASI, KARAKTERISASI DAN APLIKASINYA UNTUK KONVERSI LIMBAH PLASTIK LDPE MENJADI BAHAN BAKAR CAIR
MAISARI UTAMI, Prof. Dr.rer.nat. Karna Wijaya, M.Eng.; Prof. Wega Trisunaryanti, M.S., Ph.D.Eng.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Morterra, C., Cerrato, G., Ciero, S.D., Signoretto, M., Pinna, F., and Strukul, G., 1997, Platinum-promoted and Unpromoted Sulfated Zirconia Catalysts Prepared by a One-step Aerogel Procedure, *J. Catal*., 165, 172–183.

Olindo, R., Li, X., and Lercher, J.A., 2006, Activation of Light Alkanes on Sulfated Zirconia, *Chem. Ing. Tech*., 78, 1053–1060.

Omar, W.N.N.W., and Amin, N.A.S., 2011, Optimization of Heterogeneous Biodiesel Production from Waste Cooking Palm Oil via Response Surface Methodology, *Biomass and Bioenergy*, 35, 1329–1338.

Patel, A., Brahmkhatri, V., and Singh, N., 2013, Biodiesel Production by Esterification of Free Fatty Acid over Sulfated Zirconia, *Renew. Energy*, 51, 227–233.

Rey-Bueno F.D, García-Rodríguez A., Mata-Arjona A., Rey-Pérez-Caballero F.J.D., 1995, Acidity of Montmorillonite-(Ce or Zr) Phosphate Cross-linked Compounds, *Clays Clay Miner*., 43, 554─561.

Sahu, J.N., Mahalik, K.K., Nam, H.K., Ling, T.Y., Woon, T.S., Shahimi, M., Mohanty, Y.K., Jayakumar, N.S., and Jamuar, S.S., 2013, Feasibility Study for Catalytic Cracking of Waste Plastic to Produce Fuel Oil with Reference to Malaysia and Simulation using ASPEN Plus, *Environ. Prog. Sustain. Energy*, 33, 298–307.

Said, A.E.A, El-Wahab, M.M.A., and El-Aal, M.A., 2014, The Catalytic Performance of Sulfated Zirconia in the Dehydration of Methanol to Dimethyl Ether, *J. Mol. Catal. A: Chem*., 394, 40–47.

Sayari, A., and Dicko, A., 1994, The State of Platinum in Pt on Sulfated Zirconia Superacid Catalysts, *J. Catal*., 145, 561–564.

Sen, S.K., and Raut, S., 2015, Microbial Degradation of Low Density Polyethylene (LDPE): A Review, *J. Environ. Chem. Eng*., 3, 462–473.

Seo, Y.H., Lee, K.H., and Shin, D.Y, 2003, Investigation of Catalytic Degradation of High-density Polyethylene by Hydrocarbon Group Type Analysis, *J. Anal. Appl. Pyrolysis*, 70, 383–398.

Sie, S.T., 1992, Acid-catalyzed Cracking of Paraffinic Hydrocarbons, 1. Discussion of Existing Mechanisms and Proposal of a New Mechanism, *Ind. Eng. Chem. Res.*, 31, 1881–1889.

Sing, K.S.W, Everett, D.H., Haul, R.A.W., Moscou, L., Pierotti, R.A., Rouqerol, J., and Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid

UNIVERSITAS
GADJAH MADA
PLATINA/NANOZIRKONIA TERSULFATASI: PREPARASI, KARAKTERISASI DAN APLIKASINYA UNTUK KONVERSI LIMBAH PLASTIK LDPE MENJADI BAHAN BAKAR CAIR
MAISARI UTAMI, Prof. Dr.rer.nat. Karna Wijaya, M.Eng.; Prof. Wega Trisunaryanti, M.S., Ph.D.Eng.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Systems with Special Reference to the Determination of Surface Area and Porosity, *Pure App. Chem*., 57, 603–619.

Song, Y., Tian, J., Ye, Y., Jin, Y., Zhou, X., Wang, J., and Xu, L., 2013, Effects of Calcination Temperature and Water-Washing Treatment on *n*-hexane Hydroisomerization Behavior of Pt-promoted Sulfated Zirconia Based Catalysts, *Catal. Today*, 212, 108–114.

Spielbauer, D., Mekhemer, G.A.H., Zaki, M.I., and Knrzinger, H., 1996, Acidity of Sulfated Zirconia as Studied by FTIR Spectroscopy of Adsorbed CO and NH_3 as Probe Molecules, *Catal. Lett.*, 40, 71–79.

Sriningsih, W., Saerodji, M.G., Trisunaryanti, W., Triyono, Armunanto, R., and Falah, I.I., 2014, Fuel Production from LDPE Plastic Waste over Natural Zeolite Supported Ni, Ni-Mo, Co and Co-Mo Metals, *Procedia Environ. Sci*., 20, 215–224.

Stichert, W., and Schüth, F., 1998, Synthesis of Catalytically Active High Surface Area Monoclinic Sulfated Zirconia, *J. Catal*., 174, 242–245.

Stöcker, M., 1985, *n*-Butane Isomerization Catalyzed by Antimony Pentafluoride Supported on Sulfate-treated Zirconium Oxide, *J. Mol. Catal*., 29, 371–377.

Syamsiro, M., 2015, Kajian Pengaruh Penggunaan Katalis terhadap Kualitas Produk Minyak Hasil Perengkahan termal Sampah Plastik, *Jurnal Teknik*, 5, 47–56.

Syamsiro, M., Saptoadi, H., Norsujianto, T., Noviasri, P., Cheng, S., Alimuddin, Z., and Yoshikawa, K., 2014, Fuel Oil Production from Municipal Plastic Wastes in Sequential Pyrolysis and Catalytic Reforming Reactors, *Energy Procedia*, 47, 180–188.

Timberlake, K.C., 2011, *Chemistry: An Introduction to General, Organic, and Biological Chemistry: Books a La Carte Edition*, Prentice Hall PTR, Los Angeles.

Trisunaryanti, W., 2002, Optimation of Time and Catalyst/Feed Ratio in Catalytic Cracking of Waste Plastics Fraction to Gasoline Fraction using Cr/Natural Zeolite Catalyst, *Indones. J. Chem.*, 2, 30–40.

Trisunaryanti, W., 2015, *Material Katalis dan Karakternya*, UGM Press, Yogyakarta.

Trisunaryanti, W., 2018, *Konversi Fraksi Aspal Buton menjadi Fraksi Bahan Bakar*, UGM Press, Yogyakarta.

UNIVERSITAS
GADJAH MADA
PLATINA/NANOZIRKONIA TERSULFATASI: PREPARASI, KARAKTERISASI DAN APLIKASINYA UNTUK KONVERSI LIMBAH PLASTIK LDPE MENJADI BAHAN BAKAR CAIR
MAISARI UTAMI, Prof. Dr.rer.nat. Karna Wijaya, M.Eng.; Prof. Wega Trisunaryanti, M.S., Ph.D.Eng.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Utami, M., Wijaya, K., and Trisunaryanti, W., 2017, Effect of Sulfuric Acid Treatment and Calcination on Commercial Zirconia Nanopowder, *Key. Eng. Mater.*, 757, 131–137.

Utami, M., Wijaya, K., and Trisunaryanti W., 2018, Pt-promoted Sulfated Zirconia as Catalyst for Hydrocracking of LDPE Plastic Waste into Liquid Fuels, *Mater. Chem. Phys*., 213, 548–555.

Watanabe, K., Kawakami, T., Baba, K., Oshio, N., and Kimura, T., 2005, Effect of Metals on the Catalytic Activity of Sulfated Zirconia for Light Naphtha Isomerization, *Catal. Surv. Asia*, 1, 17–23.

Xingzhong, Y., 2006, *Converting Waste Plastics into Liquid Fuel by Pyrolysis: Developments in China, in: J. Scheirs (Ed.) Feedstock Recycling and Pyrolysis of Waste Plastics*, John Wiley & Sons, West Sussex.

Yadav, G.D., and Mehta, P.H., 1994, Heterogeneous Catalysis in Esterification Reactions: Preparation of Phenethyl Acetate and Cyclohexyl Acetate by Using a Variety of Solid Acidic Catalysts, *Ind. Eng. Chem. Res.*, 33, 2198–2208.

Yadav, G.D., and Nair, J.J, 1999, Sulfated Zirconia and Its Modified Versions as Promising Catalyst for Industrial Processes, *Micropor. Mesopor. Mater.*, 33, 1–48.

Yadav, G.D., Kumbhar P.S., and Thorat, T.S., 1993, Inversion of the Relative Reactivities and Selectivities of Benzyl Chloride and Benzyl Alcohol in Friedel-crafts Alkylation with Toluene using Different Solid Acid Catalysts: An Adsorption Related Phenomenon, *Tetrahedron Lett.*, 34, 529–532.

Yamaguchi, T., 1994, Application of ZrO_2 as a Catalyst and a Catalyst Support, *Catal. Today*, 20, 199–218.

Zhao, J., Fan, W., Wu, D., and Sun, Y., 2000, Synthesis of Highly Stabilized Zirconia Sols from Zirconium *n*-propoxide-diglycol System, *J. Non-Cryst. Solids*, 261, 15–20.

Zhou, C.H., and Keeling, J., 2013, Fundamental and Applied Research on Clay Minerals From Climate and Environment to Nanotechnology, *Appl. Clay Sci*., 74, 3–9.

Zorn, K., Föttinger, K., Halwax, E., and Vinek, H., 2007, Active Sites on Pt Containing Sulfated Zirconia, *Top. Catal*., 46, 93–100.