

REFERENCES

- Asgary, S., Shahabi, S., Jafarzadeh, T., Amini, S., & Kheirieh, S. (2008). The Properties of a New Endodontic Material. *Journal of Endodontics*, 34(8), 990-993.
- Basturk, F., Nekoofar, M., Günday, M., & Dummer, P. (2013). The effect of various mixing and placement techniques on the compressive strength of mineral trioxide aggregate. *Journal of Endodontics*, 39(1), 111-114.
- Basturk, F., Nekoofar, M., Gunday, M., & Dummer, P. (2014). Effect of various mixing and placement techniques on the flexural strength and porosity of mineral trioxide aggregate. *Journal of Endodontics*, 40(3), 441-445.
- Basturk, F., Nekoofar, M., Gunday, M., & Dummer, P. (2015). Effect of varying water-to-powder ratios and ultrasonic placement on the compressive strength of mineral trioxide aggregate. *Journal of Endodontics*, 41(4), 531-534.
- Basturk, F., Nekoofar, M., Gunday, M., & Dummer, P. (2018). X-ray diffraction analysis of MTA mixed and placed with various techniques. *Clinical Oral Investigations*, 22(4), 1675-1680.
- Belío-Reyes, I., Bucio, L., & Cruz-Chavez, E. (2009). Phase Composition of ProRoot Mineral Trioxide Aggregate by X-Ray Powder Diffraction. *Journal of Endodontics*, 35(6), 875-878.
- Bentz, D. (2007). Cement hydration: Building bridges and dams at the microstructure level. *Materials and Structures/Materiaux et Constructions*, 40(4), 397-404.
- Bentz, D., & Aïtcin, P. (2008). The Hidden Meaning of Water-Cement Ratio. *Concrete International*, 4, 30-51
- Callister, W., & Rethwisch D. (2013). Materials Science and Engineering: An Introduction. *John Wiley & Sons, Inc.*, United States

- Camilleri, J. (2014). *Mineral Trioxide Aggregate in Dentistry From Preparation to Application*. Springer Heidelberg, New York
- Camilleri, J. (2007). Hydration mechanisms of mineral trioxide aggregate. *International Endodontic Journal*, 40(6), 462-470.
- Camilleri, J. (2008). Characterization of hydration products of mineral trioxide aggregate. *International Endodontic Journal*, 41(5), 408-417.
- Camilleri, J., Montesin, F., Brady, K., Sweeney, R., Curtis, R., & Ford, T. (2005). The constitution of mineral trioxide aggregate. *Dental Materials*, 21(4), 297-303.
- Camilleri, J., Sorrentino, F., & Damidot, D. (2015). Characterization of un-hydrated and hydrated BioAggregate™ and MTA Angelus™. *Clinical Oral Investigations*, 19(3), 689-698.
- Chen, S., Shi, L., Luo, J., & Engqvist, H. (2018). Novel Fast-Setting Mineral Trioxide Aggregate: Its Formulation, Chemical-Physical Properties, and Cytocompatibility. *ACS Applied Materials and Interfaces*, 10(24), 20334-20341.
- Coomaraswamy, K., Lumley, P., & Hofmann, M. (2007). Effect of Bismuth Oxide Radiopacifier Content on the Material Properties of an Endodontic Portland Cement-based (MTA-like) System. *Journal of Endodontics*, 33(3), 295-298.
- Cutajar, A., Mallia, B., Abela, S., & Camilleri, J. (2011). Replacement of radiopacifier in mineral trioxide aggregate; Characterization and determination of physical properties. *Dental Materials*, 27(9), 879-891.
- Danesh, G., Dammaschke, T., Gerth, H., Zandbiglari, T., & Schäfer, E. (2006). A comparative study of selected properties of ProRoot mineral trioxide aggregate and two Portland cements. *International Endodontic Journal*, 39(3), 213-219.

- Formosa, L., Mallia, B., & Camilleri, J. (2013). A quantitative method for determining the antiwashout characteristics of cement-based dental materials including mineral trioxide aggregate. *International Endodontic Journal*, 46(2), 179-186.
- Formosa, L., Mallia, B., & Camilleri, J. (2013). Mineral trioxide aggregate with anti-washout gel-Properties and microstructure. *Dental Materials*, 29(3), 294-306.
- Fridland, M., & Rosado, R. (2003). Mineral trioxide aggregate (MTA) solubility and porosity with different water-to-powder ratios. *Journal of Endodontics*, 29(12), 814-817.
- Fridland, M., & Rosado, R. (2005). MTA solubility: A long term study. *Journal of Endodontics*, 31(5), 376-379.
- Gancedo-Caravia, L., & Garcia-Barbero, E. (2006). Influence of Humidity and Setting Time on the Push-Out Strength of Mineral Trioxide Aggregate Obturations. *Journal of Endodontics*, 32(9), 894-896.
- Giuliani, V., Nieri, M., Pace, R., & Pagavino, G. (2010). Effects of pH on surface hardness and microstructure of mineral trioxide aggregate and aureoseal: An in vitro study. *Journal of Endodontics*, 36(11), 1883-1886.
- Hawley, M., Webb, T., & Goodell, G. (2010). Effect of varying water-to-powder ratios on the setting expansion of white and gray mineral trioxide aggregate. *Journal of Endodontics*, 36(8), 1377-1379.
- Islam, I., Kheng Chng, H., & Jin Yap, A. (2006). Comparison of the physical and mechanical properties of MTA and portland cement. *Journal of Endodontics*, 32(3), 193-197.
- Kogan, P., He, J., Glickman, G., & Watanabe, I. (2006). The Effects of Various Additives on Setting Properties of MTA. *Journal of Endodontics*, 32(6), 569-572.

- Lee, Y., Lee, B., Lin, F., Yun Lin, A., Lan, W., & Lin, C. (2004). Effects of physiological environments on the hydration behavior of mineral trioxide aggregate. *Biomaterials*, 25(5), 787-793.
- Marturi, N. (2013). Vision and visual servoing for nanomanipulation and nanocharacterization in scanning electron microscope. *HAL archives ouvertes*, France.
- Namazikhah, M., Nekoofar, M., Sheykhrezae, M., Salariyeh, S., Hayes, S., Bryant, S., & Dummer, P. (2008). The effect of pH on surface hardness and microstructure of mineral trioxide aggregate. *International Endodontic Journal*, 41(2), 108-116.
- Roberts, H., Toth, J., Berzins, D., & Charlton, D. (2008). Mineral trioxide aggregate material use in endodontic treatment: A review of the literature. *Dental Materials*, 24(2), 149-164.
- Saghiri, M., Lotfi, M., Joupari, M., Aeinehchi, M., & Saghiri, A. (2010). Effects of storage temperature on surface hardness, microstructure, and phase formation of white mineral trioxide aggregate. *Journal of Endodontics*, 36(8), 1414-1418.
- Saghiri, M., Lotfi, M., Saghiri, A., Vosoughhosseini, S., Aeinehchi, M., & Ranjkesh, B. (2009). Scanning Electron Micrograph and Surface Hardness of Mineral Trioxide Aggregate in the Presence of Alkaline pH. *Journal of Endodontics*, 35(5), 706-710.
- Song, J., Mante, F., Romanow, W., & Kim, S. (2006). Chemical analysis of powder and set forms of Portland cement, gray ProRoot MTA, white ProRoot MTA, and gray MTA-Angelus. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*, 102(6), 809-815.
- Song, M., Kim, S., Lee, S., Kim, B., & Kim, E. (2013). Prognostic factors of clinical outcomes in endodontic microsurgery: A prospective study. *Journal of Endodontics*, 39(12), 1491-1497.

- Storm, B., Eichmiller, F., Tordik, P., & Goodell, G. (2008). Setting Expansion of Gray and White Mineral Trioxide Aggregate and Portland Cement. *Journal of Endodontics*, 34(1), 80-82.
- Tawil, P., Abe, D., Duggan, D., & Galicia, J. (2015). MTA: A Clinical Review., *Compend Contin Educ Dent*, 36(4): 247–264.
- Torabinejad, M., & Chivian, N. (1999). Clinical Applications of Mineral Trioxide Aggregate. *Wiley Blackwell*, United Kingdom
- Torabinejad, M., & Parirokh, M. (2010). Mineral Trioxide Aggregate: A Comprehensive Literature Review-Part II: Leakage and Biocompatibility Investigations. *Journal of Endodontics*, 36(2), 190-202.
- Torabinejad, M., Hong, C., McDonald, F., & Pitt Ford, T. (1995). Physical and Chemical Properties of a New Root-End Filling Material. *The American Association of Endodontists*, 21 (7)
- Torabinejad, M., Watson, T., & Pitt Ford, T. (1993). Sealing Ability of a Mineral Trioxide Aggregate When Used As a Root End Filling Material. *The American Association of Endodontists*, 19 (12)
- Walker, M., Diliberto, A., & Lee, C. (2006). Effect of setting conditions on mineral trioxide aggregate flexural strength. *Journal of Endodontics*, 32(4), 334-336.
- Waseda Y., Matsubara E. & Shinoda K. (2011). X-Ray Diffraction Crystallography. *Springer-Verlag Berlin Heidelberg*, New York.