

DAFTAR PUSTAKA

- Adams, D.J., Adams, E.M., and Hills, G.J., 1979, The computer of polar liquids, *Mol. Phys.*, 38, 387–400.
- Ahlrichs, R., Bar, M., Marco, H., Horn, H., and Ktjlmel, C., 1989, Electronic Structure Calculations on Workstation Computers: The Program System Turbomole, *Chem. Phys. Lett.*, 162, 165–169.
- Allen, M.P. and Tildesley, D.J., 2017, *Computer Simulation of Liquids*, Oxford University Press, Oxford.
- Armunanto, R., Schwenk, C.F., and Rode, B.M., 2005, Ab Initio QM/MM Simulation of Ag^+ in 18.6% Aqueous Ammonia Solution: Structure and Dynamics Investigations, *J. Phys. Chem. A*, 109, 4437–4441.
- Ascher, U.M., Chin, H., Petzold, L.R., and Reich, S., 2007, Stabilization of Constrained Mechanical Systems with DAEs and Invariant Manifolds, *MECH. STRUCT. & MACH.*, 23, 135–157.
- Atkins, P.W., Overton, T.L., Rourke, J.P., and Weller, M.T., 2010, *Shriver and Atkin's Inorganic Chemistry*, Oxford University Press, New York.
- Azam, S.S., Hofer, T.S., Randolph, B.R., and Rode, B.M., 2009, Hydration of Sodium(I) and Potassium(I) Revisited: A Comparative QM/MM and QMCF MD Simulation Study of Weakly Hydrated Ions, *J. Phys. Chem.*, 113, 1827–1834.
- Bachrach, S.M., 2014, *Computational Organic Chemistry*, John Wiley & Sons, New Jersey.
- Bakó, I., Hutter, J., and Pálinkás, G., 2002, Car-Parrinello Molecular Dynamics Simulation of the Hydrated Calcium Ion, *J. Chem. Phys.*, 117, 9838–9843.
- Berendsen, H.J.C., Postma, J.P.M., Van Gunsteren, W.F., Dinola, A., and Haak, J.R., 1984, Molecular Dynamics with Coupling to An External Bath, *J. Chem. Phys.*, 81, 3684–3690.
- Bergmann, L., Hedley, G.J., Baumann, T., Bräse, S., and Samuel, I.D.W., 2016, Direct Observation of Intersystem Crossing in A Thermally Activated Delayed Fluorescence Copper Complex in The Solid State, *Sci. Adv.*, 2, 1–7.
- Börgel, J., Campbell, M.G., and Ritter, T., 2016, Transition Metal d-Orbital Splitting Diagrams: An Updated Educational Resource for Square Planar Transition Metal Complexes, *J. Chem. Educ.*, 93, 118–121.

- Boys, S.F. and Bernardi, F., 1970, The Calculation of Small Molecular Interactions by The Differences of Separate Total Energies. Some Procedures with Reduced Errors, *Mol. Phys.*, 19, 553–566.
- Braish, T.F., Duncan, R.E., Harber, J.J., Steffen, R.L., and Stevenson, K.L., 1984, Equilibria, Spectra, and Photochemistry of Copper(I)-Ammonia Complexes in Aqueous Solution, *Inorg. Chem.*, 23, 4072–4075.
- Burnier, R.C., Carlin, T.J., Reents, W.D., Cody, J.R.B., Lengel, R.K., and Freiser, B.S., 1979, Coordination Chemistry of Copper(I) in the Gas Phase, *J. Am. Chem. Soc.*, 101, 7127–7129.
- Chillemi, G., Pace, E., D'Abramo, M., and Benfatto, M., 2016, Equilibrium Between 5- and 6-Fold Coordination in The First Hydration Shell of Cu(II) , *J. Phys. Chem. A*, 120, 3958–3965.
- Diendere, F., Guiguemde, I., and Bary, A., 2014, Natural Bond Orbital Analysis of the Bonding in Complexes of Li with Ammonia, *Res. J. Chem. Sci.*, 4, 20–25.
- van Duin, A.C.T., Bryantsev, V.S., Diallo, M.S., Goddard, W.A., Rahaman, O., Doren, D.J., Raymand, D., and Hermansson, K., 2010, Development and Validation of a ReaxFF Reactive Force Field for Cu Cation/Water Interactions and Copper Metal/Metal Oxide/Metal Hydroxide Condensed Phases, *J. Phys. Chem. A*, 114, 9507–9514.
- Dunning, T.H., 1970, Gaussian Basis Functions for Use in Molecular Calculations. I. Contraction of (9s5p) Atomic Basis Sets for the FirstRow Atoms, *J. Chem. Phys.*, 53, 2823–2833.
- Eckl, B., Vrabec, J., and Hasse, H., 2008, An Optimised Molecular Model for Ammonia, *Mol. Phys.*, 106, 1039–1046.
- Emerson, K., Russo, R.C., Lund, R.E., and Thurston, R. V., 1975, Aqueous Ammonia Equilibrium Calculations: Effect of pH and Temperature, *J Fish Res Board Can*, 32, 2379–2383.
- Field, M.J., 2007, *A Practical Introduction to the Simulation of Molecular System*, Cambridge University Press, New York.
- Frisch, M.J., Trucks, G.W., Schlegel, H.B., Scuseria, G.E., Robb, M.A., Cheeseman, J.R., Scalmani, G., Barone, V., Mennucci, B., Petersson, G.A., Nakatsuji, H., Caricato, M., Li, X., Hratchian, H.P., Izmaylov, A.F., Bloino, J., Zheng, G., and Sonnenberg, J.L., 2016, *Gaussian 09 Revision E.01*, Gaussian Inc.
- Guia, R., Giron, P., and Ferguson, G.S., 2017, Tetrafluoroborate and

- Hexafluorophosphate Ions are not Interchangeable : A Density Functional Theory Comparison of Hydrogen Bonding, *ChemPubSoc Eur.*, 2, 10895–10901.
- Han, S., 2018, Dynamic Features of Water Molecules in Superconcentrated Aqueous Electrolytes, *Sci Rep.*, 8, 1–10.
- Hannongbua, S. V., Ishida, T., Spohr, E., and Heinzinger, K., 1988, Molecular Dynamics Study of a Lithium Ion in Ammonia, *Z. Naturforsch.*, 43, 572–582.
- Hartree, D.R., 1928, The Wave Mechanics of an Atom with a Non-Coulomb Central Field, *Math. Proc. Cambridge Philos. Soc.*, 24, 111–132.
- Helfand, E., 1979, Flexible vs Rigid Constraints in Statistical Mechanics, *J. Chem. Phys.*, 71, 5000–5007.
- Herald, L., Lim, V., Bhattacharjee, A., Randolph, B.R., and Rode, B.M., 2010, Hydrolysis of Tetravalent Group IV Metal Ions: An Ab Initio Simulation Study, *Phys. Chem. Chem. Phys.*, 12, 12423–12426.
- Hickman, A.J. and Sanford, M.S., 2012, High-Valent Organometallic Copper and Palladium in Catalysis, *Nature*, 484, 177–185.
- Hidayat, Y., Pranowo, H.D., and Armunanto, R., 2018, Revisiting structure and dynamics of preferential solvation of K(I) ion in aqueous ammonia using QMCF-MD simulation, *Chem. Phys. Lett.*, 699, 234–240.
- Hofer, T.S., 2014, Perspectives for hybrid ab initio/molecular mechanical simulations of solutions: from complex chemistry to proton-transfer reactions and interfaces, *Pure Appl. Chem.*, 86, 105–117.
- Hofer, T.S., Pribil, A.B., Randolph, B.R., and Rode, B.M., 2010, Ab Initio Quantum Mechanical Charge Field Molecular Dynamics—A Nonparametrized First-Principle Approach to Liquids and Solutions, *Adv. Quant. Chem.*, 59, 213–246.
- Hofer, T.S., Randolph, B.R., Rode, B.M., and Persson, I., 2009, The Hydrated Platinum(II) Ion in Aqueous Solution - A Combined Theoretical and EXAFS Spectroscopic Study, *Dalt. Trans.*, 9, 1512–1515.
- Hofer, T.S., Tran, H.T., Schwenk, C.F., and Rode, B.M., 2004, Characterization of Dynamics and Reactivities of Solvated Ions by Ab Initio Simulations, *J. Comput. Chem.*, 25, 211–217.
- Holland, P.M. and Castleman, A. W., J., 1982, Thomson Equation Revisited in Light of Ion-Clustering Experiments, *J. Phys. Chem.*, 86, 4181–4188.
- Hu, J., Chen, Q., Hu, H., Chen, X., Ma, Q., and Yin, Z., 2012, Extraction Behavior and Mechanism of Cu(II) in Ammoniacal Sulfate Solution with β -diketone,

HYDROMETALLURGY, 127–128, 54–61.

- Hu, J., Chen, Q., Hu, H., Jiang, Z., Wang, D., Wang, S., and Li, Y., 2013, Microscopic Insights Into Extraction Mechanism of Copper(II) in Ammoniacal Solutions Studied by X-Ray Absorption Spectroscopy and Density Functional Theory Calculation, *J. Phys. Chem. A*, 117, 12280–11287.
- Iino, T., Ohashi, K., Inoue, K., Judai, K., Nishi, N., and Sekiya, H., 2007, Infrared Spectroscopy of $\text{Cu}^+(\text{H}_2\text{O})_n$ and $\text{Ag}^+(\text{H}_2\text{O})_n$: Coordination and Solvation of Noble-Metal Ions, *J. Chem. Phys.*, 126, 194302.
- Inoue, K., Ohashi, K., Iino, T., Judai, K., Nishi, N., and Sekiya, H., 2007, Coordination and Solvation of Copper Ion: Infrared Photodissociation Spectroscopy of $\text{Cu}^+(\text{NH}_3)_n$ ($n = 3-8$), *Phys. Chem. Chem. Phys.*, 9, 4793–4802.
- Jensen, F., 2007, *Introduction to Computational Chemistry*, John Wiley & Sons, West Sussex.
- Jones, J.E., 1924, On the Determination of Molecular Fields. II. From the Equation of State of a Gas, *Proc. R. Soc. A Math. Phys. Eng. Sci.*, 106, 463–477.
- Keller, S., Pertegás, A., Longo, G., Martínez, L., Cerdá, J., Junquera-Hernández, J.M., Prescimone, A., Constable, E.C., Housecroft, C.E., Ortí, E., and Bolink, H.J., 2016, Shine Bright or Live Long: Substituent Effects in $[\text{Cu}(\text{N}^{\wedge}\text{N})(\text{P}^{\wedge}\text{P})]^+$ -based Light-Emitting Electrochemical Cells where $\text{N}^{\wedge}\text{N}$ is a 6-substituted 2,2'-bipyridine, *J. Mater. Chem. C*, 4, 3857–3871.
- Kropman, M.F. and Bakker, H.J., 2001, Dynamics of Water Molecules in Aqueous Solvation Shells, *Science*, 291, 2118–2120.
- Lagowski, J.J., 2007, Synthesis and Reactivity in Inorganic , Metal-Organic , and Nano-Metal Chemistry, *INORG NANO-MET CHEM*, 37, 115–153.
- Leach, A.R., 2001, *Molecular modelling principles and applications*, Prentice Hall, New Jersey.
- Lide, D.R., Data, S.R., Board, E.A., Baysinger, G., Chemistry, S., Library, C.E., Berger, L.I., Goldberg, R.N., Division, B., Kehiaian, H. V, Kuchitsu, K., Rosenblatt, G., Roth, D.L., and Zwillinger, D., 2005, *CRC Handbook of Chemistry and Physics*, CRC Press, New York.
- Lin, H. and Truhlar, D.G., 2007, QM/MM: What Have We Learned, Where are We, and Where do We Go From Here?, *Theor. Chem. Acc.*, 117, 185–199.
- Linder, M.C., 1991, *Biochemistry of Copper*, Plenum Press, New York.
- Maniyara, R.A., Mkhitarian, V.K., Chen, T.L., Ghosh, D.S., and Pruneri, V., 2016, An antireflection Transparent Conductor with Ultralow Optical Loss (<2 %)

- and Electrical Resistance ($<6\Omega\text{sq}^{-1}$), *Nat. Commun.*, 7, 1–8.
- Marianetti, C.A., Morgan, D., and Ceder, G., 2001, First-Principles Investigation of The Cooperative Jahn-Teller Effect for Octahedrally Coordinated Transition-Metal Ions, *Phys. Rev. B*, 63, 1–15.
- Marinelli, P.J. and Squires, R.R., 1988, Sequential Solvation of Atomic Transition-Metal Ions. The Second Solvent Molecule Can Bind More Strongly Than the First, *J. Am. Chem. Soc.*, 111, 4101–4103.
- Miessler, G.L., Fischer, P.J., and Tarr, D. a, 2013, *Inorganic Chemistry*, Pearson Education, Inc, Upper Saddle River.
- Moin, S.T., Hofer, T.S., Pribil, A.B., Randolph, B.R., and Rode, B.M., 2010, A Quantum Mechanical Charge Field Molecular Dynamics Study of Fe²⁺ and Fe³⁺, *Inorg. Chem.*, 25, 5101–5106.
- Moin, S.T., Hofer, T.S., Weiss, A.K.H., and Rode, B.M., 2013, Dynamics of Ligand Exchange Mechanism at Cu(II) in Water: An Ab Initio Quantum Mechanical Charge Field Molecular Dynamics Study with Extended Quantum Mechanical Region, *J. Chem. Phys.*, 139, 1–10.
- Mulliken, R.S., 1955, Electronic Population Analysis on LCAOMO Molecular Wave Functions. I, *J. Chem. Phys.*, 23, 1833–1840.
- Napari, I. and Vehkamäki, H., 2006, A comparison of rigid and flexible water models in collisions of monomers and small clusters, *J. Chem. Phys.*, 125, 1–7.
- Nilsson, K.B., Eriksson, L., Kessler, V.G., and Persson, I., 2007, The Coordination Chemistry of The Copper(II), Zinc(II) and Cadmium(II) Ions in Liquid and Aqueous Ammonia Solution, and The Crystal Structures of Hexaamminecopper(II) Perchlorate and Chloride, and Hexaamminecadmium(II)chloride, *J. Mol. Liq.*, 131, 113–120.
- Nilsson, K.B. and Persson, I., 2004, The Coordination Chemistry of Copper(I) in Liquid Ammonia, Trialkyl and Triphenyl Phosphite, and Tri-n-butylphosphine Solution, *Dalt. Trans.*, 9, 1312–1319.
- Ohashi, K., Inoue, K., Iino, T., Sasaki, J., Judai, K., Nishi, N., and Sekiya, H., 2009, A Molecular Picture of Metal Ion Solvation: Infrared Spectroscopy of Cu⁺(NH₃)_n and Ag⁺(NH₃)_n in the Gas Phase, *J. Mol. Liq.*, 147, 71–76.
- Otero-Calvi, A., Aullon, G., Alvarez, S., Montero, L.A., and Stohrer, W.D., 2006, Bonding and Solvation Preferences of Nickel Complexes [Ni(S₂PR₂)₂] (R=H, Me, OMe) According a Natural Bond Orbital Analysis, *J. Mol. Struct. THEOCHEM*, 767, 37–41.

- Pearson, G., 1963, Hard and Soft Acids and Bases, *J. Am. Chem. Soc.*, 85, 3533–3539.
- Pearson, R.G., 1968, Hard and Soft Acids and Bases, HSAB: Fundamental Principles, *J. Chem. Educ.*, 45, 581.
- Pearson, R.G., 1995, The HSAB Principle-more quantitative aspects, *Inorganica Chim. Acta*, 240, 93–98.
- Persson, I., Persson, P., Sandström, M., and Ullström, A.-S., 2002, Structure of Jahn–Teller Distorted Solvated Copper(II) Ions in Solution, and in Solids with Apparently Regular Octahedral Coordination Geometry, *Dalt. Trans.*, 1256.
- Pranowo, H.D., 2003, Monte Carlo Simulation of CuCl_2 in 18.6% Aqueous Ammonia Solution, *J. Chem. Phys.*, 291, 153–159.
- Pranowo, H.D. and Rode, B.M., 2001, Preferential Cu^{2+} Solvation in Aqueous Ammonia Solution of Various Concentrations, *Chem. Phys.*, 263, 1–6.
- Pranowo, H.D. and Rode, B.M., 1999, Solvation of Cu^{2+} in Liquid Ammonia: Monte Carlo Simulation Including Three-Body Corrections, *J. Phys. Chem. A*, 103, 4298–4302.
- Pranowo, H.D., Setiaji, A.H.B., and Rode, B.M., 1999, Cu^+ in Liquid Ammonia and in Water: Intermolecular Potential Function and Monte Carlo Simulation, *J. Phys. Chem. A*, 103, 11115–11120.
- Prasetyo, N. and Armunanto, R., 2016, Revisiting Structure and Dynamics of Ag^+ in 18.6% Aqueous Ammonia: An Ab Initio Quantum Mechanical Charge Field Simulation, *Chem. Phys. Lett.*, 652, 243–248.
- Rayner, G. and Overton, T., 2010, *Descriptive Inorganic Chemistry*, W.H. Freeman and Company, New York.
- Reed, A.E., Curtiss, L.A., and Weinhold, F., 1988, Intermolecular Interactions from a Natural Bond Orbital , Donor-Acceptor Viewpoint, *Chem. Rev.*, 88, 899–926.
- Rode, B.M., Hofer, T.S., Randolph, B.R., Schwenk, C.F., Xenides, D., and Vchirawongkwin, V., 2005, Ab initio quantum mechanical charge field (QMCF) molecular dynamics: A QM/MM - MD procedure for accurate simulations of ions and complexes, *Theor. Chem. Acc.*, 115, 77–85.
- Rodriguez, J. a and Goodman, D.W., 1992, The Nature of the Metal-Metal Bond in Bimetallic Surfaces, *Science*, 257, 897–903.
- Sadus, R.J., 2002, *Molecular Simulation of Fluids: Theory, Algorithms and Object-Oriented*, Elsevier, Amsterdam.

- Saleh, M. and Hofer, T.S., 2017, Palladium(II) in Liquid Ammonia: An Investigation of Structural and Dynamical Properties by Applying Quantum Mechanical Charge Field Molecular Dynamics (QMCF-MD), *Dalt. Trans.*, 46, 9630–9638.
- Saleh, M. and Hofer, T.S., 2016, Structure and dynamics of Ni^{2+} in liquid ammonia: A quantum mechanical charge field molecular dynamics (QMCF-MD) study, *Chem. Phys. Lett.*, 661, 274–278.
- Saputri, W.D., Hidayat, Y., Wijaya, K., Pranowo, H.D., and Hofer, T.S., 2018, Investigation of the preferential solvation and dynamical properties of Cu^+ in 18.6% aqueous ammonia solution using ab initio quantum mechanical charge field (QMCF) molecular dynamics study and NBO analysis, *J. Mol. Liq.*, 275, 859–866.
- Saputri, W.D., Wijaya, K., and Armunanto, R., 2017, Investigation of the structural and dynamical properties of Cu^+ in liquid ammonia: A quantum mechanical charge field (QMCF) molecular dynamics study, *Indones. J. Chem.*, 17, 531–537.
- Schwenk, C.F. and Rode, B.M., 2004, Cu^{II} in Liquid Ammonia: An Approach by Hybrid Quantum-Mechanical/Molecular-Mechanical Molecular Dynamics Simulation, *ChemPhysChem*, 5, 342–348.
- Tao, M., Xue, L., Sun, Z., Wang, S., Wang, X., and Shi, J., 2015, Tailoring the Synergistic Bronsted-Lewis Acidic Effects in Heteropolyacid Catalysts: Applied in Esterification and Transesterification Reactions, *Sci Rep.*, 5, 1–10.
- Tielrooij, K.J., Garcia-Araez, N., Bonn, M., and Bakker, H.J., 2010, Cooperativity in Ion Hydration, *Science*, 328, 1006–1009.
- Valli, M., Matsuo, S., Wakita, H., Yamaguchi, T., and Nomura, M., 1996, Solvation of Copper (II) Ions in Liquid Ammonia, *Inorg. Chem.*, 35, 5642–5645.
- Vega, C. and Abascal, J.L.F., 2011, Simulating water with rigid non-polarizable models: a general perspective, *Phys. Chem. Chem. Phys.*, 13, 19663–19688.
- Weinhold, F., 2012, Natural Bond Orbital Analysis: A Critical Overview of Relationships to Alternative Bonding Perspectives, *J. Comput. Chem.*, 33, 2363–2379.
- Weinhold, F., Landis, C.R., and Glendening, E.D., 2016, What is NBO Analysis and How is It Useful?, *Int. Rev. Phys. Chem.*, 35, 399–440.
- Zink, D.M., Bergmann, L., Ambrosek, D., Wallesch, M., Volz, D., and Mydlak, M., 2014, Singlet Harvesting Copper-Based Emitters: A Modular Approach towards Next-Generation OLED Technology, *Transl. Mater. Res.*, 15, 3292–3297.