

DAFTAR PUSTAKA

- 'About Chronic Conditions', , 2015. *National Health Council*. URL: <http://www.nationalhealthcouncil.org/newsroom/about-chronic-conditions> (diakses tanggal 7/4/2019).
- Alshammari, S.A., Alhassan, A.M., Aldawsari, M.A., Bazuhair, F.O., Alotaibi, F.K., Aldakhil, A.A., dkk., 2018. Falls among elderly and its relation with their health problems and surrounding environmental factors in Riyadh. *Journal of family & community medicine*, **25**: 29–34.
- Anto, W.S., 2016. 'Pengaruh Penambahan Latihan Keseimbangan Pada Latihan Core Stability Lebih Baik Terhadap risiko Jatuh Pada Lansia', . Sekolah Tinggi Ilmu Kesehatan 'Aisyiyah', Yogyakarta.
- Badan Pusat Statistik, 2018a. *Statistik Penduduk Lanjut Usia 2017*. Badan Pusat Statistik.
- Badan Pusat Statistik, 2018b. *Statistik Penduduk Lanjut Usia 2018*. Badan Pusat Statistik, Jakarta.
- Badan Pusat Statistik, 2019. 'Angka Harapan Hidup Saat Lahir Menurut Provinsi 2010-2017', . URL: <https://www.bps.go.id/dynamictable/2018/04/16/1298/angka-harapan-hidup-saat-lahir-menurut-provinsi-2010-2017.html> (diakses tanggal 24/1/2019).
- Blalock, D., 2016. 'An Evidenced-Based Approach to Fall Risk Assessment and Management in an Outpatient Imaging Center: Morse Fall Scale', , dalam: *Sigma Theta Tau International, the Honor Society of Nursing*. Dipresentasikan pada 43rd Biennial Convention, Las Vegas, Nevada, USA.
- Bloch, F., Thibaud, M., Dugué, B., Brèque, C., Rigaud, A.-S., dan Kemoun, G., 2010. Psychotropic Drugs and Falls in the Elderly People: Updated Literature Review and Meta-Analysis. *Journal of Aging and Health*, **23**: 329–346.
- Boca Raton Regional Hospital, 2009. 'Outpatient Fall Prevention Assesment Tool', . URL: <https://www.brrh.com/documents/OutptFallPreventionAssmntTool-148004.pdf> (diakses tanggal 7/4/2019).
- Bockbrader, H.N., Wesche, D., Miller, R., Chapel, S., Janiczek, N., dan Burger, P., 2010. A Comparison of the Pharmacokinetics and Pharmacodynamics of Pregabalin and Gabapentin. *Clinical Pharmacokinetics*, **49**: 661–669.

BPS Jawa Timur, 2018. *Profil Penduduk Lanjut Usia Provinsi Jawa Timur 2017*.
BPS Provinsi Jawa Timur.

Bueno-Cavanillas, A., Padilla-Ruiz, F., JimeÂ, J.J., Peinado-Alonso, C.A., dan Ivez-Vargas, R.G., 2000. Risk factors in falls among the elderly according to extrinsic and intrinsic precipitating causes. *European Journal of Epidemiology*, **16**: 849±859.

Buntinx, F., Niclaes, L., Suetens, C., Jans, B., Mertens, R., dan Van den Akker, M., 2002. Evaluation of Charlson's comorbidity index in elderly living in nursing homes. *Journal of Clinical Epidemiology*, **55**: 1144–1147.

Burns, E., 2018. Deaths from Falls Among Persons Aged ≥65 Years — United States, 2007–2016. *MMWR. Morbidity and Mortality Weekly Report*, **67**: .

Cabrera, M.A.S., Dellaroza, M.S.G., Trelha, C.S., Paccola, L.B.B., da Cruz Domiciano Perdigão, S., de Barros Pinto, M.E., dkk., 2010. Psychoactive Drugs as Risk Factors for Functional Decline Among Noninstitutionalized Dependent Elderly People. *Journal of the American Medical Directors Association*, **11**: 519–522.

Cai, K., Nanga, R.P.R., Lamprou, L., Schinstine, C., Elliott, M., Hariharan, H., dkk., 2012. The Impact of Gabapentin Administration on Brain GABA and Glutamate Concentrations : A 7T 1 H-MRS Study. *Neuropsychopharmacology*, **37**: 2764–2771.

Carral, J.M.C., Ayán, C., Sturzinger, L., dan Gonzalez, G., 2018. Relationship Between Body Mass Index and Static and Dynamic Balance in Active and Inactive Older Adults. *Journal of Geriatric Physical Therapy*, **00**: 1–6.

Center for Disease Control and Prevention, 2017. Fact Sheet Medications Linked To Falls.

Chaimowicz, F., Ferreira, T. de J.X.M., dan Miguel, D.F.A., 2000. Use of psychoactive drugs and related falls among older people living in a community in Brazil. *Revista de Saúde Pública*, **34**: 631–635.

Chang, V.C. dan Do, M.T., 2015. Risk Factors for Falls Among Seniors: Implications of Gender. *American Journal of Epidemiology*, **181**: 521–531.

Charlson, M., Pompei, P., dan Ales, K., 1987. A new method of classifying prognostic comorbidity in longitudinal studies: development and validation. *J Chronic Dis*, **40**: 373–383.

- Chiara, M., Gianluigi, G., Pasquale, A., Alessandro, M., Alice, M., Gabriele, N., dkk., 2013. Unexplained Falls Are Frequent in Patients with Fall-Related Injury Admitted to Orthopaedic Wards: The UFO Study (Unexplained Falls in Older Patients). *Current Gerontology and Geriatrics Research*, 1–6.
- Costa-Dias, M., Martins, T., dan Araújo, F., 2014. Estudo do ponto de corte da Escala de Quedas de Morse (MFS). *Revista de Enfermagem Referência*, **IV Série**: 65–74.
- Dahlan, S., 2016. *Langkah-Langkah Membuat Proposla Penelitian Bidang Kedokteran Dan Kesehatan*, 2nd ed, Seri Evidence Based Medicine. Sagung Seto, Jakarta.
- David A. Ganz, M.D., Ph.D., Christina Huang, M.P.H., Dan Berlowitz, M.D., M.P.H., Kathryn Pelczarski, B.S., Karen Schoelles, M.D., S.M., Linda C. Wallace, M.S.N., B.S.N., dkk., 2013. 'Preventing Falls in Hospitals', , *Text*, [www.ahrq.gov](http://www.ahrq.gov/professionals/systems/hospital/fallpxtoolkit/index.html). URL: [/professionals/systems/hospital/fallpxtoolkit/index.html](http://professionals/systems/hospital/fallpxtoolkit/index.html) (diakses tanggal 4/4/2018).
- Deandrea, S., Ersilia Lucenteforte, Francesca Bravi, Roberto Foschi, Carlo La Vecchia, dan Eva Negri, 2010. Risk Factors for Falls in Community-dwelling Older People: A Systematic Review and Meta-analysis. *Epidemiology*, **21**: 658–668.
- Depkes, 2006. *Pedoman Pelayanan Farmasi (Tata Laksana Terapi Obat) Untuk Pasien Geriatri*. DEPKES RI, Jakarta.
- Dessy, V.A., 2013. Penilaian Risiko Jatuh Lanjut Usia (Lansia) Menggunakan Pendekatan Hendrich Falls Scale dan Mose Falls Scale **8**: 11.
- DrugBank, 2018. 'ATC Classification-DrugBank', . URL: <https://www.drugbank.ca/atc/N> (diakses tanggal 19/10/2018).
- Drugbank, 2018. 'Carboxamide Derivatives', . URL: <https://www.drugbank.ca/drugs/DB00564> (diakses tanggal 18/10/2018).
- Du, Y., Wolf, I.-K., dan Knopf, H., 2017. Association of psychotropic drug use with falls among older adults in Germany. Results of the German Health Interview and Examination Survey for Adults 2008-2011 (DEGS1). *Plos One*, 1–15.

- Ediawati, E., 2012. 'Gambaran Tingkat Kemandirian Dalam Activity Of Daily Living (ADL) Dan Resiko Jatuh Pada Lansia Di Panti Sosial Tresna Wredha Budi Mulia 01 Dan 03 Jakarta Timur', . Universitas Indonesia, Depok.
- Ensrud, K.E., Blackwell, T.L., Bowman, P.J., Whooley, M.A., Bauer, D.C., Schwartz, A.V., dkk., 2002. Central Nervous System–Active Medications and Risk for Falls in Older Women **50**: 9.
- 'Ethosuximide (Professional Patient Advice)', , n.d. *Drugs.com*. URL: <https://www.drugs.com/ppa/ethosuximide.html> (diakses tanggal 25/3/2019).
- Fife, T.D. dan Sirven, J., 2005. Antiepileptic drugs and their impact on balance. *Aging health*, **1**: 147–155.
- French, D.D., Campbell, R., Spehar, A., Cunningham, F., Bulat, T., dan Luther, S.L., 2006. Drugs and falls in community-dwelling older people: a national veterans study. *Clinical Therapeutics*, **28**: 619–630.
- Ganz, D.A., Huang, C., dan Berlowitz, 2013. Preventing Falls in Hospitals: A Toolkit for Improving Quality of Care 202.
- Gee, N.S., Brown, J.P., Dissanayake, V.U.K., Offord, J., Thurlow, R., dan Woodruff, G.N., 1996. The Novel Anticonvulsant Drug, Gabapentin (Neurontin), Binds to the α -2-delta Subunit of a Calcium Channel. *Journal of Biological Chemistry*, **271**: 5768–5776.
- 'Geriatric pharmacotherapy', , n.d. <https://www.apadivisions.org>. URL: <https://www.apadivisions.org/division-55/publications/tablet/2015/12/geriatric-medicine> (diakses tanggal 26/3/2019).
- Hamilton, H., Gallagher, P., Ryan, C., Byrne, S., dan O'Mahony, D., 2011. Potentially Inappropriate Medications Defined by STOPP Criteria and the Risk of Adverse Drug Events in Older Hospitalized Patients. *Archives of Internal Medicine*, **171**: .
- Hanlon, J.T., Boudreau, R.M., Roumani, Y.F., Newman, A.B., Ruby, C.M., Wright, R.M., dkk., 2009. Number and dosage of central nervous system medications on recurrent falls in community elders: The health, aging and body composition study. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **64**: 492–498.

- Hawkshead, J. dan Krousel-Wood, M.A., 2007. Techniques for Measuring Medication Adherence in Hypertensive Patients in Outpatient Settings: Advantages and Limitations. *Disease Management & Health Outcomes*, **15**: 109–118.
- Holmquist, I.-B., Svensson, B., dan Höglund, P., 2005. Perceived anxiety, depression, and sleeping problems in relation to psychotropic drug use among elderly in assisted-living facilities. *European Journal of Clinical Pharmacology*, **61**: 215–224.
- Kanagaratnam, L., Dramé, M., Novella, J.-L., Trenque, T., Joachim, C., Nazeyrollas, P., dkk., 2017. Risk Factors for Adverse Drug Reactions in Older Subjects Hospitalized in a Dedicated Dementia Unit. *The American Journal of Geriatric Psychiatry*, **25**: 290–296.
- Karani, M.V., Haddad, Y., dan Lee, R., 2016. The Role of Pharmacists in Preventing Falls among America's Older Adults. *Frontiers in Public Health*, **4**: .
- Katzung, B.G. dan Trevor, A.J., 2012. *Basic And Clinical Pharmacology*, 12th ed. Mc Graw Hill, United State.
- Kementerian Kesehatan RI, 2013. *Situasi Dan Analisa Lanjut Usia (Buletin Lansia)*. Depkes RI, Jakarta.
- Kementerian Kesehatan RI, 2014. *PMK No 79 Tahun 2014: Penyelenggaraan Pelayanan Geriatri Di Rumah Sakit*. Kementrian Kesehatan RI, Jakarta.
- Kementerian Kesehatan RI, 2016. Peraturan Menteri Kesehatan Republik Indonesia Nomor 52 Tahun 2016.
- Kementerian Kesehatan RI, 2019. *Laporan Nasional RISKESDAS 2018*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Kimble, M.A.K. dan Alldredge, B.K. (Editor), 2013. *Applied Therapeutics: The Clinical Use of Drugs*, 10th ed. ed. Wolters Kluwer/Lippincott Williams & Wilkins, Philadelphia.
- Koller, W.C. dan Rueda, M.G., 1998. Mechanism of action of dopaminergic agents in Parkinson's disease. *Neurology*, **50**: S11–S14.
- Lam, W.Y. dan Fresco, P., 2015. Medication Adherence Measures: An Overview. *Biomed Research International*, 1–12.

- Lee, J.K., Mendoza, D.M., Mohler, M.J., dan Lee, E.M., 2016. Geriatrics, dalam: *Pharmacotherapy: Principles & Practice*. McGraw-Hill Education, United State, hal. 7–18.
- Leipzig, R.M., Cumming, R.G., dan Tinetti, M.E., 1999. Drugs and falls in older people: a systematic review and meta-analysis: I. Psychotropic drugs. *Journal of the American Geriatrics Society*, **47**: 30–39.
- Lestari, L.D., 2015. 'Hubungan Tingkat Kemandirian Dengan Risiko Jatuh Pada Lansia Di Panti Sosial tresna Werdha Unit Abiyoso Pakem Sleman Yogyakarta', . Stikes Jenderal Achmad Yani Yogyakarta, Yogyakarta.
- Mangoni, A.A. dan Jackson, S.H.D., 2003. Age-related changes in pharmacokinetics and pharmacodynamics: basic principles and practical applications: Age-related changes in pharmacokinetics and pharmacodynamics. *British Journal of Clinical Pharmacology*, **57**: 6–14.
- Masud, T., Frost, M., Ryg, J., Matzen, L., Ibsen, M., Abrahamsen, B., dkk., 2013. Central nervous system medications and falls risk in men aged 60-75 years: the Study on Male Osteoporosis and Aging (SOMA). *Age and Ageing*, **42**: 121–124.
- Masud, T. dan Morris, R.O., 2001. Epidemiology of falls. *Age and Ageing*, **30**: 3–7.
- Mitchell, R.J., Lord, S.R., Harvey, L.A., dan Close, J.C.T., 2014. Associations between obesity and overweight and fall risk, health status and quality of life in older people. *Australian and New Zealand Journal of Public Health*, **38**: 13–18.
- Morse, J.M., 1997. *Preventing Patient Falls : The Morse Fall Scale Training Module*. Sage, CA.
- Morse, J.M., 2009. *Preventing Patient Falls: Establishing a Fall Intervention Program*, 2nd ed. ed. Springer Pub. Co, New York.
- Mupangati, Y.M., 2018. 'Jatuh Pada Lansia', *Kementrian Kesehatan Republik Indonesia*. URL: <http://www.yankes.kemkes.go.id/read-jatuh-pada-lansia-4088.html> (diakses tanggal 8/4/2019).
- Musich, S., Wang, S.S., Ruiz, J., Hawkins, K., dan Wicker, E., 2017. Falls-Related Drug Use and Risk of Falls Among Older Adults: A Study in a US Medicare Population. *Drugs & Aging*, **34**: 555–565.

- Naples, J.G., Gellad, W.F., dan Hanlon, J.T., 2016. The Role of Opioid Analgesics in Geriatric Pain Management. *Clinics in Geriatric Medicine*, **32**: 725–735.
- Pasa, T.S., Magnago, T.S.B.D.S., Urbanetto, J.D.S., Baratto, M.A.M., Morais, B.X., dan Carollo, J.B., 2017. Risk assessment and incidence of falls in adult hospitalized patients. *Revista Latino-Americana de Enfermagem*, **25**: .
- Patsalos, P.N., 2005. Properties of Antiepileptic Drugs in the Treatment of Idiopathic Generalized Epilepsies. *Epilepsia*, **46**: 140–148.
- Pratt, N.L., Ramsay, E.N., Kalisch Ellett, L.M., Nguyen, T.A., Barratt, J.D., dan Roughead, E.E., 2014. Association Between Use of Multiple Psychoactive Medicines and Hospitalization for Falls: Retrospective Analysis of a Large Healthcare Claim Database. *Drug Safety*, **37**: 529–535.
- Pretorius, R.W., Gataric, G., Swedlund, S.K., dan Miller, J.R., 2013. Reducing the Risk of Adverse Drug Events in Older Adults **87**: 8.
- Ra, M., Derry, S., Aldington, D., Cole, P., Pj, W., Moore, R.A., dkk., 2017. Amitriptyline for neuropathic pain in adults (Review) Amitriptyline for neuropathic pain in adults. *Cochrane Database of Systematic Reviews*, 2015–2017.
- Rigler, S.K., Shireman, T.I., Cook-Wiens, G.J., Ellerbeck, E.F., Whittle, J.C., Mehr, D.R., dkk., 2013. Fracture Risk in Nursing Home Residents Initiating Antipsychotic Medications. *Journal of the American Geriatrics Society*, **61**: 715–722.
- Rodrigues, I.G., Fraga, G.P., dan Barros, M.B. de A., 2014. Falls among the elderly: risk factors in a population-based study. *Revista Brasileira de Epidemiologia*, **17**: 705–718.
- Rolita, L., Spegman, A., Tang, X., dan Cronstein, B.N., 2013. Greater Number of Narcotic Analgesic Prescriptions for Osteoarthritis Is Associated with Falls and Fractures in Elderly Adults. *Journal of the American Geriatrics Society*, **61**: 335–340.
- Ruxton, K., Woodman, R.J., dan Mangoni, A.A., 2015. Drugs with anticholinergic effects and cognitive impairment , falls and all-cause mortality in older adults : A systematic review and meta-analysis. *British Journal of Clinical Pharmacology*, **80**: 209–220.

- Sabatini, S.N., Kusuma, H.E., dan Tambunan, L., 2015. 'Faktor Eksternal Risiko Jatuh Lansia: Studi Empiris', , dalam: *Prosiding Temu Ilmiah IPLBI*. Dipresentasikan pada IPLBI, Manado, hal. 6.
- Seppala, L.J., Glind, E.M.M. van de, Daams, J.G., Ploegmakers, K.J., Vries, M. de, Wermelink, A.M.A.T., dkk., 2018. Fall-Risk-Increasing Drugs: A Systematic Review and Meta-analysis: III. Others. *Journal of the American Medical Directors Association*, **0**: .
- Shade, M.Y., Berger, A.M., Chaperon, C., Haynatzki, G., dan Sobeski, L., 2017. Adverse drug events reported by rural older adults. *Geriatric Nursing*, **38**: 584–588.
- Shuto, H., Imakyure, O., Matsumoto, J., Egawa, T., Jiang, Y., Hirakawa, M., dkk., 2010. Medication use as a risk factor for inpatient falls in an acute care hospital: a case-crossover study: Case-crossover study on medication use and fall events. *British Journal of Clinical Pharmacology*, **69**: 535–542.
- Sihombing, F., 2016. Penurunan kejadian lansia jatuh melalui penilaian skala jatuh morse dan penerapan strategi pencegahan jatuh. *ejournal.stikesborromeus*, 22–25.
- Simonson, W., 2016. The 2015 updated Beers Criteria: The evolution continues. *Geriatric Nursing*, **37**: 61–62.
- Steiner, J.F. dan Prochazka, A.V., 1997. The assessment of refill compliance using pharmacy records: Methods, validity, and applications. *Journal of Clinical Epidemiology*, **50**: 105–116.
- Trivalle, C., Burlaud, A., dan Ducimetière, P., 2011. Risk factors for adverse drug events in hospitalized elderly patients: A geriatric score. *European Geriatric Medicine*, **2**: 284–289.
- Tromp, A.M., Pluijm, S.M.F., Smit, J.H., Deeg, D.J.H., Bouter, L.M., dan Lips, P., 2001. Fall-risk screening test: A prospective study on predictors for falls in community-dwelling elderly. *Journal of Clinical Epidemiology*, **54**: 837–844.
- United Nations, 2015. *World Population Prospects : The 2015 Revision, Key Finding and Advance Tables*. United Nations, New York.
- VANCPS, 2015. *Implementation Guide for Fall Injury Reduction*. VANCPS, Washington.

- Vries, M. de, Seppala, L.J., Daams, J.G., van de Glind, E.M.M., Masud, T., van der Velde, N., dkk., 2018. Fall-Risk-Increasing Drugs: A Systematic Review and Meta-Analysis: I. Cardiovascular Drugs. *Journal of the American Medical Directors Association*, **19**: 371.e1-371.e9.
- WHO, 2017a. 'Falls', WHO. URL: <http://www.who.int/mediacentre/factsheets/fs344/en/> (diakses tanggal 5/4/2018).
- WHO, 2017b. *Guideline for ATC Classification and DDD Assignment 2018*. WHO, Norway.
- WHO, 2004. *Neuroscience of Psychoactive Substance Use and Dependence*. World Health Organization, Geneva.
- WHO, 2018a. 'Psychoactive substances', WHO. URL: http://www.who.int/substance_abuse/terminology/psychoactive_substances/en/ (diakses tanggal 5/4/2018).
- WHO, 2018b. *Guideline for ATC Classification and DDD Assignment 2018*.
- Widyawati, 2016. *Praktik Farmasi Klinik Fokus Pada Pharmaceutical Care*, 2nd ed. Brilian International, Surabaya.
- Wiffen, P.J., Derry, S., Bell, R.F., Rice, A.S.C., Tölle, T.R., Phillips, T., dkk., 2017. Gabapentin for chronic neuropathic pain in adults (Review). *Cochrane Database of Systematic Reviews*, 10–13.
- Wolters Kluwers, 2018. *Lexicomp Drug Information Handbook*, 26th ed. American Pharmacist Association.
- Woolcott, J.C., 2009. Meta-analysis of the Impact of 9 Medication Classes on Falls in Elderly Persons. *Archives of Internal Medicine*, **169**: 1952.
- Yoshida, S., 2010. A Global Report on Falls Prevention Epidemiology of Falls 40.
- Zecevic, A.A., Salmoni, A.W., Speechley, M., dan Vandervoort, A.A., 2006. Defining a Fall and Reasons for Falling: Comparisons Among the Views of Seniors, Health Care Providers, and the Research Literature. *The Gerontologist*, **46**: 367–376.