

DAFTAR PUSTAKA

- Abbasi, A., Verma, S. & Jm, K. 2014. Anemia of Chronic Kidney Disease. *Austin J Clin Med*, 1(2): 1–8.
- Afshar, R., Sanavi, S., Salimi, J. & Ahmadzadeh, M. 2010. Hematological Profile of Chronic Kidney Disease (CKD) Patients in Iran , in Pre-dialysis Stages and after Initiation of Hemodialysis. *Saudi J Kidney Dis Transpl*, 21(2): 368–371.
- Agarwal, R. 2017. Iron deficiency anemia in chronic kidney disease: Uncertainties and cautions. *Hemodial Int*, 21: S78–S82.
- Akchurin, O.M. & Kaskel, F. 2015. Update on Inflammation in Chronic Kidney Disease. *Blood purif*, 39: 84–92.
- Alves, M.T., Vilaça, S.S., Carvalho, M. das G., Fernandes, A.P., Dusse, L.M.S. & Gomes, K.B. 2015. Resistance of dialyzed patients to erythropoietin. *Rev bras hematol hemoter*, 37(3): 190–197.
- Anders, H.-J., Andersen, K. & Stecher, B. 2013. The intestinal microbiota, a leaky gut, and abnormal immunity in kidney disease. *Kidney Int*, 83(6): 1010–1016.
- Babitt, J.L. & Lin, H.Y. 2012. Mechanisms of Anemia in CKD. *J Am Soc Nephrol*, 23(3): 1631–1634.
- Balitbankes RI. 2013. *Riset Kesehatan Dasar*. Jakarta.
- Barbieri, J., Fontela, P.C., Winkelmann, E.R., Eloise, C., Zimmermann, P., Sandri, Y.P., Kerber, E., Mallet, V. & Frizzo, M.N. 2015. Anemia in Patients with Type 2 Diabetes Mellitus. *Anemia*: 1–7.
- Bermejo, F. & García-López, S. 2009. A guide to diagnosis of iron deficiency and iron deficiency anemia in digestive diseases. *World J Gastroenterol*, 15(37): 4638–4643.
- Besarab, A., Horl, W.H. & Silverberg, D. 2009. Iron Metabolism, Iron Deficiency, Thrombocytosis, and the Cardiorenal Anemia Syndrome. *Oncologist*, 14(1): 22–33.
- Boccardo, P., Remuzzi, G. & Galbusera, M. 2004. Platelet dysfunction in renal failure. *Semin Thromb Hemost*, 30(5): 579–589.
- Borden, L.M. 2009. Understanding Correlation. In *University of Arizona Military Reach*. Arizona: 1–5.
- Brugnara, C. 2003. Iron Deficiency and Erythropoiesis: New Diagnostic Approaches. *Clin Chem*, 49(10): 1573–1578.
- Brugnara, C. 2000. Reticulocyte Cellular Indices: A New Approach in the Diagnosis of Anemias and Monitoring of Erythropoietic Function. *Critical Rev in Clinical Laboratory Sciences*, 37(2): 93–130.
- Brugnara, C., Laufer, M.R., Friedman, A.J., Bridges, K. & Platt, O. 1994. Reticulocyte hemoglobin content (CHR): early indicator of iron deficiency and response to therapy. *Blood*, 83: 3100.
- Brugnara, C., Schiller, B. & Moran, J. 2006. Reticulocyte hemoglobin equivalent (Ret He) and assessment of iron-deficient states. *Clin. Lab. Haem*, 28: 303–308.
- Brugnara, C., Zelmanovic, D., Sorette, M., Ballas, S.K. & Platt, O. 1997.

- Reticulocyte Hemoglobin An Integrated Parameter for Evaluation of Erythropoietic Activity. *American Journal of Clinical Pathology*, 108: 133–142.
- Buffet, L. 2012. Chronic Kidney Disease and Hypertension: A Destructive Combination. *Nephrol*, 37(6): 26–29.
- Buhlin, K., Bárány, P., Heimbürger, O., Stenvinkel, P. & Gustafsson, A. 2007. Oral health and pro-inflammatory status in end-stage renal disease patients. *Oral Health Prev Dent*, 5(3): 235–44.
- Buren, P.N. Van & Inrig, J.K. 2012. Hypertension and hemodialysis: pathophysiology and outcomes in adult and pediatric populations. *Pediatr Nephrol*, 27(3): 339–350.
- Burmeister, J.E., Mosmann, C.B., Bau, R. & Rosito, G.A. 2012. Prevalence of diabetes mellitus in chronic kidney patients on hemodialysis in Porto Alegre, Brazil. *J Bras Nefrol*, 34(2): 117–121.
- Buttarelli, M., Pajola, R., Novello, E., Rebeschini, M., Cantaro, S., Oliosi, F., Naso, A. & Plebani, M. 2010. Diagnosis of iron deficiency in patients undergoing hemodialysis. *Am J Clin Pathol*, 133(6): 949–954.
- Buttarelli, M., Temporin, V., Ceravolo, R. & Farina, G. 2004. The New Reticulocyte Parameter (RET-Y) of the Sysmex XE 2100 Its Use in the Diagnosis and Monitoring of Posttreatment Sideropenic Anemia. *Am J Clin Pathol*, 121: 489–495.
- Chung, M., Chan, J.A., Moorthy, D., Hadar, N., Ratichek, S.J., Concannon, T.W. & Lau, J. 2012. Biomarkers for Assessing and Managing Iron Deficiency Anemia in Late-Stage Chronic Kidney Disease: Future Research Need. *AHQ*, 33(83): 1–72.
- Chung, M., Moorthy, D., Hadar, N., Ratichek, S.J., Salvi, P., Lovin, R.C. & Lau, J. 2012. Biomarkers for Assessing and Managing Iron Deficiency Anemia in Late-Stage Chronic Kidney Disease. *AHQ*, 33(83): 1–72.
- Coyne, D.W., Goldsmith, D. & Macdougall, I.C. 2017. New options for the anemia of chronic kidney disease. *Kidney Int Suppl*, 7(3): 157–163.
- Dahlan, S. 2010. *Besar Sampel Dan Cara Pengambilan Sampel*. 3rd ed. Jakarta: Salemba Medika.
- Dahlan, S. 2011. *Statistika Untuk Kedokteran dan Kesehatan*. 5th ed. Jakarta: Salemba Medika.
- Dalimunthe, N.N. & Lubis, A.R. 2016. Usefulness of Reticulocyte Hemoglobin Equivalent in Management of Regular Hemodialysis Patients with Iron Deficiency Anemia. *ROM. J. INTERN. MED*, 54: 31–36.
- Devau, Y., Vausort, M., Goretti, E., Nazarov, P. V., Azuaje, F., Gilson, G., Corsten, M.F., Schroen, B., Lair, M.L., Heymans, S. & Wagner, D.R. 2012. Use of circulating microRNAs to diagnose acute myocardial infarction. *Clinical Chemistry*, 58(3): 559–567.
- Dignass, A., Farrag, K. & Stein, J. 2018. Limitations of Serum Ferritin in Diagnosing Iron Deficiency in Inflammatory Conditions. *Int J Chronic Dis*: 1–11.
- Eckardt, K.U. 2010. Chronic kidney disease: Are elevated doses of ESAs associated with adverse outcomes? *Nat Rev Nephrol*, 6(10): 566–568.

- European Renal Association. 2004. Revised European best practice guidelines for the management of anaemia in patients with chronic renal failure. *Nephrol Dial Transplant*, 19(2): 2–5.
- Fervers, B., Carretier, J. & Bataillard, A. 2002. Clinical Practice Guidelines For Chronic Kidney Disease: Evaluation, Classification and Stratification. *Am J Kidney*, 39(1): S1–S266.
- Fishbane, S., Pollack, S., Feldman, H.I. & Joffe, M.M. 2009. Iron Indices in Chronic Kidney Disease in the National Health and Nutritional Examination Survey 1988-2004. *Clin J Am Soc Nephrol*, 4(1): 57–61.
- Francisco, A.L.M., Stenvinkel, P. & Vaulont, S. 2009. Inflammation and its impact on anaemia in chronic kidney disease: from haemoglobin variability to hyporesponsiveness. *NDT Plus*, 2(1): i18–i26.
- G Patil, R., G Bhosle, D. & Hakim Malik, R.A. 2016. Vitamin B12 Deficiency In Chronic Kidney Disease. *IOSR-JDMS*, 15(9): 22–25.
- Haryani, I.E. 2013. *Analisis Biaya Rawat Jalan Hemodialisis Dan Peritoneal Dialisis Mandiri Berkesinambungan Pada Peserta Askes di PT ASKES (PERSERO) Divisi Regional VI*. FK UGM.
- Hayat, A. 2010. Safety Issues With Intravenous Iron Products in the Management of Anemia in Chronic Kidney Disease. *Clin Med Res*, 6(3): 93–102.
- Hill, N.R., Fatoba, S.T., Oke, J.L., Hirst, J.A., O’Callaghan, C.A., Lasserson, D.S. & Hobbs, F.D.R. 2016. Global Prevalence of Chronic Kidney Disease - A Systematic Review and Meta-Analysis. *PloS one*, 11(7): 1–18.
- Hsu, C.-Y., Bates, D.W., Kuperman, G.J. & Curhan, G.C. 2001. Relationship between hematocrit and renal function in men and women. *Kidney Int*, 59(2): 725–731.
- Ingale, S. V., Ullewar, M.P., Ingale, V.C. & Upadhye, J.J. 2017. Evaluation of Anaemia. *Int J Med Sci*, 5(10): 4481–4485.
- IRR. 2017. *10th Report Of Indonesian Renal Registry*. Jakarta.
- IRR. 2016. 9th Report Of Indonesian Renal Registry 2016. *IRR*: 1–46.
- Jarc, E., Zupan, I.P., Ponikvar, J.B., Snoj, N. & Podgornik, H. 2017. Comparison of erythrocyte and reticulocyte indices for the diagnosis of iron deficiency. *Zdravniški Vestnik*, 86(1–2): 19–27.
- Kaze, F.F., Kengne, A., Mambap, A.T., Halle, M., Mbanya, D. & Ashuntantang, G. 2015. Anemia in patients on chronic hemodialysis in Cameroon: prevalence, characteristics and management in low resources setting. *Afr Health Sci*, 15(1): 253–260.
- KDIGO. 2012. KDIGO clinical practice guidelines for anemia chronic kidney injury. *J Int Soc Nephrol*, 2(4): 279–335.
- KDIGO. 2006. Updates Clinical Practice Guidelines and Recommendations. *Am J Kidney*, 6: 11–117.
- KDOQI. 2007. KDOQI Clinical Practice Guideline and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease: 2007 Update of Hemoglobin Target. *Am J Kidney Dis*, 50(3): 471–530.
- KDOQI & NKF. 2006. KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease. *Am J Kidney Dis*, 47(5 Suppl 3): S11–S15.

- Kelly, A.U., McSorley, S.T., Patel, P. & Talwar, D. 2017. Interpreting iron studies. *BMJ*, 2513: 1–6.
- Kovesdy, C. 2018. Pathogenesis, consequences, and treatment of metabolic acidosis in chronic kidney disease. *Uptodate*, 19: 1–16.
- Kumar, S., Dubey, N. & Khare, R. 2017. Study of serum transferrin and serum ferritin during pregnancy and their correlation with pregnancy outcome. *Int J Med Sci Pub Health*, 6(1): 118–122.
- Lankhorst, C.E. & Wish, J.B. 2010. Anemia in renal disease: Diagnosis and management. *Blood Rev*, 24: 39–47.
- Lappin, T.R., Maxwell, P. & Johnston, P.G. 2002. EPO's Alter Ego: Erythropoietin Has Multiple Actions. *STEM CELLS*, 20: 485–492.
- Lehner, J., Greve, B. & Cassens, U. 2007. Automation in Hematology. *Transfus Med Hemother*, 34: 328–339.
- Liu, M., Li, X.-C., Lu, L., Cao, Y., Sun, R.-R., Chen, S. & Zhang, P.-Y. 2014. Cardiovascular disease and its relationship with chronic kidney disease. *Eu rev med pharmacol sci*, 18(19): 2918–26.
- Locatelli, F., Aljama, P., Barany, P., Canaud, B., Carrera, F. & Eckardt K. 2004. Revised European Best Practice Guidelines for the management of anaemia in patients with chronic renal failure. *Nephrol Dial Transplant*, 19(2): 2–5.
- Lopez, A., Cacoub, P., Macdougall, I.C. & Peyrin-Biroulet, L. 2016. Iron deficiency anaemia. *The Lancet*, 387: 907–916.
- MacDougall, I.C. 2001. Role of uremic toxins in exacerbating anemia in renal failure. *Kidney Int*, 59(78): S67–S72.
- Macdougall, I.C., Malyszko, J., Hider, R.C. & Bansal, S.S. 2010. Current status of the measurement of blood hepcidin levels in chronic kidney disease. *Clin J Am Soc Nephrol*, 5(9): 1681–1689.
- Malyszko, J. & Mysliwiec, M. 2007. Hepcidin in anemia and inflammation in chronic kidney disease. *Kidney Blood Press Res*, 30(1): 15–30.
- Miwa, N., Akiba, T., Kimata, N., Hamaguchi, Y., Arakawa, Y., Tamura, T. & Nitta, K. 2010. Usefulness of measuring reticulocyte hemoglobin equivalent in the management of haemodialysis patients with iron deficiency. : 248–255.
- Mudi, A., Paed, C.N., Levy, C., Bch, M.B. & Paed, C.N. 2018. Traditional red cell indices are not suggestive of iron deficiency in children with chronic kidney disease. *SAJCH*, 12(3): 121–126.
- Naghavi, M., Allen, C., Barber, R. & Bhutta, Z. 2016. Global , regional , and national life expectancy , all-cause mortality , and cause-specific mortality for 249 causes of death , 1980 – 2015 : a systematic analysis for the Global Burden of Disease Study 2015. *Lancet*, 388: 1459–1544.
- Nareddy, V.A., Varun, M.S. & Nagabushana, M. V. 2018. Incidence of iron deficiency anaemia and it ' s early detection in patients with hypoproliferative anaemia presentation in a tertiary care hospital. *Int J Adv Med*, 5(4): 828–831.
- Nassar, G.M. 2013. Preventing and Treating Inflammation: Role of Dialysis Access Management. *Semin Dialysis*, 26(1): 28–30.
- NCCLS. 2004. Methods for Reticulocyte Counting (Automated Blood Cell

- Counters , Flow Cytometry, and Supravital Dyes); Approved Guideline — Second Edition. *Clinical and laboratory standards institute*, 24(8): 25–27.
- Neugarten, J. & Golestaneh, L. 2013. Gender and the Prevalence and Progression of Renal Disease. *Adv Chronic Kidney Dis*, 20(5): 390–395.
- NICE. 2015. Anaemia Management in Chronic Kidney Disease. *NCGC*: 19–21.
- PERNEFRI. 2011. *Konsensus manajemen anemia pada penyakit ginjal kronik*. Jakarta.
- Poffenroth, C., Mabbett, C. & Kendrick, C.W. 2017. The reticulocyte haemoglobin equivalent (RET _ He) and laboratory screening for iron deficiency. *New Zealand Journal of Medical Laboratory Science*, 71: 120–123.
- Prodjosudjadi, W., Suhardjono, Suwitra, K., Pranawa, Widiana, I.G.R., Loekman, J.S., Nainggolan, G., Prasanto, H., Wijayanti, Y., Dharmeizar, Sja'Bani, M., Nasution, M.Y., Basuki, W., Aditiawardana, Harris, D.C. & Pugsley, D.J. 2009. Detection and prevention of chronic kidney disease in Indonesia: Initial community screening. *NEP*, 14(7): 669–674.
- Pujara, K., Bhalara, R. & Dhruva, G. 2014. A study of bone marrow iron storage in hematological disorder. *Int J Health Allied Sci*, 3(4): 221.
- Rafi, A., Karkar, A. & Abdelrahman, M. 2007. Monitoring Iron status in End-Stage Renal Disease Patients on Hemodialysis. *Saudi J Kidney Dis Transplant*, 18(1): 73–78.
- Rocco, M. V, Bedinger, M.R., Milam, R., Greer, J.W., Mcclellan, W.M. & Frankenfield, D.L. 2001. Duration of Dialysis and Its Relationship to Dialysis Adequacy, Anemia Management, and Serum Albumin Level. *Am J Kidney Dis*, 38(4): 813–823.
- Ruospo, M., Palmer, S.C., Craig, J.C., Gentile, G., Johnson, D.W., Ford, P.J., Tonelli, M., Petruzzi, M., De Benedittis, M. & Strippoli, G.F.M. 2014. Prevalence and severity of oral disease in adults with chronic kidney disease: a systematic review of observational studies. *Nephrol Dial Transplant*, 29(2): 364–375.
- Sastroasmoro, S. & Ismael, S. 2014. *Dasar-dasar Metodologi Penelitian Klinis*. 5th ed. Sagung seto.
- Sathyan, S., George, S. & Vijayan, P. 2017. Prevalence of anemia and cardiovascular diseases in chronic kidney disease patients : a single tertiary care centre study. *Int J Adv Med*, 4(1): 247–251.
- Schaefer, R.M. 1995. The hypochromic red cell: a new parameter for monitoring of iron supplementation during rhEPO therapy. *J Perinat Med*, 23(1–2): 83–88.
- Schoorl, M. 2016. Innovative haematological parameters in clinical practice. *Ned Tijdschr Klin Chem Labgeneesk*, 41: 6–16.
- Shi, K., Wang, F., Jiang, H., Liu, H., Wei, M., Wang, Z. & Xie, L. 2014. Gut Bacterial Translocation May Aggravate Microinflammation in Hemodialysis Patients. *Dig Dis Sci*, 59(9): 2109–2117.
- Siemens. 2011. *ADVIA® 120 hematology systems operator's guide*. New York: Siemens Healthcare Diagnostics Inc.
- Silaban, B.J., Sugeng, C. & Waleleng, B.J. 2016. Gambaran status besi pada

- pasien penyakit ginjal kronik stadium 5 dengan anemia yang menjalani hemodialisis reguler. *eCil*, 4(2): 1–7.
- Stauffer, M.E. & Fan, T. 2014. Prevalence of anemia in chronic kidney disease in the United States. *PLoS ONE*, 9(1): 2–5.
- Stoffman, N., D, M., Brugnara, C., D, M., Woods, E.R. & H, M.P. 2005. An algorithm using reticulocyte hemoglobin content (CHr) measurement in screening adolescents for iron deficiency. *Journal of Adolescent Health*, 36: 1–6.
- Sugiyono. 2017. *Metode Penelitian Kuantitatif, Kualitatif R & D*. Bandung: Alfabeta.
- Sysmex. 2013. The Value-Driven Laboratory, Reticulocyte Hemoglobin Content (RET-He): A Parameter with Well-Established Clinical Value. *Sysmex America, Inc.*: 1–8. www.symex.com.
- Sysmex Corporation. 2011. XN series instruction for use. *Kobe: Sysmex*.
- Thomas, D.W., Hinchliffe, R.F., Briggs, C., Macdougall, I.C., Littlewood, T. & Cavill, I. 2013. Guideline for the laboratory diagnosis of functional iron deficiency. *Br J Haematol*, 161(5): 639–648.
- Tsagalidis, G. 2011. Renal anemia : a nephrologist’s view. *HIPPOKRATIA*, 15(1): 39–43.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2010. Analysis of reticulocyte parameters on the Sysmex XE 5000 and LH 750 analyzers in the diagnosis of inefficient erythropoiesis. *Int. Jnl. Lab. Hem*: 1–8.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2012. Assessing Iron Status in CKD Patients : New Laboratory Parameters. *Intech*, 14: 225–250.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2013. Biomarkers of Hypochromia: The Contemporary Assessment of Iron Status and Erythropoiesis. *Biomed Res Int*: 1–8.
- Vos, F.E., Schollum, J.B., Coulter, C. V., Doyle, T.C.A., Duffull, S.B. & Walker, R.J. 2011. Red blood cell survival in long-term dialysis patients. *American Journal of Kidney Diseases*, 58(4): 591–598.
- Wallace, D.F. 2016. The Regulation of Iron Absorption and Homeostasis. *Clin Biochem Rev*, 37(2): 51–62.
- Weiner, D.E. & Taimur, D. 2016. Stroke and Chronic Kidney Disease: Epidemiology, Pathogenesis, and Management Across Kidney Disease Stages Daniel. *Rev Bras Hematol Hemoter*, 35(4): 311–322.
- WHO. 2015. Indonesia : WHO statistical profile. In *Country statistics and global health estimates by WHO and UN partners*.
- Wimbley, T.D.J. & Graham, D.Y. 2011. Diagnosis and management of iron deficiency anemia in the 21st century. *Ther Adv Gastroenterol*, 4(3): 177–184.
- Wollmann, M., Gerzson, B.M.C., Schwert, V., Figuera, R.W. & de Oliveira Ritzel, G. 2014. Reticulocyte maturity indices in iron deficiency anemia. *Rev Bras Hematol Hemoter*, 36(1): 25–28.
- Wu, A.C., Lesperance, L. & Bernstein, H. 2002. Screening for Iron Deficiency. *Ped Rev*, 23(5): 171–178.
- Young, B. & Zaritsky, J. 2009. Hepcidin for clinicians. *Clin J Am Soc Nephrol*,

4(8): 1384–1387.