

REFERENCES

- Cavallaro U, Christofori G: Multitasking in tumor progression: signaling functions of cell adhesion molecules. *Ann NY Acad Sci* 2004, 1014:58–66
- DETERS, L. (2018). *Benign Prostatic Hyperplasia (BPH): Practice Essentials, Background, Anatomy*. [online] Emedicine.medscape.com. Available at: <https://emedicine.medscape.com/article/437359-overview#a1> [Accessed 15 Oct. 2018].
- Gao, T. *et al.* (2016) ‘ScienceDirect The mechanism between epithelial mesenchymal transition in breast cancer and hypoxia microenvironment’, *Biomedicine et Pharmacotherapy*. Elsevier Masson SAS, 80, pp. 393–405. doi: 10.1016/j.biopha.2016.02.044.
- Genome.jp. (2018). *KEGG PATHWAY: Prostate cancer - Homo sapiens (human)*. [online] Available at: https://www.genome.jp/kegg-bin/show_pathway?hsa05215 [Accessed 16 Oct. 2018].
- Gheldof, A., Hulpiau, P., van Roy, F., De Craene, B., and Berx, G. (2012) Evolutionary functional analysis and molecular regulation of the ZEB transcription factors. *Cell. Mol. Life Sci.* 69, 2527–2541
- Kalluri, R. and Weinberg, R. A. (2009) ‘Review series The basics of epithelial-mesenchymal transition’, 119(6). doi: 10.1172/JCI39104.1420.
- Kemenkes RI (2015) ‘Infodatin “Situasi Penyakit Kanker”’, *Infodatin ‘Situasi Penyakit Kanker’*.
- Lamouille S, Xu J, Derynck R. Molecular mechanisms of epithelial-mesenchymal transition. *Nat Rev Mol Cell Biol.* 2014;15:178–96.

- Ma, Y. *et al.* (2016) ‘ZEB1 promotes the progression and metastasis of cervical squamous cell carcinoma via the promotion of epithelial-mesenchymal transition’, (September 2015).
- Mendonsa, A. M. and Barry, T. N. (2018) ‘E-cadherin in contact inhibition and cancer’, *Oncogene*. Springer US. doi: 10.1038/s41388-018-0304-2.
- Minutoli, L. *et al.* (no date) ‘Apoptotic Pathways Linked to Endocrine System as Potential Therapeutic Targets for Benign Prostatic Hyperplasia’, pp. 1–15. doi: 10.3390/ijms17081311.
- Mishra, A. (2017) ‘Messenger RNA’, (November). doi: 10.1007/978-3-319-47829-6.
- Mochtar, C. A. *et al.* (2015) ‘Pedoman Penatalaksanaan Klinis Pembesaran Prostat Jinak (Benign Prostatic Hyperplasia / BPH)’, *Indonesian Urological Association*, pp. 1–27.
- National Cancer Institute. (2018). *NCI Dictionary of Cancer Terms*. [online] Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/matrix-metalloproteinase> [Accessed 4 Dec. 2018].
- Ncbi.nlm.nih.gov. (2019). *ZEB1 zinc finger E-box binding homeobox 1 [Homo sapiens (human)] - Gene - NCBI*. [online] Available at: <https://www.ncbi.nlm.nih.gov/gene?Db=gene&Cmd=ShowDetailView&TermToSearch=6935> [Accessed 5 Jan. 2019].
- Peinado H, Olmeda D, Cano A: Snail, Zeb and bHLH factors in tumour progression: an alliance against the epithelial phenotype? *Nat Rev Cancer* 2007, 7:415–428

- Press, D. (2017) ‘Clinicopathological significance of ZEB-1 and E-cadherin proteins in patients with oral cavity squamous cell carcinoma’, pp. 781–790.
- Sun, T., Qin, Y. and Zhong, W. (2016) ‘Epithelial-Mesenchymal Transition and its Regulation in Tumor Metastasis’, in Xu, K. (ed.) *Tumor Metastasis*. Rijeka: IntechOpen. doi: 10.5772/64497.
- Sai V. Chitti, S. (2016). Molecular Biology and Pathogenesis of Retroviruses. [ebook] London: IntechOpen, p.4. Available at: <https://www.intechopen.com/books/advances-in-molecular-retrovirology/molecular-biology-and-pathogenesis-of-retroviruses>. doi: 10.5772/62885 [Accessed 16 Jan. 2019].
- Ullmann, A. (2011). Escherichia coli and the emergence of molecular biology. *EcoSal Plus*, 4(2).
- Yan, L. *et al.* (2017) ‘The zinc finger E-box-binding homeobox 1 (Zeb1) promotes the conversion of mouse fibroblasts into functional neurons’, 1(20), pp. 12959–12970. doi: 10.1074/jbc.M116.771493.
- Yang, J. and Weinberg, R. A. (2008) ‘Review Epithelial-Mesenchymal Transition : At the Crossroads of Development and Tumor Metastasis’. doi: 10.1016/j.devcel.2008.05.009.