

## DAFTAR PUSTAKA

- Caprio, M., Feve, B., Claes, A., Viengchareun, S., Lombès, M., Zennaro, M.C., 2007. Pivotal role of the mineralocorticoid receptor in corticosteroid-induced adipogenesis. *FASEB J.* 21:2185–2194.
- Chauhan, P. K., Pandey, I. P., Kumar-Dhatwalia, V., 2010. Evaluation of the anti-diabetic effect of ethanolic and methanolic extracts of *Centella asiatica* leaves extract on alloxan induced diabetic rats. *Adv. Biol. Res.* 4(1): 27–30.
- Cao, S., Wang, W., Nan, F., Liu, Y., Wei, S., Chen, L., 2018. Asiatic acid inhibits LPS-induced inflammatory response in endometrial epithelial cells. *Microb. Pathog.* [serial online] [cited 2018 Mei 01];(13 screen). Available from URL: <https://doi.org/10.1016/j.micpath.2018.01.022>.
- Chen, H., Hua, X., Ze, B., Wang, B., Wei, L., 2017. The anti-inflammatory effects of asiatic acid in lipopolysaccharide-stimulated human corneal epithelial cells. *Int. J. Ophthalmol* 10: 179–185.
- Chinna, K., Qvist, R., Ismail, I., 2012. Glucose uptake and serine phosphorylation in differentiated adipocytes co-cultured with macrophages. *Biomed. Res-India* 23: 475–482.
- Choi, K., Kim, Y.-B., 2010. Molecular Mechanism of Insulin Resistance in Obesity and Type 2 Diabetes. *Korean J. Intern. Med.* 25: 119.
- Choi, M., Zheng, H., Kim, J. min, Lee, K. wan, Park, Y., Lee, D., 2016. Protective effects of *Centella asiatica* leaf extract on dimethylnitrosamine-induced liver injury in rats. *Mol. Med. Rep.* 14: 4521–4528.
- Cinti, S., Mitchell, G., Barbatelli, G., Murano, I., Ceresi, E., Faloia, E., Wang, S., Fortier, M., Greenberg, A., Obin, M., 2005. Adipocyte death defines macrophage localization and function in adipose tissue of obese mice and humans. *J. Lipid Res.* 46: 2347–2355.
- Fite, A., Abou-Samra, A.B., Seyoum, B., 2015. Macrophages Inhibit Insulin Signalling in Adipocytes: Role of Inducible Nitric Oxide Synthase and Nitric Oxide. *Can. J. Diabetes* 39: 36–43.
- Gnanapragasam, A., Ebenezer, K. K., Sathish, V., Govindaraju, P., Devaki, T., 2004. Protective effect of *Centella asiatica* on antioxidant tissue defense system against adriamycin induced cardiomyopathy in rats. *Life Sci.* 76 (5): 585–597.

- Gayathri, V., Lekshmi, P., Padmanabhan, R., 2011. Anti-diabetes activity of ethanol extract of *Centella asiatica* (L.) Urban (whole plant) in Streptozotocin-induced diabetic rats, isolation of an active fraction and toxicity evaluation of the extract. *Int. J. Med. Arom. Plants* 1: 278–286.
- Goers, L., Freemont, P., Polizzi, K., 2014. Co-culture systems and technologies: taking synthetic biology to the next level. *J. R. Soc. Interface* 11: 20140065–20140065.
- Greene, M.W., Sakaue, H., Wang, L., Alessi, D., Roth, R., 2003. Modulation of Insulin-stimulated Degradation of Human Insulin Receptor Substrate-1 by Serine 312 Phosphorylation. *J. Biol. Chem.* 278: 8199–8211.
- Grisouard, J., Timper, K., Radimerski, T.M., Frey, D.M., Peterli, R., Herrmann, P., Kra, S., Christ-crain, M., Keller, U., Mu, B., 2010. Mechanisms of metformin action on glucose transport and metabolism in human adipocytes. *Biochem. Pharmacol.* 80: 1736–1745.
- Hashim, P., Sidek, H., Helan, M.H.M., Sabery, A., Palanisamy, U., Ilham, M., 2011. Triterpene composition and bioactivities of *centella asiatica*. *Molecules* 16: 1310–1322.
- Hawas, A.A., Nugrahaningsih, A.A.A., Solikhah, E.N., Syarifuddin, A., Wijayaningsih, R.A., Ngatidjan, 2017. Anti-inflammatory effect of *Centella asiatica* extract on prevented aortic intima-media thickening in diabetic rats. *J. Pharm. Sci.* 41: 1-7
- Hoehn, K.L., Hohnen-behrens, C., Cederberg, A., Wu, L.E., Yuasa, T., Ebina, Y., James, D.E., 2010. IRS1-Independent Defects Define Major Nodes of Insulin Resistance. *Cell Metab.* 7: 421–433.
- Hsieh, C.C., Chou, M.J., Wang, C., 2017. Lunasin attenuates obesity-related inflammation in RAW264.7 cells and 3T3-L1 adipocytes by inhibiting inflammatory cytokine production. *PLoS One* 12: 1–19.
- Hyun, B., Shin, S., Lee, A., Lee, S., Song, Y., Ha, N., Cho, K.-H., Kim, K., 2013. Metformin DOWN regulated TNF-alfa suppression. *Immune Netw.* 13: 123–132.
- Ikawati, Z., 2014. *Farmakologi Molekuler: target aksi obat dan mekanisme molekulernya*. Yogyakarta: Gadjah Mada University Press
- Jiang, G., Dallas-Yang, Q., Biswas, S., Li, Z., Zhang, B., 2004. Rosiglitazone, an agonist of peroxisome-proliferator-activated receptor  $\gamma$  (PPAR $\gamma$ ), decreases inhibitory serine phosphorylation of IRS1 in vitro and in vivo. *Mol. endrinology Diabetes* 377: 339–346.

- Kanda, H., Tateya, S., Tamori, Y., Kotani, K., Hiasa, K., Kitazawa, R., Kitazawa, S., Miyachi, H., Maeda, S., Egashira, K., Kasuga, M., 2006. MCP-1 contributes to macrophage infiltration into adipose tissue, insulin resistance, and hepatic steatosis in obesity. *J. Clin. Invest.* 116 (6): 1494-1505
- Kuang, J., Yan, X., Genders, A.J., Granata, C., Bishop, D.J., 2018. An overview of technical considerations when using quantitative real-time PCR analysis of gene expression in human exercise research. *PLoS One* 13: 1–27.
- Lambert, P.P., 2018. Efficacy of metformin on glycemic control and weight in drug-naive type 2 diabetes mellitus patients: a systematic review and meta-analysis of placebo-controlled randomized trials [serial online] [cited 2018 Mei 02];(25 screen). Availilabel from URL: <https://doi.org/10.1016/j.therap.2018.01.006>
- Lumeng, C.N., Bodzin, J.L., Saltiel, A.R., 2007. Obesity induces a phenotypic switch in adipose tissue macrophage polarization. *J. Clin. Invest.* 117: 175–184.
- Lumeng, C.N., Deyoung, S.M., Saltiel, A.R., 2007. Macrophages block insulin action in adipocytes by altering expression of signaling and glucose transport protein. *Am J Physiol Endocrinol Metab.* 292: 1–23.
- Mala, A., Tulika, T., 2015. Therapeutic efficacy of *Centella asiatica* (L.) and *Momordica charantia*: As traditional medicinal plant. *J. Plant Sci. Spec. Issue Med. Plants* 3: 1–9
- Martinez, L., Berenguer, M., Bruce, M.C., Le, Y., Govers, R., Martinez, L., Berenguer, M., Bruce, M.C., Marchand-brustel, Y., 2010. Rosiglitazone increases cell surface GLUT4 levels in 3T3-L1 adipocytes through an enhancement of endosomal recycling. *Biochem. Pharmacol.* 9: 1300.
- Morrison, S., Mcgee, S.L., 2015. 3T3-L1 adipocytes display phenotypic characteristics of multiple adipocyte lineages. *Adipocyte* 4: 295–302.
- Mutayabarwa, C, K., Sayi, J, G, M., Jande, M., 2003. Hypoglycaemic Activity of *Centella Asiatica* (L) Urb. *East Cent. African J. Pharm. Sci.* 6: 30–35.
- Nakarai, H., Yamashita, A., Nagayasu, S., Iwashita, M., Kumamoto, S., Ohyama, H., Hata, M., Soga, Y., Kushiyama, A., Asano, T., Abiko, Y., Nishimura, F., 2012. Adipocyte-macrophage interaction may mediate LPS-induced low-grade inflammation: Potential link with metabolic complications. *Innate Immun.* 18: 164–170.
- Olefsky, J.M., Glass, C.K., 2010. Macrophages, Inflammation, and Insulin Resistance. *Annu. Rev. Physiol.* 72 (1): 219-246

- Orhan, I.E., 2012. *Centella asiatica* ( L .) Urban : From Traditional Medicine to Modern Medicine with Neuroprotective Potential. *evidence-based Complement. Altern. Med.* 2012.
- Oyenihi, A.B., Chegou, N.N., Oguntibeju, O.O., 2017. *Centella asiatica* enhances hepatic antioxidant status and regulates hepatic inflammatory cytokines in type 2 diabetic rats. *Pharm. Biol.* 55: 1671–1678.
- Pahlavani, M., Ramalho, T., Koboziev, I., Lemieux, M.J., Jayarathne, S., Ramalingam, L., Filgueiras, L.R., Moustaid-Moussa, N., 2017. Adipose tissue inflammation in insulin resistance: Review of mechanisms mediating anti-inflammatory effects of omega-3 polyunsaturated fatty acids. *J. Investig. Med.* 65:1021–1027.
- Pingale, S. S., Evaluation of effect of *Centella asiatica* on CCL4 induced rat liver damage. 2008. *Pharmacologyonline* 3: 537–543.
- Ramachandran, V., Saravanan, R., 2015. Glucose uptake through translocation and activation of GLUT4 in PI3K / Akt signaling pathway by asiatic acid in diabetic rats. *Hum. Exp. Toxicol.* 34: 884–893.
- Rao, M. L.V.G., Mastan, S. A., 2007. Antidiabetic effects of methanolic extract of *Centella asiatica* (Linn.) on induced hyperglycemic rats. *Biosci. Biotech.Res. Asia* 4 (2): 721–724.
- Rotter, V., Nagaev, I., Smith, U., 2003. Interleukin-6 (IL-6) Induces Insulin Resistance in 3T3-L1 Adipocytes and Is, Like IL-8 and Tumor Necrosis Factor-  $\alpha$ , Overexpressed in Human Fat Cells from Insulin-resistant Subjects . *J. Biol. Chem.* 278: 45777–45784.
- Rui, L., Yuan, M., Frantz, D., Shoelson, S., White, M.F., 2002. SOCS-1 and SOCS-3 Block Insulin Signaling by Ubiquitin-mediated Degradation of IRS1 and IRS2 . *J. Biol. Chem.* 277: 42394–42398.
- Ruiz-Ojeda, F.J., Rupirez, A.I., Gomez-Llorente, C., Gil, A., Aguilera, C.M., 2016. Cell models and their application for studying adipogenic differentiation in relation to obesity: A review. *Int. J. Mol. Sci.* 17: 1–26.
- Sah, S.P., Singh, B., Choudhary, S., Kumar, A., 2016. Animal models of insulin resistance: A review. *Pharmacol. Reports* 68: 1165–1177.
- Sampson, J. H., Raman, A., Karlsen, G., Navsaria, H., Leigh, I., 2001. *In vitro* keratinocyte antiproliferant effect of *Centella asiatica* extract and triterpenoid saponins,” *Phytomedicine* 8 (3): 230–235

- Sasikala, S., Lakshminarasaiyah, S., Naidu, M.D., 2015. Antidiabetic activity of *Centella asiatica* on streptozotocin induced diabetic male albino rats. *World J. Pharm. Sci.* 3: 1701–1705.
- Scheen, A. J., 2014. Pathophysiology of Type 2 Diabetes. *Acta Clin. Belg.* 110: 335–341.
- Shi, H., Kokoeva, M. V, Inouye, K., Tzameli, I., Yin, H., Flier, J.S., 2006. TLR4 links innate immunity and fatty acid – induced insulin resistance 116: 3015–3025.
- Soheili, Z., Samiel, S., 2005. Real time PCR: Principle and Application. *Hepat. Mon.* 5: 83–87.
- Somchit, M.N., Sulaiman, M.R., Zuraini, A., Samsuddin, L., Somchit, N., Israf, D.A., Moin, S., 2004. Antinociceptive and antiinflammatory effects of *Centella asiatica*. *indian J Pharmacol* 36: 377–380.
- Sudha, S., Kumaresan, S., Amit, A. David, J., Venkataraman, B. V., 2002. Anti-convulsant activity of different extracts of *Centella asiatica* and *Bacopa monnieri* in animals. *Nat. Remedies* 2 (1): 33–41.
- Suganami, T., Nishida, J., Ogawa, Y., 2005. A Paracrine Loop Between Adipocytes and Macrophages Aggravates Inflammatory Changes Role of Free Fatty Acids and Tumor Necrosis Factor.pdf. *Arterioscler. Thromb. Vasc. Biol.* 25: 2062–2068.
- Sun, K., Kusminski, C.C.M., Scherer, P.E.P., 2011. Adipose tissue remodeling and obesity. *J. Clin. Invest.* 121: 2094–2101.
- Sun, W.E.N., Xu, G., Guo, X., Luo, G., Wu, L., Hou, Y.I., Guo, X., Zhou, J., Xu, T., Qin, L., Fan, Y., Han, L.I., Matsabisa, M., Ma, X., Liu, T., 2017. Protective effects of asiatic acid in a spontaneous type 2 diabetic mouse model. *Mol. Med. Rep.* 16: 1333–1339.
- Taciak, B., Białasek, M., Braniewska, A., Sas, Z., Sawicka, P., Kiraga, Ł., Rygiel, T., Kro, M., 2018. Evaluation of phenotypic and functional stability of RAW 264 . 7 cell line through serial passages. *PLoS One* 13: 1–13.
- Trayhurn, P., Wood, I.S., 2004. Horizons in Nutritional Science Adipokines : inflammation and the pleiotropic role of white adipose tissue. *Br. J. Nutr.* 92: 347–355.
- Tripathi, P., Tripathi, P., Kashyap, L., Singh, V., 2007. The role of nitric oxide in inflammatory reactions. *FES Immunol Med Microb.* 51: 443–452.

- Vishwanath, D., Srinivasan, H., 2013. Novel method to differentiate 3T3 L1 cells in vitro to produce highly sensitive adipocytes for a GLUT4 mediated glucose uptake using fluorescent glucose analog. *J.cell Commun. Signal* 7: 129–140.
- Wang, X. S., Dong, Q., Zuo, J. P. , Fang, J. N., 2003. Structure and potential immunological activity of a pectin from *Centella asiatica* (L.) Urban. *Carbo. Res.* 338 (22): 2393–2402.
- Xie, L., Ortega, M.T., Mora, S., Chapes, S.K., 2010. Interactive changes between macrophages and adipocytes. *Clin. Vaccine Immunol.* 17: 651–659.
- Yun, K., Kim, J., Kim, J., Lee, K., Jeong, S., Park, H., Jung, H., Cho, Y., Yun, K., Lee, K., 2008. Inhibition of LPS-induced NO and PGE 2 production by asiatic acid via NF-  $\kappa$  B inactivation in RAW 264.7 macrophages : Possible involvement of the IKK and MAPK pathways. *Int. Immunopharmacol.* 8: 431–441.
- Zand, H., Morshedzadeh, N., Naghashian, F., 2017. Signaling pathways linking inflammation to insulin resistance. *Diabetes Metab. Syndr. Clin. Res. Rev.* 115: 307–309.
- Zebisch, K., Voigt, V., Wabitsch, M., Brandsch, M., 2012. Protocol for effective differentiation of 3T3-L1 cells to adipocytes. *Anal. Biochem.* 425: 88–90.